



Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi a Low Channel 5180MHz Chain 1 Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5147.640	55.65	5.82	61.47	74.00	12.53	Peak
2	5147.640	38.34	5.82	44.16	54.00	9.84	Average
3	5150.000	50.68	5.83	56.51	74.00	17.49	Peak
4	5150.000	39.40	5.83	45.23	54.00	8.77	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi a Low Channel 5180MHz Chain 1 Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5149.680	52.37	5.83	58.20	74.00	15.80	Peak
2	5149.680	36.31	5.83	42.14	54.00	11.86	Average
3	5150.000	48.24	5.83	54.07	74.00	19.93	Peak
4	5150.000	37.43	5.83	43.26	54.00	10.74	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi a High Channel 5240MHz Chain 1 Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	45.87	6.43	52.30	74.00	21.70	Peak
2	5350.000	35.09	6.43	41.52	54.00	12.48	Average
3	5398.960	49.48	6.45	55.93	74.00	18.07	Peak
4	5398.960	36.71	6.45	43.16	54.00	10.84	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi a High Channel 5240MHz Chain 1 Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	44.87	6.43	51.30	74.00	22.70	Peak
2	5362.920	47.14	6.44	53.58	74.00	20.42	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ac20 Low Channel 5180MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5148.390	48.74	5.82	54.56	74.00	19.44	Peak
2	5148.390	35.55	5.82	41.37	54.00	12.63	Average
3	5150.000	46.75	5.83	52.58	74.00	21.42	Peak
4	5150.000	35.64	5.83	41.47	54.00	12.53	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: vertical
Note: 5G WiFi ac20 Low Channel 5180MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5139.210	48.17	5.79	53.96	74.00	20.04	Peak
2	5150.000	46.14	5.83	51.97	74.00	22.03	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ac20 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	45.76	6.43	52.19	74.00	21.81	Peak
2	5350.000	34.82	6.43	41.25	54.00	12.75	Average
3	5396.640	47.76	6.45	54.21	74.00	19.79	Peak
4	5396.640	34.69	6.45	41.14	54.00	12.86	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ac20 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	45.30	6.43	51.73	74.00	22.27	Peak
2	5361.920	47.42	6.43	53.85	74.00	20.15	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ac40 Low Channel 5190MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5149.350	52.88	5.83	58.71	74.00	15.29	Peak
2	5149.350	38.75	5.83	44.58	54.00	9.42	Average
3	5150.000	51.36	5.83	57.19	74.00	16.81	Peak
4	5150.000	38.96	5.83	44.79	54.00	9.21	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ac40 Low Channel 5190MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5149.770	51.15	5.83	56.98	74.00	17.02	Peak
2	5149.770	38.38	5.83	44.21	54.00	9.79	Average
3	5150.000	48.34	5.83	54.17	74.00	19.83	Peak
4	5150.000	38.35	5.83	44.18	54.00	9.82	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ac40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	46.71	6.43	53.14	74.00	20.86	Peak
2	5387.840	47.35	6.45	53.80	74.00	20.20	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ac40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	45.68	6.43	52.11	74.00	21.89	Peak
2	5354.280	47.56	6.43	53.99	74.00	20.01	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ac80 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5147.940	59.13	5.82	64.95	74.00	9.05	Peak
2	5147.940	44.29	5.82	50.11	54.00	3.89	Average
3	5150.000	56.28	5.83	62.11	74.00	11.89	Peak
4	5150.000	44.51	5.83	50.34	54.00	3.66	Average
5	5350.000	45.45	6.43	51.88	74.00	22.12	Peak
6	5350.000	34.80	6.43	41.23	54.00	12.77	Average
7	5371.620	47.77	6.43	54.20	74.00	19.80	Peak
8	5371.620	34.72	6.43	41.15	54.00	12.85	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ac80 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5147.520	54.70	5.82	60.52	74.00	13.48	Peak
2	5147.520	41.43	5.82	47.25	54.00	6.75	Average
3	5150.000	51.54	5.83	57.37	74.00	16.63	Peak
4	5150.000	42.48	5.83	48.31	54.00	5.69	Average
5	5350.000	43.34	6.43	49.77	74.00	24.23	Peak
6	5350.000	34.93	6.43	41.36	54.00	12.64	Average
7	5399.640	46.39	6.45	52.84	74.00	21.16	Peak
8	5399.640	35.01	6.45	41.46	54.00	12.54	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ax20 Low Channel 5180MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5146.800	50.48	5.82	56.30	74.00	17.70	Peak
2	5146.800	36.54	5.82	42.36	54.00	11.64	Average
3	5150.000	49.41	5.83	55.24	74.00	18.76	Peak
4	5150.000	36.74	5.83	42.57	54.00	11.43	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ax20 Low Channel 5180MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5121.840	48.53	5.71	54.24	74.00	19.76	Peak
2	5121.840	35.31	5.71	41.02	54.00	12.98	Average
3	5150.000	46.86	5.83	52.69	74.00	21.31	Peak
4	5150.000	35.74	5.83	41.57	54.00	12.43	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ax20 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	45.20	6.43	51.63	74.00	22.37	Peak
2	5350.000	35.31	6.43	41.74	54.00	12.26	Average
3	5399.450	47.66	6.45	54.11	74.00	19.89	Peak
4	5399.450	35.08	6.45	41.53	54.00	12.47	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ax20 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	45.44	6.43	51.87	74.00	22.13	Peak
2	5350.000	34.82	6.43	41.25	54.00	12.75	Average
3	5362.650	47.69	6.44	54.13	74.00	19.87	Peak
4	5362.650	34.62	6.44	41.06	54.00	12.94	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ax40 Low Channel 5190MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5149.260	62.98	5.83	68.81	74.00	5.19	Peak
2	5149.260	44.64	5.83	50.47	54.00	3.53	Average
3	5150.000	61.12	5.83	66.95	74.00	7.05	Peak
4	5150.000	44.95	5.83	50.78	54.00	3.22	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ax40 Low Channel 5190MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5149.080	56.63	5.83	62.46	74.00	11.54	Peak
2	5149.080	38.06	5.83	43.89	54.00	10.11	Average
3	5150.000	53.16	5.83	58.99	74.00	15.01	Peak
4	5150.000	38.18	5.83	44.01	54.00	9.99	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ax40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	45.57	6.43	52.00	74.00	22.00	Peak
2	5350.000	34.86	6.43	41.29	54.00	12.71	Average
3	5392.500	47.76	6.45	54.21	74.00	19.79	Peak
4	5392.500	35.18	6.45	41.63	54.00	12.37	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ax40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	44.53	6.43	50.96	74.00	23.04	Peak
2	5350.000	34.79	6.43	41.22	54.00	12.78	Average
3	5351.500	47.61	6.43	54.04	74.00	19.96	Peak
4	5351.500	34.70	6.43	41.13	54.00	12.87	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ax80 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5148.840	59.29	5.83	65.12	74.00	8.88	Peak
2	5148.840	43.04	5.83	48.87	54.00	5.13	Average
3	5150.000	57.71	5.83	63.54	74.00	10.46	Peak
4	5150.000	43.40	5.83	49.23	54.00	4.77	Average
5	5350.000	46.03	6.43	52.46	74.00	21.54	Peak
6	5350.000	34.80	6.43	41.23	54.00	12.77	Average
7	5361.540	47.44	6.43	53.87	74.00	20.13	Peak
8	5361.540	34.89	6.43	41.32	54.00	12.68	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ax80 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5149.020	54.28	5.83	60.11	74.00	13.89	Peak
2	5149.020	38.32	5.83	44.15	54.00	9.85	Average
3	5150.000	50.52	5.83	56.35	74.00	17.65	Peak
4	5150.000	38.53	5.83	44.36	54.00	9.64	Average
5	5350.000	45.99	6.43	52.42	74.00	21.58	Peak
6	5350.000	34.69	6.43	41.12	54.00	12.88	Average
7	5392.560	47.32	6.46	53.78	74.00	20.22	Peak
8	5392.560	34.89	6.46	41.35	54.00	12.65	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi a Low Channel 5260MHz Chain 0 Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5138.520	47.48	5.78	53.26	74.00	20.74	Peak
2	5150.000	45.83	5.83	51.66	74.00	22.34	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi a Low Channel 5260MHz Chain 0 Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5135.480	47.71	5.77	53.48	74.00	20.52	Peak
2	5150.000	45.06	5.83	50.89	74.00	23.11	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi a High Channel 5320MHz Chain 0 Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	47.29	6.43	53.72	74.00	20.28	Peak
2	5350.000	36.03	6.43	42.46	54.00	11.54	Average
3	5351.040	48.68	6.43	55.11	74.00	18.89	Peak
4	5351.040	35.91	6.43	42.34	54.00	11.66	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi a High Channel 5320MHz Chain 0 Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	45.38	6.43	51.81	74.00	22.19	Peak
2	5359.350	47.38	6.44	53.82	74.00	20.18	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi a Low Channel 5260MHz Chain 1 Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5103.920	47.87	5.64	53.51	74.00	20.49	Peak
2	5150.000	45.63	5.83	51.46	74.00	22.54	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi a Low Channel 5260MHz Chain 1 Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5125.160	47.90	5.73	53.63	74.00	20.37	Peak
2	5150.000	46.62	5.83	52.45	74.00	21.55	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi a High Channel 5320MHz Chain 1 Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	46.89	6.43	53.32	74.00	20.68	Peak
2	5350.000	36.40	6.43	42.83	54.00	11.17	Average
3	5350.410	49.24	6.43	55.67	74.00	18.33	Peak
4	5350.410	36.24	6.43	42.67	54.00	11.33	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi a High Channel 5320MHz Chain 1 Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	44.74	6.43	51.17	74.00	22.83	Peak
2	5351.550	46.97	6.43	53.40	74.00	20.60	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ac20 Low Channel 5260MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5101.640	48.14	5.63	53.77	74.00	20.23	Peak
2	5150.000	46.00	5.83	51.83	74.00	22.17	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ac20 Low Channel 5260MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5143.640	47.87	5.80	53.67	74.00	20.33	Peak
2	5150.000	46.10	5.83	51.93	74.00	22.07	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ac20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	48.08	6.43	54.51	74.00	19.49	Peak
2	5350.000	36.82	6.43	43.25	54.00	10.75	Average
3	5350.140	53.72	6.43	60.15	74.00	13.85	Peak
4	5350.140	36.72	6.43	43.15	54.00	10.85	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ac20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	45.38	6.43	51.81	74.00	22.19	Peak
2	5355.240	47.31	6.43	53.74	74.00	20.26	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ac40 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5116.640	47.78	5.69	53.47	74.00	20.53	Peak
2	5150.000	45.84	5.83	51.67	74.00	22.33	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ac40 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5128.360	47.46	5.74	53.20	74.00	20.80	Peak
2	5150.000	45.58	5.83	51.41	74.00	22.59	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ac40 High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	53.25	6.43	59.68	74.00	14.32	Peak
2	5350.000	43.11	6.43	49.54	54.00	4.46	Average
3	5350.560	56.43	6.43	62.86	74.00	11.14	Peak
4	5350.560	42.80	6.43	49.23	54.00	4.77	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ac40 High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	50.24	6.43	56.67	74.00	17.33	Peak
2	5350.000	37.12	6.43	43.55	54.00	10.45	Average
3	5350.560	51.31	6.43	57.74	74.00	16.26	Peak
4	5350.560	36.98	6.43	43.41	54.00	10.59	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ac80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5143.740	47.36	5.80	53.16	74.00	20.84	Peak
2	5143.740	35.19	5.80	40.99	54.00	13.01	Average
3	5150.000	45.42	5.83	51.25	74.00	22.75	Peak
4	5150.000	35.25	5.83	41.08	54.00	12.92	Average
5	5350.000	58.10	6.43	64.53	74.00	9.47	Peak
6	5350.000	44.16	6.43	50.59	54.00	3.41	Average
7	5351.580	56.97	6.43	63.40	74.00	10.60	Peak
8	5351.580	44.57	6.43	51.00	54.00	3.00	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ac80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5141.220	47.44	5.79	53.23	74.00	20.77	Peak
2	5141.220	34.82	5.79	40.61	54.00	13.39	Average
3	5150.000	44.55	5.83	50.38	74.00	23.62	Peak
4	5150.000	34.90	5.83	40.73	54.00	13.27	Average
5	5350.000	49.55	6.43	55.98	74.00	18.02	Peak
6	5350.000	38.64	6.43	45.07	54.00	8.93	Average
7	5351.700	50.99	6.43	57.42	74.00	16.58	Peak
8	5351.700	37.87	6.43	44.30	54.00	9.70	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ax20 Low Channel 5260MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5125.560	48.01	5.73	53.74	74.00	20.26	Peak
2	5150.000	46.42	5.83	52.25	74.00	21.75	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ax20 Low Channel 5260MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5140.920	47.39	5.79	53.18	74.00	20.82	Peak
2	5150.000	45.57	5.83	51.40	74.00	22.60	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ax20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	47.77	6.43	54.20	74.00	19.80	Peak
2	5350.000	35.79	6.43	42.22	54.00	11.78	Average
3	5350.680	50.37	6.43	56.80	74.00	17.20	Peak
4	5350.680	35.78	6.43	42.21	54.00	11.79	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ax20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	45.46	6.43	51.89	74.00	22.11	Peak
2	5381.640	46.90	6.44	53.34	74.00	20.66	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ax40 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5101.800	48.04	5.63	53.67	74.00	20.33	Peak
2	5150.000	45.86	5.83	51.69	74.00	22.31	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ax40 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5148.840	47.67	5.83	53.50	74.00	20.50	Peak
2	5150.000	46.56	5.83	52.39	74.00	21.61	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ax40 High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	61.82	6.43	68.25	74.00	5.75	Peak
2	5350.000	42.60	6.43	49.03	54.00	4.97	Average
3	5350.200	62.21	6.43	68.64	74.00	5.36	Peak
4	5350.200	42.54	6.43	48.97	54.00	5.03	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ax40 High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	50.46	6.43	56.89	74.00	17.11	Peak
2	5350.000	36.74	6.43	43.17	54.00	10.83	Average
3	5350.170	56.14	6.43	62.57	74.00	11.43	Peak
4	5350.170	36.63	6.43	43.06	54.00	10.94	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ax80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5149.380	47.14	5.83	52.97	74.00	21.03	Peak
2	5149.380	34.48	5.83	40.31	54.00	13.69	Average
3	5150.000	46.01	5.83	51.84	74.00	22.16	Peak
4	5150.000	34.61	5.83	40.44	54.00	13.56	Average
5	5350.000	58.18	6.43	64.61	74.00	9.39	Peak
6	5350.000	43.66	6.43	50.09	54.00	3.91	Average
7	5350.140	61.98	6.43	68.41	74.00	5.59	Peak
8	5350.140	44.19	6.43	50.62	54.00	3.38	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ax80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5106.780	47.30	5.65	52.95	74.00	21.05	Peak
2	5106.780	34.28	5.65	39.93	54.00	14.07	Average
3	5150.000	45.56	5.83	51.39	74.00	22.61	Peak
4	5150.000	34.33	5.83	40.16	54.00	13.84	Average
5	5350.000	56.42	6.43	62.85	74.00	11.15	Peak
6	5350.000	38.75	6.43	45.18	54.00	8.82	Average
7	5352.540	56.44	6.43	62.87	74.00	11.13	Peak
8	5352.540	38.51	6.43	44.94	54.00	9.06	Average

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi a Low Channel 5500MHz Chain 0 Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5450.414	48.08	6.68	54.76	74.00	19.24	Peak
2	5450.414	34.63	6.68	41.31	54.00	12.69	Average
3	5460.000	45.19	6.69	51.88	74.00	22.12	Peak
4	5460.000	34.95	6.69	41.64	54.00	12.36	Average
5	5468.770	51.38	6.70	58.08	68.20	10.12	Peak
6	5470.000	46.89	6.70	53.59	68.20	14.61	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi a Low Channel 5500MHz Chain 0 Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5449.478	47.22	6.68	53.90	74.00	20.10	Peak
2	5460.000	45.79	6.69	52.48	74.00	21.52	Peak
3	5466.898	47.17	6.70	53.87	68.20	14.33	Peak
4	5470.000	45.53	6.70	52.23	68.20	15.97	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi a High Channel 5700MHz Chain 0 Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	55.00	6.83	61.83	68.20	6.37	Peak
2	5725.052	58.07	6.84	64.91	68.20	3.29	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi a High Channel 5700MHz Chain 0 Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	48.32	6.83	55.15	68.20	13.05	Peak
2	5747.340	50.19	6.87	57.06	68.20	11.14	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi a Low Channel 5500MHz Chain 1 Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5458.916	48.97	6.69	55.66	74.00	18.34	Peak
2	5458.916	34.83	6.69	41.52	54.00	12.48	Average
3	5460.000	46.06	6.69	52.75	74.00	21.25	Peak
4	5460.000	34.86	6.69	41.55	54.00	12.45	Average
5	5467.860	56.26	6.70	62.96	68.20	5.24	Peak
6	5470.000	47.54	6.70	54.24	68.20	13.96	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi a Low Channel 5500MHz Chain 1 Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5458.682	47.63	6.69	54.32	74.00	19.68	Peak
2	5458.682	33.99	6.69	40.68	54.00	13.32	Average
3	5460.000	45.11	6.69	51.80	74.00	22.20	Peak
4	5460.000	34.05	6.69	40.74	54.00	13.26	Average
5	5467.392	48.27	6.70	54.97	68.20	13.23	Peak
6	5470.000	45.06	6.70	51.76	68.20	16.44	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi a High Channel 5700MHz Chain 1 Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	51.82	6.83	58.65	68.20	9.55	Peak
2	5725.458	55.44	6.84	62.28	68.20	5.92	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi a High Channel 5700MHz Chain 1 Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	48.79	6.83	55.62	68.20	12.58	Peak
2	5737.442	50.06	6.85	56.91	68.20	11.29	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ac20 Low Channel 5500MHz Band 3




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5424.804	47.78	6.56	54.34	74.00	19.66	Peak
2	5424.804	34.11	6.56	40.67	54.00	13.33	Average
3	5460.000	46.10	6.69	52.79	74.00	21.21	Peak
4	5460.000	34.15	6.69	40.84	54.00	13.16	Average
5	5463.726	47.67	6.69	54.36	68.20	13.84	Peak
6	5470.000	45.51	6.70	52.21	68.20	15.99	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ac20 Low Channel 5500MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5432.032	47.16	6.60	53.76	74.00	20.24	Peak
2	5460.000	45.46	6.69	52.15	74.00	21.85	Peak
3	5464.012	47.55	6.69	54.24	68.20	13.96	Peak
4	5470.000	45.63	6.70	52.33	68.20	15.87	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ac20 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	50.48	6.83	57.31	68.20	10.89	Peak
2	5725.486	56.37	6.84	63.21	68.20	4.99	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ac20 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	48.03	6.83	54.86	68.20	13.34	Peak
2	5725.626	50.38	6.84	57.22	68.20	10.98	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ac40 Low Channel 5510MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5456.430	50.98	6.69	57.67	74.00	16.33	Peak
2	5456.430	38.05	6.69	44.74	74.00	29.26	Peak
3	5460.000	51.58	6.69	58.27	74.00	15.73	Peak
4	5460.000	38.30	6.69	44.99	74.00	29.01	Peak
5	5469.690	58.02	6.70	64.72	68.20	3.48	Peak
6	5470.000	56.37	6.70	63.07	68.20	5.13	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ac40 Low Channel 5510MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5450.340	49.72	6.68	56.40	74.00	17.60	Peak
2	5450.340	36.33	6.68	43.01	54.00	10.99	Average
3	5460.000	47.36	6.69	54.05	74.00	19.95	Peak
4	5460.000	36.45	6.69	43.14	54.00	10.86	Average
5	5469.600	52.08	6.70	58.78	68.20	9.42	Peak
6	5470.000	50.06	6.70	56.76	68.20	11.44	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ac40 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	50.45	6.83	57.28	68.20	10.92	Peak
2	5728.820	55.86	6.84	62.70	68.20	5.50	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ac40 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	47.42	6.83	54.25	68.20	13.95	Peak
2	5733.300	47.47	6.84	54.31	68.20	13.89	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ac80 Low Channel 5530MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5455.116	54.59	6.69	61.28	74.00	12.72	Peak
2	5455.116	40.48	6.69	47.17	54.00	6.83	Average
3	5460.000	52.07	6.69	58.76	74.00	15.24	Peak
4	5460.000	41.00	6.69	47.69	54.00	6.31	Average
5	5467.968	56.58	6.70	63.28	68.20	4.92	Peak
6	5470.000	55.28	6.70	61.98	68.20	6.22	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ac80 Low Channel 5530MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5459.544	50.66	6.69	57.35	74.00	16.65	Peak
2	5459.544	37.83	6.69	44.52	54.00	9.48	Average
3	5460.000	49.12	6.69	55.81	74.00	18.19	Peak
4	5460.000	37.94	6.69	44.63	54.00	9.37	Average
5	5461.776	51.91	6.69	58.60	68.20	9.60	Peak
6	5470.000	49.70	6.70	56.40	68.20	11.80	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ac80 High Channel 5610MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	45.06	6.83	51.89	68.20	16.31	Peak
2	5741.260	47.89	6.86	54.75	68.20	13.45	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ac80 High Channel 5610MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	46.00	6.83	52.83	68.20	15.37	Peak
2	5728.492	47.89	6.84	54.73	68.20	13.47	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ax20 Low Channel 5500MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5457.694	48.99	6.69	55.68	74.00	18.32	Peak
2	5457.694	35.32	6.69	42.01	54.00	11.99	Average
3	5460.000	46.89	6.69	53.58	74.00	20.42	Peak
4	5460.000	35.43	6.69	42.12	54.00	11.88	Average
5	5469.576	53.34	6.70	60.04	68.20	8.16	Peak
6	5470.000	50.37	6.70	57.07	68.20	11.13	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ax20 Low Channel 5500MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5458.474	47.94	6.69	54.63	74.00	19.37	Peak
2	5458.474	33.88	6.69	40.57	54.00	13.43	Average
3	5460.000	45.11	6.69	51.80	74.00	22.20	Peak
4	5460.000	33.95	6.69	40.64	54.00	13.36	Average
5	5465.988	47.32	6.70	54.02	68.20	14.18	Peak
6	5470.000	45.20	6.70	51.90	68.20	16.30	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ax20 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	54.80	6.83	61.63	68.20	6.57	Peak
2	5725.178	56.62	6.84	63.46	68.20	4.74	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ax20 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	53.84	6.83	60.67	68.20	7.53	Peak
2	5725.248	55.37	6.84	62.21	68.20	5.99	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ax40 Low Channel 5510MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5455.800	49.14	6.69	55.83	74.00	18.17	Peak
2	5455.800	36.52	6.69	43.21	54.00	10.79	Average
3	5460.000	47.08	6.69	53.77	74.00	20.23	Peak
4	5460.000	36.76	6.69	43.45	54.00	10.55	Average
5	5469.870	57.87	6.70	64.57	68.20	3.63	Peak
6	5470.000	54.54	6.70	61.24	68.20	6.96	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ax40 Low Channel 5510MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5410.080	49.49	6.50	55.99	74.00	18.01	Peak
2	5410.080	49.49	6.50	55.99	54.00	-1.99	Average
3	5460.000	47.17	6.69	53.86	74.00	20.14	Peak
4	5460.000	47.17	6.69	53.86	54.00	0.14	Average
5	5469.360	53.03	6.70	59.73	68.20	8.47	Peak
6	5470.000	50.52	6.70	57.22	68.20	10.98	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ax40 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	47.08	6.83	53.91	68.20	14.29	Peak
2	5725.560	52.84	6.84	59.68	68.20	8.52	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ax40 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	45.73	6.83	52.56	68.20	15.64	Peak
2	5739.400	47.73	6.85	54.58	68.20	13.62	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ax80 Low Channel 5530MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5459.436	55.06	6.69	61.75	74.00	12.25	Peak
2	5459.436	38.50	6.69	45.19	54.00	8.81	Average
3	5460.000	50.29	6.69	56.98	74.00	17.02	Peak
4	5460.000	38.67	6.69	45.36	54.00	8.64	Average
5	5468.832	57.64	6.70	64.34	68.20	3.86	Peak
6	5470.000	52.61	6.70	59.31	68.20	8.89	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ax80 Low Channel 5530MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5457.024	49.53	6.69	56.22	74.00	17.78	Peak
2	5457.024	36.02	6.69	42.71	74.00	31.29	Peak
3	5460.000	47.92	6.69	54.61	74.00	19.39	Peak
4	5460.000	36.29	6.69	42.98	74.00	31.02	Peak
5	5469.948	52.58	6.70	59.28	68.20	8.92	Peak
6	5470.000	51.01	6.70	57.71	68.20	10.49	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ax80 High Channel 5610MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	46.32	6.83	53.15	68.20	15.05	Peak
2	5749.126	48.07	6.86	54.93	68.20	13.27	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ax80 High Channel 5610MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5725.000	46.09	6.83	52.92	68.20	15.28	Peak
2	5749.126	47.74	6.86	54.60	68.20	13.60	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi a Low Channel 5745MHz Chain 0 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5642.080	50.02	6.84	56.86	68.20	11.34	Peak
2	5650.000	48.00	6.83	54.83	68.20	13.37	Peak
3	5700.000	50.03	6.81	56.84	105.20	48.36	Peak
4	5720.000	58.36	6.83	65.19	110.80	45.61	Peak
5	5725.000	63.92	6.83	70.75	122.20	51.45	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi a Low Channel 5745MHz Chain 0 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5620.880	49.66	6.82	56.48	68.20	11.72	Peak
2	5650.000	47.60	6.83	54.43	68.20	13.77	Peak
3	5700.000	47.76	6.81	54.57	105.20	50.63	Peak
4	5720.000	51.75	6.83	58.58	110.80	52.22	Peak
5	5725.000	56.77	6.83	63.60	122.20	58.60	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi a High Channel 5825MHz Chain 0 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	59.48	6.92	66.40	122.20	55.80	Peak
2	5855.000	53.79	6.94	60.73	110.80	50.07	Peak
3	5875.000	49.49	7.02	56.51	105.20	48.69	Peak
4	5925.000	48.41	7.17	55.58	68.20	12.62	Peak
5	5935.570	50.64	7.20	57.84	68.20	10.36	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi a High Channel 5825MHz Chain 0 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	54.04	6.92	60.96	122.20	61.24	Peak
2	5855.000	49.75	6.94	56.69	110.80	54.11	Peak
3	5875.000	48.43	7.02	55.45	105.20	49.75	Peak
4	5925.000	48.15	7.17	55.32	68.20	12.88	Peak
5	5945.620	50.84	7.23	58.07	68.20	10.13	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi a Low Channel 5745MHz Chain 1 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5614.760	50.24	6.82	57.06	68.20	11.14	Peak
2	5650.000	47.83	6.83	54.66	68.20	13.54	Peak
3	5700.000	49.59	6.81	56.40	105.20	48.80	Peak
4	5720.000	59.11	6.83	65.94	110.80	44.86	Peak
5	5725.000	67.14	6.83	73.97	122.20	48.23	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi a Low Channel 5745MHz Chain 1 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5635.560	49.91	6.83	56.74	68.20	11.46	Peak
2	5650.000	47.22	6.83	54.05	68.20	14.15	Peak
3	5700.000	47.64	6.81	54.45	105.20	50.75	Peak
4	5720.000	50.78	6.83	57.61	110.80	53.19	Peak
5	5725.000	56.87	6.83	63.70	122.20	58.50	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi a High Channel 5825MHz Chain 1 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	56.27	6.92	63.19	122.20	59.01	Peak
2	5855.000	52.95	6.94	59.89	110.80	50.91	Peak
3	5875.000	49.57	7.02	56.59	105.20	48.61	Peak
4	5925.000	47.92	7.17	55.09	68.20	13.11	Peak
5	5943.400	50.61	7.21	57.82	68.20	10.38	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi a High Channel 5825MHz Chain 1 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	49.98	6.92	56.90	122.20	65.30	Peak
2	5855.000	49.11	6.94	56.05	110.80	54.75	Peak
3	5875.000	48.92	7.02	55.94	105.20	49.26	Peak
4	5925.000	49.63	7.17	56.80	68.20	11.40	Peak
5	5928.820	49.90	7.19	57.09	68.20	11.11	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ac20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5642.360	50.20	6.84	57.04	68.20	11.16	Peak
2	5650.000	48.13	6.83	54.96	68.20	13.24	Peak
3	5700.000	49.02	6.81	55.83	105.20	49.37	Peak
4	5720.000	61.20	6.83	68.03	110.80	42.77	Peak
5	5725.000	68.50	6.83	75.33	122.20	46.87	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: vertical
Note: 5G WiFi ac20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5648.040	48.40	6.83	55.23	68.20	12.97	Peak
2	5650.000	45.30	6.83	52.13	68.20	16.07	Peak
3	5700.000	46.59	6.81	53.40	105.20	51.80	Peak
4	5720.000	50.14	6.83	56.97	110.80	53.83	Peak
5	5725.000	60.04	6.83	66.87	122.20	55.33	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ac20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	61.82	6.92	68.74	122.20	53.46	Peak
2	5855.000	57.13	6.94	64.07	110.80	46.73	Peak
3	5875.000	50.22	7.02	57.24	105.20	47.96	Peak
4	5925.000	49.46	7.17	56.63	68.20	11.57	Peak
5	5929.540	50.90	7.19	58.09	68.20	10.11	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ac20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	51.91	6.92	58.83	122.20	63.37	Peak
2	5855.000	48.66	6.94	55.60	110.80	55.20	Peak
3	5875.000	48.35	7.02	55.37	105.20	49.83	Peak
4	5925.000	48.48	7.17	55.65	68.20	12.55	Peak
5	5927.470	50.05	7.18	57.23	68.20	10.97	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ac40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5625.880	50.01	6.83	56.84	68.20	11.36	Peak
2	5650.000	48.39	6.83	55.22	68.20	12.98	Peak
3	5700.000	53.84	6.81	60.65	105.20	44.55	Peak
4	5720.000	67.98	6.83	74.81	110.80	35.99	Peak
5	5725.000	68.13	6.83	74.96	122.20	47.24	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ac40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5638.960	50.01	6.82	56.83	68.20	11.37	Peak
2	5650.000	48.68	6.83	55.51	68.20	12.69	Peak
3	5700.000	49.39	6.81	56.20	105.20	49.00	Peak
4	5720.000	60.46	6.83	67.29	110.80	43.51	Peak
5	5725.000	62.01	6.83	68.84	122.20	53.36	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ac40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	53.57	6.92	60.49	122.20	61.71	Peak
2	5855.000	53.14	6.94	60.08	110.80	50.72	Peak
3	5875.000	49.54	7.02	56.56	105.20	48.64	Peak
4	5925.000	48.56	7.17	55.73	68.20	12.47	Peak
5	5934.000	50.33	7.21	57.54	68.20	10.66	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ac40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	48.25	6.92	55.17	122.20	67.03	Peak
2	5855.000	49.07	6.94	56.01	110.80	54.79	Peak
3	5875.000	49.12	7.02	56.14	105.20	49.06	Peak
4	5925.000	49.06	7.17	56.23	68.20	11.97	Peak
5	5946.320	50.68	7.24	57.92	68.20	10.28	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5644.940	50.44	6.83	57.27	68.20	10.93	Peak
2	5650.000	48.55	6.83	55.38	68.20	12.82	Peak
3	5700.000	63.05	6.81	69.86	105.20	35.34	Peak
4	5720.000	67.26	6.83	74.09	110.80	36.71	Peak
5	5725.000	70.71	6.83	77.54	122.20	44.66	Peak
6	5850.000	57.46	6.92	64.38	122.20	57.82	Peak
7	5855.000	59.17	6.94	66.11	110.80	44.69	Peak
8	5875.000	51.35	7.02	58.37	105.20	46.83	Peak
9	5925.000	49.84	7.17	57.01	68.20	11.19	Peak
10	5949.580	50.53	7.24	57.77	68.20	10.43	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5635.420	49.45	6.83	56.28	68.20	11.92	Peak
2	5650.000	47.10	6.83	53.93	68.20	14.27	Peak
3	5700.000	54.05	6.81	60.86	105.20	44.34	Peak
4	5720.000	57.63	6.83	64.46	110.80	46.34	Peak
5	5725.000	60.63	6.83	67.46	122.20	54.74	Peak
6	5850.000	52.53	6.92	59.45	122.20	62.75	Peak
7	5855.000	51.51	6.94	58.45	110.80	52.35	Peak
8	5875.000	48.60	7.02	55.62	105.20	49.58	Peak
9	5925.000	49.43	7.17	56.60	68.20	11.60	Peak
10	5928.370	50.09	7.18	57.27	68.20	10.93	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ax20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5627.840	49.79	6.82	56.61	68.20	11.59	Peak
2	5650.000	48.13	6.83	54.96	68.20	13.24	Peak
3	5700.000	50.32	6.81	57.13	105.20	48.07	Peak
4	5720.000	62.08	6.83	68.91	110.80	41.89	Peak
5	5725.000	65.84	6.83	72.67	122.20	49.53	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ax20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5632.920	49.96	6.82	56.78	68.20	11.42	Peak
2	5650.000	47.26	6.83	54.09	68.20	14.11	Peak
3	5700.000	48.40	6.81	55.21	105.20	49.99	Peak
4	5720.000	52.96	6.83	59.79	110.80	51.01	Peak
5	5725.000	58.60	6.83	65.43	122.20	56.77	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ax20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	61.83	6.92	68.75	122.20	53.45	Peak
2	5855.000	57.50	6.94	64.44	110.80	46.36	Peak
3	5875.000	49.34	7.02	56.36	105.20	48.84	Peak
4	5925.000	49.90	7.17	57.07	68.20	11.13	Peak
5	5934.520	50.43	7.20	57.63	68.20	10.57	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ax20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	51.41	6.92	58.33	122.20	63.87	Peak
2	5855.000	48.72	6.94	55.66	110.80	55.14	Peak
3	5875.000	47.62	7.02	54.64	105.20	50.56	Peak
4	5925.000	48.17	7.17	55.34	68.20	12.86	Peak
5	5942.080	49.72	7.22	56.94	68.20	11.26	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ax40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5647.120	50.09	6.84	56.93	68.20	11.27	Peak
2	5650.000	49.04	6.83	55.87	68.20	12.33	Peak
3	5700.000	54.20	6.81	61.01	105.20	44.19	Peak
4	5720.000	65.29	6.83	72.12	110.80	38.68	Peak
5	5725.000	67.83	6.83	74.66	122.20	47.54	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ax40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5639.680	49.43	6.82	56.25	68.20	11.95	Peak
2	5650.000	46.91	6.83	53.74	68.20	14.46	Peak
3	5700.000	48.19	6.81	55.00	105.20	50.20	Peak
4	5720.000	57.82	6.83	64.65	110.80	46.15	Peak
5	5725.000	62.13	6.83	68.96	122.20	53.24	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ax40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	57.17	6.92	64.09	122.20	58.11	Peak
2	5855.000	56.20	6.94	63.14	110.80	47.66	Peak
3	5875.000	50.55	7.02	57.57	105.20	47.63	Peak
4	5925.000	48.07	7.17	55.24	68.20	12.96	Peak
5	5925.200	50.84	7.17	58.01	68.20	10.19	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Horizontal
Note: 5G WiFi ax80 Middle Channel 5775MHz Band 4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5648.510	52.40	6.83	59.23	68.20	8.97	Peak
2	5650.000	50.22	6.83	57.05	68.20	11.15	Peak
3	5700.000	61.35	6.81	68.16	105.20	37.04	Peak
4	5720.000	67.50	6.83	74.33	110.80	36.47	Peak
5	5725.000	67.21	6.83	74.04	122.20	48.16	Peak
6	5850.000	57.91	6.92	64.83	122.20	57.37	Peak
7	5855.000	57.90	6.94	64.84	110.80	45.96	Peak
8	5875.000	53.08	7.02	60.10	105.20	45.10	Peak
9	5925.000	48.59	7.17	55.76	68.20	12.44	Peak
10	5935.160	50.45	7.20	57.65	68.20	10.55	Peak

Project No: 2603U01795E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz;
Polarization: Vertical
Note: 5G WiFi ax80 Middle Channel 5775MHz Band 4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5607.350	49.25	6.82	56.07	68.20	12.13	Peak
2	5650.000	47.83	6.83	54.66	68.20	13.54	Peak
3	5700.000	55.15	6.81	61.96	105.20	43.24	Peak
4	5720.000	60.12	6.83	66.95	110.80	43.85	Peak
5	5725.000	59.89	6.83	66.72	122.20	55.48	Peak
6	5850.000	53.71	6.92	60.63	122.20	61.57	Peak
7	5855.000	51.19	6.94	58.13	110.80	52.67	Peak
8	5875.000	48.55	7.02	55.57	105.20	49.63	Peak
9	5925.000	48.73	7.17	55.90	68.20	12.30	Peak
10	5932.780	50.18	7.20	57.38	68.20	10.82	Peak

4.3 RF Conducted Data

Please refer to Annex "2603U01795E-RF-00B_Appendix A" for detail test data.

5. EUT PHOTOGRAPHS

Please refer to the attachment 2603U01795E-RF-EXPEUT EXTERNAL PHOTOGRAPHS and 2603U01795E-RF-INPEUTINTERNAL PHOTOGRAPHS

6. TEST SETUP PHOTOGRAPHS

Please refer to the attachment2603U01795E-RF-00B-TSPTEST SETUP PHOTOGRAPHS.

===== END OF REPORT =====