




802.11be/40MHz/MCS0/2422MHz/Ch3 (Ref.)




802.11be/40MHz/MCS0/2422MHz/Ch3




802.11be/40MHz/MCS0/2437MHz/Ch6 (Ref.)




802.11be/40MHz/MCS0/2437MHz/Ch6




802.11be/40MHz/MCS0/2452MHz/Ch9 (Ref.)




802.11be/40MHz/MCS0/2452MHz/Ch9




802.11b/20MHz/1M/2412MHz/Ch1(Band Edge)




802.11b/20MHz/1M/2437MHz/Ch6(Band Edge)




802.11be/20MHz/MCS0/2412MHz/Ch1(Band Edge)




802.11be/20MHz/MCS0/2437MHz/Ch6(Band Edge)




802.11be/20MHz/MCS0/2462MHz/Ch11(Band Edge)




802.11be/40MHz/MCS0/2422MHz/Ch3(Band Edge)



802.11be/40MHz/MCS0/2437MHz/Ch6(Band Edge)







802.11be/40MHz/MCS0/2452MHz/Ch9(Band Edge)



Appendix F. Test Result of Transmitter Radiated Spurious Emission


Test Mode: Mode 1

TX_b_2412MHz_H																																															
Site :HC-CB04 Condition :3m ,Horizontal Mode :TX_b_2412MHz Test By :Brook Cheng  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB</th><th></th></tr><tr><td>1</td><td>4824.000</td><td>41.63</td><td>74.00</td><td>-32.37</td><td>58.57</td><td>-16.94</td><td>Peak</td></tr><tr><td>2</td><td>7236.000</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>57.58</td><td>-11.84</td><td>Peak</td></tr><tr><td>3</td><td>9648.000</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>54.11</td><td>-8.45</td><td>Peak</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit. 5. The other emission levels were very low against the limit.								No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		1	4824.000	41.63	74.00	-32.37	58.57	-16.94	Peak	2	7236.000	45.74	74.00	-28.26	57.58	-11.84	Peak	3	9648.000	45.66	74.00	-28.34	54.11	-8.45	Peak
No.	Frequency	Level	Limit	Over	Read	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB																																									
1	4824.000	41.63	74.00	-32.37	58.57	-16.94	Peak																																								
2	7236.000	45.74	74.00	-28.26	57.58	-11.84	Peak																																								
3	9648.000	45.66	74.00	-28.34	54.11	-8.45	Peak																																								
TX_b_2412MHz_V																																															
Site :HC-CB04 Condition :3m ,Vertical Mode :TX_b_2412MHz Test By :Brook Cheng  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB</th><th></th></tr><tr><td>1</td><td>4824.000</td><td>44.76</td><td>74.00</td><td>-29.24</td><td>61.70</td><td>-16.94</td><td>Peak</td></tr><tr><td>2</td><td>7236.000</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>58.38</td><td>-11.84</td><td>Peak</td></tr><tr><td>3</td><td>9648.000</td><td>46.66</td><td>74.00</td><td>-27.34</td><td>55.11</td><td>-8.45</td><td>Peak</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit. 5. The other emission levels were very low against the limit.								No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		1	4824.000	44.76	74.00	-29.24	61.70	-16.94	Peak	2	7236.000	46.54	74.00	-27.46	58.38	-11.84	Peak	3	9648.000	46.66	74.00	-27.34	55.11	-8.45	Peak
No.	Frequency	Level	Limit	Over	Read	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB																																									
1	4824.000	44.76	74.00	-29.24	61.70	-16.94	Peak																																								
2	7236.000	46.54	74.00	-27.46	58.38	-11.84	Peak																																								
3	9648.000	46.66	74.00	-27.34	55.11	-8.45	Peak																																								

TX_b_2437MHz_H																																															
Site :HC-CB04 Condition :3m ,Horizontal Mode :TX_b_2437MHz Test By :Brook Cheng  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB</th><th></th></tr><tr><td>1</td><td>4874.000</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>63.88</td><td>-16.80</td><td>Peak</td></tr><tr><td>2</td><td>7311.000</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>59.15</td><td>-11.72</td><td>Peak</td></tr><tr><td>3</td><td>9748.000</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>53.67</td><td>-8.35</td><td>Peak</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit. 5. The other emission levels were very low against the limit.								No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		1	4874.000	47.08	74.00	-26.92	63.88	-16.80	Peak	2	7311.000	47.43	74.00	-26.57	59.15	-11.72	Peak	3	9748.000	45.32	74.00	-28.68	53.67	-8.35	Peak
No.	Frequency	Level	Limit	Over	Read	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB																																									
1	4874.000	47.08	74.00	-26.92	63.88	-16.80	Peak																																								
2	7311.000	47.43	74.00	-26.57	59.15	-11.72	Peak																																								
3	9748.000	45.32	74.00	-28.68	53.67	-8.35	Peak																																								
TX_b_2437MHz_V																																															
Site :HC-CB04 Condition :3m ,Vertical Mode :TX_b_2437MHz Test By :Brook Cheng  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB</th><th></th></tr><tr><td>1</td><td>4874.000</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>65.71</td><td>-16.80</td><td>Peak</td></tr><tr><td>2</td><td>7311.000</td><td>51.85</td><td>74.00</td><td>-22.15</td><td>63.57</td><td>-11.72</td><td>Peak</td></tr><tr><td>3</td><td>9748.000</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>54.31</td><td>-8.35</td><td>Peak</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit. 5. The other emission levels were very low against the limit.								No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		1	4874.000	48.91	74.00	-25.09	65.71	-16.80	Peak	2	7311.000	51.85	74.00	-22.15	63.57	-11.72	Peak	3	9748.000	45.96	74.00	-28.04	54.31	-8.35	Peak
No.	Frequency	Level	Limit	Over	Read	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB																																									
1	4874.000	48.91	74.00	-25.09	65.71	-16.80	Peak																																								
2	7311.000	51.85	74.00	-22.15	63.57	-11.72	Peak																																								
3	9748.000	45.96	74.00	-28.04	54.31	-8.35	Peak																																								

TX_b_2462MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_b_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	4924.000	46.84	74.00	-27.16	63.51	-16.67	Peak
2	7386.000	46.50	74.00	-27.50	58.10	-11.60	Peak
3	9848.000	45.41	74.00	-28.59	53.65	-8.24	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2462MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_b_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	4924.000	46.66	74.00	-27.34	63.33	-16.67	Peak
2	7386.000	46.16	74.00	-27.84	57.76	-11.60	Peak
3	9848.000	46.06	74.00	-27.94	54.30	-8.24	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2412MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_g_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	4824.000	40.37	74.00	-33.63	57.31	-16.94	Peak
2	7236.000	46.26	74.00	-27.74	58.10	-11.84	Peak
3	9648.000	46.12	74.00	-27.88	54.57	-8.45	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2412MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_g_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	4824.000	40.52	74.00	-33.48	57.46	-16.94	Peak
2	7236.000	46.52	74.00	-27.48	58.36	-11.84	Peak
3	9648.000	45.80	74.00	-28.20	54.25	-8.45	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2437MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_g_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m		dB	dBuV	dB	
1	4874.000	44.89	74.00	-29.20	61.60	-16.80	Peak
2	7311.000	47.10	74.00	-26.90	58.82	-11.72	Peak
3	9748.000	45.82	74.00	-28.18	54.17	-8.35	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2437MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_g_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m		dB	dBuV	dB	
1	4874.000	43.45	74.00	-30.55	60.25	-16.80	Peak
2	7311.000	49.30	74.00	-24.70	61.02	-11.72	Peak
3	9748.000	46.23	74.00	-27.77	54.58	-8.35	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2462MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_g_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m		dB	dBuV	dB	
1	4924.000	39.58	74.00	-34.42	56.25	-16.67	Peak
2	7386.000	45.03	74.00	-28.97	56.63	-11.60	Peak
3	9848.000	46.02	74.00	-27.98	54.26	-8.24	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2462MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_g_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m		dB	dBuV	dB	
1	4924.000	42.05	74.00	-31.95	58.72	-16.67	Peak
2	7386.000	45.62	74.00	-28.38	57.22	-11.60	Peak
3	9848.000	45.46	74.00	-28.54	53.70	-8.24	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2412MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	4824.000	38.86	74.00	-35.14	55.80	-16.94	Peak
2	7236.000	45.25	74.00	-28.75	57.09	-11.84	Peak
3	9648.000	46.12	74.00	-27.88	54.57	-8.45	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2412MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	4824.000	39.79	74.00	-34.21	56.73	-16.94	Peak
2	7236.000	46.09	74.00	-27.91	57.93	-11.84	Peak
3	9648.000	45.92	74.00	-28.08	54.37	-8.45	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2437MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	4874.000	41.44	74.00	-32.56	58.24	-16.80	Peak
2	7311.000	46.34	74.00	-27.66	58.06	-11.72	Peak
3	9748.000	45.83	74.00	-28.17	54.18	-8.35	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2437MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	4874.000	42.66	74.00	-31.34	59.46	-16.80	Peak
2	7311.000	47.88	74.00	-26.12	59.60	-11.72	Peak
3	9748.000	45.58	74.00	-28.42	53.93	-8.35	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2462MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_2462MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	41.14	74.00	-32.86	57.81	-16.67	Peak
2	7386.000	46.16	74.00	-27.84	57.76	-11.60	Peak
3	9848.000	45.14	74.00	-28.86	53.38	-8.24	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2462MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_2462MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	41.00	74.00	-33.00	57.67	-16.67	Peak
2	7386.000	46.01	74.00	-27.99	57.61	-11.60	Peak
3	9848.000	45.48	74.00	-28.52	53.72	-8.24	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2422MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_2422MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4844.000	39.79	74.00	-34.21	56.66	-16.87	Peak
2	7266.000	46.34	74.00	-27.66	58.12	-11.78	Peak
3	9688.000	46.04	74.00	-27.96	54.46	-8.42	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2422MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_2422MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4844.000	41.08	74.00	-32.92	57.95	-16.87	Peak
2	7266.000	46.39	74.00	-27.61	58.17	-11.78	Peak
3	9688.000	45.70	74.00	-28.30	54.12	-8.42	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2437MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dB			dB		
1	4874.000	39.84	74.00	-34.16	56.64	-16.80	Peak
2	7311.000	46.08	74.00	-27.92	57.80	-11.72	Peak
3	9748.000	45.35	74.00	-28.65	53.70	-8.35	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2437MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dB			dB		
1	4874.000	40.10	74.00	-33.90	56.90	-16.80	Peak
2	7311.000	46.10	74.00	-27.90	57.82	-11.72	Peak
3	9748.000	44.85	74.00	-29.15	53.20	-8.35	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2452MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_2452MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dB			dB		
1	4904.000	39.55	74.00	-34.45	56.27	-16.72	Peak
2	7356.000	45.87	74.00	-28.13	57.51	-11.64	Peak
3	9808.000	46.01	74.00	-27.99	54.29	-8.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2452MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_2452MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dB			dB		
1	4904.000	41.29	74.00	-32.71	58.01	-16.72	Peak
2	7356.000	45.44	74.00	-28.56	57.08	-11.64	Peak
3	9808.000	46.75	74.00	-27.25	55.03	-8.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2437MHz_H_QP

Site :HC-CB04
Condition :3m Horizontal
Mode :TX_g_2437MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	36.984	32.76	40.00	-7.24	56.01	-23.25	QP
2	102.459	33.30	43.50	-10.20	60.15	-26.85	QP
3	250.093	37.33	46.00	-8.67	61.17	-23.84	QP
4	413.150	28.97	46.00	-17.03	48.18	-19.21	QP
5	556.516	31.69	46.00	-14.31	47.92	-16.23	QP
6	769.334	36.17	46.00	-9.83	48.22	-12.05	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

TX_g_2437MHz_V_QP

Site :HC-CB04
Condition :3m Vertical
Mode :TX_g_2437MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	36.402	36.00	40.00	-4.00	59.47	-23.47	QP
2	88.297	33.53	43.50	-9.97	61.82	-28.29	QP
3	250.093	30.85	46.00	-15.15	54.69	-23.84	QP
4	331.864	36.17	46.00	-9.83	57.23	-21.06	QP
5	354.853	30.95	46.00	-15.05	51.77	-20.82	QP
6	750.031	37.16	46.00	-8.84	49.45	-12.29	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

TX_b_2412MHz_H_AV

Site :HC-CB04
Condition :3m Horizontal
Mode :TX_b_2412MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2387.235	44.51	54.00	-9.49	38.58	5.93	Average
2	2412.790	106.47	-----	-----	100.50	5.97	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2412MHz_H_PK

Site :HC-CB04
Condition :3m Horizontal
Mode :TX_b_2412MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.945	54.82	74.00	-19.18	48.89	5.93	Peak
2	2412.980	108.94	-----	-----	102.97	5.97	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2412MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_b_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2387.330	53.49	54.00	-0.51	47.56	5.93	Average
2	2411.270	114.44	-----	-----	108.47	5.97	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2412MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_b_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2387.520	60.21	74.00	-13.79	54.28	5.93	Peak
2	2411.175	116.87	-----	-----	110.90	5.97	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2437MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_b_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2386.760	47.89	54.00	-6.11	41.96	5.93	Average
2	2437.775	108.86	-----	-----	102.86	6.00	Average
3	2485.845	49.36	54.00	-4.64	43.27	6.09	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2437MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_b_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2386.665	56.90	74.00	-17.10	50.97	5.93	Peak
2	2437.965	111.31	-----	-----	105.31	6.00	Peak
3	2487.080	57.29	74.00	-16.71	51.20	6.09	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2437MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_b_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2378.210	51.35	54.00	-2.65	45.43	5.92	Average
2	2436.255	115.89	-----	-----	109.88	6.01	Average
3	2498.290	51.40	54.00	-2.60	45.29	6.11	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2437MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_b_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2379.445	59.27	74.00	-14.73	53.35	5.92	Peak
2	2436.160	118.42	-----	-----	112.41	6.01	Peak
3	2489.075	58.45	74.00	-15.55	52.36	6.09	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2462MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_b_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2462.855	105.68	-----	-----	99.62	6.06	Average
2	2488.885	45.73	54.00	-8.27	39.64	6.09	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2462MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_b_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2462.950	108.13	-----	-----	102.07	6.06	Peak
2	2488.315	56.52	74.00	-17.48	50.43	6.09	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2462MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_b_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2461.240	113.86	54.00	-2.91	107.81	6.05	Average
2	2486.320	51.09	54.00	-2.91	45.00	6.09	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2462MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_b_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2461.240	113.86	54.00	-2.91	110.25	6.05	Peak
2	2486.320	51.09	54.00	-2.91	45.00	6.09	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2412MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_g_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2386.000	43.04	54.00	-10.96	37.11	5.93	Average
2	2412.790	99.26	54.00	-10.96	93.29	5.97	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2412MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_g_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2385.145	68.52	54.00	-5.48	62.60	5.92	Peak
2	2412.980	109.86	54.00	-5.48	103.89	5.97	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2412MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_g_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2389.990	45.71	54.00	-8.29	39.77	5.94	Average
2	2413.170	106.61	-----	-----	100.64	5.97	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2412MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_g_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2389.800	71.06	74.00	-2.94	65.12	5.94	Peak
2	2413.170	117.39	-----	-----	111.42	5.97	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2437MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_g_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2389.895	45.19	54.00	-8.81	39.25	5.94	Average
2	2438.155	101.92	-----	-----	95.92	6.00	Average
3	2485.275	44.89	54.00	-9.11	38.80	6.09	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2437MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_g_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2389.895	63.39	74.00	-10.61	57.45	5.94	Peak
2	2438.155	112.22	-----	-----	106.22	6.00	Peak
3	2484.705	66.50	74.00	-7.50	60.41	6.09	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2437MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_g_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2389.325	50.51	54.00	-3.49	44.57	5.94	Average
2	2430.460	107.87	-----	-----	101.87	6.00	Average
3	2490.215	48.13	54.00	-5.87	42.03	6.10	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2437MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_g_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2389.705	73.62	74.00	-0.38	67.68	5.94	Peak
2	2430.745	118.80	-----	-----	112.80	6.00	Peak
3	2484.420	70.54	74.00	-3.46	64.45	6.09	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2462MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_g_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2460.385	98.66	-----	-----	92.62	6.04	Average
2	2483.470	43.67	-----	-----	37.59	6.08	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2462MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_g_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2460.765	109.21	-----	-----	103.16	6.05	Peak
2	2483.850	62.66	74.00	-11.34	56.57	6.09	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2462MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_g_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2463.140	106.93	-----	-----	100.87	6.06	Average
2	2483.565	49.22	54.00	-4.78	43.14	6.08	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2462MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_g_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2463.710	116.98	-----	-----	110.92	6.06	Peak
2	2483.500	71.50	74.00	-2.50	65.42	6.08	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2412MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2389.610	46.54	54.00	-7.46	40.60	5.94	Average
2	2412.600	97.81	-----	-----	91.84	5.97	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2412MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2389.325	70.31	74.00	-3.69	64.37	5.94	Peak
2	2412.790	109.58	-----	-----	103.61	5.97	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2412MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2388.850	48.55	54.00	-5.45	42.62	5.93	Average
2	2411.460	103.28	-----	-----	97.31	5.97	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2412MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2388.755	72.29	74.00	-1.71	66.36	5.93	Peak
2	2411.555	115.21	-----	-----	109.24	5.97	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2437MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2387.995	45.94	54.00	-8.06	40.01	5.93	Average
2	2438.250	100.93	-----	-----	94.93	6.00	Average
3	2485.180	45.36	54.00	-8.64	39.27	6.09	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2437MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2387.995	67.71	74.00	-6.29	61.78	5.93	Peak
2	2438.440	112.77	-----	-----	106.77	6.00	Peak
3	2486.700	67.06	74.00	-6.94	60.97	6.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2437MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2389.420	50.04	54.00	-3.96	44.10	5.94	Average
2	2434.450	108.41	54.00	54.41	102.40	6.01	Average
3	2484.610	50.09	54.00	-3.91	44.00	6.09	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2437MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2389.230	73.02	74.00	-0.98	67.09	5.93	Peak
2	2439.295	120.32	74.00	46.32	114.31	6.01	Peak
3	2484.515	69.52	74.00	-4.48	63.43	6.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2462MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2462.570	98.86	54.00	44.86	92.80	6.06	Average
2	2483.850	47.13	54.00	-6.87	41.04	6.09	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2462MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2460.765	110.40	74.00	36.40	104.35	6.05	Peak
2	2484.230	68.47	74.00	-5.53	62.38	6.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2462MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2462.235	105.50	-----	-----	99.44	6.06	Average
2	2483.500	52.83	54.00	-1.17	46.75	6.08	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_2462MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2462.520	116.93	-----	-----	110.87	6.06	Peak
2	2483.660	72.31	74.00	-1.69	66.23	6.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2422MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_2422MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2388.565	45.61	54.00	-8.39	39.68	5.93	Average
2	2423.715	95.22	-----	-----	89.24	5.98	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2422MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_2422MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2388.660	65.57	74.00	-8.43	59.64	5.93	Peak
2	2423.905	107.44	-----	-----	101.46	5.98	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2422MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_2422MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2388.945	52.30	54.00	-1.70	46.37	5.93	Average
2	2418.775	102.83	-----	-----	96.84	5.99	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2422MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_2422MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2388.375	69.42	74.00	-4.58	63.49	5.93	Peak
2	2418.965	114.99	-----	-----	109.00	5.99	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2437MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2389.990	46.53	54.00	-7.47	40.59	5.94	Average
2	2435.305	96.32	-----	-----	90.31	6.01	Average
3	2485.655	48.02	54.00	-5.98	41.93	6.09	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2437MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2388.850	64.79	74.00	-9.21	58.86	5.93	Peak
2	2437.965	107.51	-----	-----	101.51	6.00	Peak
3	2483.945	64.14	74.00	-9.86	58.05	6.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2437MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2389.420	50.95	54.00	-3.05	45.01	5.94	Average
2	2434.640	103.53	-----	-----	97.52	6.01	Average
3	2484.800	51.73	54.00	-2.27	45.64	6.09	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2437MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2389.895	67.19	74.00	-6.81	61.25	5.94	Peak
2	2434.640	115.19	-----	-----	109.18	6.01	Peak
3	2484.990	65.50	74.00	-8.50	59.41	6.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2452MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_2452MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2449.935	95.68	-----	-----	89.65	6.03	Average
2	2488.410	47.96	54.00	-6.04	41.87	6.09	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2452MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_2452MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2452.785	107.08	-----	-----	101.05	6.03	Peak
2	2490.405	66.81	74.00	-7.19	60.71	6.10	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2452MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_2452MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2449.840	102.91	54.00	-1.51	96.88	6.03	Average
2	2484.800	52.49	54.00	-1.51	46.40	6.09	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_2452MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_2452MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2450.125	107.62	74.00	-1.84	107.62	6.03	Peak
2	2489.360	72.16	74.00	-1.84	66.06	6.10	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Test Mode: Mode 2

TX_g_2437MHz_H_QP

Site :HC-CB04
Condition :3m Horizontal
Mode :TX_g_2437MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	148.340	28.95	43.50	-14.55	51.56	-22.61	QP
2	249.996	28.04	46.00	-17.96	51.88	-23.84	QP
3	392.886	30.13	46.00	-15.87	49.94	-19.81	QP
4	523.148	30.79	46.00	-15.21	47.49	-16.70	QP
5	697.069	34.13	46.00	-11.87	47.54	-13.41	QP
6	927.347	38.17	46.00	-7.83	48.62	-10.45	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

TX_g_2437MHz_V_QP

Site :HC-CB04
Condition :3m Vertical
Mode :TX_g_2437MHz
Test By :Cyril Chen



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	104.108	27.20	43.50	-16.30	53.63	-26.43	QP
2	249.996	30.76	46.00	-15.24	54.00	-23.84	QP
3	450.010	36.70	46.00	-9.30	54.64	-17.94	QP
4	640.227	33.94	46.00	-12.06	48.24	-14.30	QP
5	787.182	35.40	46.00	-10.60	47.27	-11.87	QP
6	892.427	36.78	46.00	-9.22	47.81	-11.03	QP


Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Test Mode: Mode 3

TX_g_2437MHz_H

Site :HC-CB04
Condition :3m Horizontal
Mode :TX_g_2437MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	133.790	34.11	43.50	-9.39	57.81	-23.70	QP
2	263.091	32.02	46.00	-13.98	55.40	-23.38	QP
3	350.003	34.34	46.00	-11.66	55.28	-20.94	QP
4	450.010	33.56	46.00	-12.44	51.50	-17.94	QP
5	677.863	34.71	46.00	-11.29	48.63	-13.92	QP
6	894.076	36.60	46.00	-9.40	47.63	-11.03	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

TX_g_2437MHz_V

Site :HC-CB04
Condition :3m Vertical
Mode :TX_g_2437MHz
Test By :Cyril Chen





No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	148.340	29.24	43.50	-14.26	51.85	-22.61	QP
2	302.376	25.92	46.00	-20.08	47.87	-21.95	QP
3	417.321	29.31	46.00	-16.69	48.39	-19.00	QP
4	611.806	32.89	46.00	-13.11	47.63	-14.74	QP
5	726.363	36.00	46.00	-10.00	48.82	-12.82	QP
6	899.023	38.56	46.00	-7.44	49.59	-11.03	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Appendix G. Test Result of Radiated Emissions Co-location

Wi-Fi 2.4 GHz + Wi-Fi 5 GHz

TX_a_5580MHz+g_2437MHz_H																																																																									
Site :HC-CB04 Condition :3m ,Horizontal Mode :TX_a_5580MHz+g_2437MHz Test By :Brook Cheng  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB</th><th></th></tr><tr><td>1</td><td>4874.000</td><td>41.89</td><td>74.00</td><td>-32.11</td><td>58.69</td><td>-16.80</td><td>Peak</td></tr><tr><td>2</td><td>7311.000</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>57.62</td><td>-11.72</td><td>Peak</td></tr><tr><td>3</td><td>9748.000</td><td>46.14</td><td>68.20</td><td>-22.06</td><td>54.49</td><td>-8.35</td><td>Peak</td></tr><tr><td>4</td><td>11160.000</td><td>48.52</td><td>74.00</td><td>-25.48</td><td>54.77</td><td>-6.25</td><td>Peak</td></tr><tr><td>5</td><td>16740.000</td><td>52.53</td><td>68.20</td><td>-15.67</td><td>55.40</td><td>-2.87</td><td>Peak</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit. 5. The other emission levels were very low against the limit.										No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		1	4874.000	41.89	74.00	-32.11	58.69	-16.80	Peak	2	7311.000	45.90	74.00	-28.10	57.62	-11.72	Peak	3	9748.000	46.14	68.20	-22.06	54.49	-8.35	Peak	4	11160.000	48.52	74.00	-25.48	54.77	-6.25	Peak	5	16740.000	52.53	68.20	-15.67	55.40	-2.87	Peak								
No.	Frequency	Level	Limit	Over	Read	Factor	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB																																																																			
1	4874.000	41.89	74.00	-32.11	58.69	-16.80	Peak																																																																		
2	7311.000	45.90	74.00	-28.10	57.62	-11.72	Peak																																																																		
3	9748.000	46.14	68.20	-22.06	54.49	-8.35	Peak																																																																		
4	11160.000	48.52	74.00	-25.48	54.77	-6.25	Peak																																																																		
5	16740.000	52.53	68.20	-15.67	55.40	-2.87	Peak																																																																		
TX_a_5580MHz+g_2437MHz_V																																																																									
Site :HC-CB04 Condition :3m ,Vertical Mode :TX_a_5580MHz+g_2437MHz Test By :Brook Cheng  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB</th><th></th></tr><tr><td>1</td><td>4874.000</td><td>41.40</td><td>74.00</td><td>-32.60</td><td>58.20</td><td>-16.80</td><td>Peak</td></tr><tr><td>2</td><td>7311.000</td><td>49.13</td><td>74.00</td><td>-24.87</td><td>60.85</td><td>-11.72</td><td>Peak</td></tr><tr><td>3</td><td>9748.000</td><td>45.30</td><td>68.20</td><td>-22.90</td><td>53.65</td><td>-8.35</td><td>Peak</td></tr><tr><td>4</td><td>11160.000</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>50.95</td><td>-6.25</td><td>Average</td></tr><tr><td>5</td><td>11160.000</td><td>54.07</td><td>74.00</td><td>-19.93</td><td>60.32</td><td>-6.25</td><td>Peak</td></tr><tr><td>6</td><td>16740.000</td><td>55.10</td><td>68.20</td><td>-13.10</td><td>57.97</td><td>-2.87</td><td>Peak</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit. 5. The other emission levels were very low against the limit.										No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		1	4874.000	41.40	74.00	-32.60	58.20	-16.80	Peak	2	7311.000	49.13	74.00	-24.87	60.85	-11.72	Peak	3	9748.000	45.30	68.20	-22.90	53.65	-8.35	Peak	4	11160.000	44.70	54.00	-9.30	50.95	-6.25	Average	5	11160.000	54.07	74.00	-19.93	60.32	-6.25	Peak	6	16740.000	55.10	68.20	-13.10	57.97	-2.87	Peak
No.	Frequency	Level	Limit	Over	Read	Factor	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB																																																																			
1	4874.000	41.40	74.00	-32.60	58.20	-16.80	Peak																																																																		
2	7311.000	49.13	74.00	-24.87	60.85	-11.72	Peak																																																																		
3	9748.000	45.30	68.20	-22.90	53.65	-8.35	Peak																																																																		
4	11160.000	44.70	54.00	-9.30	50.95	-6.25	Average																																																																		
5	11160.000	54.07	74.00	-19.93	60.32	-6.25	Peak																																																																		
6	16740.000	55.10	68.20	-13.10	57.97	-2.87	Peak																																																																		