




802.11a/20MHz/6M/5745MHz/Ch149




802.11a/20MHz/6M/5785MHz/Ch157




802.11a/20MHz/6M/5825MHz/Ch165




802.11be/20MHz/MCS0/5720MHz/Ch144 (UNII-3)




802.11be/20MHz/MCS0/5745MHz/Ch149




802.11be/20MHz/MCS0/5785MHz/Ch157




802.11be/20MHz/MCS0/5825MHz/Ch165




802.11be/40MHz/MCS0/5710MHz/Ch142 (UNII-3)




802.11be/40MHz/MCS0/5755MHz/Ch151




802.11be/40MHz/MCS0/5795MHz/Ch159



802.11be/80MHz/MCS0/5690MHz/Ch138 (UNII-3)




802.11be/80MHz/MCS0/5775MHz/Ch155




Appendix E. Test Result of Transmitter Radiated Spurious Emission

Test Mode: Mode 1


TX_a_5180MHz_H




TX_a_5180MHz_V



TX_a_5220MHz_H




TX_a_5220MHz_V



TX_a_5240MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5240MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10480.000	47.34	68.20	-20.86	54.66	-7.32	Peak
2	15720.000	52.31	74.00	-21.69	55.20	-2.89	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5240MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5240MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10480.000	50.00	68.20	-18.20	57.32	-7.32	Peak
2	15720.000	45.83	54.00	-8.17	48.72	-2.89	Average
3	15720.000	55.82	74.00	-18.18	58.71	-2.89	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5260MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10520.000	46.46	68.20	-21.74	53.72	-7.26	Peak
2	15780.000	51.51	74.00	-22.49	54.38	-2.87	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5260MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10520.000	46.66	68.20	-21.54	53.92	-7.26	Peak
2	15780.000	44.28	54.00	-9.72	47.15	-2.87	Average
3	15780.000	54.95	74.00	-19.05	57.82	-2.87	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5300MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10600.000	46.80	74.00	-27.20	53.95	-7.15	Peak
2	15900.000	51.32	74.00	-22.68	54.14	-2.82	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5300MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10600.000	47.16	74.00	-26.84	54.31	-7.15	Peak
2	15900.000	44.09	74.00	-9.91	46.91	-2.82	Average
3	15900.000	54.15	74.00	-19.85	56.97	-2.82	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5320MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10640.000	46.59	74.00	-27.41	53.67	-7.08	Peak
2	15960.000	49.47	74.00	-24.53	52.26	-2.79	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5320MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10640.000	47.56	74.00	-26.44	54.64	-7.08	Peak
2	15960.000	49.68	74.00	-24.32	52.47	-2.79	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5500MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5500MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11800.000	46.55	74.00	-27.45	53.11	-6.56	Peak
2	16500.000	50.79	68.20	-17.41	53.61	-2.82	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5500MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5500MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11800.000	46.35	74.00	-27.65	52.91	-6.56	Peak
2	16500.000	50.96	68.20	-17.24	53.78	-2.82	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5580MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5580MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11160.000	52.32	74.00	-21.68	58.57	-6.25	Peak
2	16740.000	55.04	68.20	-13.16	57.91	-2.87	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5580MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5580MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11160.000	45.13	54.00	-8.87	51.38	-6.25	Average
2	11160.000	54.38	74.00	-19.62	60.63	-6.25	Peak
3	16740.000	56.98	68.20	-11.22	59.85	-2.87	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5700MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5700MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11400.000	47.95	74.00	-26.05	53.73	-5.78	Peak
2	17100.000	51.11	68.20	-17.09	53.93	-2.82	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5700MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5700MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11400.000	47.61	74.00	-26.39	53.39	-5.78	Peak
2	17100.000	51.78	68.20	-16.42	54.60	-2.82	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5720MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5720MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11440.000	46.86	54.00	-7.14	52.56	-5.70	Average
2	11440.000	55.30	74.00	-18.70	61.00	-5.70	Peak
3	17160.000	51.21	68.20	-16.99	53.97	-2.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5720MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5720MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11440.000	46.54	54.00	-7.46	52.24	-5.70	Average
2	11440.000	54.78	74.00	-19.22	60.48	-5.70	Peak
3	17160.000	54.83	68.20	-13.37	57.59	-2.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5745MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5745MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dB		dB	dB	dB	
1	11490.000	44.56	54.00	-9.44	50.16	-5.60	Average
2	11490.000	54.01	74.00	-19.99	59.61	-5.60	Peak
3	17235.000	51.63	68.20	-16.57	54.31	-2.68	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5745MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5745MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dB		dB	dB	dB	
1	11490.000	45.16	54.00	-8.84	50.76	-5.60	Average
2	11490.000	54.38	74.00	-19.62	59.98	-5.60	Peak
3	17235.000	52.19	68.20	-16.01	54.87	-2.68	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5785MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5785MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dB		dB	dB	dB	
1	11570.000	49.31	54.00	-4.69	54.82	-5.51	Average
2	11570.000	58.84	74.00	-15.16	64.35	-5.51	Peak
3	17355.000	53.34	68.20	-14.86	55.91	-2.57	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5785MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5785MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dB		dB	dB	dB	
1	11570.000	46.10	54.00	-7.90	51.61	-5.51	Average
2	11570.000	55.79	74.00	-18.21	61.30	-5.51	Peak
3	17355.000	54.03	68.20	-14.17	56.60	-2.57	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5825MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5825MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11650.000	53.69	74.00	-20.31	59.11	-5.42	Peak
2	17475.000	51.88	68.20	-16.32	54.32	-2.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5825MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5825MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11650.000	46.01	54.00	-7.99	51.43	-5.42	Average
2	11650.000	55.25	74.00	-18.75	60.67	-5.42	Peak
3	17475.000	57.64	68.20	-10.56	60.08	-2.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5180MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5180MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10360.000	46.24	68.20	-21.96	53.76	-7.52	Peak
2	15540.000	51.45	74.00	-22.55	54.42	-2.97	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5180MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5180MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10360.000	47.50	68.20	-20.70	55.02	-7.52	Peak
2	15540.000	51.23	74.00	-22.77	54.20	-2.97	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5220MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5220MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10440.000	47.73	68.20	-20.47	55.11	-7.38	Peak
2	15660.000	48.31	54.00	-5.69	51.23	-2.92	Average
3	15660.000	57.87	74.00	-16.13	60.79	-2.92	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5220MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5220MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10440.000	49.17	68.20	-19.03	56.55	-7.38	Peak
2	15660.000	45.59	54.00	-8.41	48.51	-2.92	Average
3	15660.000	55.01	74.00	-18.99	57.93	-2.92	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5240MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5240MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10480.000	48.98	68.20	-19.22	56.30	-7.32	Peak
2	15720.000	53.88	74.00	-20.12	56.77	-2.89	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5240MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5240MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10480.000	48.57	68.20	-19.63	55.89	-7.32	Peak
2	15720.000	44.94	54.00	-9.06	47.83	-2.89	Average
3	15720.000	54.21	74.00	-19.79	57.10	-2.89	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5260MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	10520.000	47.05	68.20	-21.15	54.31	-7.26	Peak
2	15780.000	53.86	74.00	-20.14	56.73	-2.87	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5260MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	10520.000	47.75	68.20	-20.45	55.01	-7.26	Peak
2	15780.000	46.55	54.00	-7.45	49.42	-2.87	Average
3	15780.000	55.69	74.00	-18.31	58.56	-2.87	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5300MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	10600.000	47.10	74.00	-26.90	54.25	-7.15	Peak
2	15900.000	52.31	74.00	-21.69	55.13	-2.82	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5300MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	10600.000	46.64	74.00	-27.36	53.79	-7.15	Peak
2	15900.000	44.37	54.00	-9.63	47.19	-2.82	Average
3	15900.000	54.05	74.00	-19.95	56.87	-2.82	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5320MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10640.000	46.17	74.00	-27.83	53.25	-7.08	Peak
2	15960.000	49.86	74.00	-24.14	52.65	-2.79	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5320MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10640.000	46.82	74.00	-27.18	53.90	-7.08	Peak
2	15960.000	49.96	74.00	-24.04	52.75	-2.79	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5500MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5500MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11000.000	47.23	74.00	-26.77	53.79	-6.56	Peak
2	16500.000	50.09	68.20	-18.11	52.91	-2.82	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5500MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5500MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11000.000	47.65	74.00	-26.35	54.21	-6.56	Peak
2	16500.000	51.44	68.20	-16.76	54.26	-2.82	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5580MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5580MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11160.000	53.95	74.00	-20.05	60.20	-6.25	Peak
2	16740.000	55.31	68.20	-12.89	58.18	-2.87	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5580MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5580MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11160.000	47.24	54.00	-6.76	53.49	-6.25	Average
2	11160.000	56.28	74.00	-17.72	62.53	-6.25	Peak
3	16740.000	55.75	68.20	-12.45	58.62	-2.87	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5700MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5700MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11400.000	48.42	74.00	-25.58	54.20	-5.78	Peak
2	17100.000	50.41	68.20	-17.79	53.23	-2.82	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5700MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5700MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11400.000	48.22	74.00	-25.78	54.00	-5.78	Peak
2	17100.000	52.37	68.20	-15.83	55.19	-2.82	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5720MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5720MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11440.000	50.87	74.00	-23.13	56.57	-5.70	Peak
2	17160.000	51.23	68.20	-16.97	53.99	-2.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5720MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5720MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11440.000	46.01	54.00	-7.99	51.71	-5.70	Average
2	11440.000	54.24	74.00	-19.76	59.94	-5.70	Peak
3	17160.000	53.52	68.20	-14.68	56.28	-2.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5745MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5745MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11490.000	51.89	74.00	-22.11	57.49	-5.60	Peak
2	17235.000	53.33	68.20	-14.87	56.01	-2.68	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5745MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5745MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11490.000	53.57	74.00	-20.43	59.17	-5.60	Peak
2	17235.000	54.95	68.20	-13.25	57.63	-2.68	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5785MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5785MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11570.000	47.66	54.00	-6.34	53.17	-5.51	Average
2	11570.000	55.85	74.00	-18.15	61.36	-5.51	Peak
3	17355.000	52.17	68.20	-16.03	54.74	-2.57	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5785MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5785MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11570.000	46.16	54.00	-7.84	51.67	-5.51	Average
2	11570.000	54.76	74.00	-19.24	60.27	-5.51	Peak
3	17355.000	53.73	68.20	-14.47	56.30	-2.57	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5825MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5825MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11650.000	53.27	74.00	-20.73	58.69	-5.42	Peak
2	17475.000	55.54	68.20	-12.66	57.98	-2.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5825MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5825MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11650.000	45.04	54.00	-8.96	50.46	-5.42	Average
2	11650.000	54.27	74.00	-19.73	59.69	-5.42	Peak
3	17475.000	53.86	68.20	-14.34	56.30	-2.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5190MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5190MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10380.000	47.60	68.20	-20.60	55.07	-7.47	Peak
2	15570.000	51.91	74.00	-22.09	54.87	-2.96	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5190MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5190MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10380.000	46.40	68.20	-21.80	53.87	-7.47	Peak
2	15570.000	51.12	74.00	-22.88	54.08	-2.96	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5230MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5230MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10460.000	48.03	68.20	-20.17	55.38	-7.35	Peak
2	15690.000	51.25	74.00	-22.75	54.15	-2.90	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5230MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5230MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10460.000	47.62	68.20	-20.58	54.97	-7.35	Peak
2	15690.000	51.90	74.00	-22.10	54.80	-2.90	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5270MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5270MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10540.000	46.94	68.20	-21.26	54.18	-7.24	Peak
2	15810.000	52.31	74.00	-21.69	55.17	-2.86	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5270MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5270MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10540.000	46.09	68.20	-22.11	53.33	-7.24	Peak
2	15810.000	51.72	74.00	-22.28	54.58	-2.86	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5310MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5310MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10620.000	43.79	74.00	-30.21	53.02	-9.23	Peak
2	15930.000	48.97	74.00	-25.03	53.76	-4.79	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5310MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5310MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10620.000	43.80	74.00	-30.20	53.03	-9.23	Peak
2	15930.000	48.77	74.00	-25.23	53.56	-4.79	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5510MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5510MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11820.000	44.82	74.00	-29.18	53.52	-8.70	Peak
2	16530.000	49.18	68.20	-19.02	53.94	-4.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5510MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5510MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11820.000	45.23	74.00	-28.77	53.93	-8.70	Peak
2	16530.000	49.44	68.20	-18.76	54.20	-4.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5550MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5550MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11100.000	46.23	74.00	-27.77	54.79	-8.56	Peak
2	16650.000	47.95	68.20	-20.25	52.72	-4.77	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5550MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5550MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11100.000	45.85	74.00	-28.15	54.41	-8.56	Peak
2	16650.000	49.17	68.20	-19.03	53.94	-4.77	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5670MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5670MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	11340.000	45.90	74.00	-28.10	53.99	-8.09	Peak
2	17010.000	48.92	68.20	-19.28	53.73	-4.81	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5670MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5670MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	11340.000	45.60	74.00	-28.40	53.69	-8.09	Peak
2	17010.000	48.75	68.20	-19.45	53.56	-4.81	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5710MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5710MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	17130.000	51.29	68.20	-16.91	54.08	-2.79	Peak
2	22840.000	49.32	74.00	-24.68	549.32	-500.00	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5710MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5710MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	17130.000	52.25	68.20	-15.95	55.04	-2.79	Peak
2	22840.000	52.70	74.00	-21.30	552.70	-500.00	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5755MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5755MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11510.000	46.98	74.00	-27.02	54.77	-7.79	Peak
2	17265.000	49.24	68.20	-18.96	53.79	-4.55	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5755MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5755MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11510.000	46.99	74.00	-27.01	54.78	-7.79	Peak
2	17265.000	48.79	68.20	-19.41	53.34	-4.55	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5795MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5795MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11590.000	46.34	74.00	-27.66	54.05	-7.71	Peak
2	17385.000	48.32	68.20	-19.88	52.75	-4.43	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5795MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5795MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11590.000	49.54	74.00	-24.46	57.25	-7.71	Peak
2	17385.000	49.88	68.20	-18.32	54.31	-4.43	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be80_5210MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be80_5210MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10420.000	44.74	68.20	-23.46	54.23	-9.49	Peak
2	15630.000	49.10	74.00	-24.90	54.01	-4.91	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be80_5210MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be80_5210MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10420.000	44.52	68.20	-23.68	54.01	-9.49	Peak
2	15630.000	49.09	74.00	-24.91	54.00	-4.91	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be80_5290MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be80_5290MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10580.000	43.36	68.20	-24.84	52.64	-9.28	Peak
2	15870.000	49.14	74.00	-24.86	53.96	-4.82	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be80_5290MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be80_5290MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10580.000	43.13	68.20	-25.07	52.41	-9.28	Peak
2	15870.000	49.29	74.00	-24.71	54.11	-4.82	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be80_5530MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be80_5530MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11860.000	45.77	74.00	-28.23	54.40	-8.63	Peak
2	16590.000	49.07	68.20	-19.13	53.83	-4.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be80_5530MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be80_5530MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11860.000	45.55	74.00	-28.45	54.18	-8.63	Peak
2	16590.000	48.47	68.20	-19.73	53.23	-4.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be80_5610MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be80_5610MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11220.000	44.44	74.00	-29.56	52.78	-8.34	Peak
2	16830.000	48.66	68.20	-19.54	53.46	-4.80	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be80_5610MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be80_5610MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11220.000	44.57	74.00	-29.43	52.91	-8.34	Peak
2	16830.000	48.78	68.20	-19.42	53.58	-4.80	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be80_5690MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be80_5690MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11380.000	48.39	74.00	-25.61	54.20	-5.81	Peak
2	17070.000	50.40	68.20	-17.80	53.25	-2.85	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be80_5690MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be80_5690MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11380.000	49.41	74.00	-24.59	55.22	-5.81	Peak
2	17070.000	52.22	68.20	-15.98	55.07	-2.85	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be80_5775MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be80_5775MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11550.000	47.60	74.00	-26.40	55.34	-7.74	Peak
2	17325.000	47.82	68.20	-20.38	52.31	-4.49	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be80_5775MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be80_5775MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11550.000	46.66	74.00	-27.34	54.40	-7.74	Peak
2	17325.000	47.64	68.20	-20.56	52.13	-4.49	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be160_5250MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be160_5250MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10500.000	43.77	68.20	-24.43	53.15	-9.38	Peak
2	15750.000	48.69	74.00	-25.31	53.56	-4.87	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be160_5250MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be160_5250MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10500.000	43.78	68.20	-24.42	53.16	-9.38	Peak
2	15750.000	48.20	74.00	-25.80	53.07	-4.87	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be160_5570MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be160_5570MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11140.000	44.79	74.00	-29.21	53.26	-8.47	Peak
2	16710.000	47.44	68.20	-20.76	52.23	-4.79	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be160_5570MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be160_5570MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11140.000	44.76	74.00	-29.24	53.23	-8.47	Peak
2	16710.000	47.30	68.20	-20.90	52.09	-4.79	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5580MHz_H_QP

Site :HC-CB04
Condition :3m Horizontal
Mode :TX_a_5580MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	99.549	30.85	43.50	-12.65	58.09	-27.24	QP
2	249.996	34.95	46.00	-11.05	58.79	-23.84	QP
3	341.370	29.01	46.00	-16.99	49.98	-20.97	QP
4	528.968	31.29	46.00	-14.71	47.90	-16.61	QP
5	622.088	34.26	46.00	-11.74	48.87	-14.61	QP
6	750.031	36.32	46.00	-9.68	48.61	-12.29	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

TX_a_5580MHz_V_QP

Site :HC-CB04
Condition :3m Vertical
Mode :TX_a_5580MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	37.372	36.18	40.00	-3.82	59.43	-23.25	QP
2	126.612	28.21	43.50	-15.29	52.69	-24.48	QP
3	249.996	33.10	46.00	-12.90	56.94	-23.84	QP
4	478.431	31.33	46.00	-14.67	48.91	-17.58	QP
5	627.811	33.96	46.00	-12.04	48.50	-14.54	QP
6	805.127	36.55	46.00	-9.45	48.32	-11.77	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

TX_a_5180MHz_H_AV

Site :HC-CB04
Condition :3m Horizontal
Mode :TX_a_5180MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5149.550	53.69	54.00	-0.31	39.73	13.96	Average
2	5181.500	106.93	-----	-----	92.91	14.02	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5180MHz_H_PK

Site :HC-CB04
Condition :3m Horizontal
Mode :TX_a_5180MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5149.100	71.88	74.00	-2.12	57.92	13.96	Peak
2	5181.950	116.81	-----	-----	102.79	14.02	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5180MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5180MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5150.000	53.39	54.00	-0.61	39.43	13.96	Average
2	5179.100	108.35	-----	-----	94.34	14.01	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5180MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5180MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5149.700	70.80	74.00	-3.20	56.84	13.96	Peak
2	5179.550	118.48	-----	-----	104.47	14.01	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5220MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5220MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5150.000	50.90	54.00	-3.10	36.94	13.96	Average
2	5216.750	111.63	-----	-----	97.57	14.06	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5220MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5220MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5138.600	65.87	74.00	-8.13	51.93	13.94	Peak
2	5216.450	122.18	-----	-----	108.12	14.06	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5220MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5220MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5150.000	52.97	54.00	-1.03	39.01	13.96	Average
2	5219.150	114.41	-----	-----	100.34	14.07	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5220MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5220MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5150.000	70.07	74.00	-3.93	56.11	13.96	Peak
2	5218.700	124.63	-----	-----	110.57	14.06	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5240MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5149.850	45.51	54.00	-8.49	31.55	13.96	Average
2	5240.900	111.88	-----	-----	97.78	14.10	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5240MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5124.200	62.23	74.00	-11.77	48.31	13.92	Peak
2	5241.500	121.67	-----	-----	107.57	14.10	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5240MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB	dB	dB	dB	
1	5149.850	50.36	54.00	-3.64	36.40	13.96	Average
2	5242.700	114.56	-----	-----	100.46	14.10	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5240MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB	dB	dB	dB	
1	5150.000	68.73	74.00	-5.27	54.77	13.96	Peak
2	5243.450	125.23	-----	-----	111.13	14.10	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5260MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB	dB	dB	dB	
1	5256.150	110.05	-----	-----	95.93	14.12	Average
2	5353.650	44.48	54.00	-9.52	30.21	14.27	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5260MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB	dB	dB	dB	
1	5255.850	120.36	-----	-----	106.24	14.12	Peak
2	5354.100	59.84	74.00	-14.16	45.57	14.27	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5260MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5259.150	112.89	-----	-----	98.76	14.13	Average
2	5350.200	48.56	54.00	-5.44	34.29	14.27	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5260MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5259.150	123.18	-----	-----	109.05	14.13	Peak
2	5351.100	66.37	74.00	-7.63	52.10	14.27	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5300MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5293.500	108.39	-----	-----	94.21	14.18	Average
2	5352.150	51.00	54.00	-3.00	36.73	14.27	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5300MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5293.800	118.85	-----	-----	104.66	14.19	Peak
2	5351.700	69.79	74.00	-4.21	55.52	14.27	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5300MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5298.450	112.81	-----	-----	98.62	14.19	Average
2	5351.250	53.44	54.00	-0.56	39.17	14.27	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5300MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5298.300	122.54	-----	-----	108.35	14.19	Peak
2	5359.050	71.85	74.00	-2.15	57.57	14.28	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5320MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5320.650	109.60	-----	-----	95.38	14.22	Average
2	5350.200	52.83	54.00	-1.17	38.56	14.27	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5320MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5319.600	120.53	-----	-----	106.31	14.22	Peak
2	5358.750	69.36	74.00	-4.64	55.08	14.28	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5500MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5500MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5458.625	43.41	54.00	-10.59	28.97	14.44	Average
2	5498.000	105.22	-----	-----	90.72	14.50	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5500MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5500MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5459.150	56.01	74.00	-17.99	41.57	14.44	Peak
2	5468.075	62.88	68.20	-5.32	48.44	14.44	Peak
3	5498.525	115.85	-----	-----	101.35	14.50	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5500MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5500MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5458.975	46.58	54.00	-7.42	32.14	14.44	Average
2	5503.425	107.66	-----	-----	93.15	14.51	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5500MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5500MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5458.450	60.53	74.00	-13.47	46.09	14.44	Peak
2	5465.975	67.77	68.20	-0.43	53.33	14.44	Peak
3	5504.125	118.47	-----	-----	103.96	14.51	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5580MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5580MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5459.675	47.68	54.00	-6.32	33.24	14.44	Average
2	5581.650	112.35	-----	-----	97.64	14.71	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5580MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5580MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5457.750	64.61	74.00	-9.39	50.17	14.44	Peak
2	5465.450	68.09	68.20	-0.11	53.65	14.44	Peak
3	5582.525	122.27	-----	-----	107.56	14.71	Peak
4	5725.675	62.53	68.20	-5.67	47.44	15.09	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5580MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5580MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5459.850	47.94	54.00	-6.06	33.50	14.44	Average
2	5577.275	113.93	-----	-----	99.23	14.70	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5580MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5580MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5453.550	61.18	74.00	-12.82	46.76	14.42	Peak
2	5466.500	63.40	68.20	-4.80	48.96	14.44	Peak
3	5578.500	124.39	-----	-----	109.69	14.70	Peak
4	5745.625	58.27	68.20	-9.93	43.14	15.13	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5700MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5700MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5703.275	114.42	-----	-----	99.39	15.03	Peak
2	5729.175	66.70	68.20	-1.50	51.61	15.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5700MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5700MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5700.825	116.78	-----	-----	101.77	15.01	Peak
2	5725.675	66.86	68.20	-1.34	51.77	15.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5745MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5745MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5647.500	65.03	68.20	-3.17	50.15	14.88	Peak
2	5653.750	66.42	70.98	-4.56	51.52	14.90	Peak
3	5723.000	99.71	117.64	-17.93	84.63	15.08	Peak
4	5741.500	121.40	-----	-----	106.28	15.12	Peak
5	5868.500	64.97	107.02	-42.05	49.52	15.45	Peak
6	5921.000	58.12	71.17	-13.05	42.53	15.59	Peak
7	6008.750	58.37	68.20	-9.83	42.54	15.83	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5745MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5745MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5645.000	66.75	68.20	-1.45	51.88	14.87	Peak
2	5654.000	70.91	71.17	-0.26	56.01	14.90	Peak
3	5724.000	104.63	119.92	-15.29	89.55	15.08	Peak
4	5743.750	122.42	-----	-----	107.29	15.13	Peak
5	5852.500	63.40	116.50	-53.10	47.99	15.41	Peak
6	5924.000	56.63	68.95	-12.32	41.04	15.59	Peak
7	5989.500	57.94	68.20	-10.26	42.18	15.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5785MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5785MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5643.250	58.07	68.20	-10.13	43.20	14.87	Peak
2	5655.000	57.77	71.91	-14.14	42.87	14.90	Peak
3	5710.000	74.93	108.00	-33.07	59.89	15.04	Peak
4	5783.250	120.94	-----	-----	105.70	15.24	Peak
5	5856.500	79.98	110.38	-30.40	64.56	15.42	Peak
6	5922.250	64.53	70.24	-5.71	48.94	15.59	Peak
7	5947.750	59.90	68.20	-8.30	44.24	15.66	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5785MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5785MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5645.500	60.78	68.20	-7.42	45.91	14.87	Peak
2	5652.750	62.45	70.24	-7.79	47.57	14.88	Peak
3	5724.250	81.05	120.49	-39.44	65.97	15.08	Peak
4	5784.250	121.15	-----	-----	105.91	15.24	Peak
5	5856.500	81.49	110.38	-28.89	66.07	15.42	Peak
6	5922.000	59.85	70.43	-10.58	44.26	15.59	Peak
7	5937.500	62.98	68.20	-5.22	47.35	15.63	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5825MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5825MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5607.500	56.89	68.20	-11.31	42.11	14.78	Peak
2	5652.750	56.09	70.24	-14.15	41.21	14.88	Peak
3	5725.000	64.46	122.20	-57.74	49.37	15.09	Peak
4	5827.250	118.75	-----	-----	103.41	15.34	Peak
5	5850.500	93.04	121.06	-28.02	77.63	15.41	Peak
6	5921.750	65.56	70.61	-5.05	49.97	15.59	Peak
7	5926.000	66.91	68.20	-1.29	51.31	15.60	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5825MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5825MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5646.250	57.69	68.20	-10.51	42.82	14.87	Peak
2	5654.250	56.92	71.35	-14.43	42.02	14.90	Peak
3	5719.000	65.61	110.52	-44.91	50.54	15.07	Peak
4	5823.500	120.38	-----	-----	105.05	15.33	Peak
5	5850.250	99.07	121.63	-22.56	83.66	15.41	Peak
6	5920.000	70.75	71.91	-1.16	55.16	15.59	Peak
7	5930.500	66.50	68.20	-1.70	50.89	15.61	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5180MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5180MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5149.250	51.82	54.00	-2.18	37.86	13.96	Average
2	5178.950	102.89	-----	-----	88.88	14.01	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5180MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5180MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5149.100	66.93	74.00	-7.07	52.97	13.96	Peak
2	5177.450	112.93	-----	-----	98.92	14.01	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5180MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5180MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5149.400	53.44	54.00	-0.56	39.48	13.96	Average
2	5181.000	106.08	-----	-----	92.06	14.02	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5180MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5180MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5146.400	69.53	74.00	-4.47	55.57	13.96	Peak
2	5179.400	116.27	-----	-----	102.26	14.01	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5220MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5220MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5149.700	48.82	54.00	-5.18	34.86	13.96	Average
2	5219.300	110.02	-----	-----	95.95	14.07	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5220MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5220MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5149.550	63.08	74.00	-10.92	49.12	13.96	Peak
2	5219.750	120.15	-----	-----	106.08	14.07	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5220MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5220MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5149.100	52.61	54.00	-1.39	38.65	13.96	Average
2	5221.100	112.04	-----	-----	97.97	14.07	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5220MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5220MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5149.100	67.08	74.00	-6.92	53.12	13.96	Peak
2	5221.100	123.07	-----	-----	109.00	14.07	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5240MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5149.700	48.81	54.00	-5.19	34.85	13.96	Average
2	5241.950	111.91	-----	-----	97.81	14.10	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5240MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5142.500	63.67	74.00	-10.33	49.72	13.95	Peak
2	5241.800	122.76	-----	-----	108.66	14.10	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5240MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5148.350	52.93	54.00	-1.07	38.97	13.96	Average
2	5239.700	114.48	-----	-----	100.38	14.10	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5240MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5148.650	67.57	74.00	-6.43	53.61	13.96	Peak
2	5242.400	125.57	-----	-----	111.47	14.10	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5260MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB		dB		
1	5259.450	108.85	-----	-----	94.72	14.13	Average
2	5353.200	45.94	54.00	-8.06	31.67	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5260MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB		dB		
1	5259.300	119.51	-----	-----	105.38	14.13	Peak
2	5350.050	62.49	74.00	-11.51	48.22	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5260MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB		dB		
1	5258.400	113.57	-----	-----	99.44	14.13	Average
2	5351.100	49.53	54.00	-4.47	35.26	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5260MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB		dB		
1	5258.250	125.49	-----	-----	111.36	14.13	Peak
2	5353.500	63.81	74.00	-10.19	49.54	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5300MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5298.600	106.73	-----	-----	92.54	14.19	Average
2	5350.500	50.61	54.00	-3.39	36.34	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5300MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5293.500	117.91	-----	-----	103.73	14.18	Peak
2	5353.050	66.65	74.00	-7.35	52.38	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5300MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5297.250	110.20	-----	-----	96.01	14.19	Average
2	5350.500	52.72	54.00	-1.28	38.45	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5300MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5298.750	121.36	-----	-----	107.17	14.19	Peak
2	5352.600	68.58	74.00	-5.42	54.31	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5320MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5318.850	103.22	-----	-----	89.00	14.22	Average
2	5353.500	47.70	54.00	-6.30	33.43	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5320MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5318.700	114.05	-----	-----	99.84	14.21	Peak
2	5353.800	66.19	74.00	-7.81	51.92	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5320MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5321.400	106.28	-----	-----	92.06	14.22	Average
2	5351.550	52.21	54.00	-1.79	37.94	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5320MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5321.700	117.41	-----	-----	103.19	14.22	Peak
2	5351.100	68.73	74.00	-5.27	54.46	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5500MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5500MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5456.000	44.26	54.00	-9.74	29.83	14.43	Average
2	5500.975	104.35	-----	-----	89.85	14.50	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5500MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5500MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5456.225	56.76	74.00	-17.24	42.34	14.42	Peak
2	5467.725	59.35	68.20	-8.85	44.91	14.44	Peak
3	5500.975	115.01	-----	-----	100.51	14.50	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5500MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5500MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5455.125	45.81	54.00	-8.19	31.38	14.43	Average
2	5500.450	107.32	-----	-----	92.82	14.50	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5500MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5500MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5458.100	58.61	74.00	-15.39	44.17	14.44	Peak
2	5468.075	67.14	68.20	-1.06	52.70	14.44	Peak
3	5495.375	117.74	-----	-----	103.24	14.50	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5580MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5580MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5457.750	50.29	54.00	-3.71	35.85	14.44	Average
2	5575.350	110.92	-----	-----	96.22	14.70	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5580MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5580MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5454.600	66.46	74.00	-7.54	52.03	14.43	Peak
2	5469.125	67.84	68.20	-0.36	53.39	14.45	Peak
3	5580.775	121.71	-----	-----	107.00	14.71	Peak
4	5736.350	67.03	68.20	-1.17	51.91	15.12	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5580MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5580MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5459.675	51.46	54.00	-2.54	37.02	14.44	Average
2	5578.325	113.42	-----	-----	98.72	14.70	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5580MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5580MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5456.875	64.72	74.00	-9.28	50.28	14.44	Peak
2	5469.300	67.05	68.20	-1.15	52.60	14.45	Peak
3	5575.350	123.55	-----	-----	108.85	14.70	Peak
4	5728.125	63.32	68.20	-4.88	48.23	15.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5700MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5700MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5699.975	114.77	-----	-----	99.77	15.00	Peak
2	5731.625	66.38	68.20	-1.82	51.28	15.10	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5700MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5700MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5699.425	116.67	-----	-----	101.66	15.01	Peak
2	5726.375	65.66	68.20	-2.54	50.57	15.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5745MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5745MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5617.000	58.91	68.20	-9.29	44.11	14.80	Peak
2	5652.250	58.54	69.87	-11.33	43.66	14.88	Peak
3	5724.750	97.96	121.63	-23.67	82.88	15.08	Peak
4	5739.250	119.93	-----	-----	104.81	15.12	Peak
5	5850.000	65.87	122.20	-56.33	50.46	15.41	Peak
6	5922.750	56.34	69.87	-13.53	40.75	15.59	Peak
7	5968.500	58.55	68.20	-9.65	42.85	15.70	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5745MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5745MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5645.000	63.38	68.20	-4.82	48.51	14.87	Peak
2	5651.500	64.59	69.32	-4.73	49.71	14.88	Peak
3	5724.500	99.73	121.06	-21.33	84.65	15.08	Peak
4	5746.750	121.38	-----	-----	106.25	15.13	Peak
5	5856.000	60.48	110.52	-50.04	45.06	15.42	Peak
6	5922.500	57.08	70.06	-12.98	41.49	15.59	Peak
7	5971.250	57.91	68.20	-10.29	42.19	15.72	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5785MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5785MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5643.500	59.17	68.20	-9.03	44.30	14.87	Peak
2	5651.750	57.75	69.50	-11.75	42.87	14.88	Peak
3	5725.000	73.15	122.20	-49.05	58.06	15.09	Peak
4	5787.500	120.01	-----	-----	104.76	15.25	Peak
5	5854.500	72.98	111.94	-38.96	57.56	15.42	Peak
6	5921.500	57.99	70.80	-12.81	42.40	15.59	Peak
7	5933.000	58.73	68.20	-9.47	43.11	15.62	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5785MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5785MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5644.000	62.36	68.20	-5.84	47.49	14.87	Peak
2	5652.000	67.43	69.69	-2.26	52.55	14.88	Peak
3	5787.000	82.90	107.16	-24.26	67.87	15.03	Peak
4	5786.250	120.45	-----	-----	105.20	15.25	Peak
5	5850.500	81.75	121.06	-39.31	66.34	15.41	Peak
6	5920.750	65.06	71.35	-6.29	49.47	15.59	Peak
7	5927.250	65.53	68.20	-2.67	49.93	15.60	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5825MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be20_5825MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5538.750	56.89	68.20	-11.31	42.29	14.60	Peak
2	5652.750	56.22	70.24	-14.02	41.34	14.88	Peak
3	5722.000	58.69	115.36	-56.67	43.61	15.08	Peak
4	5823.000	117.11	-----	-----	101.78	15.33	Peak
5	5850.250	88.45	121.63	-33.18	73.04	15.41	Peak
6	5921.000	60.92	71.17	-10.25	45.33	15.59	Peak
7	5929.500	60.04	68.20	-8.16	44.43	15.61	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be20_5825MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be20_5825MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5614.000	57.62	68.20	-10.58	42.82	14.80	Peak
2	5651.500	56.86	69.32	-12.46	41.98	14.88	Peak
3	5724.500	64.58	121.06	-56.48	49.50	15.08	Peak
4	5823.750	119.89	-----	-----	104.56	15.33	Peak
5	5851.750	96.23	118.21	-21.98	80.82	15.41	Peak
6	5923.250	65.06	69.50	-4.44	49.47	15.59	Peak
7	5927.250	63.21	68.20	-4.99	47.61	15.60	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5190MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5190MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5148.800	51.67	54.00	-2.33	37.71	13.96	Average
2	5185.550	98.58	-----	-----	84.56	14.02	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5190MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5190MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5149.400	64.38	74.00	-9.62	50.42	13.96	Peak
2	5190.950	109.59	-----	-----	95.57	14.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5190MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5190MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5149.850	53.80	54.00	-0.20	39.84	13.96	Average
2	5186.900	100.15	-----	-----	86.13	14.02	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5190MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5190MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5146.550	67.04	74.00	-6.96	53.08	13.96	Peak
2	5186.750	111.00	-----	-----	96.98	14.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5230MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5230MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5145.950	49.31	54.00	-4.69	35.35	13.96	Average
2	5231.450	106.94	-----	-----	92.85	14.09	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5230MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5230MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5145.050	63.98	74.00	-10.02	50.02	13.96	Peak
2	5236.550	117.68	-----	-----	103.58	14.10	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5230MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5230MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5148.200	52.91	54.00	-1.09	38.95	13.96	Average
2	5228.300	108.68	-----	-----	94.60	14.08	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5230MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5230MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5148.800	68.18	74.00	-5.82	54.22	13.96	Peak
2	5225.450	118.68	-----	-----	104.60	14.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5270MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5270MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5271.300	105.76	-----	-----	91.61	14.15	Average
2	5350.500	52.27	54.00	-1.73	38.00	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5270MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5270MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5271.600	117.02	-----	-----	102.87	14.15	Peak
2	5351.250	68.09	74.00	-5.91	53.82	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5270MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5270MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5268.150	108.18	-----	-----	94.05	14.13	Average
2	5353.950	52.40	54.00	-1.60	38.13	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5270MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5270MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5268.450	118.80	-----	-----	104.67	14.13	Peak
2	5355.300	68.69	74.00	-5.31	54.42	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5310MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5310MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5310.900	99.85	-----	-----	85.64	14.21	Average
2	5350.500	52.64	54.00	-1.36	38.37	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5310MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5310MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5316.000	111.01	-----	-----	96.80	14.21	Peak
2	5350.200	67.01	74.00	-6.99	52.74	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5310MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5310MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5311.800	101.11	-----	-----	86.90	14.21	Average
2	5350.500	53.48	54.00	-0.52	39.21	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5310MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5310MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5313.600	113.03	-----	-----	98.82	14.21	Peak
2	5350.200	67.09	74.00	-6.91	52.82	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5510MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5510MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5459.850	45.86	54.00	-8.14	31.42	14.44	Average
2	5514.450	100.68	-----	-----	86.14	14.54	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5510MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5510MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5459.850	57.10	74.00	-16.90	42.66	14.44	Peak
2	5469.300	60.19	68.20	-8.01	45.74	14.45	Peak
3	5509.200	111.15	-----	-----	96.62	14.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5510MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5510MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5459.850	47.81	54.00	-6.19	33.37	14.44	Average
2	5512.525	103.21	-----	-----	88.68	14.53	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5510MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5510MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5455.650	60.24	74.00	-13.76	45.81	14.43	Peak
2	5465.275	66.06	68.20	-2.14	51.62	14.44	Peak
3	5512.350	113.93	-----	-----	99.40	14.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5550MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5550MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5457.050	45.82	54.00	-8.18	31.38	14.44	Average
2	5552.075	105.51	-----	-----	90.88	14.63	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5550MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5550MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5458.625	60.44	74.00	-13.56	46.00	14.44	Peak
2	5465.625	60.65	68.20	-7.55	46.21	14.44	Peak
3	5552.075	115.70	-----	-----	101.07	14.63	Peak
4	5737.925	57.48	68.20	-10.72	42.36	15.12	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5550MHz_V_AV

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5550MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5459.850	50.57	54.00	-3.43	36.13	14.44	Average
2	5548.225	107.62	-----	-----	92.99	14.63	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5550MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5550MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5457.225	67.67	74.00	-6.33	53.23	14.44	Peak
2	5469.475	66.48	68.20	-1.72	52.03	14.45	Peak
3	5548.050	118.28	-----	-----	103.65	14.63	Peak
4	5725.675	57.83	68.20	-10.37	42.74	15.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5670MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5670MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5662.675	113.68	-----	-----	98.76	14.92	Peak
2	5727.425	67.31	68.20	-0.89	52.22	15.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5670MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5670MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5678.775	116.14	-----	-----	101.18	14.96	Peak
2	5726.200	66.90	68.20	-1.30	51.81	15.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5755MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5755MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5643.250	65.95	68.20	-2.25	51.08	14.87	Peak
2	5651.250	66.28	69.13	-2.85	51.40	14.88	Peak
3	5724.250	93.00	120.49	-27.49	77.92	15.08	Peak
4	5760.250	117.50	-----	-----	102.33	15.17	Peak
5	5850.250	71.71	121.63	-49.92	56.30	15.41	Peak
6	5922.500	61.82	70.06	-8.24	46.23	15.59	Peak
7	5929.250	60.92	68.20	-7.28	45.31	15.61	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5755MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5755MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5647.750	67.00	68.20	-1.20	52.12	14.88	Peak
2	5653.500	67.85	70.80	-2.95	52.95	14.90	Peak
3	5724.500	96.44	121.06	-24.62	81.36	15.08	Peak
4	5757.750	118.13	-----	-----	102.97	15.16	Peak
5	5855.000	71.11	110.80	-39.69	55.69	15.42	Peak
6	5923.250	58.31	69.50	-11.19	42.72	15.59	Peak
7	5930.750	59.15	68.20	-9.05	43.53	15.62	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5795MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be40_5795MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5647.250	64.49	68.20	-3.71	49.61	14.88	Peak
2	5653.750	64.87	70.98	-6.11	49.97	14.90	Peak
3	5723.250	78.03	118.21	-40.18	62.95	15.08	Peak
4	5793.000	119.48	-----	-----	104.22	15.26	Peak
5	5853.250	85.38	114.79	-29.41	69.96	15.42	Peak
6	5921.250	69.02	70.98	-1.96	53.43	15.59	Peak
7	5927.750	67.97	68.20	-0.23	52.36	15.61	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be40_5795MHz_V_PK

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_be40_5795MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5639.250	65.12	68.20	-3.08	50.26	14.86	Peak
2	5653.500	65.90	70.80	-4.90	51.00	14.90	Peak
3	5724.000	82.79	119.92	-37.13	67.71	15.08	Peak
4	5792.250	118.83	-----	-----	103.57	15.26	Peak
5	5850.250	88.40	121.63	-33.23	72.99	15.41	Peak
6	5921.500	68.84	70.80	-1.96	53.25	15.59	Peak
7	5926.250	67.72	68.20	-0.48	52.12	15.60	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be80_5210MHz_H_AV

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be80_5210MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5146.850	47.86	54.00	-6.14	33.90	13.96	Average
2	5206.850	93.47	-----	-----	79.42	14.05	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_be80_5210MHz_H_PK

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_be80_5210MHz
Test By :Cyril Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5148.800	60.25	74.00	-13.75	46.29	13.96	Peak
2	5212.100	105.18	-----	-----	91.13	14.05	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.