

Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5965 MHz; 11be40 (40 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
5965.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5980.125000	-6.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5978.625000	-6.3	0.3	-6.0	PASS
5978.875000	-6.3	0.3	-6.0	PASS
5982.625000	-6.4	0.3	-6.0	PASS
5979.875000	-6.4	0.3	-6.0	PASS
5974.625000	-6.4	0.4	-6.0	PASS
5982.125000	-6.5	0.5	-6.0	PASS
5971.375000	-6.6	0.5	-6.0	PASS
5970.125000	-6.7	0.7	-6.0	PASS
5959.125000	-6.7	0.7	-6.0	PASS
5968.625000	-6.8	0.7	-6.0	PASS
5959.875000	-6.8	0.7	-6.0	PASS
5983.125000	-6.8	0.7	-6.0	PASS
5980.375000	-6.8	0.8	-6.0	PASS
5982.875000	-6.8	0.8	-6.0	PASS
5976.375000	-6.8	0.8	-6.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6165 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6165.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6148.875000	-3.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6148.875000	-3.1	0.0	-3.1	PASS
6176.375000	-3.4	0.3	-3.1	PASS
6181.375000	-3.5	0.4	-3.1	PASS
6162.375000	-3.5	0.4	-3.1	PASS
6160.125000	-3.5	0.4	-3.1	PASS
6148.625000	-3.6	0.4	-3.1	PASS
6170.375000	-3.6	0.5	-3.1	PASS
6170.125000	-3.6	0.5	-3.1	PASS
6152.625000	-3.6	0.5	-3.1	PASS
6148.125000	-3.6	0.5	-3.1	PASS
6182.625000	-3.6	0.5	-3.1	PASS
6157.375000	-3.6	0.5	-3.1	PASS
6147.875000	-3.7	0.5	-3.1	PASS
6162.625000	-3.7	0.6	-3.1	PASS
6161.875000	-3.7	0.6	-3.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6165 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6165.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6158.625000	-4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6158.625000	-4.6	0.0	-4.6	PASS
6152.375000	-4.6	0.0	-4.6	PASS
6156.375000	-4.6	0.0	-4.6	PASS
6148.875000	-4.6	0.1	-4.6	PASS
6147.375000	-4.6	0.1	-4.6	PASS
6153.875000	-4.6	0.1	-4.6	PASS
6154.375000	-4.6	0.1	-4.6	PASS
6150.375000	-4.7	0.1	-4.6	PASS
6158.125000	-4.7	0.1	-4.6	PASS
6152.125000	-4.7	0.1	-4.6	PASS
6157.375000	-4.7	0.1	-4.6	PASS
6148.625000	-4.7	0.2	-4.6	PASS
6154.125000	-4.7	0.2	-4.6	PASS
6156.625000	-4.7	0.2	-4.6	PASS
6150.125000	-4.7	0.2	-4.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6165 MHz; 11be40 (40 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6165.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6168.375000	-3.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6168.375000	-3.1	0.0	-3.1	PASS
6168.125000	-3.3	0.2	-3.1	PASS
6162.625000	-3.3	0.2	-3.1	PASS
6167.625000	-3.4	0.3	-3.1	PASS
6158.875000	-3.4	0.3	-3.1	PASS
6158.625000	-3.4	0.3	-3.1	PASS
6167.375000	-3.5	0.4	-3.1	PASS
6156.125000	-3.5	0.5	-3.1	PASS
6159.125000	-3.6	0.5	-3.1	PASS
6167.875000	-3.6	0.5	-3.1	PASS
6167.125000	-3.7	0.6	-3.1	PASS
6166.375000	-3.7	0.6	-3.1	PASS
6157.625000	-3.7	0.7	-3.1	PASS
6147.625000	-3.7	0.7	-3.1	PASS
6172.625000	-3.7	0.7	-3.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6165 MHz; 11be40 (40 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6165.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6153.875000	-3.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6153.875000	-3.1	0.0	-3.1	PASS
6158.625000	-3.3	0.2	-3.1	PASS
6147.375000	-3.4	0.2	-3.1	PASS
6154.125000	-3.4	0.3	-3.1	PASS
6150.125000	-3.5	0.3	-3.1	PASS
6161.375000	-3.5	0.3	-3.1	PASS
6148.875000	-3.6	0.4	-3.1	PASS
6156.125000	-3.6	0.5	-3.1	PASS
6148.125000	-3.7	0.5	-3.1	PASS
6152.625000	-3.8	0.6	-3.1	PASS
6156.375000	-3.8	0.6	-3.1	PASS
6161.625000	-3.8	0.6	-3.1	PASS
6157.875000	-3.8	0.6	-3.1	PASS
6155.125000	-3.8	0.6	-3.1	PASS
6147.625000	-3.8	0.6	-3.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6405 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6388.875000	-5.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6388.875000	-5.9	0.0	-5.9	PASS
6413.625000	-6.4	0.5	-5.9	PASS
6408.625000	-6.5	0.6	-5.9	PASS
6391.375000	-6.5	0.6	-5.9	PASS
6400.125000	-6.5	0.6	-5.9	PASS
6420.125000	-6.6	0.7	-5.9	PASS
6400.375000	-6.6	0.7	-5.9	PASS
6392.625000	-6.6	0.7	-5.9	PASS
6387.625000	-6.6	0.7	-5.9	PASS
6402.625000	-6.7	0.8	-5.9	PASS
6411.125000	-6.7	0.8	-5.9	PASS
6389.125000	-6.7	0.8	-5.9	PASS
6414.125000	-6.7	0.8	-5.9	PASS
6386.875000	-6.7	0.8	-5.9	PASS
6412.625000	-6.7	0.8	-5.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6405 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6422.625000	-6.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6422.625000	-6.3	0.0	-6.3	PASS
6400.125000	-6.7	0.4	-6.3	PASS
6388.625000	-6.7	0.4	-6.3	PASS
6398.875000	-6.8	0.5	-6.3	PASS
6415.625000	-6.8	0.5	-6.3	PASS
6402.625000	-6.9	0.5	-6.3	PASS
6422.875000	-6.9	0.6	-6.3	PASS
6400.375000	-6.9	0.6	-6.3	PASS
6392.625000	-6.9	0.6	-6.3	PASS
6416.375000	-6.9	0.6	-6.3	PASS
6410.125000	-7.0	0.7	-6.3	PASS
6403.375000	-7.0	0.7	-6.3	PASS
6396.125000	-7.0	0.7	-6.3	PASS
6407.125000	-7.1	0.7	-6.3	PASS
6407.875000	-7.1	0.8	-6.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6405 MHz; 11be40 (40 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6411.125000	-6.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6411.125000	-6.4	0.0	-6.4	PASS
6388.625000	-6.4	0.0	-6.4	PASS
6401.375000	-6.4	0.0	-6.4	PASS
6398.625000	-6.5	0.1	-6.4	PASS
6393.875000	-6.5	0.1	-6.4	PASS
6388.875000	-6.5	0.1	-6.4	PASS
6396.375000	-6.6	0.2	-6.4	PASS
6390.125000	-6.7	0.2	-6.4	PASS
6391.125000	-6.7	0.2	-6.4	PASS
6391.375000	-6.7	0.2	-6.4	PASS
6398.875000	-6.7	0.2	-6.4	PASS
6399.875000	-6.7	0.2	-6.4	PASS
6413.875000	-6.7	0.3	-6.4	PASS
6400.125000	-6.7	0.3	-6.4	PASS
6407.375000	-6.8	0.4	-6.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6405 MHz; 11be40 (40 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6411.125000	-5.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6387.375000	-5.7	0.3	-5.4	PASS
6411.375000	-5.7	0.3	-5.4	PASS
6408.875000	-5.8	0.4	-5.4	PASS
6389.875000	-5.8	0.4	-5.4	PASS
6393.125000	-5.9	0.5	-5.4	PASS
6393.875000	-5.9	0.5	-5.4	PASS
6387.625000	-6.0	0.6	-5.4	PASS
6422.625000	-6.0	0.6	-5.4	PASS
6410.375000	-6.0	0.6	-5.4	PASS
6410.125000	-6.1	0.7	-5.4	PASS
6390.125000	-6.1	0.7	-5.4	PASS
6387.125000	-6.1	0.7	-5.4	PASS
6407.625000	-6.1	0.7	-5.4	PASS
6386.875000	-6.2	0.8	-5.4	PASS
6389.625000	-6.2	0.8	-5.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6445 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6445.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6428.875000	-5.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6433.625000	-5.6	0.2	-5.3	PASS
6431.125000	-5.6	0.3	-5.3	PASS
6448.875000	-5.6	0.3	-5.3	PASS
6453.625000	-5.7	0.3	-5.3	PASS
6432.625000	-5.7	0.3	-5.3	PASS
6460.875000	-5.8	0.4	-5.3	PASS
6452.625000	-5.8	0.4	-5.3	PASS
6442.625000	-5.8	0.5	-5.3	PASS
6452.375000	-5.8	0.5	-5.3	PASS
6433.875000	-5.8	0.5	-5.3	PASS
6428.625000	-5.8	0.5	-5.3	PASS
6453.875000	-5.8	0.5	-5.3	PASS
6438.375000	-5.9	0.5	-5.3	PASS
6436.125000	-5.9	0.6	-5.3	PASS
6442.375000	-5.9	0.6	-5.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6445 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6445.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6428.875000	-5.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6437.375000	-5.9	0.1	-5.8	PASS
6447.625000	-5.9	0.1	-5.8	PASS
6448.875000	-6.0	0.1	-5.8	PASS
6430.875000	-6.0	0.2	-5.8	PASS
6452.125000	-6.2	0.3	-5.8	PASS
6427.375000	-6.2	0.3	-5.8	PASS
6462.375000	-6.2	0.4	-5.8	PASS
6461.375000	-6.2	0.4	-5.8	PASS
6447.375000	-6.2	0.4	-5.8	PASS
6440.125000	-6.2	0.4	-5.8	PASS
6434.375000	-6.2	0.4	-5.8	PASS
6453.875000	-6.3	0.4	-5.8	PASS
6455.625000	-6.3	0.4	-5.8	PASS
6438.625000	-6.3	0.5	-5.8	PASS
6451.125000	-6.3	0.5	-5.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6445 MHz; 11be40 (40 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6445.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6442.625000	-5.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6442.625000	-5.1	0.0	-5.1	PASS
6442.375000	-5.1	0.0	-5.1	PASS
6441.375000	-5.2	0.1	-5.1	PASS
6456.375000	-5.2	0.1	-5.1	PASS
6441.125000	-5.3	0.2	-5.1	PASS
6440.125000	-5.4	0.3	-5.1	PASS
6460.375000	-5.4	0.3	-5.1	PASS
6448.875000	-5.5	0.4	-5.1	PASS
6462.625000	-5.5	0.5	-5.1	PASS
6456.125000	-5.6	0.5	-5.1	PASS
6441.625000	-5.6	0.6	-5.1	PASS
6460.125000	-5.7	0.6	-5.1	PASS
6434.125000	-5.7	0.6	-5.1	PASS
6442.125000	-5.7	0.6	-5.1	PASS
6453.875000	-5.7	0.7	-5.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6445 MHz; 11be40 (40 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6445.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6448.875000	-5.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6427.625000	-5.3	0.2	-5.1	PASS
6432.125000	-5.3	0.3	-5.1	PASS
6447.625000	-5.4	0.3	-5.1	PASS
6449.125000	-5.4	0.3	-5.1	PASS
6448.625000	-5.5	0.4	-5.1	PASS
6427.875000	-5.5	0.4	-5.1	PASS
6448.375000	-5.6	0.5	-5.1	PASS
6428.875000	-5.6	0.5	-5.1	PASS
6447.375000	-5.6	0.5	-5.1	PASS
6433.375000	-5.6	0.5	-5.1	PASS
6441.125000	-5.6	0.6	-5.1	PASS
6430.125000	-5.7	0.6	-5.1	PASS
6452.625000	-5.7	0.6	-5.1	PASS
6432.875000	-5.7	0.6	-5.1	PASS
6449.625000	-5.7	0.7	-5.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6485 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6485.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6471.125000	-6.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6471.375000	-6.2	0.1	-6.1	PASS
6467.625000	-6.2	0.1	-6.1	PASS
6468.875000	-6.3	0.2	-6.1	PASS
6501.375000	-6.3	0.2	-6.1	PASS
6473.625000	-6.3	0.2	-6.1	PASS
6498.875000	-6.4	0.2	-6.1	PASS
6476.875000	-6.4	0.2	-6.1	PASS
6476.375000	-6.5	0.4	-6.1	PASS
6470.125000	-6.5	0.4	-6.1	PASS
6470.875000	-6.6	0.4	-6.1	PASS
6496.375000	-6.6	0.4	-6.1	PASS
6498.625000	-6.6	0.4	-6.1	PASS
6477.375000	-6.6	0.5	-6.1	PASS
6482.375000	-6.6	0.5	-6.1	PASS
6469.875000	-6.6	0.5	-6.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6485 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6485.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6473.875000	-6.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6473.875000	-6.5	0.0	-6.5	PASS
6496.375000	-6.8	0.3	-6.5	PASS
6478.875000	-6.9	0.4	-6.5	PASS
6474.125000	-6.9	0.4	-6.5	PASS
6502.375000	-6.9	0.4	-6.5	PASS
6467.375000	-7.0	0.5	-6.5	PASS
6467.875000	-7.0	0.5	-6.5	PASS
6481.125000	-7.0	0.5	-6.5	PASS
6482.375000	-7.1	0.5	-6.5	PASS
6488.625000	-7.1	0.6	-6.5	PASS
6501.625000	-7.1	0.6	-6.5	PASS
6496.625000	-7.1	0.6	-6.5	PASS
6467.625000	-7.1	0.6	-6.5	PASS
6474.875000	-7.2	0.6	-6.5	PASS
6498.625000	-7.2	0.6	-6.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6485 MHz; 11be40 (40 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6485.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6470.125000	-5.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6473.875000	-5.9	0.3	-5.6	PASS
6501.375000	-6.0	0.3	-5.6	PASS
6471.625000	-6.0	0.4	-5.6	PASS
6497.625000	-6.0	0.4	-5.6	PASS
6472.625000	-6.1	0.5	-5.6	PASS
6488.875000	-6.1	0.5	-5.6	PASS
6473.625000	-6.1	0.5	-5.6	PASS
6502.375000	-6.2	0.6	-5.6	PASS
6499.125000	-6.2	0.6	-5.6	PASS
6501.625000	-6.2	0.6	-5.6	PASS
6471.375000	-6.2	0.6	-5.6	PASS
6502.625000	-6.2	0.6	-5.6	PASS
6489.875000	-6.2	0.6	-5.6	PASS
6493.625000	-6.3	0.7	-5.6	PASS
6472.375000	-6.3	0.7	-5.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6485 MHz; 11be40 (40 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6485.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6496.375000	-6.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6496.375000	-6.3	0.0	-6.3	PASS
6473.875000	-6.4	0.1	-6.3	PASS
6481.875000	-6.5	0.2	-6.3	PASS
6468.875000	-6.5	0.2	-6.3	PASS
6472.625000	-6.5	0.2	-6.3	PASS
6469.875000	-6.5	0.2	-6.3	PASS
6500.125000	-6.5	0.2	-6.3	PASS
6488.625000	-6.5	0.2	-6.3	PASS
6471.375000	-6.6	0.2	-6.3	PASS
6476.125000	-6.6	0.3	-6.3	PASS
6471.125000	-6.6	0.3	-6.3	PASS
6470.875000	-6.6	0.3	-6.3	PASS
6480.875000	-6.6	0.3	-6.3	PASS
6481.125000	-6.7	0.3	-6.3	PASS
6467.625000	-6.7	0.4	-6.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6525 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6512.625000	-5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6509.875000	-5.5	0.5	-5.0	PASS
6512.875000	-5.5	0.6	-5.0	PASS
6536.875000	-5.5	0.6	-5.0	PASS
6513.875000	-5.5	0.6	-5.0	PASS
6514.125000	-5.6	0.6	-5.0	PASS
6538.625000	-5.6	0.6	-5.0	PASS
6514.875000	-5.6	0.6	-5.0	PASS
6533.625000	-5.6	0.6	-5.0	PASS
6537.875000	-5.6	0.6	-5.0	PASS
6542.125000	-5.6	0.6	-5.0	PASS
6530.875000	-5.7	0.7	-5.0	PASS
6519.625000	-5.7	0.7	-5.0	PASS
6542.375000	-5.7	0.8	-5.0	PASS
6532.875000	-5.7	0.8	-5.0	PASS
6541.125000	-5.7	0.8	-5.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6525 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6513.625000	-5.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6513.625000	-5.3	0.0	-5.3	PASS
6520.125000	-5.3	0.0	-5.3	PASS
6537.375000	-5.4	0.1	-5.3	PASS
6533.875000	-5.4	0.2	-5.3	PASS
6508.875000	-5.5	0.2	-5.3	PASS
6531.375000	-5.5	0.2	-5.3	PASS
6513.875000	-5.6	0.3	-5.3	PASS
6522.875000	-5.6	0.4	-5.3	PASS
6520.375000	-5.7	0.4	-5.3	PASS
6522.375000	-5.7	0.4	-5.3	PASS
6529.375000	-5.7	0.4	-5.3	PASS
6530.125000	-5.7	0.5	-5.3	PASS
6517.625000	-5.8	0.5	-5.3	PASS
6522.625000	-5.8	0.5	-5.3	PASS
6532.375000	-5.8	0.5	-5.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6525 MHz; 11be40 (40 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6541.375000	-4.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6522.625000	-4.8	0.0	-4.8	PASS
6538.875000	-4.8	0.1	-4.8	PASS
6542.875000	-4.8	0.1	-4.8	PASS
6542.375000	-4.8	0.1	-4.8	PASS
6542.625000	-4.9	0.2	-4.8	PASS
6526.875000	-5.0	0.2	-4.8	PASS
6527.375000	-5.0	0.3	-4.8	PASS
6516.625000	-5.1	0.3	-4.8	PASS
6518.125000	-5.1	0.3	-4.8	PASS
6513.875000	-5.1	0.4	-4.8	PASS
6536.375000	-5.1	0.4	-4.8	PASS
6517.375000	-5.1	0.4	-4.8	PASS
6511.125000	-5.1	0.4	-4.8	PASS
6531.625000	-5.2	0.4	-4.8	PASS
6518.625000	-5.2	0.4	-4.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6525 MHz; 11be40 (40 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6522.625000	-4.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6533.875000	-5.0	0.1	-4.9	PASS
6521.625000	-5.0	0.1	-4.9	PASS
6536.375000	-5.1	0.1	-4.9	PASS
6539.875000	-5.1	0.1	-4.9	PASS
6541.375000	-5.1	0.1	-4.9	PASS
6528.875000	-5.1	0.2	-4.9	PASS
6530.375000	-5.1	0.2	-4.9	PASS
6520.375000	-5.2	0.3	-4.9	PASS
6536.625000	-5.2	0.3	-4.9	PASS
6542.625000	-5.2	0.3	-4.9	PASS
6532.875000	-5.2	0.3	-4.9	PASS
6532.625000	-5.2	0.3	-4.9	PASS
6538.625000	-5.2	0.3	-4.9	PASS
6540.125000	-5.3	0.3	-4.9	PASS
6528.625000	-5.3	0.3	-4.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6565 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6577.625000	-3.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6572.625000	-3.5	0.1	-3.4	PASS
6580.875000	-3.6	0.2	-3.4	PASS
6581.625000	-3.7	0.2	-3.4	PASS
6572.375000	-3.7	0.3	-3.4	PASS
6553.375000	-3.7	0.3	-3.4	PASS
6557.375000	-3.8	0.3	-3.4	PASS
6548.625000	-3.8	0.4	-3.4	PASS
6562.625000	-3.8	0.4	-3.4	PASS
6583.375000	-3.8	0.4	-3.4	PASS
6557.625000	-3.8	0.4	-3.4	PASS
6582.625000	-3.9	0.4	-3.4	PASS
6550.125000	-3.9	0.5	-3.4	PASS
6549.875000	-3.9	0.5	-3.4	PASS
6546.875000	-3.9	0.5	-3.4	PASS
6573.625000	-3.9	0.5	-3.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6565 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6568.625000	-3.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6571.375000	-3.9	0.4	-3.5	PASS
6548.875000	-3.9	0.4	-3.5	PASS
6571.125000	-3.9	0.4	-3.5	PASS
6568.375000	-4.1	0.6	-3.5	PASS
6568.875000	-4.1	0.6	-3.5	PASS
6553.625000	-4.1	0.6	-3.5	PASS
6554.375000	-4.1	0.6	-3.5	PASS
6554.875000	-4.2	0.7	-3.5	PASS
6570.875000	-4.2	0.7	-3.5	PASS
6561.375000	-4.2	0.7	-3.5	PASS
6549.875000	-4.2	0.7	-3.5	PASS
6558.625000	-4.2	0.7	-3.5	PASS
6554.625000	-4.3	0.8	-3.5	PASS
6547.625000	-4.3	0.8	-3.5	PASS
6550.875000	-4.3	0.8	-3.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6565 MHz; 11be40 (40 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6556.375000	-2.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6556.375000	-2.8	0.0	-2.8	PASS
6579.875000	-2.9	0.1	-2.8	PASS
6553.625000	-3.0	0.2	-2.8	PASS
6558.875000	-3.1	0.3	-2.8	PASS
6580.125000	-3.1	0.3	-2.8	PASS
6573.625000	-3.2	0.4	-2.8	PASS
6576.875000	-3.2	0.5	-2.8	PASS
6549.875000	-3.3	0.5	-2.8	PASS
6577.625000	-3.3	0.5	-2.8	PASS
6578.875000	-3.3	0.5	-2.8	PASS
6553.875000	-3.4	0.7	-2.8	PASS
6583.375000	-3.5	0.7	-2.8	PASS
6552.625000	-3.5	0.7	-2.8	PASS
6557.625000	-3.5	0.7	-2.8	PASS
6581.625000	-3.5	0.8	-2.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6565 MHz; 11be40 (40 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6571.375000	-3.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6576.375000	-3.3	0.1	-3.3	PASS
6573.875000	-3.6	0.3	-3.3	PASS
6570.125000	-3.6	0.4	-3.3	PASS
6562.625000	-3.7	0.4	-3.3	PASS
6582.375000	-3.7	0.5	-3.3	PASS
6582.625000	-3.8	0.5	-3.3	PASS
6559.875000	-3.8	0.5	-3.3	PASS
6561.375000	-3.8	0.5	-3.3	PASS
6552.875000	-3.8	0.5	-3.3	PASS
6567.625000	-3.8	0.6	-3.3	PASS
6567.375000	-3.9	0.6	-3.3	PASS
6570.625000	-3.9	0.6	-3.3	PASS
6577.625000	-3.9	0.6	-3.3	PASS
6557.375000	-3.9	0.6	-3.3	PASS
6553.625000	-3.9	0.6	-3.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6685 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6701.375000	-2.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6701.125000	-2.9	0.0	-2.8	PASS
6669.875000	-3.2	0.4	-2.8	PASS
6679.625000	-3.2	0.4	-2.8	PASS
6667.375000	-3.2	0.4	-2.8	PASS
6670.125000	-3.3	0.4	-2.8	PASS
6697.375000	-3.3	0.4	-2.8	PASS
6682.875000	-3.3	0.5	-2.8	PASS
6696.375000	-3.4	0.5	-2.8	PASS
6678.375000	-3.4	0.6	-2.8	PASS
6688.625000	-3.4	0.6	-2.8	PASS
6691.375000	-3.5	0.6	-2.8	PASS
6702.625000	-3.5	0.6	-2.8	PASS
6673.625000	-3.5	0.7	-2.8	PASS
6696.125000	-3.6	0.7	-2.8	PASS
6671.125000	-3.6	0.7	-2.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6685 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6668.875000	-4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6668.875000	-4.3	0.0	-4.3	PASS
6674.375000	-4.5	0.2	-4.3	PASS
6681.375000	-4.8	0.4	-4.3	PASS
6690.125000	-4.8	0.5	-4.3	PASS
6670.875000	-4.9	0.6	-4.3	PASS
6689.375000	-4.9	0.6	-4.3	PASS
6688.625000	-4.9	0.6	-4.3	PASS
6681.625000	-4.9	0.6	-4.3	PASS
6689.125000	-4.9	0.6	-4.3	PASS
6668.625000	-4.9	0.6	-4.3	PASS
6674.625000	-4.9	0.6	-4.3	PASS
6678.875000	-4.9	0.6	-4.3	PASS
6682.625000	-4.9	0.6	-4.3	PASS
6687.375000	-5.0	0.7	-4.3	PASS
6691.875000	-5.0	0.7	-4.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6685 MHz; 11be40 (40 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6699.875000	-3.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6700.125000	-3.4	0.0	-3.4	PASS
6698.875000	-3.5	0.1	-3.4	PASS
6696.125000	-3.6	0.3	-3.4	PASS
6692.875000	-3.7	0.3	-3.4	PASS
6700.625000	-3.8	0.4	-3.4	PASS
6701.375000	-3.8	0.4	-3.4	PASS
6700.375000	-3.8	0.4	-3.4	PASS
6691.625000	-3.8	0.5	-3.4	PASS
6679.125000	-3.9	0.5	-3.4	PASS
6702.125000	-3.9	0.5	-3.4	PASS
6699.625000	-3.9	0.6	-3.4	PASS
6697.875000	-4.0	0.6	-3.4	PASS
6697.625000	-4.0	0.6	-3.4	PASS
6693.625000	-4.0	0.6	-3.4	PASS
6679.375000	-4.0	0.6	-3.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6685 MHz; 11be40 (40 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6687.375000	-3.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6671.375000	-3.2	0.1	-3.2	PASS
6700.125000	-3.5	0.3	-3.2	PASS
6687.125000	-3.5	0.3	-3.2	PASS
6674.625000	-3.5	0.3	-3.2	PASS
6697.875000	-3.5	0.4	-3.2	PASS
6698.875000	-3.7	0.5	-3.2	PASS
6668.875000	-3.7	0.5	-3.2	PASS
6668.625000	-3.7	0.5	-3.2	PASS
6687.625000	-3.7	0.6	-3.2	PASS
6693.125000	-3.8	0.6	-3.2	PASS
6692.375000	-3.8	0.6	-3.2	PASS
6699.875000	-3.9	0.7	-3.2	PASS
6691.375000	-3.9	0.7	-3.2	PASS
6698.625000	-3.9	0.7	-3.2	PASS
6697.625000	-3.9	0.7	-3.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6845 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6847.625000	-3.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6849.875000	-3.9	0.0	-3.9	PASS
6853.375000	-4.0	0.1	-3.9	PASS
6833.875000	-4.0	0.1	-3.9	PASS
6858.375000	-4.1	0.1	-3.9	PASS
6854.125000	-4.1	0.2	-3.9	PASS
6852.375000	-4.2	0.2	-3.9	PASS
6841.625000	-4.2	0.3	-3.9	PASS
6850.375000	-4.2	0.3	-3.9	PASS
6850.125000	-4.2	0.3	-3.9	PASS
6851.625000	-4.2	0.3	-3.9	PASS
6855.125000	-4.2	0.3	-3.9	PASS
6853.875000	-4.2	0.3	-3.9	PASS
6826.875000	-4.2	0.3	-3.9	PASS
6859.625000	-4.3	0.3	-3.9	PASS
6836.375000	-4.3	0.3	-3.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6845 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6858.875000	-5.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6858.875000	-5.7	0.0	-5.7	PASS
6861.375000	-5.8	0.1	-5.7	PASS
6862.125000	-5.9	0.1	-5.7	PASS
6862.375000	-5.9	0.2	-5.7	PASS
6828.875000	-5.9	0.2	-5.7	PASS
6863.375000	-5.9	0.2	-5.7	PASS
6835.875000	-6.0	0.3	-5.7	PASS
6861.625000	-6.1	0.3	-5.7	PASS
6848.625000	-6.1	0.3	-5.7	PASS
6848.875000	-6.1	0.4	-5.7	PASS
6860.125000	-6.1	0.4	-5.7	PASS
6859.375000	-6.1	0.4	-5.7	PASS
6860.375000	-6.1	0.4	-5.7	PASS
6829.625000	-6.1	0.4	-5.7	PASS
6858.125000	-6.2	0.4	-5.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6845 MHz; 11be40 (40 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6842.625000	-3.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6857.875000	-3.5	0.2	-3.3	PASS
6857.625000	-3.8	0.5	-3.3	PASS
6850.125000	-3.9	0.6	-3.3	PASS
6856.875000	-3.9	0.6	-3.3	PASS
6856.125000	-4.1	0.7	-3.3	PASS
6848.375000	-4.1	0.8	-3.3	PASS
6861.375000	-4.1	0.8	-3.3	PASS
6842.875000	-4.1	0.8	-3.3	PASS
6848.875000	-4.2	0.8	-3.3	PASS
6857.375000	-4.2	0.8	-3.3	PASS
6847.375000	-4.2	0.9	-3.3	PASS
6856.625000	-4.2	0.9	-3.3	PASS
6829.875000	-4.2	0.9	-3.3	PASS
6852.875000	-4.2	0.9	-3.3	PASS
6847.125000	-4.2	0.9	-3.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6845 MHz; 11be40 (40 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6829.875000	-4.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6829.875000	-4.2	0.0	-4.2	PASS
6859.875000	-4.3	0.2	-4.2	PASS
6839.125000	-4.4	0.2	-4.2	PASS
6858.625000	-4.5	0.3	-4.2	PASS
6862.375000	-4.5	0.3	-4.2	PASS
6860.125000	-4.6	0.4	-4.2	PASS
6858.875000	-4.6	0.4	-4.2	PASS
6857.625000	-4.6	0.5	-4.2	PASS
6860.375000	-4.6	0.5	-4.2	PASS
6832.625000	-4.7	0.5	-4.2	PASS
6862.125000	-4.7	0.5	-4.2	PASS
6840.375000	-4.7	0.6	-4.2	PASS
6860.625000	-4.7	0.6	-4.2	PASS
6832.375000	-4.8	0.6	-4.2	PASS
6850.125000	-4.8	0.6	-4.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6885 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6880.125000	-3.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6899.375000	-3.5	0.1	-3.4	PASS
6872.625000	-3.5	0.1	-3.4	PASS
6898.625000	-3.6	0.2	-3.4	PASS
6900.125000	-3.6	0.2	-3.4	PASS
6879.875000	-3.7	0.3	-3.4	PASS
6898.375000	-3.7	0.3	-3.4	PASS
6869.875000	-3.7	0.3	-3.4	PASS
6881.125000	-3.7	0.4	-3.4	PASS
6899.625000	-3.7	0.4	-3.4	PASS
6902.625000	-3.8	0.4	-3.4	PASS
6882.375000	-3.8	0.4	-3.4	PASS
6899.125000	-3.8	0.4	-3.4	PASS
6881.625000	-3.8	0.4	-3.4	PASS
6878.625000	-3.8	0.4	-3.4	PASS
6882.625000	-3.8	0.5	-3.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6885 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6876.625000	-4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6876.625000	-4.6	0.0	-4.6	PASS
6873.625000	-4.7	0.1	-4.6	PASS
6893.625000	-4.7	0.1	-4.6	PASS
6892.625000	-4.8	0.2	-4.6	PASS
6878.625000	-4.9	0.3	-4.6	PASS
6897.375000	-4.9	0.3	-4.6	PASS
6873.875000	-4.9	0.3	-4.6	PASS
6878.875000	-4.9	0.4	-4.6	PASS
6870.125000	-4.9	0.4	-4.6	PASS
6901.375000	-5.0	0.4	-4.6	PASS
6901.875000	-5.0	0.4	-4.6	PASS
6894.375000	-5.0	0.4	-4.6	PASS
6877.625000	-5.0	0.4	-4.6	PASS
6887.375000	-5.0	0.5	-4.6	PASS
6897.625000	-5.1	0.5	-4.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6885 MHz; 11be40 (40 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6882.625000	-3.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6882.625000	-3.4	0.0	-3.4	PASS
6878.625000	-3.4	0.0	-3.4	PASS
6888.625000	-3.5	0.1	-3.4	PASS
6900.125000	-3.5	0.1	-3.4	PASS
6877.625000	-3.6	0.2	-3.4	PASS
6869.875000	-3.6	0.2	-3.4	PASS
6881.375000	-3.7	0.2	-3.4	PASS
6868.875000	-3.7	0.2	-3.4	PASS
6889.875000	-3.7	0.3	-3.4	PASS
6877.875000	-3.7	0.3	-3.4	PASS
6879.875000	-3.7	0.3	-3.4	PASS
6896.875000	-3.7	0.3	-3.4	PASS
6890.125000	-3.7	0.3	-3.4	PASS
6893.625000	-3.7	0.3	-3.4	PASS
6890.625000	-3.7	0.3	-3.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6885 MHz; 11be40 (40 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6871.125000	-3.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6871.125000	-3.5	0.0	-3.5	PASS
6892.375000	-3.6	0.1	-3.5	PASS
6867.625000	-3.6	0.1	-3.5	PASS
6888.875000	-3.7	0.2	-3.5	PASS
6868.625000	-3.7	0.2	-3.5	PASS
6892.625000	-3.7	0.2	-3.5	PASS
6873.875000	-3.8	0.3	-3.5	PASS
6892.125000	-3.8	0.3	-3.5	PASS
6868.875000	-3.8	0.3	-3.5	PASS
6893.875000	-3.8	0.3	-3.5	PASS
6867.875000	-3.8	0.3	-3.5	PASS
6869.625000	-3.9	0.4	-3.5	PASS
6900.125000	-3.9	0.4	-3.5	PASS
6896.375000	-3.9	0.4	-3.5	PASS
6898.625000	-3.9	0.4	-3.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6925 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6925.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6932.625000	-5.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6933.875000	-5.4	0.1	-5.4	PASS
6929.125000	-5.7	0.3	-5.4	PASS
6929.875000	-5.8	0.4	-5.4	PASS
6933.625000	-5.8	0.4	-5.4	PASS
6937.875000	-5.8	0.5	-5.4	PASS
6941.625000	-5.8	0.5	-5.4	PASS
6908.875000	-5.8	0.5	-5.4	PASS
6936.375000	-5.8	0.5	-5.4	PASS
6907.375000	-5.9	0.5	-5.4	PASS
6937.625000	-5.9	0.5	-5.4	PASS
6941.125000	-5.9	0.6	-5.4	PASS
6908.625000	-5.9	0.6	-5.4	PASS
6930.625000	-6.0	0.6	-5.4	PASS
6920.125000	-6.0	0.6	-5.4	PASS
6928.125000	-6.0	0.6	-5.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6925 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6925.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6908.875000	-6.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6912.625000	-6.5	0.2	-6.3	PASS
6930.125000	-6.7	0.4	-6.3	PASS
6906.875000	-6.7	0.4	-6.3	PASS
6911.125000	-6.7	0.4	-6.3	PASS
6909.875000	-6.8	0.5	-6.3	PASS
6922.625000	-6.8	0.5	-6.3	PASS
6932.375000	-6.8	0.5	-6.3	PASS
6928.875000	-6.9	0.6	-6.3	PASS
6933.625000	-6.9	0.6	-6.3	PASS
6922.375000	-6.9	0.6	-6.3	PASS
6928.625000	-6.9	0.6	-6.3	PASS
6929.875000	-7.0	0.7	-6.3	PASS
6935.875000	-7.0	0.7	-6.3	PASS
6927.125000	-7.0	0.7	-6.3	PASS
6937.375000	-7.0	0.7	-6.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6925 MHz; 11be40 (40 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6925.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6908.875000	-5.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6908.875000	-5.1	0.0	-5.1	PASS
6912.625000	-5.1	0.0	-5.1	PASS
6911.375000	-5.4	0.3	-5.1	PASS
6918.875000	-5.5	0.3	-5.1	PASS
6908.625000	-5.5	0.4	-5.1	PASS
6916.375000	-5.6	0.5	-5.1	PASS
6909.875000	-5.6	0.5	-5.1	PASS
6912.375000	-5.6	0.5	-5.1	PASS
6940.375000	-5.7	0.6	-5.1	PASS
6911.875000	-5.7	0.6	-5.1	PASS
6940.125000	-5.7	0.6	-5.1	PASS
6912.875000	-5.7	0.6	-5.1	PASS
6941.375000	-5.7	0.6	-5.1	PASS
6933.875000	-5.8	0.6	-5.1	PASS
6918.625000	-5.8	0.7	-5.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6925 MHz; 11be40 (40 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6925.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6908.875000	-6.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6908.875000	-6.3	0.0	-6.3	PASS
6911.875000	-6.6	0.3	-6.3	PASS
6910.125000	-6.7	0.4	-6.3	PASS
6933.875000	-6.7	0.4	-6.3	PASS
6910.375000	-6.8	0.5	-6.3	PASS
6913.875000	-6.8	0.5	-6.3	PASS
6928.875000	-6.8	0.5	-6.3	PASS
6908.375000	-6.8	0.6	-6.3	PASS
6920.375000	-6.8	0.6	-6.3	PASS
6911.375000	-6.9	0.6	-6.3	PASS
6920.125000	-6.9	0.6	-6.3	PASS
6918.875000	-6.9	0.6	-6.3	PASS
6909.875000	-6.9	0.6	-6.3	PASS
6911.125000	-6.9	0.7	-6.3	PASS
6909.625000	-6.9	0.7	-6.3	PASS

In Band

