

Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7018.875000	-7.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6998.625000	-7.3	0.1	-7.2	PASS
7017.375000	-7.4	0.2	-7.2	PASS
6990.125000	-7.4	0.2	-7.2	PASS
7009.875000	-7.4	0.2	-7.2	PASS
7016.375000	-7.5	0.2	-7.2	PASS
7010.375000	-7.5	0.3	-7.2	PASS
7017.125000	-7.5	0.3	-7.2	PASS
6988.625000	-7.5	0.3	-7.2	PASS
6991.375000	-7.5	0.3	-7.2	PASS
7010.625000	-7.6	0.3	-7.2	PASS
6998.875000	-7.6	0.3	-7.2	PASS
7013.125000	-7.6	0.3	-7.2	PASS
6987.125000	-7.6	0.3	-7.2	PASS
7012.875000	-7.6	0.3	-7.2	PASS
7001.375000	-7.6	0.3	-7.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7022.625000	-6.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7014.125000	-7.0	0.1	-6.9	PASS
6994.375000	-7.1	0.2	-6.9	PASS
7000.125000	-7.1	0.2	-6.9	PASS
7013.875000	-7.2	0.3	-6.9	PASS
7020.125000	-7.3	0.4	-6.9	PASS
7014.375000	-7.3	0.4	-6.9	PASS
6997.625000	-7.4	0.5	-6.9	PASS
7022.875000	-7.4	0.5	-6.9	PASS
7019.875000	-7.4	0.5	-6.9	PASS
7015.375000	-7.4	0.5	-6.9	PASS
7002.375000	-7.4	0.5	-6.9	PASS
7022.375000	-7.4	0.5	-6.9	PASS
6988.875000	-7.4	0.6	-6.9	PASS
7017.375000	-7.5	0.6	-6.9	PASS
7021.375000	-7.5	0.6	-6.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11be40 (40 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6987.625000	-6.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6988.625000	-7.1	0.4	-6.7	PASS
7009.875000	-7.3	0.5	-6.7	PASS
7008.875000	-7.3	0.6	-6.7	PASS
6990.375000	-7.4	0.6	-6.7	PASS
6990.125000	-7.4	0.7	-6.7	PASS
6987.375000	-7.5	0.7	-6.7	PASS
6986.875000	-7.5	0.8	-6.7	PASS
6989.375000	-7.5	0.8	-6.7	PASS
6992.625000	-7.5	0.8	-6.7	PASS
6988.375000	-7.6	0.9	-6.7	PASS
6992.375000	-7.6	0.9	-6.7	PASS
7002.625000	-7.7	0.9	-6.7	PASS
6996.375000	-7.7	1.0	-6.7	PASS
6987.875000	-7.7	1.0	-6.7	PASS
6996.625000	-7.7	1.0	-6.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11be40 (40 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7013.625000	-5.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7013.625000	-5.9	0.0	-5.9	PASS
7016.375000	-6.2	0.3	-5.9	PASS
7011.125000	-6.2	0.3	-5.9	PASS
7008.625000	-6.2	0.3	-5.9	PASS
6994.125000	-6.2	0.3	-5.9	PASS
7011.375000	-6.2	0.3	-5.9	PASS
6993.875000	-6.2	0.4	-5.9	PASS
7012.375000	-6.4	0.5	-5.9	PASS
7016.125000	-6.4	0.5	-5.9	PASS
7019.875000	-6.4	0.5	-5.9	PASS
7018.875000	-6.5	0.6	-5.9	PASS
7007.875000	-6.5	0.6	-5.9	PASS
7013.875000	-6.5	0.7	-5.9	PASS
7012.125000	-6.6	0.7	-5.9	PASS
7014.875000	-6.6	0.7	-5.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7085 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7073.375000	-6.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7073.375000	-6.4	0.0	-6.4	PASS
7068.625000	-6.5	0.0	-6.4	PASS
7068.875000	-6.5	0.1	-6.4	PASS
7067.625000	-6.7	0.2	-6.4	PASS
7073.625000	-6.8	0.4	-6.4	PASS
7082.875000	-6.9	0.5	-6.4	PASS
7072.375000	-7.0	0.6	-6.4	PASS
7068.375000	-7.0	0.6	-6.4	PASS
7071.375000	-7.0	0.6	-6.4	PASS
7071.625000	-7.0	0.6	-6.4	PASS
7076.375000	-7.0	0.6	-6.4	PASS
7081.625000	-7.1	0.6	-6.4	PASS
7082.625000	-7.1	0.7	-6.4	PASS
7079.875000	-7.1	0.7	-6.4	PASS
7067.125000	-7.1	0.7	-6.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7085 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7089.375000	-7.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7070.125000	-7.9	0.1	-7.8	PASS
7067.375000	-8.0	0.2	-7.8	PASS
7075.125000	-8.0	0.2	-7.8	PASS
7068.875000	-8.1	0.3	-7.8	PASS
7091.625000	-8.2	0.4	-7.8	PASS
7087.375000	-8.3	0.4	-7.8	PASS
7088.875000	-8.3	0.4	-7.8	PASS
7088.625000	-8.3	0.4	-7.8	PASS
7067.625000	-8.3	0.5	-7.8	PASS
7066.875000	-8.3	0.5	-7.8	PASS
7072.625000	-8.3	0.5	-7.8	PASS
7080.125000	-8.3	0.5	-7.8	PASS
7088.125000	-8.3	0.5	-7.8	PASS
7068.625000	-8.4	0.5	-7.8	PASS
7072.375000	-8.4	0.5	-7.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7085 MHz; 11be40 (40 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7076.375000	-6.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7076.375000	-6.8	0.0	-6.8	PASS
7093.875000	-6.8	0.0	-6.8	PASS
7100.125000	-6.9	0.1	-6.8	PASS
7077.625000	-7.0	0.1	-6.8	PASS
7081.375000	-7.0	0.2	-6.8	PASS
7096.125000	-7.0	0.2	-6.8	PASS
7078.625000	-7.1	0.3	-6.8	PASS
7087.625000	-7.1	0.3	-6.8	PASS
7073.875000	-7.2	0.3	-6.8	PASS
7093.375000	-7.2	0.4	-6.8	PASS
7099.875000	-7.2	0.4	-6.8	PASS
7082.625000	-7.2	0.4	-6.8	PASS
7080.625000	-7.2	0.4	-6.8	PASS
7098.625000	-7.2	0.4	-6.8	PASS
7081.875000	-7.2	0.4	-6.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7085 MHz; 11be40 (40 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7074.125000	-6.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7074.125000	-6.3	0.0	-6.3	PASS
7073.875000	-6.4	0.1	-6.3	PASS
7078.625000	-6.4	0.2	-6.3	PASS
7081.375000	-6.5	0.3	-6.3	PASS
7076.375000	-6.6	0.4	-6.3	PASS
7081.875000	-6.7	0.4	-6.3	PASS
7067.375000	-6.7	0.4	-6.3	PASS
7079.875000	-6.7	0.4	-6.3	PASS
7101.375000	-6.7	0.4	-6.3	PASS
7078.875000	-6.7	0.5	-6.3	PASS
7068.625000	-6.7	0.5	-6.3	PASS
7067.625000	-6.7	0.5	-6.3	PASS
7067.875000	-6.8	0.5	-6.3	PASS
7082.625000	-6.8	0.5	-6.3	PASS
7079.625000	-6.8	0.6	-6.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6017.250000	-4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6017.250000	-4.0	0.0	-4.0	PASS
6022.250000	-4.2	0.2	-4.0	PASS
6002.250000	-4.2	0.2	-4.0	PASS
6012.750000	-4.2	0.3	-4.0	PASS
6016.250000	-4.3	0.4	-4.0	PASS
6013.750000	-4.4	0.4	-4.0	PASS
6018.750000	-4.4	0.4	-4.0	PASS
5969.250000	-4.4	0.4	-4.0	PASS
6014.250000	-4.4	0.5	-4.0	PASS
5969.750000	-4.5	0.5	-4.0	PASS
6013.250000	-4.5	0.5	-4.0	PASS
6016.750000	-4.5	0.5	-4.0	PASS
6021.250000	-4.5	0.5	-4.0	PASS
6011.250000	-4.5	0.6	-4.0	PASS
6021.750000	-4.5	0.6	-4.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6021.750000	-5.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6021.750000	-5.4	0.0	-5.4	PASS
6008.750000	-5.6	0.2	-5.4	PASS
6009.250000	-5.6	0.2	-5.4	PASS
6011.750000	-5.7	0.3	-5.4	PASS
6017.250000	-5.8	0.4	-5.4	PASS
6010.750000	-5.8	0.4	-5.4	PASS
6014.250000	-5.9	0.5	-5.4	PASS
6020.250000	-5.9	0.5	-5.4	PASS
6016.750000	-5.9	0.5	-5.4	PASS
6007.250000	-5.9	0.6	-5.4	PASS
6007.750000	-6.0	0.6	-5.4	PASS
6019.750000	-6.0	0.6	-5.4	PASS
6018.250000	-6.1	0.7	-5.4	PASS
6023.250000	-6.1	0.7	-5.4	PASS
6020.750000	-6.1	0.7	-5.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11be80 (80 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5947.750000	-4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5947.750000	-4.3	0.0	-4.3	PASS
5948.250000	-4.3	0.0	-4.3	PASS
5951.250000	-4.4	0.1	-4.3	PASS
5952.750000	-4.4	0.1	-4.3	PASS
5948.750000	-4.4	0.1	-4.3	PASS
5949.750000	-4.5	0.2	-4.3	PASS
5961.250000	-4.5	0.2	-4.3	PASS
5957.250000	-4.6	0.3	-4.3	PASS
5953.250000	-4.7	0.3	-4.3	PASS
5955.250000	-4.7	0.3	-4.3	PASS
5951.750000	-4.7	0.4	-4.3	PASS
5950.250000	-4.8	0.4	-4.3	PASS
5949.250000	-4.8	0.5	-4.3	PASS
5946.750000	-4.8	0.5	-4.3	PASS
5950.750000	-4.8	0.5	-4.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11be80 (80 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6010.250000	-5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6010.250000	-5.0	0.0	-5.0	PASS
6019.750000	-5.1	0.1	-5.0	PASS
6011.750000	-5.2	0.2	-5.0	PASS
5971.250000	-5.2	0.2	-5.0	PASS
5990.750000	-5.2	0.2	-5.0	PASS
6020.250000	-5.3	0.3	-5.0	PASS
6013.750000	-5.3	0.3	-5.0	PASS
6022.250000	-5.3	0.3	-5.0	PASS
5992.750000	-5.3	0.3	-5.0	PASS
5974.250000	-5.4	0.4	-5.0	PASS
6021.250000	-5.4	0.4	-5.0	PASS
6017.250000	-5.4	0.4	-5.0	PASS
6001.750000	-5.5	0.5	-5.0	PASS
6012.750000	-5.5	0.5	-5.0	PASS
6008.750000	-5.5	0.5	-5.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6178.250000	-3.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6178.250000	-3.3	0.0	-3.3	PASS
6182.250000	-3.5	0.2	-3.3	PASS
6177.750000	-3.9	0.5	-3.3	PASS
6133.750000	-3.9	0.6	-3.3	PASS
6142.750000	-4.0	0.7	-3.3	PASS
6109.250000	-4.0	0.7	-3.3	PASS
6136.250000	-4.0	0.7	-3.3	PASS
6137.750000	-4.1	0.7	-3.3	PASS
6138.250000	-4.1	0.7	-3.3	PASS
6141.250000	-4.1	0.7	-3.3	PASS
6181.750000	-4.1	0.8	-3.3	PASS
6148.250000	-4.2	0.8	-3.3	PASS
6142.250000	-4.2	0.8	-3.3	PASS
6179.750000	-4.2	0.9	-3.3	PASS
6110.250000	-4.2	0.9	-3.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6110.750000	-4.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6108.250000	-4.9	0.2	-4.7	PASS
6111.250000	-5.0	0.3	-4.7	PASS
6108.750000	-5.1	0.3	-4.7	PASS
6107.750000	-5.1	0.4	-4.7	PASS
6118.250000	-5.2	0.4	-4.7	PASS
6139.750000	-5.2	0.4	-4.7	PASS
6137.750000	-5.2	0.4	-4.7	PASS
6177.750000	-5.2	0.4	-4.7	PASS
6113.750000	-5.2	0.5	-4.7	PASS
6140.250000	-5.2	0.5	-4.7	PASS
6177.250000	-5.3	0.5	-4.7	PASS
6150.750000	-5.3	0.5	-4.7	PASS
6118.750000	-5.3	0.6	-4.7	PASS
6121.250000	-5.4	0.6	-4.7	PASS
6142.250000	-5.4	0.6	-4.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11be80 (80 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6180.750000	-4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6177.250000	-4.1	0.0	-4.0	PASS
6176.750000	-4.2	0.1	-4.0	PASS
6181.750000	-4.3	0.2	-4.0	PASS
6172.250000	-4.3	0.2	-4.0	PASS
6177.750000	-4.3	0.3	-4.0	PASS
6173.250000	-4.3	0.3	-4.0	PASS
6179.250000	-4.3	0.3	-4.0	PASS
6115.750000	-4.3	0.3	-4.0	PASS
6182.750000	-4.3	0.3	-4.0	PASS
6121.250000	-4.4	0.3	-4.0	PASS
6181.250000	-4.4	0.4	-4.0	PASS
6120.250000	-4.4	0.4	-4.0	PASS
6110.250000	-4.4	0.4	-4.0	PASS
6178.750000	-4.4	0.4	-4.0	PASS
6179.750000	-4.4	0.4	-4.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11be80 (80 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6107.750000	-4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6118.750000	-4.1	0.2	-4.0	PASS
6111.250000	-4.2	0.2	-4.0	PASS
6111.750000	-4.2	0.3	-4.0	PASS
6109.750000	-4.3	0.3	-4.0	PASS
6122.750000	-4.3	0.4	-4.0	PASS
6109.250000	-4.3	0.4	-4.0	PASS
6117.250000	-4.3	0.4	-4.0	PASS
6108.750000	-4.4	0.4	-4.0	PASS
6120.750000	-4.4	0.4	-4.0	PASS
6120.250000	-4.4	0.4	-4.0	PASS
6119.750000	-4.4	0.4	-4.0	PASS
6113.250000	-4.4	0.5	-4.0	PASS
6113.750000	-4.4	0.5	-4.0	PASS
6150.750000	-4.4	0.5	-4.0	PASS
6148.250000	-4.4	0.5	-4.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6385 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6349.250000	-5.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6350.250000	-5.1	0.0	-5.1	PASS
6372.250000	-5.2	0.1	-5.1	PASS
6348.750000	-5.2	0.1	-5.1	PASS
6361.250000	-5.2	0.1	-5.1	PASS
6351.750000	-5.2	0.1	-5.1	PASS
6350.750000	-5.3	0.2	-5.1	PASS
6352.250000	-5.3	0.3	-5.1	PASS
6347.750000	-5.3	0.3	-5.1	PASS
6348.250000	-5.3	0.3	-5.1	PASS
6379.250000	-5.4	0.3	-5.1	PASS
6349.750000	-5.5	0.4	-5.1	PASS
6362.750000	-5.5	0.5	-5.1	PASS
6355.250000	-5.5	0.5	-5.1	PASS
6357.750000	-5.6	0.5	-5.1	PASS
6369.750000	-5.6	0.6	-5.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6385 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6394.250000	-6.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6394.250000	-6.6	0.0	-6.6	PASS
6421.750000	-6.6	0.0	-6.6	PASS
6358.250000	-6.6	0.0	-6.6	PASS
6360.250000	-6.7	0.1	-6.6	PASS
6411.750000	-6.7	0.2	-6.6	PASS
6397.750000	-6.8	0.2	-6.6	PASS
6397.250000	-6.8	0.2	-6.6	PASS
6358.750000	-6.8	0.2	-6.6	PASS
6418.250000	-6.8	0.3	-6.6	PASS
6407.250000	-6.9	0.3	-6.6	PASS
6414.250000	-6.9	0.3	-6.6	PASS
6407.750000	-7.0	0.4	-6.6	PASS
6409.750000	-7.0	0.4	-6.6	PASS
6353.750000	-7.0	0.4	-6.6	PASS
6361.250000	-7.0	0.4	-6.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6385 MHz; 11be80 (80 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6361.250000	-5.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6361.250000	-5.9	0.0	-5.9	PASS
6360.250000	-6.1	0.2	-5.9	PASS
6348.750000	-6.1	0.3	-5.9	PASS
6367.750000	-6.1	0.3	-5.9	PASS
6358.750000	-6.2	0.3	-5.9	PASS
6361.750000	-6.2	0.3	-5.9	PASS
6369.250000	-6.2	0.3	-5.9	PASS
6357.250000	-6.2	0.4	-5.9	PASS
6370.750000	-6.2	0.4	-5.9	PASS
6380.250000	-6.3	0.4	-5.9	PASS
6362.750000	-6.3	0.4	-5.9	PASS
6360.750000	-6.3	0.4	-5.9	PASS
6356.250000	-6.3	0.4	-5.9	PASS
6357.750000	-6.3	0.5	-5.9	PASS
6352.750000	-6.3	0.5	-5.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6385 MHz; 11be80 (80 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6348.750000	-5.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6422.250000	-5.6	0.3	-5.2	PASS
6421.250000	-5.6	0.4	-5.2	PASS
6352.750000	-5.6	0.4	-5.2	PASS
6420.250000	-5.7	0.5	-5.2	PASS
6389.250000	-5.7	0.5	-5.2	PASS
6349.250000	-5.7	0.5	-5.2	PASS
6418.750000	-5.7	0.5	-5.2	PASS
6417.750000	-5.8	0.6	-5.2	PASS
6369.250000	-5.8	0.6	-5.2	PASS
6419.750000	-5.8	0.6	-5.2	PASS
6353.750000	-5.8	0.6	-5.2	PASS
6419.250000	-5.8	0.6	-5.2	PASS
6412.750000	-5.8	0.6	-5.2	PASS
6390.750000	-5.8	0.6	-5.2	PASS
6368.750000	-5.8	0.6	-5.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6465 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6502.750000	-4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6502.750000	-4.4	0.0	-4.4	PASS
6498.250000	-4.4	0.0	-4.4	PASS
6491.750000	-4.5	0.0	-4.4	PASS
6492.750000	-4.6	0.2	-4.4	PASS
6480.250000	-4.6	0.2	-4.4	PASS
6499.250000	-4.7	0.3	-4.4	PASS
6478.750000	-4.7	0.3	-4.4	PASS
6490.250000	-4.7	0.3	-4.4	PASS
6448.750000	-4.7	0.3	-4.4	PASS
6489.250000	-4.7	0.3	-4.4	PASS
6481.250000	-4.7	0.3	-4.4	PASS
6493.250000	-4.8	0.4	-4.4	PASS
6477.250000	-4.8	0.4	-4.4	PASS
6489.750000	-4.9	0.4	-4.4	PASS
6497.750000	-4.9	0.5	-4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6465 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6497.250000	-4.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6497.250000	-4.7	0.0	-4.7	PASS
6497.750000	-4.7	0.0	-4.7	PASS
6501.750000	-4.8	0.1	-4.7	PASS
6488.750000	-4.8	0.1	-4.7	PASS
6499.750000	-4.8	0.1	-4.7	PASS
6439.250000	-4.9	0.2	-4.7	PASS
6449.250000	-4.9	0.2	-4.7	PASS
6443.750000	-4.9	0.2	-4.7	PASS
6501.250000	-5.0	0.3	-4.7	PASS
6499.250000	-5.0	0.3	-4.7	PASS
6494.250000	-5.1	0.4	-4.7	PASS
6429.250000	-5.1	0.4	-4.7	PASS
6440.250000	-5.1	0.4	-4.7	PASS
6429.750000	-5.1	0.4	-4.7	PASS
6438.750000	-5.1	0.4	-4.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6465 MHz; 11be80 (80 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6441.250000	-4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6498.750000	-4.3	0.2	-4.1	PASS
6429.750000	-4.4	0.3	-4.1	PASS
6471.250000	-4.4	0.3	-4.1	PASS
6502.750000	-4.5	0.3	-4.1	PASS
6488.250000	-4.5	0.4	-4.1	PASS
6460.250000	-4.5	0.4	-4.1	PASS
6490.250000	-4.5	0.4	-4.1	PASS
6491.750000	-4.6	0.4	-4.1	PASS
6473.250000	-4.6	0.5	-4.1	PASS
6431.250000	-4.7	0.5	-4.1	PASS
6471.750000	-4.7	0.5	-4.1	PASS
6490.750000	-4.7	0.5	-4.1	PASS
6432.750000	-4.7	0.5	-4.1	PASS
6489.250000	-4.7	0.6	-4.1	PASS
6487.750000	-4.7	0.6	-4.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6465 MHz; 11be80 (80 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6499.750000	-4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6499.750000	-4.1	0.0	-4.1	PASS
6489.750000	-4.2	0.1	-4.1	PASS
6502.250000	-4.3	0.2	-4.1	PASS
6497.750000	-4.3	0.2	-4.1	PASS
6498.750000	-4.4	0.3	-4.1	PASS
6493.750000	-4.4	0.3	-4.1	PASS
6499.250000	-4.4	0.3	-4.1	PASS
6490.250000	-4.4	0.3	-4.1	PASS
6442.250000	-4.5	0.4	-4.1	PASS
6491.250000	-4.5	0.4	-4.1	PASS
6489.250000	-4.6	0.5	-4.1	PASS
6448.750000	-4.6	0.5	-4.1	PASS
6488.750000	-4.6	0.5	-4.1	PASS
6500.250000	-4.7	0.6	-4.1	PASS
6495.750000	-4.7	0.6	-4.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6545 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6577.750000	-1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6577.750000	-1.3	0.0	-1.3	PASS
6582.750000	-1.5	0.2	-1.3	PASS
6581.250000	-1.5	0.2	-1.3	PASS
6579.750000	-1.6	0.3	-1.3	PASS
6577.250000	-1.6	0.3	-1.3	PASS
6578.250000	-1.6	0.3	-1.3	PASS
6579.250000	-1.6	0.4	-1.3	PASS
6580.750000	-1.7	0.4	-1.3	PASS
6569.750000	-1.7	0.5	-1.3	PASS
6514.750000	-1.8	0.5	-1.3	PASS
6573.750000	-1.8	0.5	-1.3	PASS
6528.250000	-1.8	0.5	-1.3	PASS
6518.750000	-1.8	0.5	-1.3	PASS
6574.250000	-1.8	0.5	-1.3	PASS
6568.250000	-1.9	0.6	-1.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6545 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6508.250000	-1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6512.750000	-1.8	0.1	-1.8	PASS
6549.750000	-1.9	0.1	-1.8	PASS
6511.250000	-2.0	0.2	-1.8	PASS
6507.750000	-2.0	0.2	-1.8	PASS
6550.750000	-2.0	0.2	-1.8	PASS
6550.250000	-2.0	0.3	-1.8	PASS
6549.250000	-2.1	0.3	-1.8	PASS
6509.750000	-2.1	0.3	-1.8	PASS
6569.750000	-2.1	0.4	-1.8	PASS
6510.250000	-2.2	0.4	-1.8	PASS
6551.750000	-2.2	0.4	-1.8	PASS
6542.250000	-2.2	0.5	-1.8	PASS
6528.250000	-2.3	0.5	-1.8	PASS
6580.250000	-2.3	0.5	-1.8	PASS
6548.750000	-2.3	0.5	-1.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6545 MHz; 11be80 (80 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6583.250000	-1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6578.750000	-1.0	0.0	-1.0	PASS
6579.750000	-1.1	0.1	-1.0	PASS
6569.250000	-1.1	0.1	-1.0	PASS
6532.750000	-1.2	0.2	-1.0	PASS
6571.250000	-1.2	0.2	-1.0	PASS
6580.250000	-1.3	0.4	-1.0	PASS
6574.250000	-1.4	0.4	-1.0	PASS
6581.750000	-1.4	0.4	-1.0	PASS
6569.750000	-1.4	0.4	-1.0	PASS
6573.750000	-1.4	0.5	-1.0	PASS
6567.750000	-1.5	0.5	-1.0	PASS
6534.250000	-1.5	0.5	-1.0	PASS
6570.250000	-1.5	0.5	-1.0	PASS
6577.250000	-1.5	0.5	-1.0	PASS
6527.750000	-1.6	0.6	-1.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6545 MHz; 11be80 (80 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6521.250000	-0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6549.750000	-1.3	0.4	-0.9	PASS
6551.250000	-1.3	0.4	-0.9	PASS
6562.750000	-1.3	0.4	-0.9	PASS
6582.250000	-1.4	0.5	-0.9	PASS
6551.750000	-1.4	0.5	-0.9	PASS
6522.750000	-1.5	0.6	-0.9	PASS
6528.750000	-1.6	0.7	-0.9	PASS
6510.750000	-1.6	0.7	-0.9	PASS
6520.750000	-1.7	0.7	-0.9	PASS
6517.250000	-1.7	0.8	-0.9	PASS
6583.250000	-1.7	0.8	-0.9	PASS
6569.750000	-1.7	0.8	-0.9	PASS
6581.750000	-1.7	0.8	-0.9	PASS
6578.750000	-1.7	0.8	-0.9	PASS
6579.750000	-1.7	0.8	-0.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6625 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6608.750000	-3.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6590.250000	-3.4	0.0	-3.3	PASS
6611.750000	-3.5	0.1	-3.3	PASS
6589.250000	-3.5	0.1	-3.3	PASS
6609.750000	-3.5	0.1	-3.3	PASS
6589.750000	-3.5	0.2	-3.3	PASS
6596.250000	-3.5	0.2	-3.3	PASS
6628.750000	-3.6	0.2	-3.3	PASS
6617.250000	-3.6	0.2	-3.3	PASS
6642.250000	-3.6	0.3	-3.3	PASS
6642.750000	-3.7	0.3	-3.3	PASS
6591.250000	-3.7	0.3	-3.3	PASS
6621.250000	-3.7	0.3	-3.3	PASS
6641.250000	-3.7	0.3	-3.3	PASS
6609.250000	-3.7	0.3	-3.3	PASS
6651.750000	-3.7	0.3	-3.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6625 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6590.250000	-3.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6590.250000	-3.9	0.0	-3.9	PASS
6649.750000	-4.1	0.2	-3.9	PASS
6617.250000	-4.2	0.3	-3.9	PASS
6629.750000	-4.4	0.5	-3.9	PASS
6630.750000	-4.4	0.5	-3.9	PASS
6610.750000	-4.4	0.5	-3.9	PASS
6589.250000	-4.4	0.6	-3.9	PASS
6591.250000	-4.4	0.6	-3.9	PASS
6589.750000	-4.5	0.6	-3.9	PASS
6613.750000	-4.5	0.6	-3.9	PASS
6617.750000	-4.5	0.6	-3.9	PASS
6587.750000	-4.5	0.7	-3.9	PASS
6648.250000	-4.5	0.7	-3.9	PASS
6592.250000	-4.5	0.7	-3.9	PASS
6622.750000	-4.5	0.7	-3.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6625 MHz; 11be80 (80 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6630.250000	-3.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6631.250000	-3.6	0.3	-3.4	PASS
6613.250000	-3.7	0.3	-3.4	PASS
6611.250000	-3.7	0.4	-3.4	PASS
6610.750000	-3.7	0.4	-3.4	PASS
6589.750000	-3.8	0.4	-3.4	PASS
6597.250000	-3.8	0.5	-3.4	PASS
6661.250000	-3.9	0.5	-3.4	PASS
6622.750000	-3.9	0.5	-3.4	PASS
6632.750000	-3.9	0.5	-3.4	PASS
6629.750000	-3.9	0.5	-3.4	PASS
6596.750000	-3.9	0.5	-3.4	PASS
6588.750000	-3.9	0.5	-3.4	PASS
6662.250000	-3.9	0.5	-3.4	PASS
6657.750000	-4.0	0.6	-3.4	PASS
6634.250000	-4.0	0.6	-3.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6625 MHz; 11be80 (80 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6649.250000	-3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6611.250000	-3.7	0.1	-3.6	PASS
6657.250000	-3.8	0.1	-3.6	PASS
6650.750000	-3.8	0.2	-3.6	PASS
6600.250000	-3.8	0.2	-3.6	PASS
6647.750000	-3.8	0.2	-3.6	PASS
6636.250000	-3.8	0.2	-3.6	PASS
6643.250000	-3.8	0.2	-3.6	PASS
6652.750000	-3.9	0.3	-3.6	PASS
6650.250000	-3.9	0.3	-3.6	PASS
6638.750000	-3.9	0.3	-3.6	PASS
6613.750000	-3.9	0.3	-3.6	PASS
6619.250000	-4.0	0.4	-3.6	PASS
6651.750000	-4.1	0.4	-3.6	PASS
6602.250000	-4.1	0.5	-3.6	PASS
6610.250000	-4.1	0.5	-3.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6677.750000	-2.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6677.750000	-2.0	0.0	-2.0	PASS
6720.250000	-2.2	0.2	-2.0	PASS
6689.750000	-2.4	0.4	-2.0	PASS
6722.250000	-2.5	0.5	-2.0	PASS
6693.750000	-2.5	0.5	-2.0	PASS
6711.250000	-2.5	0.5	-2.0	PASS
6710.250000	-2.6	0.6	-2.0	PASS
6694.250000	-2.6	0.6	-2.0	PASS
6670.250000	-2.6	0.6	-2.0	PASS
6721.250000	-2.6	0.6	-2.0	PASS
6718.750000	-2.6	0.6	-2.0	PASS
6719.250000	-2.6	0.6	-2.0	PASS
6719.750000	-2.6	0.6	-2.0	PASS
6669.250000	-2.6	0.6	-2.0	PASS
6682.750000	-2.7	0.7	-2.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6729.250000	-4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6674.250000	-4.4	0.1	-4.3	PASS
6668.750000	-4.5	0.2	-4.3	PASS
6668.250000	-4.6	0.3	-4.3	PASS
6667.750000	-4.6	0.3	-4.3	PASS
6727.750000	-4.6	0.3	-4.3	PASS
6673.750000	-4.6	0.3	-4.3	PASS
6672.250000	-4.6	0.3	-4.3	PASS
6741.250000	-4.6	0.3	-4.3	PASS
6729.750000	-4.6	0.3	-4.3	PASS
6679.250000	-4.7	0.4	-4.3	PASS
6710.750000	-4.7	0.4	-4.3	PASS
6672.750000	-4.8	0.5	-4.3	PASS
6739.250000	-4.8	0.5	-4.3	PASS
6680.750000	-4.8	0.5	-4.3	PASS
6690.250000	-4.8	0.5	-4.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11be80 (80 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6673.750000	-3.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6681.250000	-3.3	0.0	-3.2	PASS
6677.250000	-3.3	0.0	-3.2	PASS
6669.750000	-3.4	0.1	-3.2	PASS
6730.250000	-3.4	0.1	-3.2	PASS
6736.750000	-3.4	0.2	-3.2	PASS
6691.250000	-3.5	0.2	-3.2	PASS
6671.750000	-3.5	0.2	-3.2	PASS
6669.250000	-3.5	0.3	-3.2	PASS
6727.750000	-3.5	0.3	-3.2	PASS
6719.250000	-3.5	0.3	-3.2	PASS
6733.750000	-3.5	0.3	-3.2	PASS
6734.250000	-3.5	0.3	-3.2	PASS
6741.250000	-3.5	0.3	-3.2	PASS
6677.750000	-3.5	0.3	-3.2	PASS
6728.750000	-3.5	0.3	-3.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11be80 (80 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6678.250000	-3.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6678.250000	-3.2	0.0	-3.2	PASS
6670.250000	-3.4	0.1	-3.2	PASS
6716.250000	-3.4	0.2	-3.2	PASS
6668.750000	-3.5	0.2	-3.2	PASS
6711.250000	-3.5	0.2	-3.2	PASS
6722.250000	-3.5	0.2	-3.2	PASS
6742.750000	-3.5	0.2	-3.2	PASS
6731.250000	-3.5	0.3	-3.2	PASS
6718.750000	-3.5	0.3	-3.2	PASS
6721.750000	-3.5	0.3	-3.2	PASS
6676.250000	-3.6	0.3	-3.2	PASS
6671.250000	-3.6	0.3	-3.2	PASS
6671.750000	-3.6	0.3	-3.2	PASS
6740.250000	-3.6	0.3	-3.2	PASS
6715.750000	-3.6	0.3	-3.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6749.250000	-3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6749.250000	-3.6	0.0	-3.6	PASS
6769.750000	-3.6	0.1	-3.6	PASS
6761.250000	-3.9	0.3	-3.6	PASS
6768.750000	-3.9	0.4	-3.6	PASS
6777.250000	-4.0	0.4	-3.6	PASS
6809.250000	-4.0	0.4	-3.6	PASS
6813.750000	-4.0	0.4	-3.6	PASS
6809.750000	-4.0	0.4	-3.6	PASS
6822.750000	-4.0	0.4	-3.6	PASS
6756.750000	-4.0	0.5	-3.6	PASS
6771.750000	-4.0	0.5	-3.6	PASS
6811.250000	-4.0	0.5	-3.6	PASS
6768.250000	-4.0	0.5	-3.6	PASS
6816.250000	-4.1	0.5	-3.6	PASS
6821.250000	-4.1	0.5	-3.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6754.250000	-4.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6748.250000	-4.9	0.0	-4.9	PASS
6761.750000	-5.0	0.1	-4.9	PASS
6759.250000	-5.0	0.1	-4.9	PASS
6758.250000	-5.0	0.1	-4.9	PASS
6760.250000	-5.1	0.2	-4.9	PASS
6750.750000	-5.1	0.2	-4.9	PASS
6757.750000	-5.2	0.3	-4.9	PASS
6751.250000	-5.2	0.3	-4.9	PASS
6788.750000	-5.2	0.3	-4.9	PASS
6749.250000	-5.2	0.3	-4.9	PASS
6747.750000	-5.3	0.4	-4.9	PASS
6780.250000	-5.3	0.4	-4.9	PASS
6756.250000	-5.3	0.4	-4.9	PASS
6753.750000	-5.3	0.4	-4.9	PASS
6790.750000	-5.3	0.4	-4.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11be80 (80 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6761.750000	-3.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6756.750000	-3.8	0.1	-3.7	PASS
6770.250000	-4.0	0.3	-3.7	PASS
6752.750000	-4.1	0.4	-3.7	PASS
6769.250000	-4.1	0.4	-3.7	PASS
6751.750000	-4.2	0.5	-3.7	PASS
6751.250000	-4.2	0.5	-3.7	PASS
6750.250000	-4.2	0.5	-3.7	PASS
6769.750000	-4.2	0.5	-3.7	PASS
6771.250000	-4.2	0.5	-3.7	PASS
6758.750000	-4.3	0.6	-3.7	PASS
6770.750000	-4.3	0.6	-3.7	PASS
6749.750000	-4.3	0.6	-3.7	PASS
6760.250000	-4.3	0.6	-3.7	PASS
6757.750000	-4.3	0.6	-3.7	PASS
6761.250000	-4.4	0.7	-3.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11be80 (80 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6748.750000	-3.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6761.250000	-4.1	0.2	-3.9	PASS
6779.250000	-4.1	0.2	-3.9	PASS
6750.250000	-4.2	0.3	-3.9	PASS
6751.750000	-4.3	0.4	-3.9	PASS
6752.250000	-4.3	0.4	-3.9	PASS
6780.250000	-4.3	0.4	-3.9	PASS
6753.750000	-4.3	0.4	-3.9	PASS
6762.750000	-4.4	0.4	-3.9	PASS
6808.750000	-4.4	0.5	-3.9	PASS
6747.750000	-4.4	0.5	-3.9	PASS
6776.250000	-4.4	0.5	-3.9	PASS
6769.750000	-4.4	0.5	-3.9	PASS
6768.250000	-4.4	0.5	-3.9	PASS
6749.250000	-4.4	0.5	-3.9	PASS
6752.750000	-4.5	0.5	-3.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6865 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6892.750000	-2.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6830.250000	-3.1	0.2	-2.9	PASS
6888.750000	-3.1	0.2	-2.9	PASS
6878.750000	-3.1	0.2	-2.9	PASS
6891.750000	-3.2	0.2	-2.9	PASS
6849.250000	-3.2	0.2	-2.9	PASS
6841.250000	-3.2	0.3	-2.9	PASS
6889.750000	-3.2	0.3	-2.9	PASS
6892.250000	-3.3	0.4	-2.9	PASS
6881.750000	-3.3	0.4	-2.9	PASS
6888.250000	-3.3	0.4	-2.9	PASS
6898.750000	-3.3	0.4	-2.9	PASS
6841.750000	-3.4	0.4	-2.9	PASS
6890.250000	-3.4	0.4	-2.9	PASS
6848.750000	-3.4	0.4	-2.9	PASS
6880.250000	-3.4	0.5	-2.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6865 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6888.750000	-4.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6888.750000	-4.2	0.0	-4.2	PASS
6900.750000	-4.5	0.2	-4.2	PASS
6887.750000	-4.5	0.2	-4.2	PASS
6901.250000	-4.6	0.3	-4.2	PASS
6889.750000	-4.6	0.4	-4.2	PASS
6894.250000	-4.7	0.5	-4.2	PASS
6897.250000	-4.7	0.5	-4.2	PASS
6900.250000	-4.8	0.5	-4.2	PASS
6891.250000	-4.8	0.6	-4.2	PASS
6870.250000	-4.8	0.6	-4.2	PASS
6902.250000	-4.8	0.6	-4.2	PASS
6899.750000	-4.9	0.6	-4.2	PASS
6892.750000	-4.9	0.6	-4.2	PASS
6893.750000	-4.9	0.7	-4.2	PASS
6889.250000	-4.9	0.7	-4.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6865 MHz; 11be80 (80 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6898.250000	-2.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6841.750000	-2.7	0.0	-2.7	PASS
6893.250000	-2.8	0.1	-2.7	PASS
6893.750000	-2.9	0.2	-2.7	PASS
6897.250000	-2.9	0.2	-2.7	PASS
6889.250000	-2.9	0.2	-2.7	PASS
6891.250000	-2.9	0.2	-2.7	PASS
6837.250000	-3.0	0.3	-2.7	PASS
6828.250000	-3.0	0.3	-2.7	PASS
6898.750000	-3.0	0.3	-2.7	PASS
6833.250000	-3.0	0.3	-2.7	PASS
6892.250000	-3.0	0.3	-2.7	PASS
6888.250000	-3.0	0.3	-2.7	PASS
6896.750000	-3.0	0.3	-2.7	PASS
6890.750000	-3.0	0.3	-2.7	PASS
6890.250000	-3.0	0.3	-2.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6865 MHz; 11be80 (80 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6873.250000	-3.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6873.250000	-3.5	0.0	-3.5	PASS
6890.250000	-3.5	0.0	-3.5	PASS
6872.250000	-3.5	0.0	-3.5	PASS
6880.750000	-3.5	0.0	-3.5	PASS
6872.750000	-3.6	0.1	-3.5	PASS
6860.250000	-3.6	0.1	-3.5	PASS
6871.250000	-3.7	0.2	-3.5	PASS
6882.250000	-3.7	0.2	-3.5	PASS
6868.250000	-3.7	0.2	-3.5	PASS
6900.250000	-3.7	0.2	-3.5	PASS
6857.750000	-3.7	0.2	-3.5	PASS
6874.250000	-3.7	0.2	-3.5	PASS
6849.250000	-3.7	0.2	-3.5	PASS
6873.750000	-3.8	0.3	-3.5	PASS
6875.250000	-3.8	0.3	-3.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6945 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6919.250000	-3.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6919.250000	-3.7	0.0	-3.7	PASS
6907.750000	-3.8	0.1	-3.7	PASS
6972.750000	-3.8	0.1	-3.7	PASS
6928.750000	-3.9	0.2	-3.7	PASS
6933.750000	-3.9	0.2	-3.7	PASS
6908.750000	-3.9	0.2	-3.7	PASS
6917.750000	-4.0	0.2	-3.7	PASS
6910.250000	-4.0	0.2	-3.7	PASS
6933.250000	-4.0	0.3	-3.7	PASS
6971.250000	-4.0	0.3	-3.7	PASS
6970.250000	-4.0	0.3	-3.7	PASS
6961.250000	-4.0	0.3	-3.7	PASS
6951.750000	-4.0	0.3	-3.7	PASS
6912.250000	-4.1	0.3	-3.7	PASS
6911.250000	-4.1	0.4	-3.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6945 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6922.750000	-5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6922.750000	-5.0	0.0	-5.0	PASS
6977.250000	-5.1	0.1	-5.0	PASS
6982.750000	-5.2	0.2	-5.0	PASS
6973.750000	-5.2	0.2	-5.0	PASS
6981.250000	-5.2	0.2	-5.0	PASS
6981.750000	-5.3	0.3	-5.0	PASS
6920.250000	-5.3	0.3	-5.0	PASS
6917.750000	-5.3	0.3	-5.0	PASS
6929.250000	-5.3	0.3	-5.0	PASS
6937.250000	-5.3	0.3	-5.0	PASS
6976.250000	-5.3	0.3	-5.0	PASS
6939.750000	-5.4	0.3	-5.0	PASS
6920.750000	-5.4	0.4	-5.0	PASS
6969.250000	-5.4	0.4	-5.0	PASS
6972.250000	-5.4	0.4	-5.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6945 MHz; 11be80 (80 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6921.250000	-3.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6921.250000	-3.4	0.0	-3.4	PASS
6939.250000	-3.6	0.2	-3.4	PASS
6917.250000	-3.7	0.3	-3.4	PASS
6917.750000	-3.7	0.3	-3.4	PASS
6956.750000	-3.8	0.4	-3.4	PASS
6952.250000	-3.8	0.4	-3.4	PASS
6910.250000	-3.8	0.4	-3.4	PASS
6958.250000	-3.8	0.4	-3.4	PASS
6916.250000	-3.8	0.4	-3.4	PASS
6951.250000	-3.9	0.5	-3.4	PASS
6956.250000	-3.9	0.5	-3.4	PASS
6940.250000	-3.9	0.5	-3.4	PASS
6953.750000	-3.9	0.5	-3.4	PASS
6969.750000	-4.0	0.6	-3.4	PASS
6912.250000	-4.0	0.6	-3.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6945 MHz; 11be80 (80 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6977.250000	-4.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6977.250000	-4.7	0.0	-4.7	PASS
6913.750000	-4.7	0.0	-4.7	PASS
6920.750000	-4.7	0.0	-4.7	PASS
6980.250000	-4.7	0.1	-4.7	PASS
6972.750000	-4.8	0.1	-4.7	PASS
6909.250000	-4.8	0.1	-4.7	PASS
6979.750000	-4.8	0.1	-4.7	PASS
6907.750000	-4.9	0.2	-4.7	PASS
6914.250000	-4.9	0.2	-4.7	PASS
6929.250000	-4.9	0.2	-4.7	PASS
6919.750000	-4.9	0.2	-4.7	PASS
6918.250000	-4.9	0.2	-4.7	PASS
6922.750000	-4.9	0.2	-4.7	PASS
6919.250000	-5.0	0.3	-4.7	PASS
6969.750000	-5.0	0.3	-4.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7041.250000	-5.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7041.250000	-5.5	0.0	-5.5	PASS
7038.250000	-5.6	0.1	-5.5	PASS
7041.750000	-5.6	0.1	-5.5	PASS
7042.750000	-5.6	0.1	-5.5	PASS
7037.250000	-5.7	0.2	-5.5	PASS
7037.750000	-5.8	0.3	-5.5	PASS
7051.250000	-5.8	0.3	-5.5	PASS
7048.750000	-5.8	0.3	-5.5	PASS
7049.750000	-5.9	0.4	-5.5	PASS
7039.750000	-5.9	0.4	-5.5	PASS
7048.250000	-5.9	0.4	-5.5	PASS
7061.750000	-5.9	0.4	-5.5	PASS
7040.250000	-6.0	0.5	-5.5	PASS
7047.250000	-6.0	0.5	-5.5	PASS
7039.250000	-6.0	0.5	-5.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7030.250000	-5.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7030.250000	-5.8	0.0	-5.8	PASS
7019.250000	-5.8	0.1	-5.8	PASS
7038.750000	-5.9	0.2	-5.8	PASS
7049.750000	-6.0	0.2	-5.8	PASS
7011.750000	-6.0	0.3	-5.8	PASS
7048.750000	-6.0	0.3	-5.8	PASS
7030.750000	-6.1	0.3	-5.8	PASS
7001.750000	-6.1	0.3	-5.8	PASS
7053.250000	-6.1	0.4	-5.8	PASS
7021.750000	-6.1	0.4	-5.8	PASS
7021.250000	-6.1	0.4	-5.8	PASS
7031.750000	-6.1	0.4	-5.8	PASS
7047.750000	-6.1	0.4	-5.8	PASS
7032.250000	-6.1	0.4	-5.8	PASS
7013.250000	-6.2	0.4	-5.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7000.250000	-6.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7057.750000	-6.3	0.0	-6.2	PASS
7057.250000	-6.3	0.1	-6.2	PASS
7051.250000	-6.3	0.1	-6.2	PASS
7001.250000	-6.3	0.1	-6.2	PASS
7017.250000	-6.4	0.2	-6.2	PASS
7000.750000	-6.4	0.2	-6.2	PASS
7062.250000	-6.4	0.2	-6.2	PASS
7061.250000	-6.4	0.2	-6.2	PASS
6993.750000	-6.4	0.2	-6.2	PASS
7046.750000	-6.4	0.2	-6.2	PASS
7049.750000	-6.5	0.2	-6.2	PASS
7031.250000	-6.5	0.2	-6.2	PASS
7029.250000	-6.5	0.2	-6.2	PASS
7021.250000	-6.5	0.3	-6.2	PASS
7013.750000	-6.5	0.3	-6.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7043.250000	-4.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7036.750000	-4.9	0.1	-4.9	PASS
7020.250000	-5.1	0.2	-4.9	PASS
6991.250000	-5.2	0.3	-4.9	PASS
6994.250000	-5.2	0.3	-4.9	PASS
7030.250000	-5.2	0.3	-4.9	PASS
7022.250000	-5.2	0.4	-4.9	PASS
6996.250000	-5.2	0.4	-4.9	PASS
7000.750000	-5.3	0.4	-4.9	PASS
7020.750000	-5.3	0.4	-4.9	PASS
7031.750000	-5.3	0.4	-4.9	PASS
7012.250000	-5.3	0.4	-4.9	PASS
7049.750000	-5.3	0.5	-4.9	PASS
7030.750000	-5.3	0.5	-4.9	PASS
6997.250000	-5.3	0.5	-4.9	PASS
7054.250000	-5.3	0.5	-4.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5960.500000	0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5950.500000	0.7	0.0	0.7	PASS
5953.500000	0.5	0.1	0.7	PASS
5969.500000	0.4	0.2	0.7	PASS
6011.500000	0.4	0.3	0.7	PASS
5959.500000	0.4	0.3	0.7	PASS
5961.500000	0.4	0.3	0.7	PASS
5957.500000	0.3	0.3	0.7	PASS
6098.500000	0.3	0.3	0.7	PASS
6013.500000	0.3	0.4	0.7	PASS
6019.500000	0.3	0.4	0.7	PASS
6022.500000	0.3	0.4	0.7	PASS
5951.500000	0.3	0.4	0.7	PASS
6097.500000	0.3	0.4	0.7	PASS
5974.500000	0.3	0.4	0.7	PASS
5949.500000	0.3	0.4	0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6049.500000	0.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6050.500000	0.5	0.0	0.5	PASS
6048.500000	0.2	0.3	0.5	PASS
6070.500000	0.1	0.4	0.5	PASS
6051.500000	0.1	0.4	0.5	PASS
6039.500000	0.0	0.5	0.5	PASS
6031.500000	-0.1	0.6	0.5	PASS
6030.500000	-0.1	0.6	0.5	PASS
6040.500000	-0.1	0.6	0.5	PASS
6053.500000	-0.1	0.6	0.5	PASS
6052.500000	-0.1	0.6	0.5	PASS
6032.500000	-0.2	0.7	0.5	PASS
6089.500000	-0.2	0.7	0.5	PASS
6058.500000	-0.2	0.7	0.5	PASS
6029.500000	-0.2	0.7	0.5	PASS
6047.500000	-0.2	0.7	0.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5948.500000	2.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5948.500000	2.2	0.0	2.2	PASS
5952.500000	2.2	0.0	2.2	PASS
5947.500000	2.0	0.2	2.2	PASS
5951.500000	2.0	0.2	2.2	PASS
5953.500000	1.7	0.5	2.2	PASS
5949.500000	1.7	0.5	2.2	PASS
5961.500000	1.7	0.5	2.2	PASS
5957.500000	1.6	0.6	2.2	PASS
5950.500000	1.6	0.6	2.2	PASS
5954.500000	1.6	0.6	2.2	PASS
5958.500000	1.6	0.6	2.2	PASS
5956.500000	1.6	0.6	2.2	PASS
5960.500000	1.6	0.6	2.2	PASS
5955.500000	1.5	0.7	2.2	PASS
5959.500000	1.5	0.7	2.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6100.500000	1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6100.500000	1.3	0.0	1.3	PASS
6101.500000	1.2	0.1	1.3	PASS
6060.500000	1.1	0.2	1.3	PASS
6071.500000	1.1	0.3	1.3	PASS
6099.500000	1.0	0.3	1.3	PASS
6097.500000	1.0	0.3	1.3	PASS
6096.500000	1.0	0.3	1.3	PASS
6059.500000	1.0	0.3	1.3	PASS
6077.500000	1.0	0.3	1.3	PASS
6068.500000	1.0	0.3	1.3	PASS
6070.500000	0.9	0.4	1.3	PASS
6098.500000	0.9	0.4	1.3	PASS
6093.500000	0.8	0.5	1.3	PASS
6050.500000	0.7	0.6	1.3	PASS
6090.500000	0.7	0.6	1.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6232.500000	-2.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6232.500000	-2.8	0.0	-2.8	PASS
6238.500000	-3.0	0.2	-2.8	PASS
6250.500000	-3.2	0.4	-2.8	PASS
6261.500000	-3.2	0.4	-2.8	PASS
6230.500000	-3.2	0.4	-2.8	PASS
6239.500000	-3.2	0.4	-2.8	PASS
6231.500000	-3.2	0.4	-2.8	PASS
6237.500000	-3.3	0.4	-2.8	PASS
6228.500000	-3.3	0.4	-2.8	PASS
6251.500000	-3.3	0.5	-2.8	PASS
6220.500000	-3.3	0.5	-2.8	PASS
6210.500000	-3.3	0.5	-2.8	PASS
6139.500000	-3.4	0.5	-2.8	PASS
6249.500000	-3.4	0.5	-2.8	PASS
6259.500000	-3.4	0.6	-2.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6121.500000	-3.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6137.500000	-3.4	0.0	-3.4	PASS
6150.500000	-3.5	0.1	-3.4	PASS
6139.500000	-3.5	0.1	-3.4	PASS
6122.500000	-3.6	0.2	-3.4	PASS
6120.500000	-3.6	0.2	-3.4	PASS
6153.500000	-3.7	0.3	-3.4	PASS
6138.500000	-3.7	0.3	-3.4	PASS
6119.500000	-3.7	0.3	-3.4	PASS
6159.500000	-3.8	0.3	-3.4	PASS
6136.500000	-3.8	0.3	-3.4	PASS
6140.500000	-3.8	0.4	-3.4	PASS
6156.500000	-3.8	0.4	-3.4	PASS
6158.500000	-3.8	0.4	-3.4	PASS
6148.500000	-3.8	0.4	-3.4	PASS
6152.500000	-3.8	0.4	-3.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6189.500000	-2.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6169.500000	-2.5	0.1	-2.5	PASS
6191.500000	-2.6	0.1	-2.5	PASS
6192.500000	-2.6	0.1	-2.5	PASS
6188.500000	-2.6	0.1	-2.5	PASS
6201.500000	-2.7	0.2	-2.5	PASS
6200.500000	-2.9	0.4	-2.5	PASS
6190.500000	-2.9	0.4	-2.5	PASS
6181.500000	-2.9	0.5	-2.5	PASS
6193.500000	-3.0	0.5	-2.5	PASS
6180.500000	-3.0	0.5	-2.5	PASS
6170.500000	-3.0	0.5	-2.5	PASS
6187.500000	-3.0	0.6	-2.5	PASS
6171.500000	-3.0	0.6	-2.5	PASS
6202.500000	-3.1	0.6	-2.5	PASS
6208.500000	-3.1	0.6	-2.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6149.500000	-1.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6149.500000	-1.6	0.0	-1.6	PASS
6148.500000	-2.1	0.4	-1.6	PASS
6129.500000	-2.1	0.5	-1.6	PASS
6131.500000	-2.1	0.5	-1.6	PASS
6147.500000	-2.1	0.5	-1.6	PASS
6151.500000	-2.2	0.6	-1.6	PASS
6128.500000	-2.2	0.6	-1.6	PASS
6133.500000	-2.2	0.6	-1.6	PASS
6150.500000	-2.2	0.6	-1.6	PASS
6139.500000	-2.2	0.6	-1.6	PASS
6152.500000	-2.3	0.6	-1.6	PASS
6117.500000	-2.3	0.7	-1.6	PASS
6113.500000	-2.4	0.7	-1.6	PASS
6132.500000	-2.4	0.8	-1.6	PASS
6136.500000	-2.4	0.8	-1.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6269.500000	-0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6271.500000	-0.9	0.3	-0.6	PASS
6289.500000	-0.9	0.3	-0.6	PASS
6268.500000	-1.1	0.5	-0.6	PASS
6290.500000	-1.2	0.5	-0.6	PASS
6276.500000	-1.2	0.5	-0.6	PASS
6270.500000	-1.2	0.6	-0.6	PASS
6267.500000	-1.4	0.7	-0.6	PASS
6272.500000	-1.5	0.8	-0.6	PASS
6281.500000	-1.5	0.8	-0.6	PASS
6296.500000	-1.5	0.9	-0.6	PASS
6277.500000	-1.5	0.9	-0.6	PASS
6359.500000	-1.5	0.9	-0.6	PASS
6292.500000	-1.5	0.9	-0.6	PASS
6298.500000	-1.5	0.9	-0.6	PASS
6280.500000	-1.6	1.0	-0.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6281.500000	-2.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6279.500000	-2.0	0.0	-2.0	PASS
6417.500000	-2.0	0.0	-2.0	PASS
6276.500000	-2.0	0.1	-2.0	PASS
6410.500000	-2.1	0.1	-2.0	PASS
6280.500000	-2.1	0.1	-2.0	PASS
6378.500000	-2.1	0.2	-2.0	PASS
6420.500000	-2.2	0.2	-2.0	PASS
6273.500000	-2.2	0.2	-2.0	PASS
6277.500000	-2.2	0.2	-2.0	PASS
6268.500000	-2.2	0.2	-2.0	PASS
6421.500000	-2.2	0.3	-2.0	PASS
6416.500000	-2.3	0.3	-2.0	PASS
6269.500000	-2.3	0.3	-2.0	PASS
6275.500000	-2.3	0.3	-2.0	PASS
6278.500000	-2.3	0.4	-2.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6278.500000	-1.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6270.500000	-1.5	0.0	-1.5	PASS
6410.500000	-1.6	0.2	-1.5	PASS
6272.500000	-1.7	0.2	-1.5	PASS
6280.500000	-1.7	0.3	-1.5	PASS
6296.500000	-1.7	0.3	-1.5	PASS
6319.500000	-1.7	0.3	-1.5	PASS
6420.500000	-1.8	0.3	-1.5	PASS
6341.500000	-1.8	0.4	-1.5	PASS
6311.500000	-1.8	0.4	-1.5	PASS
6413.500000	-1.8	0.4	-1.5	PASS
6339.500000	-1.9	0.4	-1.5	PASS
6271.500000	-1.9	0.4	-1.5	PASS
6269.500000	-1.9	0.4	-1.5	PASS
6316.500000	-1.9	0.5	-1.5	PASS
6268.500000	-1.9	0.5	-1.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6272.500000	-1.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6272.500000	-1.6	0.0	-1.6	PASS
6281.500000	-1.7	0.1	-1.6	PASS
6299.500000	-1.7	0.1	-1.6	PASS
6278.500000	-1.7	0.1	-1.6	PASS
6274.500000	-1.7	0.1	-1.6	PASS
6280.500000	-1.8	0.2	-1.6	PASS
6273.500000	-1.8	0.2	-1.6	PASS
6277.500000	-1.8	0.2	-1.6	PASS
6297.500000	-1.9	0.3	-1.6	PASS
6279.500000	-1.9	0.3	-1.6	PASS
6292.500000	-2.0	0.4	-1.6	PASS
6318.500000	-2.0	0.4	-1.6	PASS
6276.500000	-2.0	0.4	-1.6	PASS
6293.500000	-2.0	0.5	-1.6	PASS
6301.500000	-2.1	0.5	-1.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6581.500000	0.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6581.500000	0.2	0.0	0.2	PASS
6571.500000	0.1	0.2	0.2	PASS
6580.500000	-0.1	0.3	0.2	PASS
6582.500000	-0.1	0.3	0.2	PASS
6501.500000	-0.1	0.4	0.2	PASS
6477.500000	-0.2	0.4	0.2	PASS
6577.500000	-0.2	0.4	0.2	PASS
6469.500000	-0.2	0.4	0.2	PASS
6570.500000	-0.2	0.4	0.2	PASS
6459.500000	-0.3	0.5	0.2	PASS
6579.500000	-0.3	0.5	0.2	PASS
6468.500000	-0.3	0.5	0.2	PASS
6572.500000	-0.3	0.5	0.2	PASS
6573.500000	-0.3	0.6	0.2	PASS
6578.500000	-0.3	0.6	0.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6560.500000	-0.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6549.500000	-0.5	0.0	-0.5	PASS
6552.500000	-0.5	0.0	-0.5	PASS
6550.500000	-0.5	0.0	-0.5	PASS
6558.500000	-0.5	0.0	-0.5	PASS
6569.500000	-0.5	0.1	-0.5	PASS
6490.500000	-0.5	0.1	-0.5	PASS
6557.500000	-0.6	0.1	-0.5	PASS
6568.500000	-0.7	0.2	-0.5	PASS
6471.500000	-0.7	0.2	-0.5	PASS
6508.500000	-0.7	0.2	-0.5	PASS
6548.500000	-0.8	0.3	-0.5	PASS
6500.500000	-0.8	0.3	-0.5	PASS
6570.500000	-0.8	0.3	-0.5	PASS
6497.500000	-0.8	0.3	-0.5	PASS
6559.500000	-0.8	0.3	-0.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6453.500000	0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6473.500000	0.6	0.1	0.7	PASS
6552.500000	0.6	0.1	0.7	PASS
6537.500000	0.6	0.1	0.7	PASS
6550.500000	0.5	0.2	0.7	PASS
6538.500000	0.5	0.2	0.7	PASS
6533.500000	0.5	0.2	0.7	PASS
6459.500000	0.4	0.3	0.7	PASS
6474.500000	0.4	0.3	0.7	PASS
6551.500000	0.4	0.3	0.7	PASS
6468.500000	0.4	0.3	0.7	PASS
6460.500000	0.3	0.4	0.7	PASS
6471.500000	0.3	0.4	0.7	PASS
6558.500000	0.3	0.4	0.7	PASS
6470.500000	0.3	0.4	0.7	PASS
6531.500000	0.3	0.4	0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6540.500000	0.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6521.500000	0.2	0.0	0.2	PASS
6448.500000	0.1	0.1	0.2	PASS
6535.500000	0.1	0.1	0.2	PASS
6529.500000	0.0	0.1	0.2	PASS
6440.500000	0.0	0.1	0.2	PASS
6453.500000	0.0	0.1	0.2	PASS
6551.500000	0.0	0.1	0.2	PASS
6530.500000	0.0	0.2	0.2	PASS
6442.500000	0.0	0.2	0.2	PASS
6528.500000	0.0	0.2	0.2	PASS
6522.500000	-0.1	0.3	0.2	PASS
6532.500000	-0.1	0.3	0.2	PASS
6519.500000	-0.1	0.3	0.2	PASS
6548.500000	-0.1	0.3	0.2	PASS
6523.500000	-0.2	0.3	0.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6739.500000	0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6741.500000	0.9	0.0	0.9	PASS
6738.500000	0.8	0.2	0.9	PASS
6737.500000	0.8	0.2	0.9	PASS
6740.500000	0.7	0.2	0.9	PASS
6590.500000	0.7	0.2	0.9	PASS
6733.500000	0.6	0.3	0.9	PASS
6730.500000	0.6	0.3	0.9	PASS
6589.500000	0.6	0.3	0.9	PASS
6601.500000	0.5	0.4	0.9	PASS
6742.500000	0.5	0.4	0.9	PASS
6732.500000	0.5	0.4	0.9	PASS
6591.500000	0.5	0.4	0.9	PASS
6588.500000	0.5	0.4	0.9	PASS
6734.500000	0.5	0.4	0.9	PASS
6731.500000	0.5	0.5	0.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6600.500000	-1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6600.500000	-1.0	0.0	-1.0	PASS
6710.500000	-1.1	0.0	-1.0	PASS
6620.500000	-1.1	0.0	-1.0	PASS
6699.500000	-1.1	0.1	-1.0	PASS
6592.500000	-1.1	0.1	-1.0	PASS
6590.500000	-1.2	0.1	-1.0	PASS
6633.500000	-1.2	0.1	-1.0	PASS
6728.500000	-1.2	0.1	-1.0	PASS
6601.500000	-1.2	0.1	-1.0	PASS
6632.500000	-1.2	0.1	-1.0	PASS
6637.500000	-1.2	0.2	-1.0	PASS
6589.500000	-1.2	0.2	-1.0	PASS
6689.500000	-1.2	0.2	-1.0	PASS
6599.500000	-1.3	0.2	-1.0	PASS
6692.500000	-1.3	0.2	-1.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6740.500000	-0.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6707.500000	-0.5	0.0	-0.5	PASS
6593.500000	-0.5	0.1	-0.5	PASS
6739.500000	-0.6	0.1	-0.5	PASS
6610.500000	-0.6	0.1	-0.5	PASS
6729.500000	-0.7	0.2	-0.5	PASS
6590.500000	-0.7	0.2	-0.5	PASS
6719.500000	-0.7	0.2	-0.5	PASS
6588.500000	-0.7	0.2	-0.5	PASS
6742.500000	-0.7	0.2	-0.5	PASS
6592.500000	-0.7	0.3	-0.5	PASS
6601.500000	-0.8	0.3	-0.5	PASS
6614.500000	-0.8	0.3	-0.5	PASS
6733.500000	-0.8	0.3	-0.5	PASS
6737.500000	-0.8	0.3	-0.5	PASS
6738.500000	-0.8	0.3	-0.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6589.500000	0.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6589.500000	0.5	0.0	0.5	PASS
6722.500000	0.4	0.2	0.5	PASS
6711.500000	0.4	0.2	0.5	PASS
6728.500000	0.3	0.2	0.5	PASS
6588.500000	0.3	0.2	0.5	PASS
6740.500000	0.3	0.2	0.5	PASS
6591.500000	0.3	0.2	0.5	PASS
6730.500000	0.3	0.2	0.5	PASS
6601.500000	0.3	0.2	0.5	PASS
6716.500000	0.3	0.2	0.5	PASS
6736.500000	0.2	0.3	0.5	PASS
6602.500000	0.2	0.3	0.5	PASS
6598.500000	0.2	0.3	0.5	PASS
6709.500000	0.2	0.3	0.5	PASS
6732.500000	0.2	0.3	0.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6761.500000	0.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6749.500000	0.4	0.0	0.5	PASS
6750.500000	0.4	0.1	0.5	PASS
6778.500000	0.3	0.2	0.5	PASS
6773.500000	0.3	0.2	0.5	PASS
6748.500000	0.3	0.2	0.5	PASS
6769.500000	0.2	0.2	0.5	PASS
6760.500000	0.2	0.3	0.5	PASS
6788.500000	0.2	0.3	0.5	PASS
6779.500000	0.2	0.3	0.5	PASS
6777.500000	0.2	0.3	0.5	PASS
6790.500000	0.1	0.3	0.5	PASS
6780.500000	0.1	0.4	0.5	PASS
6768.500000	0.1	0.4	0.5	PASS
6781.500000	0.1	0.4	0.5	PASS
6759.500000	0.1	0.4	0.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6760.500000	-1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6760.500000	-1.0	0.0	-1.0	PASS
6749.500000	-1.2	0.1	-1.0	PASS
6771.500000	-1.3	0.2	-1.0	PASS
6770.500000	-1.3	0.3	-1.0	PASS
6768.500000	-1.3	0.3	-1.0	PASS
6759.500000	-1.3	0.3	-1.0	PASS
6752.500000	-1.3	0.3	-1.0	PASS
6762.500000	-1.3	0.3	-1.0	PASS
6892.500000	-1.3	0.3	-1.0	PASS
6767.500000	-1.4	0.3	-1.0	PASS
6761.500000	-1.4	0.4	-1.0	PASS
6751.500000	-1.4	0.4	-1.0	PASS
6897.500000	-1.5	0.4	-1.0	PASS
6840.500000	-1.5	0.5	-1.0	PASS
6772.500000	-1.5	0.5	-1.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6791.500000	-0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6890.500000	-0.4	0.0	-0.4	PASS
6753.500000	-0.4	0.1	-0.4	PASS
6788.500000	-0.5	0.1	-0.4	PASS
6790.500000	-0.5	0.1	-0.4	PASS
6871.500000	-0.5	0.1	-0.4	PASS
6748.500000	-0.5	0.2	-0.4	PASS
6888.500000	-0.6	0.2	-0.4	PASS
6780.500000	-0.6	0.2	-0.4	PASS
6792.500000	-0.6	0.2	-0.4	PASS
6771.500000	-0.6	0.3	-0.4	PASS
6752.500000	-0.6	0.3	-0.4	PASS
6789.500000	-0.6	0.3	-0.4	PASS
6750.500000	-0.6	0.3	-0.4	PASS
6795.500000	-0.7	0.3	-0.4	PASS
6749.500000	-0.7	0.3	-0.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6756.500000	-0.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6756.500000	-0.3	0.0	-0.3	PASS
6750.500000	-0.4	0.1	-0.3	PASS
6760.500000	-0.4	0.2	-0.3	PASS
6779.500000	-0.4	0.2	-0.3	PASS
6761.500000	-0.5	0.2	-0.3	PASS
6791.500000	-0.5	0.3	-0.3	PASS
6759.500000	-0.5	0.3	-0.3	PASS
6748.500000	-0.5	0.3	-0.3	PASS
6770.500000	-0.5	0.3	-0.3	PASS
6752.500000	-0.5	0.3	-0.3	PASS
6762.500000	-0.6	0.3	-0.3	PASS
6767.500000	-0.6	0.3	-0.3	PASS
6749.500000	-0.7	0.4	-0.3	PASS
6757.500000	-0.7	0.5	-0.3	PASS
6789.500000	-0.7	0.5	-0.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7050.500000	-0.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7050.500000	-0.3	0.0	-0.3	PASS
6908.500000	-0.4	0.1	-0.3	PASS
7041.500000	-0.4	0.1	-0.3	PASS
7042.500000	-0.4	0.1	-0.3	PASS
7029.500000	-0.4	0.2	-0.3	PASS
7049.500000	-0.5	0.2	-0.3	PASS
7060.500000	-0.5	0.2	-0.3	PASS
6940.500000	-0.5	0.3	-0.3	PASS
6931.500000	-0.6	0.3	-0.3	PASS
7030.500000	-0.6	0.3	-0.3	PASS
6949.500000	-0.6	0.3	-0.3	PASS
7031.500000	-0.6	0.3	-0.3	PASS
7052.500000	-0.6	0.4	-0.3	PASS
7047.500000	-0.7	0.4	-0.3	PASS
6937.500000	-0.7	0.4	-0.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6911.500000	-1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6909.500000	-1.5	0.1	-1.4	PASS
6921.500000	-1.5	0.1	-1.4	PASS
6920.500000	-1.6	0.2	-1.4	PASS
6910.500000	-1.6	0.2	-1.4	PASS
6912.500000	-1.6	0.2	-1.4	PASS
6919.500000	-1.6	0.3	-1.4	PASS
6913.500000	-1.7	0.3	-1.4	PASS
7062.500000	-1.7	0.3	-1.4	PASS
7060.500000	-1.8	0.4	-1.4	PASS
6937.500000	-1.8	0.4	-1.4	PASS
6918.500000	-1.9	0.5	-1.4	PASS
6977.500000	-1.9	0.5	-1.4	PASS
6939.500000	-1.9	0.5	-1.4	PASS
7050.500000	-1.9	0.5	-1.4	PASS
6907.500000	-1.9	0.5	-1.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6931.500000	-0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6930.500000	-0.8	0.1	-0.8	PASS
6911.500000	-0.8	0.1	-0.8	PASS
6939.500000	-0.9	0.1	-0.8	PASS
6932.500000	-0.9	0.2	-0.8	PASS
6938.500000	-1.0	0.2	-0.8	PASS
6937.500000	-1.1	0.3	-0.8	PASS
6934.500000	-1.1	0.3	-0.8	PASS
6929.500000	-1.1	0.4	-0.8	PASS
6936.500000	-1.1	0.4	-0.8	PASS
6951.500000	-1.1	0.4	-0.8	PASS
6940.500000	-1.1	0.4	-0.8	PASS
6916.500000	-1.1	0.4	-0.8	PASS
6912.500000	-1.2	0.4	-0.8	PASS
6959.500000	-1.2	0.4	-0.8	PASS
6941.500000	-1.2	0.4	-0.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6981.500000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6981.500000	-0.7	0.0	-0.7	PASS
6970.500000	-0.7	0.1	-0.7	PASS
6989.500000	-0.7	0.1	-0.7	PASS
7030.500000	-0.9	0.2	-0.7	PASS
7059.500000	-0.9	0.3	-0.7	PASS
7009.500000	-1.0	0.3	-0.7	PASS
6977.500000	-1.0	0.3	-0.7	PASS
7017.500000	-1.0	0.3	-0.7	PASS
6999.500000	-1.0	0.3	-0.7	PASS
6968.500000	-1.0	0.4	-0.7	PASS
6979.500000	-1.1	0.4	-0.7	PASS
6978.500000	-1.1	0.4	-0.7	PASS
6991.500000	-1.1	0.4	-0.7	PASS
6971.500000	-1.1	0.5	-0.7	PASS
6990.500000	-1.1	0.5	-0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6138.750000	0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6131.250000	0.6	0.1	0.7	PASS
6136.250000	0.6	0.1	0.7	PASS
6133.750000	0.5	0.2	0.7	PASS
6151.250000	0.5	0.2	0.7	PASS
6141.250000	0.5	0.2	0.7	PASS
6153.750000	0.4	0.3	0.7	PASS
6156.250000	0.3	0.3	0.7	PASS
6158.750000	0.3	0.4	0.7	PASS
6148.750000	0.3	0.4	0.7	PASS
6171.250000	0.1	0.6	0.7	PASS
6128.750000	0.1	0.6	0.7	PASS
6161.250000	0.1	0.6	0.7	PASS
6168.750000	0.0	0.6	0.7	PASS
6176.250000	0.0	0.7	0.7	PASS
6173.750000	-0.1	0.8	0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6171.250000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6148.750000	-0.7	0.0	-0.7	PASS
6158.750000	-0.8	0.1	-0.7	PASS
6151.250000	-0.8	0.1	-0.7	PASS
6153.750000	-0.8	0.1	-0.7	PASS
6168.750000	-0.9	0.1	-0.7	PASS
6156.250000	-0.9	0.1	-0.7	PASS
6131.250000	-0.9	0.2	-0.7	PASS
6161.250000	-0.9	0.2	-0.7	PASS
6128.750000	-0.9	0.2	-0.7	PASS
6091.250000	-0.9	0.2	-0.7	PASS
6173.750000	-1.0	0.3	-0.7	PASS
6088.750000	-1.0	0.3	-0.7	PASS
6178.750000	-1.0	0.3	-0.7	PASS
6071.250000	-1.1	0.3	-0.7	PASS
6111.250000	-1.1	0.3	-0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6131.250000	0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6133.750000	0.1	0.0	0.1	PASS
6128.750000	0.1	0.0	0.1	PASS
6161.250000	0.0	0.1	0.1	PASS
6118.750000	0.0	0.1	0.1	PASS
6121.250000	0.0	0.1	0.1	PASS
6158.750000	0.0	0.1	0.1	PASS
6141.250000	0.0	0.2	0.1	PASS
6156.250000	0.0	0.2	0.1	PASS
6153.750000	-0.1	0.2	0.1	PASS
6151.250000	-0.2	0.3	0.1	PASS
6148.750000	-0.2	0.3	0.1	PASS
6136.250000	-0.2	0.3	0.1	PASS
6138.750000	-0.2	0.3	0.1	PASS
6123.750000	-0.2	0.3	0.1	PASS
6111.250000	-0.2	0.4	0.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6118.750000	0.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5958.750000	0.2	0.1	0.3	PASS
6121.250000	0.2	0.1	0.3	PASS
6136.250000	0.2	0.1	0.3	PASS
5961.250000	0.2	0.1	0.3	PASS
6116.250000	0.1	0.2	0.3	PASS
6138.750000	0.0	0.2	0.3	PASS
5956.250000	0.0	0.2	0.3	PASS
6111.250000	0.0	0.3	0.3	PASS
6151.250000	-0.1	0.3	0.3	PASS
6113.750000	-0.1	0.3	0.3	PASS
6153.750000	-0.1	0.4	0.3	PASS
6133.750000	-0.1	0.4	0.3	PASS
6141.250000	-0.1	0.4	0.3	PASS
6131.250000	-0.1	0.4	0.3	PASS
5971.250000	-0.2	0.4	0.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6128.750000	0.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6128.750000	0.0	0.0	0.0	PASS
6136.250000	0.0	0.0	0.0	PASS
6116.250000	0.0	0.1	0.0	PASS
6138.750000	0.0	0.1	0.0	PASS
6118.750000	-0.1	0.1	0.0	PASS
6133.750000	-0.1	0.2	0.0	PASS
6111.250000	-0.1	0.2	0.0	PASS
6131.250000	-0.1	0.2	0.0	PASS
6113.750000	-0.2	0.2	0.0	PASS
6121.250000	-0.2	0.2	0.0	PASS
6333.750000	-0.3	0.3	0.0	PASS
6151.250000	-0.3	0.3	0.0	PASS
6278.750000	-0.3	0.4	0.0	PASS
6158.750000	-0.3	0.4	0.0	PASS
6276.250000	-0.3	0.4	0.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6318.750000	-0.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6318.750000	-0.2	0.0	-0.2	PASS
6418.750000	-0.2	0.0	-0.2	PASS
6416.250000	-0.2	0.1	-0.2	PASS
6396.250000	-0.2	0.1	-0.2	PASS
6413.750000	-0.3	0.1	-0.2	PASS
6411.250000	-0.3	0.1	-0.2	PASS
6398.750000	-0.3	0.2	-0.2	PASS
6276.250000	-0.3	0.2	-0.2	PASS
6298.750000	-0.3	0.2	-0.2	PASS
6331.250000	-0.4	0.2	-0.2	PASS
6311.250000	-0.4	0.2	-0.2	PASS
6271.250000	-0.4	0.2	-0.2	PASS
6273.750000	-0.4	0.2	-0.2	PASS
6316.250000	-0.4	0.3	-0.2	PASS
6321.250000	-0.4	0.3	-0.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6211.250000	0.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6216.250000	0.5	0.0	0.5	PASS
6213.750000	0.3	0.2	0.5	PASS
6351.250000	0.2	0.3	0.5	PASS
6396.250000	0.2	0.3	0.5	PASS
6218.750000	0.2	0.3	0.5	PASS
6393.750000	0.2	0.3	0.5	PASS
6391.250000	0.2	0.3	0.5	PASS
6358.750000	0.2	0.3	0.5	PASS
6331.250000	0.2	0.3	0.5	PASS
6318.750000	0.2	0.3	0.5	PASS
6398.750000	0.2	0.3	0.5	PASS
6418.750000	0.1	0.4	0.5	PASS
6411.250000	0.1	0.4	0.5	PASS
6356.250000	0.1	0.4	0.5	PASS
6353.750000	0.1	0.4	0.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6418.750000	0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6418.750000	0.6	0.0	0.6	PASS
6291.250000	0.5	0.0	0.6	PASS
6413.750000	0.5	0.0	0.6	PASS
6411.250000	0.4	0.1	0.6	PASS
6293.750000	0.4	0.1	0.6	PASS
6281.250000	0.4	0.1	0.6	PASS
6408.750000	0.3	0.2	0.6	PASS
6278.750000	0.3	0.2	0.6	PASS
6416.250000	0.3	0.2	0.6	PASS
6398.750000	0.3	0.3	0.6	PASS
6288.750000	0.3	0.3	0.6	PASS
6313.750000	0.3	0.3	0.6	PASS
6283.750000	0.3	0.3	0.6	PASS
6321.250000	0.2	0.3	0.6	PASS
6301.250000	0.2	0.4	0.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6491.250000	1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6498.750000	1.4	0.0	1.4	PASS
6496.250000	1.2	0.1	1.4	PASS
6493.750000	1.1	0.3	1.4	PASS
6533.750000	1.0	0.3	1.4	PASS
6488.750000	1.0	0.4	1.4	PASS
6571.250000	0.9	0.4	1.4	PASS
6531.250000	0.9	0.4	1.4	PASS
6351.250000	0.9	0.5	1.4	PASS
6478.750000	0.9	0.5	1.4	PASS
6481.250000	0.9	0.5	1.4	PASS
6376.250000	0.9	0.5	1.4	PASS
6358.750000	0.8	0.5	1.4	PASS
6528.750000	0.8	0.5	1.4	PASS
6538.750000	0.8	0.6	1.4	PASS
6558.750000	0.8	0.6	1.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6371.250000	0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6371.250000	0.7	0.0	0.7	PASS
6438.750000	0.7	0.1	0.7	PASS
6441.250000	0.6	0.1	0.7	PASS
6391.250000	0.6	0.1	0.7	PASS
6378.750000	0.5	0.2	0.7	PASS
6433.750000	0.5	0.2	0.7	PASS
6373.750000	0.5	0.2	0.7	PASS
6376.250000	0.5	0.2	0.7	PASS
6393.750000	0.5	0.2	0.7	PASS
6431.250000	0.5	0.2	0.7	PASS
6436.250000	0.5	0.3	0.7	PASS
6401.250000	0.4	0.3	0.7	PASS
6368.750000	0.4	0.4	0.7	PASS
6411.250000	0.3	0.4	0.7	PASS
6381.250000	0.3	0.4	0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6401.250000	1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6401.250000	1.3	0.0	1.3	PASS
6398.750000	1.2	0.2	1.3	PASS
6441.250000	1.0	0.3	1.3	PASS
6411.250000	1.0	0.3	1.3	PASS
6381.250000	1.0	0.3	1.3	PASS
6438.750000	1.0	0.3	1.3	PASS
6538.750000	1.0	0.3	1.3	PASS
6436.250000	1.0	0.4	1.3	PASS
6531.250000	1.0	0.4	1.3	PASS
6396.250000	0.9	0.4	1.3	PASS
6551.250000	0.9	0.4	1.3	PASS
6558.750000	0.9	0.4	1.3	PASS
6561.250000	0.9	0.4	1.3	PASS
6416.250000	0.9	0.4	1.3	PASS
6413.750000	0.9	0.5	1.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6453.750000	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6451.250000	1.7	0.0	1.8	PASS
6456.250000	1.5	0.2	1.8	PASS
6448.750000	1.5	0.2	1.8	PASS
6458.750000	1.5	0.3	1.8	PASS
6441.250000	1.4	0.3	1.8	PASS
6438.750000	1.4	0.4	1.8	PASS
6471.250000	1.4	0.4	1.8	PASS
6433.750000	1.4	0.4	1.8	PASS
6431.250000	1.3	0.5	1.8	PASS
6473.750000	1.2	0.5	1.8	PASS
6436.250000	1.2	0.5	1.8	PASS
6376.250000	1.2	0.6	1.8	PASS
6373.750000	1.1	0.6	1.8	PASS
6476.250000	1.1	0.6	1.8	PASS
6378.750000	1.1	0.7	1.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6611.250000	1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6633.750000	1.0	0.0	1.1	PASS
6631.250000	0.9	0.1	1.1	PASS
6613.750000	0.9	0.1	1.1	PASS
6628.750000	0.9	0.2	1.1	PASS
6518.750000	0.9	0.2	1.1	PASS
6538.750000	0.9	0.2	1.1	PASS
6601.250000	0.9	0.2	1.1	PASS
6618.750000	0.8	0.2	1.1	PASS
6521.250000	0.8	0.2	1.1	PASS
6511.250000	0.8	0.2	1.1	PASS
6536.250000	0.8	0.2	1.1	PASS
6531.250000	0.8	0.2	1.1	PASS
6608.750000	0.8	0.2	1.1	PASS
6616.250000	0.8	0.3	1.1	PASS
6533.750000	0.8	0.3	1.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	0.000 dB	0.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6518.750000	0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6518.750000	0.7	0.0	0.7	PASS
6516.250000	0.6	0.1	0.7	PASS
6513.750000	0.4	0.3	0.7	PASS
6521.250000	0.4	0.3	0.7	PASS
6698.750000	0.3	0.4	0.7	PASS
6511.250000	0.2	0.4	0.7	PASS
6536.250000	0.2	0.5	0.7	PASS
6558.750000	0.2	0.5	0.7	PASS
6553.750000	0.2	0.5	0.7	PASS
6531.250000	0.1	0.5	0.7	PASS
6556.250000	0.1	0.5	0.7	PASS
6678.750000	0.1	0.6	0.7	PASS
6538.750000	0.1	0.6	0.7	PASS
6551.250000	0.0	0.6	0.7	PASS
6696.250000	0.0	0.7	0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	0.000 dB	0.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6611.250000	1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6611.250000	1.2	0.0	1.2	PASS
6533.750000	1.1	0.0	1.2	PASS
6618.750000	1.1	0.0	1.2	PASS
6531.250000	1.1	0.1	1.2	PASS
6616.250000	1.1	0.1	1.2	PASS
6538.750000	1.1	0.1	1.2	PASS
6558.750000	1.1	0.1	1.2	PASS
6598.750000	1.1	0.1	1.2	PASS
6541.250000	1.0	0.1	1.2	PASS
6551.250000	1.0	0.1	1.2	PASS
6613.750000	1.0	0.1	1.2	PASS
6593.750000	1.0	0.1	1.2	PASS
6601.250000	1.0	0.1	1.2	PASS
6568.750000	1.0	0.1	1.2	PASS
6536.250000	1.0	0.1	1.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	0.000 dB	0.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6438.750000	0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6438.750000	0.8	0.0	0.8	PASS
6111.250000	-37.5	0.1	-37.4	PASS
6498.750000	0.6	0.2	0.8	PASS
6441.250000	0.6	0.2	0.8	PASS
6501.250000	0.5	0.3	0.8	PASS
6436.250000	0.5	0.3	0.8	PASS
6108.750000	-37.9	0.3	-37.6	PASS
6133.750000	-36.1	0.3	-35.8	PASS
6558.750000	0.4	0.4	0.8	PASS
6431.250000	0.4	0.4	0.8	PASS
6571.250000	0.4	0.4	0.8	PASS
6553.750000	0.4	0.4	0.8	PASS
6561.250000	0.3	0.4	0.8	PASS
6538.750000	0.3	0.5	0.8	PASS
6508.750000	0.3	0.5	0.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	0.000 dB	0.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6616.250000	0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6616.250000	0.1	0.0	0.1	PASS
6618.750000	0.1	0.0	0.1	PASS
6611.250000	0.0	0.1	0.1	PASS
6601.250000	0.0	0.1	0.1	PASS
6598.750000	-0.1	0.1	0.1	PASS
6621.250000	-0.1	0.2	0.1	PASS
6608.750000	-0.1	0.2	0.1	PASS
6753.750000	-0.2	0.2	0.1	PASS
6691.250000	-0.2	0.3	0.1	PASS
6696.250000	-0.2	0.3	0.1	PASS
6651.250000	-0.2	0.3	0.1	PASS
6716.250000	-0.2	0.3	0.1	PASS
6758.750000	-0.2	0.3	0.1	PASS
6698.750000	-0.2	0.3	0.1	PASS
6613.750000	-0.2	0.3	0.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6738.750000	-0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6738.750000	-0.8	0.0	-0.8	PASS
6736.250000	-0.9	0.1	-0.8	PASS
6776.250000	-0.9	0.1	-0.8	PASS
6791.250000	-0.9	0.1	-0.8	PASS
6753.750000	-0.9	0.1	-0.8	PASS
6756.250000	-0.9	0.1	-0.8	PASS
6778.750000	-0.9	0.1	-0.8	PASS
6733.750000	-0.9	0.1	-0.8	PASS
6773.750000	-1.0	0.2	-0.8	PASS
6698.750000	-1.0	0.2	-0.8	PASS
6731.250000	-1.0	0.2	-0.8	PASS
6793.750000	-1.0	0.2	-0.8	PASS
6693.750000	-1.0	0.2	-0.8	PASS
6751.250000	-1.0	0.2	-0.8	PASS
6788.750000	-1.0	0.3	-0.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6593.750000	-0.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6593.750000	-0.3	0.0	-0.3	PASS
6591.250000	-0.4	0.0	-0.3	PASS
6728.750000	-0.4	0.1	-0.3	PASS
6596.250000	-0.5	0.1	-0.3	PASS
6598.750000	-0.5	0.2	-0.3	PASS
6718.750000	-0.6	0.2	-0.3	PASS
6731.250000	-0.6	0.3	-0.3	PASS
6601.250000	-0.6	0.3	-0.3	PASS
6611.250000	-0.7	0.3	-0.3	PASS
6681.250000	-0.7	0.3	-0.3	PASS
6716.250000	-0.7	0.4	-0.3	PASS
6758.750000	-0.7	0.4	-0.3	PASS
6691.250000	-0.7	0.4	-0.3	PASS
6638.750000	-0.7	0.4	-0.3	PASS
6736.250000	-0.8	0.4	-0.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6758.750000	0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6881.250000	0.3	0.1	0.4	PASS
6878.750000	0.3	0.1	0.4	PASS
6876.250000	0.3	0.1	0.4	PASS
6871.250000	0.3	0.1	0.4	PASS
6851.250000	0.2	0.2	0.4	PASS
6896.250000	0.1	0.3	0.4	PASS
6873.750000	0.1	0.3	0.4	PASS
6898.750000	0.1	0.3	0.4	PASS
6738.750000	0.1	0.3	0.4	PASS
6853.750000	0.1	0.3	0.4	PASS
6268.750000	-38.3	0.3	-38.0	PASS
6241.250000	-39.9	0.3	-39.6	PASS
6736.250000	0.1	0.3	0.4	PASS
6261.250000	-38.8	0.3	-38.5	PASS
6691.250000	0.1	0.3	0.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6758.750000	-0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6756.250000	-0.6	0.1	-0.6	PASS
6751.250000	-0.7	0.2	-0.6	PASS
6918.750000	-0.8	0.2	-0.6	PASS
6753.750000	-0.8	0.2	-0.6	PASS
6851.250000	-0.8	0.3	-0.6	PASS
6761.250000	-0.9	0.3	-0.6	PASS
6848.750000	-0.9	0.4	-0.6	PASS
6938.750000	-0.9	0.4	-0.6	PASS
6898.750000	-0.9	0.4	-0.6	PASS
6853.750000	-1.0	0.4	-0.6	PASS
6793.750000	-1.0	0.4	-0.6	PASS
6798.750000	-1.0	0.4	-0.6	PASS
6841.250000	-1.0	0.5	-0.6	PASS
6791.250000	-1.0	0.5	-0.6	PASS
6831.250000	-1.1	0.5	-0.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6878.750000	-1.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6878.750000	-1.6	0.0	-1.6	PASS
6881.250000	-1.7	0.1	-1.6	PASS
6916.250000	-1.8	0.2	-1.6	PASS
6918.750000	-1.8	0.3	-1.6	PASS
6876.250000	-1.8	0.3	-1.6	PASS
6891.250000	-1.9	0.3	-1.6	PASS
6893.750000	-2.0	0.4	-1.6	PASS
6921.250000	-2.0	0.5	-1.6	PASS
6873.750000	-2.0	0.5	-1.6	PASS
6871.250000	-2.0	0.5	-1.6	PASS
6888.750000	-2.1	0.5	-1.6	PASS
6833.750000	-2.1	0.5	-1.6	PASS
6896.250000	-2.1	0.6	-1.6	PASS
6913.750000	-2.1	0.6	-1.6	PASS
6836.250000	-2.2	0.6	-1.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6905.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6758.750000	-0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6758.750000	-0.1	0.0	-0.1	PASS
6756.250000	-0.4	0.3	-0.1	PASS
6761.250000	-0.4	0.4	-0.1	PASS
6753.750000	-0.7	0.6	-0.1	PASS
7041.250000	-0.7	0.7	-0.1	PASS
6768.750000	-0.8	0.7	-0.1	PASS
7038.750000	-0.8	0.8	-0.1	PASS
6771.250000	-0.8	0.8	-0.1	PASS
6773.750000	-0.9	0.8	-0.1	PASS
6751.250000	-0.9	0.9	-0.1	PASS
6851.250000	-0.9	0.9	-0.1	PASS
6776.250000	-1.0	0.9	-0.1	PASS
6778.750000	-1.0	1.0	-0.1	PASS
6811.250000	-1.0	1.0	-0.1	PASS
6808.750000	-1.0	1.0	-0.1	PASS

In Band

