

Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7041.250000	-1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7041.250000	-1.1	0.0	-1.1	PASS
7031.250000	-1.2	0.1	-1.1	PASS
7038.750000	-1.3	0.3	-1.1	PASS
7036.250000	-1.4	0.3	-1.1	PASS
7033.750000	-1.4	0.4	-1.1	PASS
6996.250000	-1.5	0.4	-1.1	PASS
6998.750000	-1.5	0.4	-1.1	PASS
6991.250000	-1.5	0.4	-1.1	PASS
7028.750000	-1.5	0.5	-1.1	PASS
7048.750000	-1.6	0.5	-1.1	PASS
6993.750000	-1.6	0.5	-1.1	PASS
7051.250000	-1.6	0.5	-1.1	PASS
6408.750000	-41.5	0.6	-40.9	PASS
6951.250000	-1.7	0.6	-1.1	PASS
7043.750000	-1.7	0.7	-1.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW		>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	10.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off