

1.1.1 Test Result

Note1: EIRP=Conducted Power+Antenna Gain

1.2 B2_3MHz_EIRP

1.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1851.5	1	0	22.03	0.30	22.33	<=33.01	Pass		
			7	22.03	0.30	22.33	<=33.01	Pass		
			14	22.06	0.30	22.36	<=33.01	Pass		
		8	0	21.09	0.30	21.39	<=33.01	Pass		
			4	21.09	0.30	21.39	<=33.01	Pass		
			7	21.00	0.30	21.30	<=33.01	Pass		
		15	0	21.12	0.30	21.42	<=33.01	Pass		
		1880	1	0	21.96	0.30	22.26	<=33.01	Pass	
				7	22.01	0.30	22.31	<=33.01	Pass	
	14			21.97	0.30	22.27	<=33.01	Pass		
	8		0	21.01	0.30	21.31	<=33.01	Pass		
			4	21.06	0.30	21.36	<=33.01	Pass		
			7	21.02	0.30	21.32	<=33.01	Pass		
	15	0	21.02	0.30	21.32	<=33.01	Pass			
	1908.5	1	0	22.01	0.30	22.31	<=33.01	Pass		
			7	21.98	0.30	22.28	<=33.01	Pass		
			14	21.97	0.30	22.27	<=33.01	Pass		
		8	0	20.96	0.30	21.26	<=33.01	Pass		
			4	20.95	0.30	21.25	<=33.01	Pass		
			7	20.90	0.30	21.20	<=33.01	Pass		
		15	0	20.95	0.30	21.25	<=33.01	Pass		
		16QAM	1851.5	1	0	20.95	0.30	21.25	<=33.01	Pass
					7	20.96	0.30	21.26	<=33.01	Pass
	14				20.89	0.30	21.19	<=33.01	Pass	
8	0			20.40	0.30	20.70	<=33.01	Pass		
	4			20.39	0.30	20.69	<=33.01	Pass		
	7			20.45	0.30	20.75	<=33.01	Pass		
15	0			20.12	0.30	20.42	<=33.01	Pass		
1880	1			0	21.11	0.30	21.41	<=33.01	Pass	
				7	21.08	0.30	21.38	<=33.01	Pass	
			14	21.04	0.30	21.34	<=33.01	Pass		
	8		0	20.14	0.30	20.44	<=33.01	Pass		
			4	20.13	0.30	20.43	<=33.01	Pass		
			7	20.15	0.30	20.45	<=33.01	Pass		
15	0		20.16	0.30	20.46	<=33.01	Pass			
1908.5	1		0	21.62	0.30	21.92	<=33.01	Pass		
			7	21.61	0.30	21.91	<=33.01	Pass		
			14	21.56	0.30	21.86	<=33.01	Pass		
	8		0	20.31	0.30	20.61	<=33.01	Pass		
			4	20.30	0.30	20.60	<=33.01	Pass		
			7	20.30	0.30	20.60	<=33.01	Pass		
	15		0	20.13	0.30	20.43	<=33.01	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

1.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1852.5	1	0	21.98	0.30	22.28	<=33.01	Pass		
			13	22.08	0.30	22.38	<=33.01	Pass		
			24	22.08	0.30	22.38	<=33.01	Pass		
		12	0	20.91	0.30	21.21	<=33.01	Pass		
			6	21.05	0.30	21.35	<=33.01	Pass		
			13	20.99	0.30	21.29	<=33.01	Pass		
		25	0	21.07	0.30	21.37	<=33.01	Pass		
		1880	1	0	22.09	0.30	22.39	<=33.01	Pass	
				13	22.00	0.30	22.30	<=33.01	Pass	
	24			22.01	0.30	22.31	<=33.01	Pass		
	12		0	21.14	0.30	21.44	<=33.01	Pass		
			6	21.10	0.30	21.40	<=33.01	Pass		
			13	21.05	0.30	21.35	<=33.01	Pass		
	25	0	21.03	0.30	21.33	<=33.01	Pass			
	1907.5	1	0	21.91	0.30	22.21	<=33.01	Pass		
			13	21.88	0.30	22.18	<=33.01	Pass		
			24	21.89	0.30	22.19	<=33.01	Pass		
		12	0	20.95	0.30	21.25	<=33.01	Pass		
			6	21.04	0.30	21.34	<=33.01	Pass		
			13	20.89	0.30	21.19	<=33.01	Pass		
		25	0	20.92	0.30	21.22	<=33.01	Pass		
		16QAM	1852.5	1	0	21.23	0.30	21.53	<=33.01	Pass
					13	21.22	0.30	21.52	<=33.01	Pass
	24				21.29	0.30	21.59	<=33.01	Pass	
12	0			20.07	0.30	20.37	<=33.01	Pass		
	6			20.09	0.30	20.39	<=33.01	Pass		
	13			20.07	0.30	20.37	<=33.01	Pass		
25	0			20.15	0.30	20.45	<=33.01	Pass		
1880	1			0	20.55	0.30	20.85	<=33.01	Pass	
				13	20.60	0.30	20.90	<=33.01	Pass	
			24	20.61	0.30	20.91	<=33.01	Pass		
	12		0	20.17	0.30	20.47	<=33.01	Pass		
			6	20.12	0.30	20.42	<=33.01	Pass		
			13	20.06	0.30	20.36	<=33.01	Pass		
25	0		20.13	0.30	20.43	<=33.01	Pass			
1907.5	1		0	21.11	0.30	21.41	<=33.01	Pass		
			13	21.12	0.30	21.42	<=33.01	Pass		
			24	21.13	0.30	21.43	<=33.01	Pass		
	12		0	20.02	0.30	20.32	<=33.01	Pass		
			6	20.02	0.30	20.32	<=33.01	Pass		
			13	19.98	0.30	20.28	<=33.01	Pass		
	25		0	20.05	0.30	20.35	<=33.01	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

1.4.1 Test Result

Note1: EIRP=Conducted Power+Antenna Gain

1.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1857.5	1	0	21.97	0.30	22.27	<=33.01	Pass		
			38	22.04	0.30	22.34	<=33.01	Pass		
			74	22.01	0.30	22.31	<=33.01	Pass		
		36	0	21.09	0.30	21.39	<=33.01	Pass		
			18	21.01	0.30	21.31	<=33.01	Pass		
			39	20.96	0.30	21.26	<=33.01	Pass		
		75	0	21.01	0.30	21.31	<=33.01	Pass		
		1880	1	0	22.13	0.30	22.43	<=33.01	Pass	
				38	22.07	0.30	22.37	<=33.01	Pass	
	74			22.04	0.30	22.34	<=33.01	Pass		
	36		0	20.96	0.30	21.26	<=33.01	Pass		
			18	20.97	0.30	21.27	<=33.01	Pass		
			39	21.06	0.30	21.36	<=33.01	Pass		
	75	0	20.96	0.30	21.26	<=33.01	Pass			
	1902.5	1	0	22.17	0.30	22.47	<=33.01	Pass		
			38	22.07	0.30	22.37	<=33.01	Pass		
			74	21.97	0.30	22.27	<=33.01	Pass		
		36	0	21.07	0.30	21.37	<=33.01	Pass		
			18	20.91	0.30	21.21	<=33.01	Pass		
			39	20.91	0.30	21.21	<=33.01	Pass		
		75	0	20.98	0.30	21.28	<=33.01	Pass		
		16QAM	1857.5	1	0	20.80	0.30	21.10	<=33.01	Pass
					38	20.82	0.30	21.12	<=33.01	Pass
	74				20.80	0.30	21.10	<=33.01	Pass	
36	0			20.24	0.30	20.54	<=33.01	Pass		
	18			20.18	0.30	20.48	<=33.01	Pass		
	39			20.13	0.30	20.43	<=33.01	Pass		
75	0			20.17	0.30	20.47	<=33.01	Pass		
1880	1			0	21.45	0.30	21.75	<=33.01	Pass	
				38	21.44	0.30	21.74	<=33.01	Pass	
			74	21.40	0.30	21.70	<=33.01	Pass		
	36		0	20.12	0.30	20.42	<=33.01	Pass		
			18	20.16	0.30	20.46	<=33.01	Pass		
			39	20.05	0.30	20.35	<=33.01	Pass		
75	0		20.12	0.30	20.42	<=33.01	Pass			
1902.5	1		0	21.17	0.30	21.47	<=33.01	Pass		
			38	21.09	0.30	21.39	<=33.01	Pass		
			74	20.98	0.30	21.28	<=33.01	Pass		
	36		0	20.05	0.30	20.35	<=33.01	Pass		
			18	20.11	0.30	20.41	<=33.01	Pass		
			39	20.08	0.30	20.38	<=33.01	Pass		
	75		0	20.12	0.30	20.42	<=33.01	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

1.6 B2_20MHz_EIRP

1.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.16	0.30	22.46	<=33.01	Pass
			50	22.13	0.30	22.43	<=33.01	Pass
			99	22.15	0.30	22.45	<=33.01	Pass
		50	0	21.14	0.30	21.44	<=33.01	Pass
			25	21.07	0.30	21.37	<=33.01	Pass
			50	21.01	0.30	21.31	<=33.01	Pass
		100	0	21.11	0.30	21.41	<=33.01	Pass
			0	22.27	0.30	22.57	<=33.01	Pass
			50	22.22	0.30	22.52	<=33.01	Pass
	1880	1	99	22.22	0.30	22.52	<=33.01	Pass
			0	21.03	0.30	21.33	<=33.01	Pass
			25	21.04	0.30	21.34	<=33.01	Pass
		50	50	21.00	0.30	21.30	<=33.01	Pass
			0	21.07	0.30	21.37	<=33.01	Pass
			0	22.03	0.30	22.33	<=33.01	Pass
		1	50	21.98	0.30	22.28	<=33.01	Pass
			99	21.88	0.30	22.18	<=33.01	Pass
			0	20.97	0.30	21.27	<=33.01	Pass
	1900	50	25	21.08	0.30	21.38	<=33.01	Pass
			50	20.90	0.30	21.20	<=33.01	Pass
			0	21.04	0.30	21.34	<=33.01	Pass
16QAM	1860	1	0	20.95	0.30	21.25	<=33.01	Pass
			50	20.90	0.30	21.20	<=33.01	Pass
			99	20.94	0.30	21.24	<=33.01	Pass
		50	0	20.26	0.30	20.56	<=33.01	Pass
			25	20.17	0.30	20.47	<=33.01	Pass
			50	20.22	0.30	20.52	<=33.01	Pass
		100	0	20.14	0.30	20.44	<=33.01	Pass
			0	21.53	0.30	21.83	<=33.01	Pass
			50	21.48	0.30	21.78	<=33.01	Pass
	1880	1	99	21.42	0.30	21.72	<=33.01	Pass
			0	20.08	0.30	20.38	<=33.01	Pass
			25	20.09	0.30	20.39	<=33.01	Pass
		50	50	20.04	0.30	20.34	<=33.01	Pass
			0	20.22	0.30	20.52	<=33.01	Pass
			0	21.65	0.30	21.95	<=33.01	Pass
		1	50	21.65	0.30	21.95	<=33.01	Pass
			99	21.50	0.30	21.80	<=33.01	Pass
			0	20.27	0.30	20.57	<=33.01	Pass
	1900	50	25	20.20	0.30	20.50	<=33.01	Pass
			50	20.10	0.30	20.40	<=33.01	Pass
			0	20.04	0.30	20.34	<=33.01	Pass
		100	0	20.04	0.30	20.34	<=33.01	Pass
			0	20.04	0.30	20.34	<=33.01	Pass
			0	20.04	0.30	20.34	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2.1 B4_1.4MHz_EIRP

2.1.1 Test Result

Band: 4 / Bandwidth: 1.4MHz / NTVN									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1710.7	1	0	21.53	0.30	21.83	<=30	Pass	
			2	21.51	0.30	21.81	<=30	Pass	
			5	21.50	0.30	21.80	<=30	Pass	
		3	0	21.61	0.30	21.91	<=30	Pass	
			2	21.58	0.30	21.88	<=30	Pass	
			3	21.56	0.30	21.86	<=30	Pass	
		6	0	20.56	0.30	20.86	<=30	Pass	
	1732.5	1	0	21.62	0.30	21.92	<=30	Pass	
			2	21.68	0.30	21.98	<=30	Pass	
			5	21.66	0.30	21.96	<=30	Pass	
		3	0	21.69	0.30	21.99	<=30	Pass	
			2	21.68	0.30	21.98	<=30	Pass	
			3	21.74	0.30	22.04	<=30	Pass	
		6	0	20.62	0.30	20.92	<=30	Pass	
	1754.3	1	0	21.72	0.30	22.02	<=30	Pass	
			2	21.76	0.30	22.06	<=30	Pass	
			5	21.68	0.30	21.98	<=30	Pass	
		3	0	21.62	0.30	21.92	<=30	Pass	
			2	21.64	0.30	21.94	<=30	Pass	
			3	21.73	0.30	22.03	<=30	Pass	
		6	0	20.67	0.30	20.97	<=30	Pass	
	16QAM	1710.7	1	0	20.20	0.30	20.50	<=30	Pass
				2	20.15	0.30	20.45	<=30	Pass
				5	20.15	0.30	20.45	<=30	Pass
3			0	20.40	0.30	20.70	<=30	Pass	
			2	20.36	0.30	20.66	<=30	Pass	
			3	20.34	0.30	20.64	<=30	Pass	
6			0	19.64	0.30	19.94	<=30	Pass	
1732.5		1	0	20.73	0.30	21.03	<=30	Pass	
			2	20.76	0.30	21.06	<=30	Pass	
			5	20.77	0.30	21.07	<=30	Pass	
		3	0	20.85	0.30	21.15	<=30	Pass	
			2	20.87	0.30	21.17	<=30	Pass	
			3	20.88	0.30	21.18	<=30	Pass	
		6	0	20.02	0.30	20.32	<=30	Pass	
1754.3		1	0	20.55	0.30	20.85	<=30	Pass	
			2	20.51	0.30	20.81	<=30	Pass	
			5	20.50	0.30	20.80	<=30	Pass	
		3	0	20.44	0.30	20.74	<=30	Pass	
			2	20.43	0.30	20.73	<=30	Pass	
			3	20.47	0.30	20.77	<=30	Pass	
	6	0	19.77	0.30	20.07	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain									

2.2 B4_3MHz_EIRP

2.2.1 Test Result

Band: 4 / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1711.5	1	0	21.50	0.30	21.80	<=30	Pass		
			7	21.51	0.30	21.81	<=30	Pass		
			14	21.49	0.30	21.79	<=30	Pass		
		8	0	20.49	0.30	20.79	<=30	Pass		
			4	20.52	0.30	20.82	<=30	Pass		
			7	20.46	0.30	20.76	<=30	Pass		
		15	0	20.59	0.30	20.89	<=30	Pass		
		1732.5	1	0	21.57	0.30	21.87	<=30	Pass	
				7	21.62	0.30	21.92	<=30	Pass	
	14			21.67	0.30	21.97	<=30	Pass		
	8		0	20.59	0.30	20.89	<=30	Pass		
			4	20.68	0.30	20.98	<=30	Pass		
			7	20.67	0.30	20.97	<=30	Pass		
	15	0	20.61	0.30	20.91	<=30	Pass			
	1753.5	1	0	21.73	0.30	22.03	<=30	Pass		
			7	21.71	0.30	22.01	<=30	Pass		
			14	21.69	0.30	21.99	<=30	Pass		
		8	0	20.65	0.30	20.95	<=30	Pass		
			4	20.66	0.30	20.96	<=30	Pass		
			7	20.57	0.30	20.87	<=30	Pass		
		15	0	20.60	0.30	20.90	<=30	Pass		
		16QAM	1711.5	1	0	20.18	0.30	20.48	<=30	Pass
					7	20.15	0.30	20.45	<=30	Pass
	14				20.14	0.30	20.44	<=30	Pass	
	8			0	19.74	0.30	20.04	<=30	Pass	
				4	19.74	0.30	20.04	<=30	Pass	
				7	19.71	0.30	20.01	<=30	Pass	
15	0			19.58	0.30	19.88	<=30	Pass		
1732.5	1			0	21.27	0.30	21.57	<=30	Pass	
				7	21.39	0.30	21.69	<=30	Pass	
			14	21.28	0.30	21.58	<=30	Pass		
	8		0	19.86	0.30	20.16	<=30	Pass		
			4	20.14	0.30	20.44	<=30	Pass		
			7	20.13	0.30	20.43	<=30	Pass		
15	0		19.89	0.30	20.19	<=30	Pass			
1753.5	1		0	20.90	0.30	21.20	<=30	Pass		
			7	20.92	0.30	21.22	<=30	Pass		
			14	20.90	0.30	21.20	<=30	Pass		
	8		0	19.81	0.30	20.11	<=30	Pass		
			4	19.78	0.30	20.08	<=30	Pass		
			7	19.81	0.30	20.11	<=30	Pass		
	15		0	19.71	0.30	20.01	<=30	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

2.3 B4_5MHz_EIRP

2.3.1 Test Result

Band: 4 / Bandwidth: 5MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1712.5	1	0	21.55	0.30	21.85	<=30	Pass		
			13	21.49	0.30	21.79	<=30	Pass		
			24	21.54	0.30	21.84	<=30	Pass		
		12	0	20.58	0.30	20.88	<=30	Pass		
			6	20.49	0.30	20.79	<=30	Pass		
			13	20.58	0.30	20.88	<=30	Pass		
		25	0	20.52	0.30	20.82	<=30	Pass		
		1732.5	1	0	21.59	0.30	21.89	<=30	Pass	
				13	21.49	0.30	21.79	<=30	Pass	
	24			21.62	0.30	21.92	<=30	Pass		
	12		0	20.58	0.30	20.88	<=30	Pass		
			6	20.59	0.30	20.89	<=30	Pass		
			13	20.64	0.30	20.94	<=30	Pass		
	25	0	20.56	0.30	20.86	<=30	Pass			
	1752.5	1	0	21.63	0.30	21.93	<=30	Pass		
			13	21.62	0.30	21.92	<=30	Pass		
			24	21.63	0.30	21.93	<=30	Pass		
		12	0	20.69	0.30	20.99	<=30	Pass		
			6	20.68	0.30	20.98	<=30	Pass		
			13	20.60	0.30	20.90	<=30	Pass		
		25	0	20.65	0.30	20.95	<=30	Pass		
		16QAM	1712.5	1	0	20.05	0.30	20.35	<=30	Pass
					13	19.95	0.30	20.25	<=30	Pass
	24				20.01	0.30	20.31	<=30	Pass	
12	0			19.64	0.30	19.94	<=30	Pass		
	6			19.60	0.30	19.90	<=30	Pass		
	13			19.58	0.30	19.88	<=30	Pass		
25	0			19.59	0.30	19.89	<=30	Pass		
1732.5	1		0	20.74	0.30	21.04	<=30	Pass		
			13	20.79	0.30	21.09	<=30	Pass		
			24	20.75	0.30	21.05	<=30	Pass		
	12		0	19.56	0.30	19.86	<=30	Pass		
			6	19.73	0.30	20.03	<=30	Pass		
			13	19.73	0.30	20.03	<=30	Pass		
25	0		19.85	0.30	20.15	<=30	Pass			
1752.5	1		0	20.58	0.30	20.88	<=30	Pass		
		13	20.55	0.30	20.85	<=30	Pass			
		24	20.61	0.30	20.91	<=30	Pass			
	12	0	19.65	0.30	19.95	<=30	Pass			
		6	19.68	0.30	19.98	<=30	Pass			
		13	19.73	0.30	20.03	<=30	Pass			
25	0	19.67	0.30	19.97	<=30	Pass				
Note1: EIRP=Conducted Power+Antenna Gain										

2.4 B4_10MHz_EIRP

2.4.1 Test Result

Band: 4 / Bandwidth: 10MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1715	1	0	21.45	0.30	21.75	<=30	Pass		
			25	21.54	0.30	21.84	<=30	Pass		
			49	21.53	0.30	21.83	<=30	Pass		
		25	0	20.55	0.30	20.85	<=30	Pass		
			13	20.53	0.30	20.83	<=30	Pass		
			25	20.55	0.30	20.85	<=30	Pass		
		50	0	20.51	0.30	20.81	<=30	Pass		
		1732.5	1	0	21.63	0.30	21.93	<=30	Pass	
				25	21.65	0.30	21.95	<=30	Pass	
	49			21.67	0.30	21.97	<=30	Pass		
	25		0	20.61	0.30	20.91	<=30	Pass		
			13	20.62	0.30	20.92	<=30	Pass		
			25	20.52	0.30	20.82	<=30	Pass		
	50		0	20.56	0.30	20.86	<=30	Pass		
	1750		1	0	21.72	0.30	22.02	<=30	Pass	
				25	21.66	0.30	21.96	<=30	Pass	
		49		21.72	0.30	22.02	<=30	Pass		
		25	0	20.66	0.30	20.96	<=30	Pass		
			13	20.64	0.30	20.94	<=30	Pass		
			25	20.61	0.30	20.91	<=30	Pass		
		50	0	20.66	0.30	20.96	<=30	Pass		
		16QAM	1715	1	0	20.54	0.30	20.84	<=30	Pass
					25	20.49	0.30	20.79	<=30	Pass
	49				20.48	0.30	20.78	<=30	Pass	
	25			0	19.67	0.30	19.97	<=30	Pass	
				13	19.62	0.30	19.92	<=30	Pass	
				25	19.69	0.30	19.99	<=30	Pass	
50	0			19.56	0.30	19.86	<=30	Pass		
1732.5	1			0	20.77	0.30	21.07	<=30	Pass	
				25	20.73	0.30	21.03	<=30	Pass	
			49	20.72	0.30	21.02	<=30	Pass		
	25		0	19.70	0.30	20.00	<=30	Pass		
			13	19.91	0.30	20.21	<=30	Pass		
			25	19.88	0.30	20.18	<=30	Pass		
	50		0	19.85	0.30	20.15	<=30	Pass		
	1750		1	0	20.38	0.30	20.68	<=30	Pass	
				25	20.38	0.30	20.68	<=30	Pass	
49				20.37	0.30	20.67	<=30	Pass		
25			0	19.62	0.30	19.92	<=30	Pass		
			13	19.75	0.30	20.05	<=30	Pass		
			25	19.65	0.30	19.95	<=30	Pass		
50			0	19.74	0.30	20.04	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

2.5 B4_15MHz_EIRP

2.5.1 Test Result

Band: 4 / Bandwidth: 15MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1717.5	1	0	21.54	0.30	21.84	<=30	Pass		
			38	21.57	0.30	21.87	<=30	Pass		
			74	21.59	0.30	21.89	<=30	Pass		
		36	0	20.51	0.30	20.81	<=30	Pass		
			18	20.61	0.30	20.91	<=30	Pass		
			39	20.52	0.30	20.82	<=30	Pass		
		75	0	20.54	0.30	20.84	<=30	Pass		
		1732.5	1	0	21.55	0.30	21.85	<=30	Pass	
				38	21.54	0.30	21.84	<=30	Pass	
	74			21.52	0.30	21.82	<=30	Pass		
	36		0	20.57	0.30	20.87	<=30	Pass		
			18	20.70	0.30	21.00	<=30	Pass		
			39	20.63	0.30	20.93	<=30	Pass		
	75		0	20.61	0.30	20.91	<=30	Pass		
	1747.5		1	0	20.70	0.30	21.00	<=30	Pass	
				38	21.72	0.30	22.02	<=30	Pass	
		74		21.66	0.30	21.96	<=30	Pass		
		36	0	20.76	0.30	21.06	<=30	Pass		
			18	20.53	0.30	20.83	<=30	Pass		
			39	20.80	0.30	21.10	<=30	Pass		
		75	0	20.71	0.30	21.01	<=30	Pass		
		16QAM	1717.5	1	0	20.36	0.30	20.66	<=30	Pass
					38	20.37	0.30	20.67	<=30	Pass
	74				20.28	0.30	20.58	<=30	Pass	
36	0			19.58	0.30	19.88	<=30	Pass		
	18			19.71	0.30	20.01	<=30	Pass		
	39			19.64	0.30	19.94	<=30	Pass		
75	0			19.66	0.30	19.96	<=30	Pass		
1732.5	1			0	20.98	0.30	21.28	<=30	Pass	
				38	21.01	0.30	21.31	<=30	Pass	
			74	20.97	0.30	21.27	<=30	Pass		
	36		0	19.63	0.30	19.93	<=30	Pass		
			18	19.77	0.30	20.07	<=30	Pass		
			39	19.68	0.30	19.98	<=30	Pass		
	75		0	19.87	0.30	20.17	<=30	Pass		
	1747.5		1	0	20.99	0.30	21.29	<=30	Pass	
				38	20.98	0.30	21.28	<=30	Pass	
74				20.95	0.30	21.25	<=30	Pass		
36			0	19.74	0.30	20.04	<=30	Pass		
			18	19.70	0.30	20.00	<=30	Pass		
			39	19.70	0.30	20.00	<=30	Pass		
75			0	19.59	0.30	19.89	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

2.6 B4_20MHz_EIRP

2.6.1 Test Result

Band: 4 / Bandwidth: 20MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1720	1	0	21.67	0.30	21.97	<=30	Pass		
			50	21.66	0.30	21.96	<=30	Pass		
			99	21.75	0.30	22.05	<=30	Pass		
		50	0	20.57	0.30	20.87	<=30	Pass		
			25	20.54	0.30	20.84	<=30	Pass		
			50	20.58	0.30	20.88	<=30	Pass		
		100	0	20.59	0.30	20.89	<=30	Pass		
		1732.5	1	0	21.55	0.30	21.85	<=30	Pass	
				50	21.58	0.30	21.88	<=30	Pass	
	99			21.52	0.30	21.82	<=30	Pass		
	50		0	20.56	0.30	20.86	<=30	Pass		
			25	20.70	0.30	21.00	<=30	Pass		
			50	20.60	0.30	20.90	<=30	Pass		
	100	0	20.66	0.30	20.96	<=30	Pass			
	1745	1	0	21.72	0.30	22.02	<=30	Pass		
			50	21.80	0.30	22.10	<=30	Pass		
			99	21.83	0.30	22.13	<=30	Pass		
		50	0	20.72	0.30	21.02	<=30	Pass		
			25	20.60	0.30	20.90	<=30	Pass		
			50	20.50	0.30	20.80	<=30	Pass		
		100	0	20.64	0.30	20.94	<=30	Pass		
		16QAM	1720	1	0	20.96	0.30	21.26	<=30	Pass
					50	20.96	0.30	21.26	<=30	Pass
	99				21.02	0.30	21.32	<=30	Pass	
50	0			19.57	0.30	19.87	<=30	Pass		
	25			19.62	0.30	19.92	<=30	Pass		
	50			19.62	0.30	19.92	<=30	Pass		
100	0			19.73	0.30	20.03	<=30	Pass		
1732.5	1			0	21.25	0.30	21.55	<=30	Pass	
				50	21.24	0.30	21.54	<=30	Pass	
			99	21.23	0.30	21.53	<=30	Pass		
	50		0	19.76	0.30	20.06	<=30	Pass		
			25	19.93	0.30	20.23	<=30	Pass		
			50	19.81	0.30	20.11	<=30	Pass		
100	0		19.71	0.30	20.01	<=30	Pass			
1745	1		0	20.83	0.30	21.13	<=30	Pass		
			50	20.93	0.30	21.23	<=30	Pass		
			99	20.93	0.30	21.23	<=30	Pass		
	50		0	19.57	0.30	19.87	<=30	Pass		
			25	19.60	0.30	19.90	<=30	Pass		
			50	19.68	0.30	19.98	<=30	Pass		
	100		0	19.70	0.30	20.00	<=30	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

3.1.1 Test Result

Note1: EIRP=Conducted Power+Antenna Gain

3.2 B7_10MHz_EIRP

3.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2505	1	0	21.40	0.30	21.70	<=33.01	Pass		
			25	21.29	0.30	21.59	<=33.01	Pass		
			49	21.39	0.30	21.69	<=33.01	Pass		
		25	0	20.38	0.30	20.68	<=33.01	Pass		
			13	20.47	0.30	20.77	<=33.01	Pass		
			25	20.51	0.30	20.81	<=33.01	Pass		
		50	0	20.32	0.30	20.62	<=33.01	Pass		
		2535	1	0	21.57	0.30	21.87	<=33.01	Pass	
				25	21.56	0.30	21.86	<=33.01	Pass	
	49			21.55	0.30	21.85	<=33.01	Pass		
	25		0	20.49	0.30	20.79	<=33.01	Pass		
			13	20.38	0.30	20.68	<=33.01	Pass		
			25	20.43	0.30	20.73	<=33.01	Pass		
	50	0	20.37	0.30	20.67	<=33.01	Pass			
	2565	1	0	21.32	0.30	21.62	<=33.01	Pass		
			25	21.35	0.30	21.65	<=33.01	Pass		
			49	21.36	0.30	21.66	<=33.01	Pass		
		25	0	20.29	0.30	20.59	<=33.01	Pass		
			13	20.31	0.30	20.61	<=33.01	Pass		
			25	20.48	0.30	20.78	<=33.01	Pass		
		50	0	20.31	0.30	20.61	<=33.01	Pass		
		16QAM	2505	1	0	20.21	0.30	20.51	<=33.01	Pass
					25	20.19	0.30	20.49	<=33.01	Pass
	49				20.27	0.30	20.57	<=33.01	Pass	
25	0			19.48	0.30	19.78	<=33.01	Pass		
	13			19.67	0.30	19.97	<=33.01	Pass		
	25			19.50	0.30	19.80	<=33.01	Pass		
50	0			19.65	0.30	19.95	<=33.01	Pass		
2535	1			0	20.10	0.30	20.40	<=33.01	Pass	
				25	20.16	0.30	20.46	<=33.01	Pass	
			49	19.92	0.30	20.22	<=33.01	Pass		
	25		0	19.47	0.30	19.77	<=33.01	Pass		
			13	19.58	0.30	19.88	<=33.01	Pass		
			25	19.55	0.30	19.85	<=33.01	Pass		
50	0		19.49	0.30	19.79	<=33.01	Pass			
2565	1		0	20.63	0.30	20.93	<=33.01	Pass		
			25	20.62	0.30	20.92	<=33.01	Pass		
			49	20.66	0.30	20.96	<=33.01	Pass		
	25		0	19.58	0.30	19.88	<=33.01	Pass		
		13	19.52	0.30	19.82	<=33.01	Pass			
		25	19.61	0.30	19.91	<=33.01	Pass			
	50	0	19.48	0.30	19.78	<=33.01	Pass			
	Note1: EIRP=Conducted Power+Antenna Gain									

3.3.1 Test Result

Note1: EIRP=Conducted Power+Antenna Gain

3.4 B7_20MHz_EIRP

3.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2510	1	0	21.55	0.30	21.85	<=33.01	Pass		
			50	21.46	0.30	21.76	<=33.01	Pass		
			99	21.52	0.30	21.82	<=33.01	Pass		
		50	0	20.37	0.30	20.67	<=33.01	Pass		
			25	20.31	0.30	20.61	<=33.01	Pass		
			50	20.54	0.30	20.84	<=33.01	Pass		
		100	0	20.35	0.30	20.65	<=33.01	Pass		
		2535	1	0	21.47	0.30	21.77	<=33.01	Pass	
				50	21.43	0.30	21.73	<=33.01	Pass	
	99			21.41	0.30	21.71	<=33.01	Pass		
	50		0	20.39	0.30	20.69	<=33.01	Pass		
			25	20.39	0.30	20.69	<=33.01	Pass		
			50	20.35	0.30	20.65	<=33.01	Pass		
	100		0	20.48	0.30	20.78	<=33.01	Pass		
	2560		1	0	21.65	0.30	21.95	<=33.01	Pass	
				50	21.53	0.30	21.83	<=33.01	Pass	
		99		21.64	0.30	21.94	<=33.01	Pass		
		50	0	20.45	0.30	20.75	<=33.01	Pass		
			25	20.46	0.30	20.76	<=33.01	Pass		
			50	20.46	0.30	20.76	<=33.01	Pass		
		100	0	20.44	0.30	20.74	<=33.01	Pass		
		16QAM	2510	1	0	20.91	0.30	21.21	<=33.01	Pass
					50	20.81	0.30	21.11	<=33.01	Pass
	99				20.83	0.30	21.13	<=33.01	Pass	
50	0			19.58	0.30	19.88	<=33.01	Pass		
	25			19.54	0.30	19.84	<=33.01	Pass		
	50			19.59	0.30	19.89	<=33.01	Pass		
100	0			19.56	0.30	19.86	<=33.01	Pass		
2535	1			0	20.17	0.30	20.47	<=33.01	Pass	
				50	20.23	0.30	20.53	<=33.01	Pass	
			99	20.21	0.30	20.51	<=33.01	Pass		
	50		0	19.60	0.30	19.90	<=33.01	Pass		
			25	19.58	0.30	19.88	<=33.01	Pass		
			50	19.56	0.30	19.86	<=33.01	Pass		
	100		0	19.47	0.30	19.77	<=33.01	Pass		
	2560		1	0	20.60	0.30	20.90	<=33.01	Pass	
				50	20.54	0.30	20.84	<=33.01	Pass	
99				20.58	0.30	20.88	<=33.01	Pass		
50			0	19.46	0.30	19.76	<=33.01	Pass		
			25	19.44	0.30	19.74	<=33.01	Pass		
			50	19.47	0.30	19.77	<=33.01	Pass		
100			0	19.50	0.30	19.80	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

4.1.1 Test Result

Note1: ERP=Conducted Power+Antenna Gain-2.15

4.2.1 Test Result

Note1: ERP=Conducted Power+Antenna Gain-2.15

4.3 B12_5MHz_ERP

4.3.1 Test Result

Band: 12 / Bandwidth: 5MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	701.5	1	0	22.79	0.30	20.94	<=34.77	Pass		
			13	22.81	0.30	20.96	<=34.77	Pass		
			24	22.72	0.30	20.87	<=34.77	Pass		
		12	0	21.91	0.30	20.06	<=34.77	Pass		
			6	21.90	0.30	20.05	<=34.77	Pass		
			13	21.82	0.30	19.97	<=34.77	Pass		
		25	0	21.81	0.30	19.96	<=34.77	Pass		
		707.5	1	0	22.77	0.30	20.92	<=34.77	Pass	
				13	22.64	0.30	20.79	<=34.77	Pass	
	24			22.61	0.30	20.76	<=34.77	Pass		
	12		0	21.76	0.30	19.91	<=34.77	Pass		
			6	21.79	0.30	19.94	<=34.77	Pass		
			13	21.69	0.30	19.84	<=34.77	Pass		
	25		0	21.83	0.30	19.98	<=34.77	Pass		
	713.5		1	0	22.84	0.30	20.99	<=34.77	Pass	
				13	22.73	0.30	20.88	<=34.77	Pass	
		24		22.85	0.30	21.00	<=34.77	Pass		
		12	0	21.93	0.30	20.08	<=34.77	Pass		
			6	21.77	0.30	19.92	<=34.77	Pass		
			13	21.67	0.30	19.82	<=34.77	Pass		
		25	0	21.76	0.30	19.91	<=34.77	Pass		
		16QAM	701.5	1	0	21.34	0.30	19.49	<=34.77	Pass
					13	21.21	0.30	19.36	<=34.77	Pass
	24				21.21	0.30	19.36	<=34.77	Pass	
12	0			20.98	0.30	19.13	<=34.77	Pass		
	6			21.04	0.30	19.19	<=34.77	Pass		
	13			21.00	0.30	19.15	<=34.77	Pass		
25	0			21.04	0.30	19.19	<=34.77	Pass		
707.5	1			0	21.80	0.30	19.95	<=34.77	Pass	
				13	21.92	0.30	20.07	<=34.77	Pass	
			24	21.91	0.30	20.06	<=34.77	Pass		
	12		0	20.93	0.30	19.08	<=34.77	Pass		
			6	20.85	0.30	19.00	<=34.77	Pass		
			13	20.85	0.30	19.00	<=34.77	Pass		
	25		0	20.96	0.30	19.11	<=34.77	Pass		
	713.5		1	0	21.82	0.30	19.97	<=34.77	Pass	
				13	21.74	0.30	19.89	<=34.77	Pass	
24				21.74	0.30	19.89	<=34.77	Pass		
12			0	20.83	0.30	18.98	<=34.77	Pass		
			6	20.89	0.30	19.04	<=34.77	Pass		
			13	20.94	0.30	19.09	<=34.77	Pass		
25			0	20.99	0.30	19.14	<=34.77	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15										

4.4 B12_10MHz_ERP

4.4.1 Test Result

Band: 12 / Bandwidth: 10MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	704	1	0	21.70	0.30	19.85	<=34.77	Pass		
			25	22.87	0.30	21.02	<=34.77	Pass		
			49	22.86	0.30	21.01	<=34.77	Pass		
		25	0	21.82	0.30	19.97	<=34.77	Pass		
			13	21.76	0.30	19.91	<=34.77	Pass		
			25	21.72	0.30	19.87	<=34.77	Pass		
		50	0	21.78	0.30	19.93	<=34.77	Pass		
		707.5	1	0	22.83	0.30	20.98	<=34.77	Pass	
				25	22.81	0.30	20.96	<=34.77	Pass	
	49			22.82	0.30	20.97	<=34.77	Pass		
	25		0	21.81	0.30	19.96	<=34.77	Pass		
			13	21.81	0.30	19.96	<=34.77	Pass		
			25	21.67	0.30	19.82	<=34.77	Pass		
	50		0	21.77	0.30	19.92	<=34.77	Pass		
	711		1	0	22.90	0.30	21.05	<=34.77	Pass	
				25	22.78	0.30	20.93	<=34.77	Pass	
		49		22.75	0.30	20.90	<=34.77	Pass		
		25	0	21.70	0.30	19.85	<=34.77	Pass		
			13	21.78	0.30	19.93	<=34.77	Pass		
			25	21.68	0.30	19.83	<=34.77	Pass		
		50	0	21.68	0.30	19.83	<=34.77	Pass		
		16QAM	704	1	0	21.78	0.30	19.93	<=34.77	Pass
					25	21.48	0.30	19.63	<=34.77	Pass
	49				21.54	0.30	19.69	<=34.77	Pass	
25	0			21.09	0.30	19.24	<=34.77	Pass		
	13			20.86	0.30	19.01	<=34.77	Pass		
	25			21.03	0.30	19.18	<=34.77	Pass		
50	0			20.69	0.30	18.84	<=34.77	Pass		
707.5	1			0	21.95	0.30	20.10	<=34.77	Pass	
				25	21.86	0.30	20.01	<=34.77	Pass	
			49	21.98	0.30	20.13	<=34.77	Pass		
	25		0	21.02	0.30	19.17	<=34.77	Pass		
			13	21.07	0.30	19.22	<=34.77	Pass		
			25	21.05	0.30	19.20	<=34.77	Pass		
	50		0	21.06	0.30	19.21	<=34.77	Pass		
	711		1	0	21.36	0.30	19.51	<=34.77	Pass	
				25	21.42	0.30	19.57	<=34.77	Pass	
49				21.39	0.30	19.54	<=34.77	Pass		
25			0	20.93	0.30	19.08	<=34.77	Pass		
			13	20.99	0.30	19.14	<=34.77	Pass		
			25	20.93	0.30	19.08	<=34.77	Pass		
50			0	20.98	0.30	19.13	<=34.77	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15										

5.1 B13_5MHz_ERP

5.1.1 Test Result

Band: 13 / Bandwidth: 5MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	779.5	1	0	23.20	0.30	21.35	<=34.77	Pass		
			13	23.14	0.30	21.29	<=34.77	Pass		
			24	23.31	0.30	21.46	<=34.77	Pass		
		12	0	22.31	0.30	20.46	<=34.77	Pass		
			6	22.09	0.30	20.24	<=34.77	Pass		
			13	22.20	0.30	20.35	<=34.77	Pass		
		25	0	22.14	0.30	20.29	<=34.77	Pass		
		782	1	0	23.29	0.30	21.44	<=34.77	Pass	
				13	23.32	0.30	21.47	<=34.77	Pass	
	24			23.24	0.30	21.39	<=34.77	Pass		
	12		0	22.20	0.30	20.35	<=34.77	Pass		
			6	22.36	0.30	20.51	<=34.77	Pass		
			13	22.12	0.30	20.27	<=34.77	Pass		
	25	0	22.18	0.30	20.33	<=34.77	Pass			
	784.5	1	0	23.22	0.30	21.37	<=34.77	Pass		
			13	23.06	0.30	21.21	<=34.77	Pass		
			24	23.13	0.30	21.28	<=34.77	Pass		
		12	0	22.13	0.30	20.28	<=34.77	Pass		
			6	22.26	0.30	20.41	<=34.77	Pass		
			13	22.41	0.30	20.56	<=34.77	Pass		
		25	0	22.15	0.30	20.30	<=34.77	Pass		
		16QAM	779.5	1	0	22.26	0.30	20.41	<=34.77	Pass
					13	22.17	0.30	20.32	<=34.77	Pass
	24				22.38	0.30	20.53	<=34.77	Pass	
	12			0	21.10	0.30	19.25	<=34.77	Pass	
				6	21.12	0.30	19.27	<=34.77	Pass	
				13	21.13	0.30	19.28	<=34.77	Pass	
25	0			21.26	0.30	19.41	<=34.77	Pass		
782	1			0	22.10	0.30	20.25	<=34.77	Pass	
				13	22.11	0.30	20.26	<=34.77	Pass	
			24	22.09	0.30	20.24	<=34.77	Pass		
	12		0	21.18	0.30	19.33	<=34.77	Pass		
			6	21.49	0.30	19.64	<=34.77	Pass		
			13	21.28	0.30	19.43	<=34.77	Pass		
25	0		21.50	0.30	19.65	<=34.77	Pass			
784.5	1		0	21.87	0.30	20.02	<=34.77	Pass		
			13	21.76	0.30	19.91	<=34.77	Pass		
			24	21.95	0.30	20.10	<=34.77	Pass		
	12		0	21.31	0.30	19.46	<=34.77	Pass		
			6	21.31	0.30	19.46	<=34.77	Pass		
			13	21.58	0.30	19.73	<=34.77	Pass		
	25		0	21.22	0.30	19.37	<=34.77	Pass		
	Note1: ERP=Conducted Power+Antenna Gain-2.15									

5.2 B13_10MHz_ERP

5.2.1 Test Result

Band: 13 / Bandwidth: 10MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	782	1	0	23.24	0.30	21.39	<=34.77	Pass		
			25	23.28	0.30	21.43	<=34.77	Pass		
			49	23.12	0.30	21.27	<=34.77	Pass		
		25	0	22.16	0.30	20.31	<=34.77	Pass		
			13	22.37	0.30	20.52	<=34.77	Pass		
			25	22.06	0.30	20.21	<=34.77	Pass		
		50	0	22.33	0.30	20.48	<=34.77	Pass		
		782	1	0	23.17	0.30	21.32	<=34.77	Pass	
				25	23.18	0.30	21.33	<=34.77	Pass	
	49			23.19	0.30	21.34	<=34.77	Pass		
	25		0	22.18	0.30	20.33	<=34.77	Pass		
			13	22.19	0.30	20.34	<=34.77	Pass		
			25	22.31	0.30	20.46	<=34.77	Pass		
	50		0	22.31	0.30	20.46	<=34.77	Pass		
	782		1	0	23.16	0.30	21.31	<=34.77	Pass	
				25	23.23	0.30	21.38	<=34.77	Pass	
		49		23.19	0.30	21.34	<=34.77	Pass		
		25	0	22.13	0.30	20.28	<=34.77	Pass		
			13	22.18	0.30	20.33	<=34.77	Pass		
			25	22.10	0.30	20.25	<=34.77	Pass		
		50	0	22.14	0.30	20.29	<=34.77	Pass		
		16QAM	782	1	0	21.96	0.30	20.11	<=34.77	Pass
					25	21.88	0.30	20.03	<=34.77	Pass
	49				21.96	0.30	20.11	<=34.77	Pass	
	25			0	21.20	0.30	19.35	<=34.77	Pass	
				13	21.56	0.30	19.71	<=34.77	Pass	
				25	21.25	0.30	19.40	<=34.77	Pass	
50	0			21.51	0.30	19.66	<=34.77	Pass		
782	1			0	21.95	0.30	20.10	<=34.77	Pass	
				25	21.90	0.30	20.05	<=34.77	Pass	
			49	21.94	0.30	20.09	<=34.77	Pass		
	25		0	21.20	0.30	19.35	<=34.77	Pass		
			13	21.55	0.30	19.70	<=34.77	Pass		
			25	21.24	0.30	19.39	<=34.77	Pass		
	50		0	21.50	0.30	19.65	<=34.77	Pass		
	782		1	0	21.94	0.30	20.09	<=34.77	Pass	
				25	21.90	0.30	20.05	<=34.77	Pass	
49				21.94	0.30	20.09	<=34.77	Pass		
25			0	21.21	0.30	19.36	<=34.77	Pass		
			13	21.54	0.30	19.69	<=34.77	Pass		
			25	21.27	0.30	19.42	<=34.77	Pass		
50			0	21.49	0.30	19.64	<=34.77	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15										

6.1.1 Test Result

Note1: ERP=Conducted Power+Antenna Gain-2.15

6.2.1 Test Result

Note1: ERP=Conducted Power+Antenna Gain-2.15

7.1.1 Test Result

Note1: ERP=Conducted Power+Antenna Gain-2.15

7.2.1 Test Result

Note1: ERP=Conducted Power+Antenna Gain-2.15

7.3.1 Test Result

Band: 26a / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	816.5	1	0	23.81	0.30	21.96	<=38.45	Pass		
			13	23.71	0.30	21.86	<=38.45	Pass		
			24	23.52	0.30	21.67	<=38.45	Pass		
		12	0	22.81	0.30	20.96	<=38.45	Pass		
			6	22.79	0.30	20.94	<=38.45	Pass		
			13	22.72	0.30	20.87	<=38.45	Pass		
		25	0	22.78	0.30	20.93	<=38.45	Pass		
		819	1	0	23.81	0.30	21.96	<=38.45	Pass	
				13	23.64	0.30	21.79	<=38.45	Pass	
	24			23.74	0.30	21.89	<=38.45	Pass		
	12		0	22.70	0.30	20.85	<=38.45	Pass		
			6	22.76	0.30	20.91	<=38.45	Pass		
			13	22.74	0.30	20.89	<=38.45	Pass		
	25	0	22.64	0.30	20.79	<=38.45	Pass			
	821.5	1	0	23.70	0.30	21.85	<=38.45	Pass		
			13	23.61	0.30	21.76	<=38.45	Pass		
			24	23.57	0.30	21.72	<=38.45	Pass		
		12	0	22.80	0.30	20.95	<=38.45	Pass		
			6	22.74	0.30	20.89	<=38.45	Pass		
			13	22.81	0.30	20.96	<=38.45	Pass		
		25	0	22.77	0.30	20.92	<=38.45	Pass		
		16QAM	816.5	1	0	22.30	0.30	20.45	<=38.45	Pass
					13	22.85	0.30	21.00	<=38.45	Pass
	24				22.20	0.30	20.35	<=38.45	Pass	
12	0			21.85	0.30	20.00	<=38.45	Pass		
	6			21.74	0.30	19.89	<=38.45	Pass		
	13			21.75	0.30	19.90	<=38.45	Pass		
25	0			21.81	0.30	19.96	<=38.45	Pass		
819	1			0	22.34	0.30	20.49	<=38.45	Pass	
				13	22.70	0.30	20.85	<=38.45	Pass	
			24	22.84	0.30	20.99	<=38.45	Pass		
	12		0	21.89	0.30	20.04	<=38.45	Pass		
			6	21.73	0.30	19.88	<=38.45	Pass		
			13	21.81	0.30	19.96	<=38.45	Pass		
25	0		21.83	0.30	19.98	<=38.45	Pass			
821.5	1		0	22.86	0.30	21.01	<=38.45	Pass		
			13	22.15	0.30	20.30	<=38.45	Pass		
			24	22.68	0.30	20.83	<=38.45	Pass		
	12		0	21.77	0.30	19.92	<=38.45	Pass		
			6	21.82	0.30	19.97	<=38.45	Pass		
			13	21.81	0.30	19.96	<=38.45	Pass		
	25		0	21.78	0.30	19.93	<=38.45	Pass		
	Note1: ERP=Conducted Power+Antenna Gain-2.15									

7.4.1 Test Result

Note1: ERP=Conducted Power+Antenna Gain-2.15

8.1 B26b_1.4MHz_ERP

8.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	824.7	1	0	23.81	0.30	21.96	<=38.45	Pass	
			2	23.70	0.30	21.85	<=38.45	Pass	
			5	23.59	0.30	21.74	<=38.45	Pass	
		3	0	23.71	0.30	21.86	<=38.45	Pass	
			2	23.63	0.30	21.78	<=38.45	Pass	
			3	23.66	0.30	21.81	<=38.45	Pass	
		6	0	22.74	0.30	20.89	<=38.45	Pass	
	836.5	1	0	23.60	0.30	21.75	<=38.45	Pass	
			2	23.74	0.30	21.89	<=38.45	Pass	
			5	23.59	0.30	21.74	<=38.45	Pass	
		3	0	23.58	0.30	21.73	<=38.45	Pass	
			2	23.64	0.30	21.79	<=38.45	Pass	
			3	23.60	0.30	21.75	<=38.45	Pass	
	6	0	22.60	0.30	20.75	<=38.45	Pass		
	848.3	1	0	23.58	0.30	21.73	<=38.45	Pass	
			2	23.39	0.30	21.54	<=38.45	Pass	
			5	23.51	0.30	21.66	<=38.45	Pass	
		3	0	23.41	0.30	21.56	<=38.45	Pass	
			2	23.45	0.30	21.60	<=38.45	Pass	
			3	23.43	0.30	21.58	<=38.45	Pass	
		6	0	22.32	0.30	20.47	<=38.45	Pass	
	16QAM	824.7	1	0	22.50	0.30	20.65	<=38.45	Pass
				2	23.38	0.30	21.53	<=38.45	Pass
				5	23.36	0.30	21.51	<=38.45	Pass
3			0	22.81	0.30	20.96	<=38.45	Pass	
			2	22.77	0.30	20.92	<=38.45	Pass	
			3	22.46	0.30	20.61	<=38.45	Pass	
6			0	21.79	0.30	19.94	<=38.45	Pass	
836.5		1	0	22.45	0.30	20.60	<=38.45	Pass	
			2	23.34	0.30	21.49	<=38.45	Pass	
			5	23.28	0.30	21.43	<=38.45	Pass	
		3	0	22.74	0.30	20.89	<=38.45	Pass	
			2	22.70	0.30	20.85	<=38.45	Pass	
			3	22.52	0.30	20.67	<=38.45	Pass	
6		0	21.83	0.30	19.98	<=38.45	Pass		
848.3		1	0	22.77	0.30	20.92	<=38.45	Pass	
			2	22.59	0.30	20.74	<=38.45	Pass	
			5	23.01	0.30	21.16	<=38.45	Pass	
	3	0	22.37	0.30	20.52	<=38.45	Pass		
		2	22.30	0.30	20.45	<=38.45	Pass		
		3	22.58	0.30	20.73	<=38.45	Pass		
	6	0	21.47	0.30	19.62	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15									

8.2 B26b_3MHz_ERP

8.2.1 Test Result

Band: 26b / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	825.5	1	0	23.81	0.30	21.96	<=38.45	Pass		
			7	23.61	0.30	21.76	<=38.45	Pass		
			14	23.60	0.30	21.75	<=38.45	Pass		
		8	0	22.73	0.30	20.88	<=38.45	Pass		
			4	22.71	0.30	20.86	<=38.45	Pass		
			7	22.75	0.30	20.90	<=38.45	Pass		
		15	0	22.59	0.30	20.74	<=38.45	Pass		
		836.5	1	0	23.56	0.30	21.71	<=38.45	Pass	
				7	23.57	0.30	21.72	<=38.45	Pass	
	14			23.78	0.30	21.93	<=38.45	Pass		
	8		0	22.68	0.30	20.83	<=38.45	Pass		
			4	22.68	0.30	20.83	<=38.45	Pass		
			7	22.60	0.30	20.75	<=38.45	Pass		
	15	0	22.51	0.30	20.66	<=38.45	Pass			
	847.5	1	0	23.63	0.30	21.78	<=38.45	Pass		
			7	23.51	0.30	21.66	<=38.45	Pass		
			14	23.47	0.30	21.62	<=38.45	Pass		
		8	0	22.46	0.30	20.61	<=38.45	Pass		
			4	22.47	0.30	20.62	<=38.45	Pass		
			7	22.38	0.30	20.53	<=38.45	Pass		
		15	0	22.44	0.30	20.59	<=38.45	Pass		
		16QAM	825.5	1	0	23.33	0.30	21.48	<=38.45	Pass
					7	22.47	0.30	20.62	<=38.45	Pass
	14				23.33	0.30	21.48	<=38.45	Pass	
	8			0	21.85	0.30	20.00	<=38.45	Pass	
				4	22.07	0.30	20.22	<=38.45	Pass	
				7	22.03	0.30	20.18	<=38.45	Pass	
15	0			21.68	0.30	19.83	<=38.45	Pass		
836.5	1			0	23.26	0.30	21.41	<=38.45	Pass	
				7	22.37	0.30	20.52	<=38.45	Pass	
			14	22.41	0.30	20.56	<=38.45	Pass		
	8		0	21.97	0.30	20.12	<=38.45	Pass		
			4	21.68	0.30	19.83	<=38.45	Pass		
			7	21.91	0.30	20.06	<=38.45	Pass		
15	0		21.79	0.30	19.94	<=38.45	Pass			
847.5	1		0	22.18	0.30	20.33	<=38.45	Pass		
			7	23.19	0.30	21.34	<=38.45	Pass		
			14	22.30	0.30	20.45	<=38.45	Pass		
	8		0	21.80	0.30	19.95	<=38.45	Pass		
			4	21.78	0.30	19.93	<=38.45	Pass		
			7	21.64	0.30	19.79	<=38.45	Pass		
	15		0	21.56	0.30	19.71	<=38.45	Pass		
	Note1: ERP=Conducted Power+Antenna Gain-2.15									

8.3 B26b_5MHz_ERP

8.3.1 Test Result

Band: 26b / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	826.5	1	0	23.68	0.30	21.83	<=38.45	Pass		
			13	23.49	0.30	21.64	<=38.45	Pass		
			24	23.68	0.30	21.83	<=38.45	Pass		
		12	0	22.66	0.30	20.81	<=38.45	Pass		
			6	22.64	0.30	20.79	<=38.45	Pass		
			13	22.75	0.30	20.90	<=38.45	Pass		
		25	0	22.72	0.30	20.87	<=38.45	Pass		
		836.5	1	0	23.69	0.30	21.84	<=38.45	Pass	
				13	23.56	0.30	21.71	<=38.45	Pass	
	24			23.41	0.30	21.56	<=38.45	Pass		
	12		0	22.69	0.30	20.84	<=38.45	Pass		
			6	22.63	0.30	20.78	<=38.45	Pass		
			13	22.63	0.30	20.78	<=38.45	Pass		
	25	0	22.50	0.30	20.65	<=38.45	Pass			
	846.5	1	0	23.40	0.30	21.55	<=38.45	Pass		
			13	23.49	0.30	21.64	<=38.45	Pass		
			24	23.39	0.30	21.54	<=38.45	Pass		
		12	0	22.57	0.30	20.72	<=38.45	Pass		
			6	22.40	0.30	20.55	<=38.45	Pass		
			13	22.34	0.30	20.49	<=38.45	Pass		
		25	0	22.44	0.30	20.59	<=38.45	Pass		
		16QAM	826.5	1	0	22.06	0.30	20.21	<=38.45	Pass
					13	22.58	0.30	20.73	<=38.45	Pass
	24				22.87	0.30	21.02	<=38.45	Pass	
12	0			21.79	0.30	19.94	<=38.45	Pass		
	6			21.60	0.30	19.75	<=38.45	Pass		
	13			21.73	0.30	19.88	<=38.45	Pass		
25	0			21.80	0.30	19.95	<=38.45	Pass		
836.5	1			0	22.73	0.30	20.88	<=38.45	Pass	
				13	21.88	0.30	20.03	<=38.45	Pass	
			24	22.51	0.30	20.66	<=38.45	Pass		
	12		0	21.66	0.30	19.81	<=38.45	Pass		
			6	21.69	0.30	19.84	<=38.45	Pass		
			13	21.52	0.30	19.67	<=38.45	Pass		
25	0		21.70	0.30	19.85	<=38.45	Pass			
846.5	1		0	22.42	0.30	20.57	<=38.45	Pass		
			13	22.49	0.30	20.64	<=38.45	Pass		
			24	21.79	0.30	19.94	<=38.45	Pass		
	12		0	21.47	0.30	19.62	<=38.45	Pass		
			6	21.39	0.30	19.54	<=38.45	Pass		
			13	21.45	0.30	19.60	<=38.45	Pass		
	25		0	21.59	0.30	19.74	<=38.45	Pass		
	Note1: ERP=Conducted Power+Antenna Gain-2.15									

8.4 B26b_10MHz_ERP

8.4.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTN/V										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	829	1	0	23.53	0.30	21.68	<=38.45	Pass		
			25	23.68	0.30	21.83	<=38.45	Pass		
			49	23.59	0.30	21.74	<=38.45	Pass		
		25	0	22.71	0.30	20.86	<=38.45	Pass		
			13	22.64	0.30	20.79	<=38.45	Pass		
			25	22.66	0.30	20.81	<=38.45	Pass		
		50	0	22.54	0.30	20.69	<=38.45	Pass		
		836.5	1	0	23.55	0.30	21.70	<=38.45	Pass	
				25	23.61	0.30	21.76	<=38.45	Pass	
	49			23.51	0.30	21.66	<=38.45	Pass		
	25		0	22.69	0.30	20.84	<=38.45	Pass		
			13	22.71	0.30	20.86	<=38.45	Pass		
			25	22.70	0.30	20.85	<=38.45	Pass		
	50	0	22.61	0.30	20.76	<=38.45	Pass			
	844	1	0	23.61	0.30	21.76	<=38.45	Pass		
			25	23.28	0.30	21.43	<=38.45	Pass		
			49	23.41	0.30	21.56	<=38.45	Pass		
		25	0	22.56	0.30	20.71	<=38.45	Pass		
			13	22.53	0.30	20.68	<=38.45	Pass		
			25	22.37	0.30	20.52	<=38.45	Pass		
		50	0	22.45	0.30	20.60	<=38.45	Pass		
		16QAM	829	1	0	22.37	0.30	20.52	<=38.45	Pass
					25	22.71	0.30	20.86	<=38.45	Pass
	49				22.20	0.30	20.35	<=38.45	Pass	
25	0			21.74	0.30	19.89	<=38.45	Pass		
	13			21.81	0.30	19.96	<=38.45	Pass		
	25			21.77	0.30	19.92	<=38.45	Pass		
50	0			21.65	0.30	19.80	<=38.45	Pass		
836.5	1			0	22.27	0.30	20.42	<=38.45	Pass	
				25	22.28	0.30	20.43	<=38.45	Pass	
			49	22.57	0.30	20.72	<=38.45	Pass		
	25		0	21.78	0.30	19.93	<=38.45	Pass		
			13	21.68	0.30	19.83	<=38.45	Pass		
			25	21.67	0.30	19.82	<=38.45	Pass		
50	0		21.59	0.30	19.74	<=38.45	Pass			
844	1		0	22.18	0.30	20.33	<=38.45	Pass		
			25	22.21	0.30	20.36	<=38.45	Pass		
			49	22.45	0.30	20.60	<=38.45	Pass		
	25		0	21.66	0.30	19.81	<=38.45	Pass		
			13	21.60	0.30	19.75	<=38.45	Pass		
			25	21.55	0.30	19.70	<=38.45	Pass		
	50		0	21.52	0.30	19.67	<=38.45	Pass		
	Note1: ERP=Conducted Power+Antenna Gain-2.15									

8.5 B26b_15MHz_ERP

8.5.1 Test Result

Band: 26c / Bandwidth: 15MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	821.5	1	0	23.82	0.30	21.97	<=38.45	Pass		
			38	23.58	0.30	21.73	<=38.45	Pass		
			74	23.61	0.30	21.76	<=38.45	Pass		
		36	0	22.84	0.30	20.99	<=38.45	Pass		
			18	22.56	0.30	20.71	<=38.45	Pass		
			39	22.65	0.30	20.8	<=38.45	Pass		
		75	0	22.63	0.30	20.78	<=38.45	Pass		
		831.5	1	0	23.53	0.30	21.68	<=38.45	Pass	
				38	23.53	0.30	21.68	<=38.45	Pass	
	74			23.34	0.30	21.49	<=38.45	Pass		
	36		0	22.52	0.30	20.67	<=38.45	Pass		
			18	22.63	0.30	20.78	<=38.45	Pass		
			39	22.61	0.30	20.76	<=38.45	Pass		
	75	0	22.47	0.30	20.62	<=38.45	Pass			
	841.5	1	0	23.69	0.30	21.84	<=38.45	Pass		
			38	23.45	0.30	21.6	<=38.45	Pass		
			74	23.28	0.30	21.43	<=38.45	Pass		
		36	0	22.37	0.30	20.52	<=38.45	Pass		
			18	22.35	0.30	20.5	<=38.45	Pass		
			39	22.24	0.30	20.39	<=38.45	Pass		
		75	0	22.34	0.30	20.49	<=38.45	Pass		
		16QAM	821.5	1	0	23.06	0.30	21.21	<=38.45	Pass
					38	22.89	0.30	21.04	<=38.45	Pass
	74				22.75	0.30	20.9	<=38.45	Pass	
36	0			21.86	0.30	20.01	<=38.45	Pass		
	18			21.80	0.30	19.95	<=38.45	Pass		
	39			21.70	0.30	19.85	<=38.45	Pass		
75	0			21.69	0.30	19.84	<=38.45	Pass		
831.5	1			0	22.77	0.30	20.92	<=38.45	Pass	
				38	22.62	0.30	20.77	<=38.45	Pass	
			74	22.51	0.30	20.66	<=38.45	Pass		
	36		0	21.69	0.30	19.84	<=38.45	Pass		
			18	21.62	0.30	19.77	<=38.45	Pass		
			39	21.57	0.30	19.72	<=38.45	Pass		
75	0		21.61	0.30	19.76	<=38.45	Pass			
841.5	1		0	22.71	0.30	20.86	<=38.45	Pass		
			38	22.57	0.30	20.72	<=38.45	Pass		
			74	22.30	0.30	20.45	<=38.45	Pass		
	36		0	21.65	0.30	19.8	<=38.45	Pass		
			18	21.57	0.30	19.72	<=38.45	Pass		
			39	21.44	0.30	19.59	<=38.45	Pass		
	75		0	21.46	0.30	19.61	<=38.45	Pass		
	Note1: ERP=Conducted Power+Antenna Gain-2.15									

9.1.1 Test Result

Note1: EIRP=Conducted Power+Antenna Gain

9.2 B41_10MHz_EIRP

9.2.1 Test Result

Band: 41 / Bandwidth: 10MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2550	1	0	22.08	0.30	22.38	<=33.01	Pass		
			25	22.03	0.30	22.33	<=33.01	Pass		
			49	22.06	0.30	22.36	<=33.01	Pass		
		25	0	21.08	0.30	21.38	<=33.01	Pass		
			13	21.00	0.30	21.30	<=33.01	Pass		
			25	21.01	0.30	21.31	<=33.01	Pass		
		50	0	21.04	0.30	21.34	<=33.01	Pass		
		2600	1	0	21.59	0.30	21.89	<=33.01	Pass	
				25	21.56	0.30	21.86	<=33.01	Pass	
	49			21.55	0.30	21.85	<=33.01	Pass		
	25		0	20.67	0.30	20.97	<=33.01	Pass		
			13	20.68	0.30	20.98	<=33.01	Pass		
			25	20.61	0.30	20.91	<=33.01	Pass		
	50	0	20.65	0.30	20.95	<=33.01	Pass			
	2650	1	0	21.12	0.30	21.42	<=33.01	Pass		
			25	21.01	0.30	21.31	<=33.01	Pass		
			49	21.01	0.30	21.31	<=33.01	Pass		
		25	0	20.08	0.30	20.38	<=33.01	Pass		
			13	20.07	0.30	20.37	<=33.01	Pass		
			25	20.01	0.30	20.31	<=33.01	Pass		
		50	0	20.16	0.30	20.46	<=33.01	Pass		
		16QAM	2550	1	0	21.16	0.30	21.46	<=33.01	Pass
					25	21.01	0.30	21.31	<=33.01	Pass
	49				21.16	0.30	21.46	<=33.01	Pass	
25	0			20.17	0.30	20.47	<=33.01	Pass		
	13			20.15	0.30	20.45	<=33.01	Pass		
	25			20.13	0.30	20.43	<=33.01	Pass		
50	0			20.17	0.30	20.47	<=33.01	Pass		
2600	1			0	21.02	0.30	21.32	<=33.01	Pass	
				25	20.79	0.30	21.09	<=33.01	Pass	
			49	20.43	0.30	20.73	<=33.01	Pass		
	25		0	19.96	0.30	20.26	<=33.01	Pass		
			13	19.95	0.30	20.25	<=33.01	Pass		
			25	19.99	0.30	20.29	<=33.01	Pass		
50	0		19.64	0.30	19.94	<=33.01	Pass			
2650	1		0	20.86	0.30	21.16	<=33.01	Pass		
			25	20.82	0.30	21.12	<=33.01	Pass		
			49	20.66	0.30	20.96	<=33.01	Pass		
	25		0	19.28	0.30	19.58	<=33.01	Pass		
			13	19.22	0.30	19.52	<=33.01	Pass		
			25	19.25	0.30	19.55	<=33.01	Pass		
	50		0	19.31	0.30	19.61	<=33.01	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

9.3.1 Test Result

Band: 41 / Bandwidth: 15MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2552.5	1	0	22.19	0.30	22.49	<=33.01	Pass		
			38	22.10	0.30	22.40	<=33.01	Pass		
			74	21.93	0.30	22.23	<=33.01	Pass		
		36	0	21.11	0.30	21.41	<=33.01	Pass		
			18	21.03	0.30	21.33	<=33.01	Pass		
			39	21.07	0.30	21.37	<=33.01	Pass		
		75	0	21.13	0.30	21.43	<=33.01	Pass		
		2600	1	0	21.79	0.30	22.09	<=33.01	Pass	
				38	21.60	0.30	21.90	<=33.01	Pass	
	74			21.51	0.30	21.81	<=33.01	Pass		
	36		0	20.67	0.30	20.97	<=33.01	Pass		
			18	20.61	0.30	20.91	<=33.01	Pass		
			39	20.51	0.30	20.81	<=33.01	Pass		
	75	0	20.60	0.30	20.90	<=33.01	Pass			
	2647.5	1	0	21.24	0.30	21.54	<=33.01	Pass		
			38	21.24	0.30	21.54	<=33.01	Pass		
			74	21.20	0.30	21.50	<=33.01	Pass		
		36	0	20.14	0.30	20.44	<=33.01	Pass		
			18	20.11	0.30	20.41	<=33.01	Pass		
			39	20.16	0.30	20.46	<=33.01	Pass		
		75	0	20.02	0.30	20.32	<=33.01	Pass		
		16QAM	2552.5	1	0	20.97	0.30	21.27	<=33.01	Pass
					38	20.88	0.30	21.18	<=33.01	Pass
	74				20.87	0.30	21.17	<=33.01	Pass	
36	0			20.11	0.30	20.41	<=33.01	Pass		
	18			20.18	0.30	20.48	<=33.01	Pass		
	39			20.07	0.30	20.37	<=33.01	Pass		
75	0			20.19	0.30	20.49	<=33.01	Pass		
2600	1			0	20.19	0.30	20.49	<=33.01	Pass	
				38	20.53	0.30	20.83	<=33.01	Pass	
			74	20.73	0.30	21.03	<=33.01	Pass		
	36		0	19.85	0.30	20.15	<=33.01	Pass		
			18	19.76	0.30	20.06	<=33.01	Pass		
			39	19.72	0.30	20.02	<=33.01	Pass		
75	0		19.87	0.30	20.17	<=33.01	Pass			
2647.5	1		0	20.02	0.30	20.32	<=33.01	Pass		
		38	19.96	0.30	20.26	<=33.01	Pass			
		74	19.84	0.30	20.14	<=33.01	Pass			
	36	0	19.21	0.30	19.51	<=33.01	Pass			
		18	19.34	0.30	19.64	<=33.01	Pass			
		39	19.28	0.30	19.58	<=33.01	Pass			
	75	0	19.23	0.30	19.53	<=33.01	Pass			
Note1: EIRP=Conducted Power+Antenna Gain										

9.4 B41_20MHz_EIRP

9.4.1 Test Result

Band: 41 / Bandwidth: 20MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2555	1	0	22.07	0.30	22.37	<=33.01	Pass		
			50	21.89	0.30	22.19	<=33.01	Pass		
			99	22.03	0.30	22.33	<=33.01	Pass		
		50	0	21.06	0.30	21.36	<=33.01	Pass		
			25	21.03	0.30	21.33	<=33.01	Pass		
			50	20.98	0.30	21.28	<=33.01	Pass		
		100	0	21.07	0.30	21.37	<=33.01	Pass		
		2600	1	0	21.70	0.30	22.00	<=33.01	Pass	
				50	21.66	0.30	21.96	<=33.01	Pass	
	99			21.53	0.30	21.83	<=33.01	Pass		
	50		0	20.67	0.30	20.97	<=33.01	Pass		
			25	20.62	0.30	20.92	<=33.01	Pass		
			50	20.57	0.30	20.87	<=33.01	Pass		
	100	0	20.69	0.30	20.99	<=33.01	Pass			
	2645	1	0	21.25	0.30	21.55	<=33.01	Pass		
			50	21.05	0.30	21.35	<=33.01	Pass		
			99	21.20	0.30	21.50	<=33.01	Pass		
		50	0	20.08	0.30	20.38	<=33.01	Pass		
			25	20.16	0.30	20.46	<=33.01	Pass		
			50	19.99	0.30	20.29	<=33.01	Pass		
		100	0	20.13	0.30	20.43	<=33.01	Pass		
		16QAM	2555	1	0	20.91	0.30	21.21	<=33.01	Pass
					50	21.18	0.30	21.48	<=33.01	Pass
	99				21.25	0.30	21.55	<=33.01	Pass	
50	0			20.13	0.30	20.43	<=33.01	Pass		
	25			20.17	0.30	20.47	<=33.01	Pass		
	50			20.17	0.30	20.47	<=33.01	Pass		
100	0			20.14	0.30	20.44	<=33.01	Pass		
2600	1			0	21.55	0.30	21.85	<=33.01	Pass	
				50	21.18	0.30	21.48	<=33.01	Pass	
			99	21.19	0.30	21.49	<=33.01	Pass		
	50		0	19.93	0.30	20.23	<=33.01	Pass		
			25	19.88	0.30	20.18	<=33.01	Pass		
			50	19.82	0.30	20.12	<=33.01	Pass		
100	0		19.80	0.30	20.10	<=33.01	Pass			
2645	1		0	21.00	0.30	21.30	<=33.01	Pass		
			50	20.85	0.30	21.15	<=33.01	Pass		
			99	20.34	0.30	20.64	<=33.01	Pass		
	50		0	19.30	0.30	19.60	<=33.01	Pass		
			25	19.38	0.30	19.68	<=33.01	Pass		
			50	19.31	0.30	19.61	<=33.01	Pass		
	100		0	19.29	0.30	19.59	<=33.01	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

10.1.1 Test Result

Note1: EIRP=Conducted Power+Antenna Gain

10.2 B66_3MHz_EIRP

10.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1711.5	1	0	21.34	0.30	21.64	<=30	Pass		
			7	21.37	0.30	21.67	<=30	Pass		
			14	21.39	0.30	21.69	<=30	Pass		
		8	0	20.33	0.30	20.63	<=30	Pass		
			4	20.36	0.30	20.66	<=30	Pass		
			7	20.36	0.30	20.66	<=30	Pass		
		15	0	20.31	0.30	20.61	<=30	Pass		
		1745	1	0	21.32	0.30	21.62	<=30	Pass	
				7	21.41	0.30	21.71	<=30	Pass	
	14			21.34	0.30	21.64	<=30	Pass		
	8		0	20.55	0.30	20.85	<=30	Pass		
			4	20.54	0.30	20.84	<=30	Pass		
			7	20.46	0.30	20.76	<=30	Pass		
	15	0	20.50	0.30	20.80	<=30	Pass			
	1778.5	1	0	21.63	0.30	21.93	<=30	Pass		
			7	21.68	0.30	21.98	<=30	Pass		
			14	21.63	0.30	21.93	<=30	Pass		
		8	0	20.73	0.30	21.03	<=30	Pass		
			4	20.73	0.30	21.03	<=30	Pass		
			7	20.71	0.30	21.01	<=30	Pass		
		15	0	20.65	0.30	20.95	<=30	Pass		
		16QAM	1711.5	1	0	20.86	0.30	21.16	<=30	Pass
					7	20.87	0.30	21.17	<=30	Pass
	14				20.80	0.30	21.10	<=30	Pass	
8	0			19.55	0.30	19.85	<=30	Pass		
	4			19.57	0.30	19.87	<=30	Pass		
	7			19.56	0.30	19.86	<=30	Pass		
15	0			19.50	0.30	19.80	<=30	Pass		
1745	1			0	20.25	0.30	20.55	<=30	Pass	
				7	20.31	0.30	20.61	<=30	Pass	
			14	20.24	0.30	20.54	<=30	Pass		
	8		0	19.71	0.30	20.01	<=30	Pass		
			4	19.71	0.30	20.01	<=30	Pass		
			7	19.73	0.30	20.03	<=30	Pass		
15	0		19.45	0.30	19.75	<=30	Pass			
1778.5	1		0	20.64	0.30	20.94	<=30	Pass		
			7	20.64	0.30	20.94	<=30	Pass		
			14	20.64	0.30	20.94	<=30	Pass		
	8		0	19.88	0.30	20.18	<=30	Pass		
			4	19.89	0.30	20.19	<=30	Pass		
			7	19.92	0.30	20.22	<=30	Pass		
	15		0	19.64	0.30	19.94	<=30	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

10.3.1 Test Result

Note1: EIRP=Conducted Power+Antenna Gain

10.4.1 Test Result

Note1: EIRP=Conducted Power+Antenna Gain

10.5 B66_15MHz_EIRP

10.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1717.5	1	0	21.37	0.30	21.67	<=30	Pass		
			38	21.37	0.30	21.67	<=30	Pass		
			74	21.36	0.30	21.66	<=30	Pass		
		36	0	20.40	0.30	20.70	<=30	Pass		
			18	20.36	0.30	20.66	<=30	Pass		
			39	20.40	0.30	20.70	<=30	Pass		
		75	0	20.35	0.30	20.65	<=30	Pass		
		1745	1	0	21.69	0.30	21.99	<=30	Pass	
				38	21.63	0.30	21.93	<=30	Pass	
	74			21.67	0.30	21.97	<=30	Pass		
	36		0	20.57	0.30	20.87	<=30	Pass		
			18	20.54	0.30	20.84	<=30	Pass		
			39	20.56	0.30	20.86	<=30	Pass		
	75	0	20.46	0.30	20.76	<=30	Pass			
	1772.5	1	0	21.56	0.30	21.86	<=30	Pass		
			38	21.60	0.30	21.90	<=30	Pass		
			74	21.54	0.30	21.84	<=30	Pass		
		36	0	20.70	0.30	21.00	<=30	Pass		
			18	20.74	0.30	21.04	<=30	Pass		
			39	20.72	0.30	21.02	<=30	Pass		
		75	0	20.68	0.30	20.98	<=30	Pass		
		16QAM	1717.5	1	0	20.15	0.30	20.45	<=30	Pass
					38	20.12	0.30	20.42	<=30	Pass
	74				20.19	0.30	20.49	<=30	Pass	
36	0			19.49	0.30	19.79	<=30	Pass		
	18			19.55	0.30	19.85	<=30	Pass		
	39			19.55	0.30	19.85	<=30	Pass		
75	0			19.46	0.30	19.76	<=30	Pass		
1745	1			0	20.67	0.30	20.97	<=30	Pass	
				38	20.68	0.30	20.98	<=30	Pass	
			74	20.70	0.30	21.00	<=30	Pass		
	36		0	19.63	0.30	19.93	<=30	Pass		
			18	19.64	0.30	19.94	<=30	Pass		
			39	19.74	0.30	20.04	<=30	Pass		
75	0		19.64	0.30	19.94	<=30	Pass			
1772.5	1		0	20.81	0.30	21.11	<=30	Pass		
			38	20.80	0.30	21.10	<=30	Pass		
			74	20.81	0.30	21.11	<=30	Pass		
	36		0	19.83	0.30	20.13	<=30	Pass		
			18	19.86	0.30	20.16	<=30	Pass		
			39	19.91	0.30	20.21	<=30	Pass		
	75		0	19.77	0.30	20.07	<=30	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

10.6.1 Test Result

Note1: EIRP=Conducted Power+Antenna Gain