

B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	21.81	0.50	22.31	<=33.01	Pass
			2	21.91	0.50	22.41	<=33.01	Pass
			5	21.94	0.50	22.44	<=33.01	Pass
		3	0	21.10	0.50	21.60	<=33.01	Pass
			2	21.12	0.50	21.62	<=33.01	Pass
			3	21.18	0.50	21.68	<=33.01	Pass
		6	0	20.90	0.50	21.40	<=33.01	Pass
	1880	1	0	21.86	0.50	22.36	<=33.01	Pass
			2	21.86	0.50	22.36	<=33.01	Pass
			5	21.84	0.50	22.34	<=33.01	Pass
		3	0	21.14	0.50	21.64	<=33.01	Pass
			2	21.03	0.50	21.53	<=33.01	Pass
			3	21.11	0.50	21.61	<=33.01	Pass
		6	0	20.88	0.50	21.38	<=33.01	Pass
	1909.3	1	0	21.72	0.50	22.22	<=33.01	Pass
			2	21.80	0.50	22.30	<=33.01	Pass
			5	21.77	0.50	22.27	<=33.01	Pass
		3	0	21.00	0.50	21.50	<=33.01	Pass
			2	21.01	0.50	21.51	<=33.01	Pass
			3	21.05	0.50	21.55	<=33.01	Pass
		6	0	20.68	0.50	21.18	<=33.01	Pass
16QAM	1850.7	1	0	21.16	0.50	21.66	<=33.01	Pass
			2	21.09	0.50	21.59	<=33.01	Pass
			5	21.13	0.50	21.63	<=33.01	Pass
		3	0	21.10	0.50	21.60	<=33.01	Pass
			2	21.13	0.50	21.63	<=33.01	Pass
			3	21.06	0.50	21.56	<=33.01	Pass
		6	0	20.12	0.50	20.62	<=33.01	Pass
	1880	1	0	21.07	0.50	21.57	<=33.01	Pass
			2	21.09	0.50	21.59	<=33.01	Pass
			5	21.04	0.50	21.54	<=33.01	Pass
		3	0	21.01	0.50	21.51	<=33.01	Pass
			2	21.04	0.50	21.54	<=33.01	Pass
			3	21.02	0.50	21.52	<=33.01	Pass
		6	0	19.97	0.50	20.47	<=33.01	Pass
	1909.3	1	0	20.89	0.50	21.39	<=33.01	Pass
			2	20.90	0.50	21.40	<=33.01	Pass
			5	20.89	0.50	21.39	<=33.01	Pass
		3	0	20.68	0.50	21.18	<=33.01	Pass
			2	20.67	0.50	21.17	<=33.01	Pass
			3	20.63	0.50	21.13	<=33.01	Pass
		6	0	19.80	0.50	20.30	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	21.91	0.50	22.41	<=33.01	Pass
			7	21.85	0.50	22.35	<=33.01	Pass
			14	21.83	0.50	22.33	<=33.01	Pass

		8	0	20.82	0.50	21.32	<=33.01	Pass			
			4	20.86	0.50	21.36	<=33.01	Pass			
			7	20.85	0.50	21.35	<=33.01	Pass			
		15	0	20.83	0.50	21.33	<=33.01	Pass			
			1880	1	0	21.84	0.50	22.34	<=33.01	Pass	
					7	21.83	0.50	22.33	<=33.01	Pass	
		14			21.83	0.50	22.33	<=33.01	Pass		
		8		0	20.83	0.50	21.33	<=33.01	Pass		
				4	20.83	0.50	21.33	<=33.01	Pass		
				7	20.97	0.50	21.47	<=33.01	Pass		
		15	0	20.96	0.50	21.46	<=33.01	Pass			
			1908.5	1	0	21.70	0.50	22.20	<=33.01	Pass	
	7				21.80	0.50	22.30	<=33.01	Pass		
	14	21.79			0.50	22.29	<=33.01	Pass			
	8	0		20.79	0.50	21.29	<=33.01	Pass			
		4		20.78	0.50	21.28	<=33.01	Pass			
		7		20.78	0.50	21.28	<=33.01	Pass			
	15	0		20.77	0.50	21.27	<=33.01	Pass			
		16QAM		1851.5	1	0	20.82	0.50	21.32	<=33.01	Pass
						7	20.82	0.50	21.32	<=33.01	Pass
	14		20.83			0.50	21.33	<=33.01	Pass		
	8		0		20.24	0.50	20.74	<=33.01	Pass		
			4		20.33	0.50	20.83	<=33.01	Pass		
			7		20.26	0.50	20.76	<=33.01	Pass		
15	0		19.94	0.50	20.44	<=33.01	Pass				
	1880		1	0	20.96	0.50	21.46	<=33.01	Pass		
				7	20.96	0.50	21.46	<=33.01	Pass		
14				20.96	0.50	21.46	<=33.01	Pass			
8			0	20.36	0.50	20.86	<=33.01	Pass			
			4	20.36	0.50	20.86	<=33.01	Pass			
		7	20.36	0.50	20.86	<=33.01	Pass				
15	0	20.96	0.50	21.46	<=33.01	Pass					
	1908.5	1	0	20.77	0.50	21.27	<=33.01	Pass			
			7	20.77	0.50	21.27	<=33.01	Pass			
14			20.76	0.50	21.26	<=33.01	Pass				
8		0	20.16	0.50	20.66	<=33.01	Pass				
		4	20.16	0.50	20.66	<=33.01	Pass				
		7	20.16	0.50	20.66	<=33.01	Pass				
15	0	19.76	0.50	20.26	<=33.01	Pass					
	Note1: EIRP=Conducted Power+Antenna Gain										

B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	21.78	0.50	22.28	<=33.01	Pass
			13	21.79	0.50	22.29	<=33.01	Pass
			24	21.78	0.50	22.28	<=33.01	Pass
		12	0	20.87	0.50	21.37	<=33.01	Pass
			6	20.84	0.50	21.34	<=33.01	Pass
			13	20.90	0.50	21.40	<=33.01	Pass
		25	0	20.80	0.50	21.30	<=33.01	Pass
	1880	1	0	21.81	0.50	22.31	<=33.01	Pass
			13	21.82	0.50	22.32	<=33.01	Pass
			24	21.72	0.50	22.22	<=33.01	Pass
		12	0	20.93	0.50	21.43	<=33.01	Pass

			6	20.88	0.50	21.38	<=33.01	Pass
			13	20.85	0.50	21.35	<=33.01	Pass
		25	0	20.85	0.50	21.35	<=33.01	Pass
	1907.5	1	0	21.83	0.50	22.33	<=33.01	Pass
			13	21.81	0.50	22.31	<=33.01	Pass
			24	21.80	0.50	22.30	<=33.01	Pass
		12	0	20.89	0.50	21.39	<=33.01	Pass
			6	20.87	0.50	21.37	<=33.01	Pass
			13	20.73	0.50	21.23	<=33.01	Pass
		25	0	20.83	0.50	21.33	<=33.01	Pass
16QAM	1852.5	1	0	20.03	0.50	20.53	<=33.01	Pass
			13	20.00	0.50	20.50	<=33.01	Pass
			24	20.15	0.50	20.65	<=33.01	Pass
		12	0	19.91	0.50	20.41	<=33.01	Pass
			6	19.92	0.50	20.42	<=33.01	Pass
			13	19.89	0.50	20.39	<=33.01	Pass
		25	0	19.99	0.50	20.49	<=33.01	Pass
	1880	1	0	20.88	0.50	21.38	<=33.01	Pass
			13	20.87	0.50	21.37	<=33.01	Pass
			24	20.89	0.50	21.39	<=33.01	Pass
		12	0	19.97	0.50	20.47	<=33.01	Pass
			6	19.89	0.50	20.39	<=33.01	Pass
			13	19.87	0.50	20.37	<=33.01	Pass
		25	0	19.94	0.50	20.44	<=33.01	Pass
	1907.5	1	0	20.90	0.50	21.40	<=33.01	Pass
			13	20.91	0.50	21.41	<=33.01	Pass
			24	20.90	0.50	21.40	<=33.01	Pass
		12	0	19.92	0.50	20.42	<=33.01	Pass
			6	19.86	0.50	20.36	<=33.01	Pass
			13	19.88	0.50	20.38	<=33.01	Pass
		25	0	19.89	0.50	20.39	<=33.01	Pass
	Note1: EIRP=Conducted Power+Antenna Gain							

B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	21.90	0.50	22.40	<=33.01	Pass
			25	21.88	0.50	22.38	<=33.01	Pass
			49	21.82	0.50	22.32	<=33.01	Pass
		25	0	20.89	0.50	21.39	<=33.01	Pass
			13	20.94	0.50	21.44	<=33.01	Pass
			25	20.93	0.50	21.43	<=33.01	Pass
		50	0	20.88	0.50	21.38	<=33.01	Pass
	1880	1	0	21.92	0.50	22.42	<=33.01	Pass
			25	21.92	0.50	22.42	<=33.01	Pass
			49	21.82	0.50	22.32	<=33.01	Pass
		25	0	20.93	0.50	21.43	<=33.01	Pass
			13	20.81	0.50	21.31	<=33.01	Pass
			25	20.93	0.50	21.43	<=33.01	Pass
		50	0	20.90	0.50	21.40	<=33.01	Pass
	1905	1	0	21.89	0.50	22.39	<=33.01	Pass
			25	21.80	0.50	22.30	<=33.01	Pass
			49	21.79	0.50	22.29	<=33.01	Pass
		25	0	20.77	0.50	21.27	<=33.01	Pass
			13	20.75	0.50	21.25	<=33.01	Pass

16QAM		50	25	20.79	0.50	21.29	<=33.01	Pass
			0	20.70	0.50	21.20	<=33.01	Pass
	1855	1	0	21.34	0.50	21.84	<=33.01	Pass
			25	21.36	0.50	21.86	<=33.01	Pass
			49	21.27	0.50	21.77	<=33.01	Pass
		25	0	19.91	0.50	20.41	<=33.01	Pass
			13	19.96	0.50	20.46	<=33.01	Pass
			25	19.93	0.50	20.43	<=33.01	Pass
		50	0	19.93	0.50	20.43	<=33.01	Pass
	1880	1	0	20.42	0.50	20.92	<=33.01	Pass
			25	20.42	0.50	20.92	<=33.01	Pass
			49	20.41	0.50	20.91	<=33.01	Pass
		25	0	20.01	0.50	20.51	<=33.01	Pass
			13	20.03	0.50	20.53	<=33.01	Pass
			25	20.04	0.50	20.54	<=33.01	Pass
		50	0	19.91	0.50	20.41	<=33.01	Pass
	1905	1	0	21.02	0.50	21.52	<=33.01	Pass
			25	21.02	0.50	21.52	<=33.01	Pass
			49	20.91	0.50	21.41	<=33.01	Pass
		25	0	19.99	0.50	20.49	<=33.01	Pass
			13	19.90	0.50	20.40	<=33.01	Pass
			25	19.93	0.50	20.43	<=33.01	Pass
		50	0	19.81	0.50	20.31	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	21.92	0.50	22.42	<=33.01	Pass
			38	21.82	0.50	22.32	<=33.01	Pass
			74	21.85	0.50	22.35	<=33.01	Pass
		36	0	20.98	0.50	21.48	<=33.01	Pass
			18	20.97	0.50	21.47	<=33.01	Pass
			39	20.91	0.50	21.41	<=33.01	Pass
		75	0	20.93	0.50	21.43	<=33.01	Pass
	1880	1	0	22.01	0.50	22.51	<=33.01	Pass
			38	21.88	0.50	22.38	<=33.01	Pass
			74	21.84	0.50	22.34	<=33.01	Pass
		36	0	20.88	0.50	21.38	<=33.01	Pass
			18	20.82	0.50	21.32	<=33.01	Pass
			39	20.86	0.50	21.36	<=33.01	Pass
		75	0	20.82	0.50	21.32	<=33.01	Pass
	1902.5	1	0	21.97	0.50	22.47	<=33.01	Pass
			38	21.86	0.50	22.36	<=33.01	Pass
			74	21.78	0.50	22.28	<=33.01	Pass
		36	0	20.85	0.50	21.35	<=33.01	Pass
			18	20.82	0.50	21.32	<=33.01	Pass
			39	20.85	0.50	21.35	<=33.01	Pass
		75	0	20.74	0.50	21.24	<=33.01	Pass
16QAM	1857.5	1	0	21.34	0.50	21.84	<=33.01	Pass
			38	21.31	0.50	21.81	<=33.01	Pass
			74	21.28	0.50	21.78	<=33.01	Pass
		36	0	19.96	0.50	20.46	<=33.01	Pass
			18	19.93	0.50	20.43	<=33.01	Pass
		36	39	19.92	0.50	20.42	<=33.01	Pass

	1880	75	0	19.91	0.50	20.41	<=33.01	Pass
		1	0	21.24	0.50	21.74	<=33.01	Pass
			38	21.26	0.50	21.76	<=33.01	Pass
			74	21.24	0.50	21.74	<=33.01	Pass
		36	0	19.90	0.50	20.40	<=33.01	Pass
			18	19.96	0.50	20.46	<=33.01	Pass
			39	19.89	0.50	20.39	<=33.01	Pass
		75	0	19.96	0.50	20.46	<=33.01	Pass
	1902.5	1	0	21.05	0.50	21.55	<=33.01	Pass
			38	20.99	0.50	21.49	<=33.01	Pass
			74	20.93	0.50	21.43	<=33.01	Pass
		36	0	19.97	0.50	20.47	<=33.01	Pass
			18	20.00	0.50	20.50	<=33.01	Pass
			39	19.96	0.50	20.46	<=33.01	Pass
		75	0	19.98	0.50	20.48	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	21.94	0.50	22.44	<=33.01	Pass
			50	21.87	0.50	22.37	<=33.01	Pass
			99	21.84	0.50	22.34	<=33.01	Pass
		50	0	20.98	0.50	21.48	<=33.01	Pass
			25	20.90	0.50	21.40	<=33.01	Pass
			50	20.95	0.50	21.45	<=33.01	Pass
		100	0	20.85	0.50	21.35	<=33.01	Pass
		1880	0	22.06	0.50	22.56	<=33.01	Pass
			50	21.95	0.50	22.45	<=33.01	Pass
			99	21.99	0.50	22.49	<=33.01	Pass
		50	0	20.99	0.50	21.49	<=33.01	Pass
			25	21.04	0.50	21.54	<=33.01	Pass
			50	20.80	0.50	21.30	<=33.01	Pass
		100	0	20.82	0.50	21.32	<=33.01	Pass
	1900	1	0	21.86	0.50	22.36	<=33.01	Pass
			50	21.84	0.50	22.34	<=33.01	Pass
			99	21.71	0.50	22.21	<=33.01	Pass
		50	0	20.91	0.50	21.41	<=33.01	Pass
			25	20.88	0.50	21.38	<=33.01	Pass
			50	20.73	0.50	21.23	<=33.01	Pass
		100	0	20.81	0.50	21.31	<=33.01	Pass
16QAM	1860	1	0	20.88	0.50	21.38	<=33.01	Pass
			50	20.86	0.50	21.36	<=33.01	Pass
			99	20.79	0.50	21.29	<=33.01	Pass
		50	0	20.08	0.50	20.58	<=33.01	Pass
			25	20.06	0.50	20.56	<=33.01	Pass
			50	20.05	0.50	20.55	<=33.01	Pass
		100	0	19.95	0.50	20.45	<=33.01	Pass
	1880	1	0	21.80	0.50	22.30	<=33.01	Pass
			50	21.75	0.50	22.25	<=33.01	Pass
			99	21.75	0.50	22.25	<=33.01	Pass
		50	0	19.97	0.50	20.47	<=33.01	Pass
			25	20.01	0.50	20.51	<=33.01	Pass
			50	19.90	0.50	20.40	<=33.01	Pass
		100	0	20.02	0.50	20.52	<=33.01	Pass

	1900	1	0	21.31	0.50	21.81	<=33.01	Pass
			50	21.23	0.50	21.73	<=33.01	Pass
			99	21.16	0.50	21.66	<=33.01	Pass
		50	0	20.01	0.50	20.51	<=33.01	Pass
			25	19.94	0.50	20.44	<=33.01	Pass
			50	19.93	0.50	20.43	<=33.01	Pass
		100	0	19.88	0.50	20.38	<=33.01	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

B4_1.4MHz_EIRP

Band: 4 / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	21.37	0.50	21.87	<=30	Pass
			2	21.43	0.50	21.93	<=30	Pass
			5	21.44	0.50	21.94	<=30	Pass
		3	0	21.41	0.50	21.91	<=30	Pass
			2	21.44	0.50	21.94	<=30	Pass
			3	21.40	0.50	21.90	<=30	Pass
		6	0	20.46	0.50	20.96	<=30	Pass
	1732.5	1	0	21.36	0.50	21.86	<=30	Pass
			2	21.50	0.50	22.00	<=30	Pass
			5	21.56	0.50	22.06	<=30	Pass
		3	0	21.48	0.50	21.98	<=30	Pass
			2	21.56	0.50	22.06	<=30	Pass
			3	21.49	0.50	21.99	<=30	Pass
		6	0	20.56	0.50	21.06	<=30	Pass
	1754.3	1	0	21.69	0.50	22.19	<=30	Pass
			2	21.51	0.50	22.01	<=30	Pass
			5	21.55	0.50	22.05	<=30	Pass
		3	0	21.59	0.50	22.09	<=30	Pass
			2	21.62	0.50	22.12	<=30	Pass
			3	21.60	0.50	22.10	<=30	Pass
		6	0	20.49	0.50	20.99	<=30	Pass
16QAM	1710.7	1	0	20.55	0.50	21.05	<=30	Pass
			2	20.54	0.50	20.94	<=30	Pass
			5	20.59	0.50	20.99	<=30	Pass
		3	0	20.29	0.50	20.79	<=30	Pass
			2	20.22	0.50	20.72	<=30	Pass
			3	20.21	0.50	20.71	<=30	Pass
		6	0	19.39	0.50	19.89	<=30	Pass
	1732.5	1	0	20.65	0.50	21.15	<=30	Pass
			2	20.69	0.50	21.19	<=30	Pass
			5	20.74	0.50	21.24	<=30	Pass
		3	0	20.71	0.50	21.21	<=30	Pass
			2	20.75	0.50	21.25	<=30	Pass
			3	20.73	0.50	21.23	<=30	Pass
		6	0	19.94	0.50	20.44	<=30	Pass
	1754.3	1	0	20.92	0.50	21.42	<=30	Pass
			2	20.89	0.50	21.39	<=30	Pass
			5	20.90	0.50	21.40	<=30	Pass
		3	0	20.09	0.50	20.59	<=30	Pass
			2	20.07	0.50	20.57	<=30	Pass
			3	20.10	0.50	20.60	<=30	Pass
		6	0	19.56	0.50	20.06	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

B4_3MHz_EIRP

Band: 4 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	1711.5	1	0	21.39	0.50	21.89	<=30	Pass	
			7	21.38	0.50	21.88	<=30	Pass	
			14	21.34	0.50	21.84	<=30	Pass	
		8	0	20.42	0.50	20.92	<=30	Pass	
			4	20.43	0.50	20.93	<=30	Pass	
			7	20.34	0.50	20.84	<=30	Pass	
		15	0	20.42	0.50	20.92	<=30	Pass	
		1732.5	1	0	21.48	0.50	21.98	<=30	Pass
				7	21.46	0.50	21.96	<=30	Pass
	14			21.47	0.50	21.97	<=30	Pass	
	8		0	20.46	0.50	20.96	<=30	Pass	
			4	20.46	0.50	20.96	<=30	Pass	
			7	20.46	0.50	20.96	<=30	Pass	
	15		0	20.46	0.50	20.96	<=30	Pass	
	1753.5		1	0	21.45	0.50	21.95	<=30	Pass
				7	21.43	0.50	21.93	<=30	Pass
		14		21.41	0.50	21.91	<=30	Pass	
		8	0	20.42	0.50	20.92	<=30	Pass	
			4	20.59	0.50	21.09	<=30	Pass	
			7	20.59	0.50	21.09	<=30	Pass	
		15	0	20.59	0.50	21.09	<=30	Pass	

16QAM	1711.5	1	0	20.33	0.50	20.83	<=30	Pass	
			7	20.40	0.50	20.90	<=30	Pass	
			14	20.38	0.50	20.88	<=30	Pass	
		8	0	19.87	0.50	20.37	<=30	Pass	
			4	19.85	0.50	20.35	<=30	Pass	
			7	19.84	0.50	20.34	<=30	Pass	
		15	0	19.33	0.50	19.83	<=30	Pass	
		1732.5	1	0	20.46	0.50	20.96	<=30	Pass
				7	20.46	0.50	20.96	<=30	Pass
	14			20.46	0.50	20.96	<=30	Pass	
	8		0	19.95	0.50	20.45	<=30	Pass	
			4	19.96	0.50	20.46	<=30	Pass	
			7	19.96	0.50	20.46	<=30	Pass	
	15		0	19.46	0.50	19.96	<=30	Pass	
	1753.5		1	0	20.49	0.50	20.99	<=30	Pass
				7	20.51	0.50	21.01	<=30	Pass
		14		20.47	0.50	20.97	<=30	Pass	
		8	0	19.80	0.50	20.30	<=30	Pass	
			4	19.73	0.50	20.23	<=30	Pass	
			7	19.70	0.50	20.20	<=30	Pass	
		15	0	19.49	0.50	19.99	<=30	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

B4_5MHz_EIRP

Band: 4 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	21.41	0.50	21.91	<=30	Pass
			13	21.34	0.50	21.84	<=30	Pass
			24	21.42	0.50	21.92	<=30	Pass
		12	0	20.38	0.50	20.88	<=30	Pass
			6	20.44	0.50	20.94	<=30	Pass
			13	20.43	0.50	20.93	<=30	Pass
		25	0	20.42	0.50	20.92	<=30	Pass
	1732.5	1	0	21.37	0.50	21.87	<=30	Pass

		12	13	21.42	0.50	21.92	<=30	Pass
			24	21.40	0.50	21.90	<=30	Pass
			0	20.46	0.50	20.96	<=30	Pass
			6	20.52	0.50	21.02	<=30	Pass
			13	20.54	0.50	21.04	<=30	Pass
		25	0	20.50	0.50	21.00	<=30	Pass
	1752.5	1	0	21.53	0.50	22.03	<=30	Pass
			13	21.50	0.50	22.00	<=30	Pass
			24	21.53	0.50	22.03	<=30	Pass
		12	0	20.62	0.50	21.12	<=30	Pass
			6	20.53	0.50	21.03	<=30	Pass
			13	20.54	0.50	21.04	<=30	Pass
		25	0	20.60	0.50	21.10	<=30	Pass
16QAM	1712.5	1	0	19.59	0.50	20.09	<=30	Pass
			13	19.54	0.50	20.04	<=30	Pass
			24	19.55	0.50	20.05	<=30	Pass
		12	0	19.46	0.50	19.96	<=30	Pass
			6	19.48	0.50	19.98	<=30	Pass
			13	19.45	0.50	19.95	<=30	Pass
		25	0	19.53	0.50	20.03	<=30	Pass
	1732.5	1	0	20.46	0.50	20.96	<=30	Pass
			13	20.51	0.50	21.01	<=30	Pass
			24	20.42	0.50	20.92	<=30	Pass
		12	0	19.40	0.50	19.90	<=30	Pass
			6	19.60	0.50	20.10	<=30	Pass
			13	19.66	0.50	20.16	<=30	Pass
		25	0	19.68	0.50	20.18	<=30	Pass
	1752.5	1	0	20.55	0.50	21.05	<=30	Pass
			13	20.55	0.50	21.05	<=30	Pass
			24	20.55	0.50	21.05	<=30	Pass
		12	0	19.52	0.50	20.02	<=30	Pass
			6	19.64	0.50	20.14	<=30	Pass
			13	19.68	0.50	20.18	<=30	Pass
		25	0	19.56	0.50	20.06	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

B4_10MHz_EIRP

Band: 4 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	21.36	0.50	21.86	<=30	Pass
			25	21.37	0.50	21.87	<=30	Pass
			49	21.36	0.50	21.86	<=30	Pass
		25	0	20.41	0.50	20.91	<=30	Pass
			13	20.39	0.50	20.89	<=30	Pass
			25	20.51	0.50	21.01	<=30	Pass
		50	0	20.41	0.50	20.91	<=30	Pass
	1732.5	1	0	21.55	0.50	22.05	<=30	Pass
			25	21.47	0.50	21.97	<=30	Pass
			49	21.46	0.50	21.96	<=30	Pass
		25	0	20.53	0.50	21.03	<=30	Pass
			13	20.46	0.50	20.96	<=30	Pass
			25	20.41	0.50	20.91	<=30	Pass
		50	0	20.55	0.50	21.05	<=30	Pass
	1750	1	0	21.49	0.50	21.99	<=30	Pass
			25	21.42	0.50	21.92	<=30	Pass

			49	21.53	0.50	22.03	<=30	Pass		
		25	0	20.56	0.50	21.06	<=30	Pass		
			13	20.65	0.50	21.15	<=30	Pass		
			25	20.50	0.50	21.00	<=30	Pass		
		50	0	20.51	0.50	21.01	<=30	Pass		
16QAM	1715	1	0	20.58	0.50	21.08	<=30	Pass		
			25	20.57	0.50	21.07	<=30	Pass		
			49	20.58	0.50	21.08	<=30	Pass		
		25	0	19.50	0.50	20.00	<=30	Pass		
			13	19.49	0.50	19.99	<=30	Pass		
			25	19.46	0.50	19.96	<=30	Pass		
		50	0	19.48	0.50	19.98	<=30	Pass		
		1732.5	1	0	20.05	0.50	20.55	<=30	Pass	
				25	20.03	0.50	20.53	<=30	Pass	
	49			20.01	0.50	20.51	<=30	Pass		
	25		0	19.60	0.50	20.10	<=30	Pass		
			13	19.77	0.50	20.27	<=30	Pass		
			25	19.77	0.50	20.27	<=30	Pass		
	50		0	19.66	0.50	20.16	<=30	Pass		
	1750		1	0	20.79	0.50	21.29	<=30	Pass	
				25	20.73	0.50	21.23	<=30	Pass	
		49		20.74	0.50	21.24	<=30	Pass		
		25	0	19.48	0.50	19.98	<=30	Pass		
			13	19.53	0.50	20.03	<=30	Pass		
			25	19.52	0.50	20.02	<=30	Pass		
		50	0	19.52	0.50	20.02	<=30	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

B4_15MHz_EIRP

Band: 4 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	21.41	0.50	21.91	<=30	Pass
			38	21.37	0.50	21.87	<=30	Pass
			74	21.41	0.50	21.91	<=30	Pass
		36	0	20.37	0.50	20.87	<=30	Pass
			18	20.50	0.50	21.00	<=30	Pass
			39	20.41	0.50	20.91	<=30	Pass
		75	0	20.47	0.50	20.97	<=30	Pass
	1732.5	1	0	21.47	0.50	21.97	<=30	Pass
			38	21.43	0.50	21.93	<=30	Pass
			74	21.41	0.50	21.91	<=30	Pass
		36	0	20.42	0.50	20.92	<=30	Pass
			18	20.50	0.50	21.00	<=30	Pass
			39	20.56	0.50	21.06	<=30	Pass
		75	0	20.47	0.50	20.97	<=30	Pass
	1747.5	1	0	21.41	0.50	21.91	<=30	Pass
			38	21.52	0.50	22.02	<=30	Pass
			74	21.47	0.50	21.97	<=30	Pass
		36	0	20.54	0.50	21.04	<=30	Pass
			18	20.40	0.50	20.90	<=30	Pass
			39	20.64	0.50	21.14	<=30	Pass
		75	0	20.49	0.50	20.99	<=30	Pass
16QAM	1717.5	1	0	20.62	0.50	21.12	<=30	Pass
			38	20.60	0.50	21.10	<=30	Pass
			74	20.64	0.50	21.14	<=30	Pass

		36	0	19.58	0.50	20.08	<=30	Pass
			18	19.56	0.50	20.06	<=30	Pass
			39	19.63	0.50	20.13	<=30	Pass
		75	0	19.50	0.50	20.00	<=30	Pass
	1732.5	1	0	20.89	0.50	21.39	<=30	Pass
			38	20.86	0.50	21.36	<=30	Pass
			74	20.79	0.50	21.29	<=30	Pass
		36	0	19.48	0.50	19.98	<=30	Pass
			18	19.68	0.50	20.18	<=30	Pass
			39	19.54	0.50	20.04	<=30	Pass
		75	0	19.76	0.50	20.26	<=30	Pass
	1747.5	1	0	21.15	0.50	21.65	<=30	Pass
			38	21.11	0.50	21.61	<=30	Pass
			74	21.15	0.50	21.65	<=30	Pass
		36	0	19.71	0.50	20.21	<=30	Pass
			18	19.54	0.50	20.04	<=30	Pass
			39	19.60	0.50	20.10	<=30	Pass
		75	0	19.64	0.50	20.14	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

B4_20MHz_EIRP

Band: 4 / Bandwidth: 20MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	21.56	0.50	22.06	<=30	Pass
			50	21.48	0.50	21.98	<=30	Pass
			99	21.53	0.50	22.03	<=30	Pass
		50	0	20.42	0.50	20.92	<=30	Pass
			25	20.50	0.50	21.00	<=30	Pass
			50	20.49	0.50	20.99	<=30	Pass
		100	0	20.42	0.50	20.92	<=30	Pass
	1732.5	1	0	21.57	0.50	22.07	<=30	Pass
			50	21.55	0.50	22.05	<=30	Pass
			99	21.62	0.50	22.12	<=30	Pass
		50	0	20.50	0.50	21.00	<=30	Pass
			25	20.44	0.50	20.94	<=30	Pass
			50	20.49	0.50	20.99	<=30	Pass
		100	0	20.50	0.50	21.00	<=30	Pass
	1745	1	0	21.45	0.50	21.95	<=30	Pass
			50	21.54	0.50	22.04	<=30	Pass
			99	21.43	0.50	21.93	<=30	Pass
		50	0	20.45	0.50	20.95	<=30	Pass
			25	20.58	0.50	21.08	<=30	Pass
			50	20.41	0.50	20.91	<=30	Pass
		100	0	20.61	0.50	21.11	<=30	Pass
16QAM	1720	1	0	20.33	0.50	20.83	<=30	Pass
			50	20.32	0.50	20.82	<=30	Pass
			99	20.36	0.50	20.86	<=30	Pass
		50	0	19.58	0.50	20.08	<=30	Pass
			25	19.64	0.50	20.14	<=30	Pass
			50	19.59	0.50	20.09	<=30	Pass
		100	0	19.55	0.50	20.05	<=30	Pass
	1732.5	1	0	21.33	0.50	21.83	<=30	Pass
			50	21.24	0.50	21.74	<=30	Pass
			99	21.24	0.50	21.74	<=30	Pass
		50	0	19.46	0.50	19.96	<=30	Pass
			0	19.46	0.50	19.96	<=30	Pass

			25	19.70	0.50	20.20	<=30	Pass
			50	19.54	0.50	20.04	<=30	Pass
		100	0	19.76	0.50	20.26	<=30	Pass
	1745	1	0	21.07	0.50	21.57	<=30	Pass
			50	21.12	0.50	21.62	<=30	Pass
			99	21.06	0.50	21.56	<=30	Pass
		50	0	19.63	0.50	20.13	<=30	Pass
			25	19.69	0.50	20.19	<=30	Pass
			50	19.70	0.50	20.20	<=30	Pass
		100	0	19.59	0.50	20.09	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

B7_5MHz_EIRP

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	21.02	0.50	21.52	<=33.01	Pass
			13	21.04	0.50	21.54	<=33.01	Pass
			24	21.24	0.50	21.74	<=33.01	Pass
		12	0	20.27	0.50	20.77	<=33.01	Pass
			6	20.27	0.50	20.77	<=33.01	Pass
			13	20.16	0.50	20.66	<=33.01	Pass
		25	0	20.16	0.50	20.66	<=33.01	Pass
	2535	1	0	21.01	0.50	21.51	<=33.01	Pass
			13	21.00	0.50	21.50	<=33.01	Pass
			24	20.93	0.50	21.43	<=33.01	Pass
		12	0	20.24	0.50	20.74	<=33.01	Pass
			6	20.22	0.50	20.72	<=33.01	Pass
			13	20.14	0.50	20.64	<=33.01	Pass
		25	0	20.33	0.50	20.83	<=33.01	Pass
	2567.5	1	0	21.21	0.50	21.71	<=33.01	Pass
			13	21.17	0.50	21.67	<=33.01	Pass
			24	21.22	0.50	21.72	<=33.01	Pass
		12	0	20.22	0.50	20.72	<=33.01	Pass
			6	20.31	0.50	20.81	<=33.01	Pass
			13	20.18	0.50	20.68	<=33.01	Pass
		25	0	20.16	0.50	20.66	<=33.01	Pass
16QAM	2502.5	1	0	19.61	0.50	20.11	<=33.01	Pass
			13	19.56	0.50	20.06	<=33.01	Pass
			24	19.50	0.50	20.00	<=33.01	Pass
		12	0	19.37	0.50	19.87	<=33.01	Pass
			6	19.37	0.50	19.87	<=33.01	Pass
			13	19.32	0.50	19.82	<=33.01	Pass
		25	0	19.48	0.50	19.98	<=33.01	Pass
	2535	1	0	20.22	0.50	20.72	<=33.01	Pass
			13	20.34	0.50	20.84	<=33.01	Pass
			24	20.23	0.50	20.73	<=33.01	Pass
		12	0	19.24	0.50	19.74	<=33.01	Pass
			6	19.24	0.50	19.74	<=33.01	Pass
			13	19.29	0.50	19.79	<=33.01	Pass
		25	0	19.36	0.50	19.86	<=33.01	Pass
	2567.5	1	0	20.23	0.50	20.73	<=33.01	Pass
			13	20.26	0.50	20.76	<=33.01	Pass
			24	20.33	0.50	20.83	<=33.01	Pass
		12	0	19.30	0.50	19.80	<=33.01	Pass
			6	19.31	0.50	19.81	<=33.01	Pass
			13	19.39	0.50	19.89	<=33.01	Pass
		25	0	19.28	0.50	19.78	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

B7_10MHz_EIRP

Band: 7 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	21.16	0.50	21.66	<=33.01	Pass
			25	21.08	0.50	21.58	<=33.01	Pass
			49	21.11	0.50	21.61	<=33.01	Pass

	2535	25	0	20.17	0.50	20.67	<=33.01	Pass	
			13	20.25	0.50	20.75	<=33.01	Pass	
			25	20.19	0.50	20.69	<=33.01	Pass	
		50	0	20.14	0.50	20.64	<=33.01	Pass	
			1	0	21.40	0.50	21.90	<=33.01	Pass
				25	21.43	0.50	21.93	<=33.01	Pass
		49		21.40	0.50	21.90	<=33.01	Pass	
		25	0	20.13	0.50	20.63	<=33.01	Pass	
			13	20.29	0.50	20.79	<=33.01	Pass	
	25		20.21	0.50	20.71	<=33.01	Pass		
	50	0	20.21	0.50	20.71	<=33.01	Pass		
		25	21.12	0.50	21.62	<=33.01	Pass		
		49	21.12	0.50	21.62	<=33.01	Pass		
	25	0	20.18	0.50	20.68	<=33.01	Pass		
		13	20.07	0.50	20.57	<=33.01	Pass		
		25	20.11	0.50	20.61	<=33.01	Pass		
	50	0	20.24	0.50	20.74	<=33.01	Pass		
		25	20.43	0.50	20.93	<=33.01	Pass		
49		20.38	0.50	20.88	<=33.01	Pass			
25	0	19.41	0.50	19.91	<=33.01	Pass			
	13	19.41	0.50	19.91	<=33.01	Pass			
	25	19.36	0.50	19.86	<=33.01	Pass			
50	0	19.44	0.50	19.94	<=33.01	Pass			
2535	1	0	19.83	0.50	20.33	<=33.01	Pass		
		25	19.82	0.50	20.32	<=33.01	Pass		
		49	19.78	0.50	20.28	<=33.01	Pass		
	25	0	19.36	0.50	19.86	<=33.01	Pass		
		13	19.40	0.50	19.90	<=33.01	Pass		
		25	19.43	0.50	19.93	<=33.01	Pass		
50	0	19.35	0.50	19.85	<=33.01	Pass			
2565	1	0	20.51	0.50	21.01	<=33.01	Pass		
		25	20.51	0.50	21.01	<=33.01	Pass		
		49	20.55	0.50	21.05	<=33.01	Pass		
	25	0	19.33	0.50	19.83	<=33.01	Pass		
		13	19.34	0.50	19.84	<=33.01	Pass		
		25	19.41	0.50	19.91	<=33.01	Pass		
50	0	19.32	0.50	19.82	<=33.01	Pass			
Note1: EIRP=Conducted Power+Antenna Gain									

B7_15MHz_EIRP

Band: 7 / Bandwidth: 15MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	21.29	0.50	21.79	<=33.01	Pass
			38	21.19	0.50	21.69	<=33.01	Pass
			74	21.25	0.50	21.75	<=33.01	Pass
		36	0	20.15	0.50	20.65	<=33.01	Pass
			18	20.20	0.50	20.70	<=33.01	Pass
			39	20.26	0.50	20.76	<=33.01	Pass
		75	0	20.32	0.50	20.82	<=33.01	Pass
	2535	1	0	21.33	0.50	21.83	<=33.01	Pass
			38	21.35	0.50	21.85	<=33.01	Pass
			74	21.30	0.50	21.80	<=33.01	Pass
		36	0	20.11	0.50	20.61	<=33.01	Pass

		75	18	20.32	0.50	20.82	<=33.01	Pass
			39	20.29	0.50	20.79	<=33.01	Pass
			0	20.26	0.50	20.76	<=33.01	Pass
	2562.5	1	0	21.19	0.50	21.69	<=33.01	Pass
			38	21.24	0.50	21.74	<=33.01	Pass
			74	21.20	0.50	21.70	<=33.01	Pass
		36	0	20.24	0.50	20.74	<=33.01	Pass
			18	20.30	0.50	20.80	<=33.01	Pass
			39	20.11	0.50	20.61	<=33.01	Pass
		75	0	20.31	0.50	20.81	<=33.01	Pass
16QAM	2507.5	1	0	20.55	0.50	21.05	<=33.01	Pass
			38	20.48	0.50	20.98	<=33.01	Pass
			74	20.52	0.50	21.02	<=33.01	Pass
		36	0	19.56	0.50	20.06	<=33.01	Pass
			18	19.45	0.50	19.95	<=33.01	Pass
			39	19.49	0.50	19.99	<=33.01	Pass
		75	0	19.30	0.50	19.80	<=33.01	Pass
	2535	1	0	20.76	0.50	21.26	<=33.01	Pass
			38	20.68	0.50	21.18	<=33.01	Pass
			74	20.59	0.50	21.09	<=33.01	Pass
		36	0	19.26	0.50	19.76	<=33.01	Pass
			18	19.41	0.50	19.91	<=33.01	Pass
			39	19.39	0.50	19.89	<=33.01	Pass
		75	0	19.38	0.50	19.88	<=33.01	Pass
	2562.5	1	0	20.74	0.50	21.24	<=33.01	Pass
			38	20.68	0.50	21.18	<=33.01	Pass
			74	20.72	0.50	21.22	<=33.01	Pass
		36	0	19.37	0.50	19.87	<=33.01	Pass
			18	19.35	0.50	19.85	<=33.01	Pass
			39	19.38	0.50	19.88	<=33.01	Pass
		75	0	19.36	0.50	19.86	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

B7_20MHz_EIRP

Band: 7 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	21.31	0.50	21.81	<=33.01	Pass
			50	21.30	0.50	21.80	<=33.01	Pass
			99	21.34	0.50	21.84	<=33.01	Pass
		50	0	20.21	0.50	20.71	<=33.01	Pass
			25	20.27	0.50	20.77	<=33.01	Pass
			50	20.36	0.50	20.86	<=33.01	Pass
		100	0	20.16	0.50	20.66	<=33.01	Pass
	2535	1	0	21.52	0.50	22.02	<=33.01	Pass
			50	21.52	0.50	22.02	<=33.01	Pass
			99	21.51	0.50	22.01	<=33.01	Pass
		50	0	20.24	0.50	20.74	<=33.01	Pass
			25	20.28	0.50	20.78	<=33.01	Pass
			50	20.07	0.50	20.57	<=33.01	Pass
		100	0	20.27	0.50	20.77	<=33.01	Pass
	2560	1	0	21.29	0.50	21.79	<=33.01	Pass
			50	21.22	0.50	21.72	<=33.01	Pass
			99	21.30	0.50	21.80	<=33.01	Pass
		50	0	20.20	0.50	20.70	<=33.01	Pass
			25	20.22	0.50	20.72	<=33.01	Pass

			50	20.14	0.50	20.64	<=33.01	Pass	
		100	0	20.21	0.50	20.71	<=33.01	Pass	
16QAM	2510	1	0	19.97	0.50	20.47	<=33.01	Pass	
			50	19.99	0.50	20.49	<=33.01	Pass	
			99	19.87	0.50	20.37	<=33.01	Pass	
		50	0	19.40	0.50	19.90	<=33.01	Pass	
			25	19.34	0.50	19.84	<=33.01	Pass	
			50	19.49	0.50	19.99	<=33.01	Pass	
		100	0	19.30	0.50	19.80	<=33.01	Pass	
		2535	1	0	20.52	0.50	21.02	<=33.01	Pass
				50	20.53	0.50	21.03	<=33.01	Pass
	99			20.48	0.50	20.98	<=33.01	Pass	
	50		0	19.19	0.50	19.69	<=33.01	Pass	
			25	19.30	0.50	19.80	<=33.01	Pass	
			50	19.29	0.50	19.79	<=33.01	Pass	
	100		0	19.38	0.50	19.88	<=33.01	Pass	
	2560	1	0	20.00	0.50	20.50	<=33.01	Pass	
			50	19.96	0.50	20.46	<=33.01	Pass	
			99	19.99	0.50	20.49	<=33.01	Pass	
		50	0	19.37	0.50	19.87	<=33.01	Pass	
			25	19.29	0.50	19.79	<=33.01	Pass	
			50	19.37	0.50	19.87	<=33.01	Pass	
100		0	19.23	0.50	19.73	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain									

B12_1.4MHz_ERP

Band: 12 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	699.7	1	0	22.82	0.50	21.17	<=34.77	Pass
			2	22.84	0.50	21.19	<=34.77	Pass
			5	22.76	0.50	21.11	<=34.77	Pass
		3	0	22.64	0.50	20.99	<=34.77	Pass
			2	22.60	0.50	20.95	<=34.77	Pass
			3	22.57	0.50	20.92	<=34.77	Pass
		6	0	21.77	0.50	20.12	<=34.77	Pass
	707.5	1	0	22.65	0.50	21.00	<=34.77	Pass
			2	22.61	0.50	20.96	<=34.77	Pass
			5	22.85	0.50	21.20	<=34.77	Pass
		3	0	22.75	0.50	21.10	<=34.77	Pass
			2	22.86	0.50	21.21	<=34.77	Pass
			3	22.78	0.50	21.13	<=34.77	Pass
	6	0	21.66	0.50	20.01	<=34.77	Pass	
	715.3	1	0	22.80	0.50	21.15	<=34.77	Pass
			2	22.79	0.50	21.14	<=34.77	Pass
			5	22.85	0.50	21.20	<=34.77	Pass
		3	0	22.62	0.50	20.97	<=34.77	Pass
			2	22.69	0.50	21.04	<=34.77	Pass
			3	22.70	0.50	21.05	<=34.77	Pass
		6	0	21.56	0.50	19.91	<=34.77	Pass
16QAM	699.7	1	0	21.41	0.50	19.76	<=34.77	Pass
			2	21.39	0.50	19.74	<=34.77	Pass
			5	21.37	0.50	19.72	<=34.77	Pass
		3	0	21.54	0.50	19.89	<=34.77	Pass
			2	21.54	0.50	19.89	<=34.77	Pass
			3	21.52	0.50	19.87	<=34.77	Pass
		6	0	20.91	0.50	19.26	<=34.77	Pass
	707.5	1	0	21.74	0.50	20.09	<=34.77	Pass
			2	21.92	0.50	20.27	<=34.77	Pass
			5	21.90	0.50	20.25	<=34.77	Pass
		3	0	21.63	0.50	19.98	<=34.77	Pass
			2	21.63	0.50	19.98	<=34.77	Pass
			3	21.71	0.50	20.06	<=34.77	Pass
	6	0	21.01	0.50	19.36	<=34.77	Pass	
	715.3	1	0	21.23	0.50	19.58	<=34.77	Pass
			2	21.17	0.50	19.52	<=34.77	Pass
			5	21.18	0.50	19.53	<=34.77	Pass
		3	0	21.27	0.50	19.62	<=34.77	Pass
			2	21.26	0.50	19.61	<=34.77	Pass
			3	21.29	0.50	19.64	<=34.77	Pass
		6	0	20.82	0.50	19.17	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

B12_3MHz_ERP

Band: 12 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	700.5	1	0	22.62	0.50	20.97	<=34.77	Pass

			7	22.56	0.50	20.91	<=34.77	Pass		
			14	22.73	0.50	21.08	<=34.77	Pass		
			8	0	21.81	0.50	20.16	<=34.77	Pass	
				4	21.93	0.50	20.28	<=34.77	Pass	
				7	21.70	0.50	20.05	<=34.77	Pass	
			15	0	21.83	0.50	20.18	<=34.77	Pass	
		707.5	1	0	22.75	0.50	21.10	<=34.77	Pass	
				7	22.76	0.50	21.11	<=34.77	Pass	
				14	22.64	0.50	20.99	<=34.77	Pass	
			8	0	21.62	0.50	19.97	<=34.77	Pass	
				4	21.61	0.50	19.96	<=34.77	Pass	
				7	21.60	0.50	19.95	<=34.77	Pass	
	15		0	21.68	0.50	20.03	<=34.77	Pass		
	714.5		1	0	22.69	0.50	21.04	<=34.77	Pass	
				7	22.73	0.50	21.08	<=34.77	Pass	
		14		22.69	0.50	21.04	<=34.77	Pass		
		8	0	21.64	0.50	19.99	<=34.77	Pass		
			4	21.52	0.50	19.87	<=34.77	Pass		
			7	21.61	0.50	19.96	<=34.77	Pass		
		15	0	21.48	0.50	19.83	<=34.77	Pass		
		16QAM	700.5	1	0	22.27	0.50	20.62	<=34.77	Pass
					7	22.21	0.50	20.56	<=34.77	Pass
	14				22.15	0.50	20.50	<=34.77	Pass	
	8			0	20.92	0.50	19.27	<=34.77	Pass	
				4	20.94	0.50	19.29	<=34.77	Pass	
				7	21.00	0.50	19.35	<=34.77	Pass	
	15			0	20.87	0.50	19.22	<=34.77	Pass	
	707.5			1	0	21.94	0.50	20.29	<=34.77	Pass
					7	22.05	0.50	20.40	<=34.77	Pass
			14		21.98	0.50	20.33	<=34.77	Pass	
			8	0	21.09	0.50	19.44	<=34.77	Pass	
				4	21.09	0.50	19.44	<=34.77	Pass	
				7	21.11	0.50	19.46	<=34.77	Pass	
15	0		20.89	0.50	19.24	<=34.77	Pass			
714.5	1		0	21.38	0.50	19.73	<=34.77	Pass		
			7	21.32	0.50	19.67	<=34.77	Pass		
			14	21.36	0.50	19.71	<=34.77	Pass		
	8		0	20.86	0.50	19.21	<=34.77	Pass		
			4	21.04	0.50	19.39	<=34.77	Pass		
			7	20.92	0.50	19.27	<=34.77	Pass		
	15		0	20.83	0.50	19.18	<=34.77	Pass		
	Note1: ERP=Conducted Power+Antenna Gain-2.15									

B12_5MHz_ERP

Band: 12 / Bandwidth: 5MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	701.5	1	0	22.68	0.50	21.03	<=34.77	Pass
			13	22.72	0.50	21.07	<=34.77	Pass
			24	22.69	0.50	21.04	<=34.77	Pass
		12	0	21.82	0.50	20.17	<=34.77	Pass
			6	21.82	0.50	20.17	<=34.77	Pass
			13	21.67	0.50	20.02	<=34.77	Pass
		25	0	21.80	0.50	20.15	<=34.77	Pass
			0	22.61	0.50	20.96	<=34.77	Pass
			13	22.51	0.50	20.86	<=34.77	Pass
		1	0	22.61	0.50	20.96	<=34.77	Pass
			13	22.51	0.50	20.86	<=34.77	Pass
			0	22.61	0.50	20.96	<=34.77	Pass

16QAM		12	24	22.54	0.50	20.89	<=34.77	Pass
			0	21.56	0.50	19.91	<=34.77	Pass
			6	21.68	0.50	20.03	<=34.77	Pass
			13	21.53	0.50	19.88	<=34.77	Pass
		25	0	21.57	0.50	19.92	<=34.77	Pass
	713.5	1	0	22.69	0.50	21.04	<=34.77	Pass
			13	22.51	0.50	20.86	<=34.77	Pass
			24	22.71	0.50	21.06	<=34.77	Pass
		12	0	21.74	0.50	20.09	<=34.77	Pass
			6	21.51	0.50	19.86	<=34.77	Pass
			13	21.56	0.50	19.91	<=34.77	Pass
		25	0	21.51	0.50	19.86	<=34.77	Pass
	701.5	1	0	20.98	0.50	19.33	<=34.77	Pass
			13	20.75	0.50	19.10	<=34.77	Pass
			24	20.79	0.50	19.14	<=34.77	Pass
		12	0	20.91	0.50	19.26	<=34.77	Pass
			6	20.93	0.50	19.28	<=34.77	Pass
			13	20.90	0.50	19.25	<=34.77	Pass
		25	0	20.94	0.50	19.29	<=34.77	Pass
	707.5	1	0	21.46	0.50	19.81	<=34.77	Pass
			13	21.59	0.50	19.94	<=34.77	Pass
			24	21.56	0.50	19.91	<=34.77	Pass
		12	0	20.78	0.50	19.13	<=34.77	Pass
			6	20.82	0.50	19.17	<=34.77	Pass
			13	20.76	0.50	19.11	<=34.77	Pass
		25	0	20.86	0.50	19.21	<=34.77	Pass
	713.5	1	0	21.72	0.50	20.07	<=34.77	Pass
			13	21.62	0.50	19.97	<=34.77	Pass
			24	21.62	0.50	19.97	<=34.77	Pass
		12	0	20.63	0.50	18.98	<=34.77	Pass
			6	20.84	0.50	19.19	<=34.77	Pass
			13	20.88	0.50	19.23	<=34.77	Pass
		25	0	20.82	0.50	19.17	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

B12_10MHz_ERP

Band: 12 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	704	1	0	22.59	0.50	20.94	<=34.77	Pass
			25	22.53	0.50	20.88	<=34.77	Pass
			49	22.64	0.50	20.99	<=34.77	Pass
		25	0	21.87	0.50	20.22	<=34.77	Pass
			13	21.68	0.50	20.03	<=34.77	Pass
			25	21.68	0.50	20.03	<=34.77	Pass
		50	0	21.62	0.50	19.97	<=34.77	Pass
	707.5	1	0	22.69	0.50	21.04	<=34.77	Pass
			25	22.65	0.50	21.00	<=34.77	Pass
			49	22.59	0.50	20.94	<=34.77	Pass
		25	0	21.65	0.50	20.00	<=34.77	Pass
			13	21.63	0.50	19.98	<=34.77	Pass
			25	21.54	0.50	19.89	<=34.77	Pass
		50	0	21.72	0.50	20.07	<=34.77	Pass
	711	1	0	21.56	0.50	19.91	<=34.77	Pass
			25	22.82	0.50	21.17	<=34.77	Pass
			49	22.75	0.50	21.10	<=34.77	Pass

		25	0	21.58	0.50	19.93	<=34.77	Pass	
			13	21.68	0.50	20.03	<=34.77	Pass	
			25	21.49	0.50	19.84	<=34.77	Pass	
		50	0	21.58	0.50	19.93	<=34.77	Pass	
16QAM	704	1	0	21.84	0.50	20.19	<=34.77	Pass	
			25	21.68	0.50	20.03	<=34.77	Pass	
			49	21.62	0.50	19.97	<=34.77	Pass	
		25	0	20.90	0.50	19.25	<=34.77	Pass	
			13	20.64	0.50	18.99	<=34.77	Pass	
			25	20.81	0.50	19.16	<=34.77	Pass	
		50	0	20.70	0.50	19.05	<=34.77	Pass	
		707.5	1	0	22.40	0.50	20.75	<=34.77	Pass
				25	22.25	0.50	20.60	<=34.77	Pass
	49			22.45	0.50	20.80	<=34.77	Pass	
	25		0	20.87	0.50	19.22	<=34.77	Pass	
			13	20.90	0.50	19.25	<=34.77	Pass	
			25	20.89	0.50	19.24	<=34.77	Pass	
	50		0	20.93	0.50	19.28	<=34.77	Pass	
	711		1	0	21.23	0.50	19.58	<=34.77	Pass
				25	21.24	0.50	19.59	<=34.77	Pass
		49		21.24	0.50	19.59	<=34.77	Pass	
		25	0	21.02	0.50	19.37	<=34.77	Pass	
			13	21.01	0.50	19.36	<=34.77	Pass	
			25	20.96	0.50	19.31	<=34.77	Pass	
		50	0	20.92	0.50	19.27	<=34.77	Pass	
	Note1: ERP=Conducted Power+Antenna Gain-2.15								

B13_5MHz_ERP

Band: 13 / Bandwidth: 5MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	779.5	1	0	22.56	0.50	20.91	<=34.77	Pass
			13	22.52	0.50	20.87	<=34.77	Pass
			24	22.61	0.50	20.96	<=34.77	Pass
		12	0	21.76	0.50	20.11	<=34.77	Pass
			6	21.63	0.50	19.98	<=34.77	Pass
			13	21.65	0.50	20.00	<=34.77	Pass
		25	0	21.63	0.50	19.98	<=34.77	Pass
	782	1	0	22.54	0.50	20.89	<=34.77	Pass
			13	22.60	0.50	20.95	<=34.77	Pass
			24	22.55	0.50	20.90	<=34.77	Pass
		12	0	21.56	0.50	19.91	<=34.77	Pass
			6	21.83	0.50	20.18	<=34.77	Pass
			13	21.57	0.50	19.92	<=34.77	Pass
		25	0	21.66	0.50	20.01	<=34.77	Pass
	784.5	1	0	22.73	0.50	21.08	<=34.77	Pass
			13	22.70	0.50	21.05	<=34.77	Pass
			24	22.84	0.50	21.19	<=34.77	Pass
		12	0	21.67	0.50	20.02	<=34.77	Pass
			6	21.85	0.50	20.20	<=34.77	Pass
			13	21.75	0.50	20.10	<=34.77	Pass
		25	0	21.68	0.50	20.03	<=34.77	Pass
16QAM	779.5	1	0	20.71	0.50	19.06	<=34.77	Pass
			13	20.69	0.50	19.04	<=34.77	Pass
			24	20.84	0.50	19.19	<=34.77	Pass
		12	0	20.55	0.50	18.90	<=34.77	Pass
			6	20.54	0.50	18.89	<=34.77	Pass
			13	20.59	0.50	18.94	<=34.77	Pass
		25	0	20.70	0.50	19.05	<=34.77	Pass
	782	1	0	21.48	0.50	19.83	<=34.77	Pass
			13	21.56	0.50	19.91	<=34.77	Pass
			24	21.56	0.50	19.91	<=34.77	Pass
		12	0	20.59	0.50	18.94	<=34.77	Pass
			6	21.04	0.50	19.39	<=34.77	Pass
			13	20.77	0.50	19.12	<=34.77	Pass
		25	0	21.02	0.50	19.37	<=34.77	Pass
	784.5	1	0	21.63	0.50	19.98	<=34.77	Pass
			13	21.70	0.50	20.05	<=34.77	Pass
			24	21.87	0.50	20.22	<=34.77	Pass
		12	0	20.77	0.50	19.12	<=34.77	Pass
			6	20.88	0.50	19.23	<=34.77	Pass
			13	21.12	0.50	19.47	<=34.77	Pass
		25	0	20.88	0.50	19.23	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

B13_10MHz_ERP

Band: 13 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	782	1	0	22.63	0.50	20.98	<=34.77	Pass

			25	22.59	0.50	20.94	<=34.77	Pass		
			49	22.65	0.50	21.00	<=34.77	Pass		
			25	0	21.57	0.50	19.92	<=34.77	Pass	
				13	21.72	0.50	20.07	<=34.77	Pass	
				25	21.61	0.50	19.96	<=34.77	Pass	
			50	0	21.65	0.50	20.00	<=34.77	Pass	
		782	1	0	22.59	0.50	20.94	<=34.77	Pass	
				25	22.77	0.50	21.12	<=34.77	Pass	
				49	22.72	0.50	21.07	<=34.77	Pass	
			25	0	21.53	0.50	19.88	<=34.77	Pass	
				13	21.83	0.50	20.18	<=34.77	Pass	
				25	21.58	0.50	19.93	<=34.77	Pass	
	50	0	21.63	0.50	19.98	<=34.77	Pass			
	782	1	0	22.60	0.50	20.95	<=34.77	Pass		
			25	22.76	0.50	21.11	<=34.77	Pass		
			49	22.73	0.50	21.08	<=34.77	Pass		
		25	0	21.64	0.50	19.99	<=34.77	Pass		
			13	21.66	0.50	20.01	<=34.77	Pass		
			25	21.56	0.50	19.91	<=34.77	Pass		
		50	0	21.62	0.50	19.97	<=34.77	Pass		
		16QAM	782	1	0	21.73	0.50	20.08	<=34.77	Pass
					25	21.79	0.50	20.14	<=34.77	Pass
	49				21.90	0.50	20.25	<=34.77	Pass	
	25			0	20.60	0.50	18.95	<=34.77	Pass	
13				21.02	0.50	19.37	<=34.77	Pass		
25				20.74	0.50	19.09	<=34.77	Pass		
50	0			21.05	0.50	19.40	<=34.77	Pass		
782	1			0	21.71	0.50	20.06	<=34.77	Pass	
				25	21.74	0.50	20.09	<=34.77	Pass	
			49	21.90	0.50	20.25	<=34.77	Pass		
	25		0	20.65	0.50	19.00	<=34.77	Pass		
			13	20.96	0.50	19.31	<=34.77	Pass		
		25	20.79	0.50	19.14	<=34.77	Pass			
50	0	21.03	0.50	19.38	<=34.77	Pass				
782	1	0	21.70	0.50	20.05	<=34.77	Pass			
		25	21.74	0.50	20.09	<=34.77	Pass			
		49	21.88	0.50	20.23	<=34.77	Pass			
	25	0	20.73	0.50	19.08	<=34.77	Pass			
		13	21.03	0.50	19.38	<=34.77	Pass			
		25	20.77	0.50	19.12	<=34.77	Pass			
	50	0	21.01	0.50	19.36	<=34.77	Pass			
	Note1: ERP=Conducted Power+Antenna Gain-2.15									

B17_5MHz_ERP

Band: 17 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	706.5	1	0	22.68	0.50	21.03	<=34.77	Pass
			13	22.64	0.50	20.99	<=34.77	Pass
			24	22.73	0.50	21.08	<=34.77	Pass
		12	0	21.67	0.50	20.02	<=34.77	Pass
			6	21.64	0.50	19.99	<=34.77	Pass
			13	21.60	0.50	19.95	<=34.77	Pass
		25	0	21.64	0.50	19.99	<=34.77	Pass
	710	1	0	22.79	0.50	21.14	<=34.77	Pass
			13	22.69	0.50	21.04	<=34.77	Pass
			24	22.72	0.50	21.07	<=34.77	Pass
		12	0	21.58	0.50	19.93	<=34.77	Pass
			6	21.62	0.50	19.97	<=34.77	Pass
			13	21.78	0.50	20.13	<=34.77	Pass
		25	0	21.56	0.50	19.91	<=34.77	Pass
	713.5	1	0	22.56	0.50	20.91	<=34.77	Pass
			13	22.56	0.50	20.91	<=34.77	Pass
			24	22.53	0.50	20.88	<=34.77	Pass
		12	0	21.50	0.50	19.85	<=34.77	Pass
			6	21.58	0.50	19.93	<=34.77	Pass
			13	21.61	0.50	19.96	<=34.77	Pass
		25	0	21.58	0.50	19.93	<=34.77	Pass
16QAM	706.5	1	0	21.63	0.50	19.98	<=34.77	Pass
			13	21.46	0.50	19.81	<=34.77	Pass
			24	21.60	0.50	19.95	<=34.77	Pass
		12	0	20.83	0.50	19.18	<=34.77	Pass
			6	20.85	0.50	19.20	<=34.77	Pass
			13	20.86	0.50	19.21	<=34.77	Pass
		25	0	20.83	0.50	19.18	<=34.77	Pass
	710	1	0	20.77	0.50	19.12	<=34.77	Pass
			13	20.71	0.50	19.06	<=34.77	Pass
			24	20.93	0.50	19.28	<=34.77	Pass
		12	0	20.80	0.50	19.15	<=34.77	Pass
			6	20.81	0.50	19.16	<=34.77	Pass
			13	20.62	0.50	18.97	<=34.77	Pass
		25	0	20.90	0.50	19.25	<=34.77	Pass
	713.5	1	0	21.57	0.50	19.92	<=34.77	Pass
			13	21.56	0.50	19.91	<=34.77	Pass
			24	21.56	0.50	19.91	<=34.77	Pass
		12	0	20.55	0.50	18.90	<=34.77	Pass
			6	20.55	0.50	18.90	<=34.77	Pass
			13	20.55	0.50	18.90	<=34.77	Pass
		25	0	20.54	0.50	18.89	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

B17_10MHz_ERP

Band: 17 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	709	1	0	21.59	0.50	19.94	<=34.77	Pass
			25	21.63	0.50	19.98	<=34.77	Pass
			49	21.61	0.50	19.96	<=34.77	Pass

		25	0	21.59	0.50	19.94	<=34.77	Pass		
			13	21.58	0.50	19.93	<=34.77	Pass		
			25	21.57	0.50	19.92	<=34.77	Pass		
		50	0	21.56	0.50	19.91	<=34.77	Pass		
			710	1	0	21.65	0.50	20.00	<=34.77	Pass
					25	21.62	0.50	19.97	<=34.77	Pass
		49			21.62	0.50	19.97	<=34.77	Pass	
		25		0	21.61	0.50	19.96	<=34.77	Pass	
				13	21.61	0.50	19.96	<=34.77	Pass	
				25	21.60	0.50	19.95	<=34.77	Pass	
		50	0	21.62	0.50	19.97	<=34.77	Pass		
		711	1	0	22.82	0.50	21.17	<=34.77	Pass	
	25			22.77	0.50	21.12	<=34.77	Pass		
	49			22.80	0.50	21.15	<=34.77	Pass		
	25		0	21.68	0.50	20.03	<=34.77	Pass		
			13	21.64	0.50	19.99	<=34.77	Pass		
			25	21.64	0.50	19.99	<=34.77	Pass		
	50		0	21.54	0.50	19.89	<=34.77	Pass		
	16QAM		709	1	0	21.55	0.50	19.90	<=34.77	Pass
					25	21.55	0.50	19.90	<=34.77	Pass
		49			21.55	0.50	19.90	<=34.77	Pass	
		25		0	20.54	0.50	18.89	<=34.77	Pass	
				13	20.58	0.50	18.93	<=34.77	Pass	
				25	20.68	0.50	19.03	<=34.77	Pass	
50		0		20.69	0.50	19.04	<=34.77	Pass		
710		1		0	21.30	0.50	19.65	<=34.77	Pass	
				25	21.31	0.50	19.66	<=34.77	Pass	
			49	21.21	0.50	19.56	<=34.77	Pass		
		25	0	20.84	0.50	19.19	<=34.77	Pass		
			13	20.94	0.50	19.29	<=34.77	Pass		
			25	20.77	0.50	19.12	<=34.77	Pass		
50		0	20.86	0.50	19.21	<=34.77	Pass			
711		1	0	21.21	0.50	19.56	<=34.77	Pass		
			25	21.32	0.50	19.67	<=34.77	Pass		
			49	21.21	0.50	19.56	<=34.77	Pass		
		25	0	21.03	0.50	19.38	<=34.77	Pass		
			13	21.02	0.50	19.37	<=34.77	Pass		
			25	20.92	0.50	19.27	<=34.77	Pass		
		50	0	20.96	0.50	19.31	<=34.77	Pass		
		Note1: ERP=Conducted Power+Antenna Gain-2.15								

B26a_1.4MHz_ERP

Band: 26a / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	814.7	1	0	23.50	0.50	21.85	<=38.45	Pass
			2	23.34	0.50	21.69	<=38.45	Pass
			5	23.35	0.50	21.70	<=38.45	Pass
		3	0	23.48	0.50	21.83	<=38.45	Pass
			2	23.38	0.50	21.73	<=38.45	Pass
			3	23.39	0.50	21.74	<=38.45	Pass
		6	0	22.40	0.50	20.75	<=38.45	Pass
	819	1	0	23.32	0.50	21.67	<=38.45	Pass
			2	23.40	0.50	21.75	<=38.45	Pass
			5	23.35	0.50	21.70	<=38.45	Pass
		3	0	23.51	0.50	21.86	<=38.45	Pass
			2	23.38	0.50	21.73	<=38.45	Pass
			3	23.46	0.50	21.81	<=38.45	Pass
		6	0	22.38	0.50	20.73	<=38.45	Pass
	823.3	1	0	23.44	0.50	21.79	<=38.45	Pass
			2	23.40	0.50	21.75	<=38.45	Pass
			5	23.52	0.50	21.87	<=38.45	Pass
		3	0	23.37	0.50	21.72	<=38.45	Pass
			2	23.33	0.50	21.68	<=38.45	Pass
			3	23.32	0.50	21.67	<=38.45	Pass
		6	0	22.41	0.50	20.76	<=38.45	Pass
16QAM	814.7	1	0	22.79	0.50	21.14	<=38.45	Pass
			2	22.30	0.50	20.65	<=38.45	Pass
			5	22.14	0.50	20.49	<=38.45	Pass
		3	0	22.42	0.50	20.77	<=38.45	Pass
			2	22.42	0.50	20.77	<=38.45	Pass
			3	22.34	0.50	20.69	<=38.45	Pass
		6	0	21.59	0.50	19.94	<=38.45	Pass
	819	1	0	22.00	0.50	20.35	<=38.45	Pass
			2	22.76	0.50	21.11	<=38.45	Pass
			5	23.24	0.50	21.59	<=38.45	Pass
		3	0	22.44	0.50	20.79	<=38.45	Pass
			2	22.45	0.50	20.80	<=38.45	Pass
			3	22.41	0.50	20.76	<=38.45	Pass
		6	0	21.39	0.50	19.74	<=38.45	Pass
	823.3	1	0	22.54	0.50	20.89	<=38.45	Pass
			2	21.95	0.50	20.30	<=38.45	Pass
			5	22.45	0.50	20.80	<=38.45	Pass
		3	0	22.37	0.50	20.72	<=38.45	Pass
			2	22.27	0.50	20.62	<=38.45	Pass
			3	22.36	0.50	20.71	<=38.45	Pass
		6	0	21.56	0.50	19.91	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

B26a_3MHz_ERP

Band: 26a / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	815.5	1	0	23.46	0.50	21.81	<=38.45	Pass
			7	23.40	0.50	21.75	<=38.45	Pass
			14	23.34	0.50	21.69	<=38.45	Pass

		8	0	22.54	0.50	20.89	<=38.45	Pass			
			4	22.39	0.50	20.74	<=38.45	Pass			
			7	22.41	0.50	20.76	<=38.45	Pass			
		15	0	22.52	0.50	20.87	<=38.45	Pass			
			819	1	0	23.51	0.50	21.86	<=38.45	Pass	
					7	23.42	0.50	21.77	<=38.45	Pass	
		14			23.35	0.50	21.70	<=38.45	Pass		
		8		0	22.41	0.50	20.76	<=38.45	Pass		
				4	22.30	0.50	20.65	<=38.45	Pass		
	7			22.42	0.50	20.77	<=38.45	Pass			
	15	0	22.34	0.50	20.69	<=38.45	Pass				
		822.5	1	0	23.50	0.50	21.85	<=38.45	Pass		
				7	23.25	0.50	21.60	<=38.45	Pass		
	14			22.37	0.50	20.72	<=38.45	Pass			
	8		0	22.38	0.50	20.73	<=38.45	Pass			
			4	22.40	0.50	20.75	<=38.45	Pass			
			7	22.30	0.50	20.65	<=38.45	Pass			
	15		0	22.40	0.50	20.75	<=38.45	Pass			
			16QAM	815.5	1	0	22.35	0.50	20.70	<=38.45	Pass
						7	22.39	0.50	20.74	<=38.45	Pass
	14	22.53				0.50	20.88	<=38.45	Pass		
8	0	21.72			0.50	20.07	<=38.45	Pass			
	4	21.73			0.50	20.08	<=38.45	Pass			
	7	21.57			0.50	19.92	<=38.45	Pass			
15	0	21.61			0.50	19.96	<=38.45	Pass			
	819	1			0	22.64	0.50	20.99	<=38.45	Pass	
					7	23.27	0.50	21.62	<=38.45	Pass	
14				22.07	0.50	20.42	<=38.45	Pass			
8		0		21.81	0.50	20.16	<=38.45	Pass			
		4		21.56	0.50	19.91	<=38.45	Pass			
		7		21.63	0.50	19.98	<=38.45	Pass			
15	0	21.52		0.50	19.87	<=38.45	Pass				
	822.5	1		0	22.52	0.50	20.87	<=38.45	Pass		
				7	22.06	0.50	20.41	<=38.45	Pass		
14				22.59	0.50	20.94	<=38.45	Pass			
8		0		21.53	0.50	19.88	<=38.45	Pass			
		4	21.63	0.50	19.98	<=38.45	Pass				
		7	21.74	0.50	20.09	<=38.45	Pass				
15		0	21.48	0.50	19.83	<=38.45	Pass				
		Note1: ERP=Conducted Power+Antenna Gain-2.15									

B26a_5MHz_ERP

Band: 26a / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	816.5	1	0	23.56	0.50	21.91	<=38.45	Pass
			13	23.41	0.50	21.76	<=38.45	Pass
			24	23.18	0.50	21.53	<=38.45	Pass
		12	0	22.45	0.50	20.80	<=38.45	Pass
			6	22.55	0.50	20.90	<=38.45	Pass
			13	22.30	0.50	20.65	<=38.45	Pass
		25	0	22.37	0.50	20.72	<=38.45	Pass
	819	1	0	23.33	0.50	21.68	<=38.45	Pass
			13	23.34	0.50	21.69	<=38.45	Pass
			24	23.31	0.50	21.66	<=38.45	Pass
		12	0	22.31	0.50	20.66	<=38.45	Pass

			6	22.36	0.50	20.71	<=38.45	Pass
			13	22.39	0.50	20.74	<=38.45	Pass
		25	0	22.39	0.50	20.74	<=38.45	Pass
	821.5	1	0	23.38	0.50	21.73	<=38.45	Pass
			13	23.32	0.50	21.67	<=38.45	Pass
			24	23.26	0.50	21.61	<=38.45	Pass
		12	0	22.34	0.50	20.69	<=38.45	Pass
			6	22.31	0.50	20.66	<=38.45	Pass
			13	22.43	0.50	20.78	<=38.45	Pass
		25	0	22.46	0.50	20.81	<=38.45	Pass
16QAM	816.5	1	0	22.40	0.50	20.75	<=38.45	Pass
			13	22.42	0.50	20.77	<=38.45	Pass
			24	21.60	0.50	19.95	<=38.45	Pass
		12	0	21.46	0.50	19.81	<=38.45	Pass
			6	21.48	0.50	19.83	<=38.45	Pass
			13	21.33	0.50	19.68	<=38.45	Pass
		25	0	21.40	0.50	19.75	<=38.45	Pass
	819	1	0	22.34	0.50	20.69	<=38.45	Pass
			13	21.41	0.50	19.76	<=38.45	Pass
			24	22.40	0.50	20.75	<=38.45	Pass
		12	0	21.54	0.50	19.89	<=38.45	Pass
			6	21.51	0.50	19.86	<=38.45	Pass
			13	21.45	0.50	19.80	<=38.45	Pass
		25	0	21.51	0.50	19.86	<=38.45	Pass
	821.5	1	0	21.44	0.50	19.79	<=38.45	Pass
			13	22.25	0.50	20.60	<=38.45	Pass
			24	22.33	0.50	20.68	<=38.45	Pass
		12	0	21.52	0.50	19.87	<=38.45	Pass
6			21.50	0.50	19.85	<=38.45	Pass	
13			21.49	0.50	19.84	<=38.45	Pass	
25		0	21.50	0.50	19.85	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15								

B26a_10MHz_ERP

Band: 26a / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	819	1	0	23.41	0.50	21.76	<=38.45	Pass
			25	23.33	0.50	21.68	<=38.45	Pass
			49	23.47	0.50	21.82	<=38.45	Pass
		25	0	22.54	0.50	20.89	<=38.45	Pass
			13	22.37	0.50	20.72	<=38.45	Pass
			25	22.43	0.50	20.78	<=38.45	Pass
		50	0	22.41	0.50	20.76	<=38.45	Pass
	819	1	0	23.35	0.50	21.70	<=38.45	Pass
			25	23.46	0.50	21.81	<=38.45	Pass
			49	23.28	0.50	21.63	<=38.45	Pass
		25	0	22.57	0.50	20.92	<=38.45	Pass
			13	22.50	0.50	20.85	<=38.45	Pass
			25	22.47	0.50	20.82	<=38.45	Pass
		50	0	22.42	0.50	20.77	<=38.45	Pass
	819	1	0	23.61	0.50	21.96	<=38.45	Pass
			25	23.30	0.50	21.65	<=38.45	Pass
			49	23.31	0.50	21.66	<=38.45	Pass
		25	0	22.56	0.50	20.91	<=38.45	Pass
			13	22.33	0.50	20.68	<=38.45	Pass

16QAM		50	25	22.46	0.50	20.81	<=38.45	Pass
			0	22.42	0.50	20.77	<=38.45	Pass
	819	1	0	22.87	0.50	21.22	<=38.45	Pass
			25	22.50	0.50	20.85	<=38.45	Pass
			49	21.89	0.50	20.24	<=38.45	Pass
		25	0	21.58	0.50	19.93	<=38.45	Pass
			13	21.55	0.50	19.90	<=38.45	Pass
			25	21.59	0.50	19.94	<=38.45	Pass
		50	0	21.47	0.50	19.82	<=38.45	Pass
	819	1	0	22.13	0.50	20.48	<=38.45	Pass
			25	22.01	0.50	20.36	<=38.45	Pass
			49	22.41	0.50	20.76	<=38.45	Pass
		25	0	21.59	0.50	19.94	<=38.45	Pass
			13	21.65	0.50	20.00	<=38.45	Pass
			25	21.43	0.50	19.78	<=38.45	Pass
		50	0	21.57	0.50	19.92	<=38.45	Pass
	819	1	0	22.13	0.50	20.48	<=38.45	Pass
			25	22.44	0.50	20.79	<=38.45	Pass
			49	22.45	0.50	20.80	<=38.45	Pass
		25	0	21.65	0.50	20.00	<=38.45	Pass
			13	21.61	0.50	19.96	<=38.45	Pass
			25	21.64	0.50	19.99	<=38.45	Pass
		50	0	21.52	0.50	19.87	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.33	0.50	21.68	<=38.45	Pass
			2	23.35	0.50	21.70	<=38.45	Pass
			5	23.29	0.50	21.64	<=38.45	Pass
		3	0	23.37	0.50	21.72	<=38.45	Pass
			2	23.37	0.50	21.72	<=38.45	Pass
			3	22.37	0.50	20.72	<=38.45	Pass
		6	0	22.32	0.50	20.67	<=38.45	Pass
	836.5	1	0	23.14	0.50	21.49	<=38.45	Pass
			2	23.42	0.50	21.77	<=38.45	Pass
			5	23.32	0.50	21.67	<=38.45	Pass
		3	0	23.39	0.50	21.74	<=38.45	Pass
			2	23.36	0.50	21.71	<=38.45	Pass
			3	23.34	0.50	21.69	<=38.45	Pass
		6	0	22.27	0.50	20.62	<=38.45	Pass
	848.3	1	0	23.09	0.50	21.44	<=38.45	Pass
			2	23.27	0.50	21.62	<=38.45	Pass
			5	23.11	0.50	21.46	<=38.45	Pass
		3	0	23.22	0.50	21.57	<=38.45	Pass
			2	23.20	0.50	21.55	<=38.45	Pass
			3	23.23	0.50	21.58	<=38.45	Pass
		6	0	22.03	0.50	20.38	<=38.45	Pass
16QAM	824.7	1	0	22.05	0.50	20.40	<=38.45	Pass
			2	22.36	0.50	20.71	<=38.45	Pass
			5	22.61	0.50	20.96	<=38.45	Pass
		3	0	22.51	0.50	20.86	<=38.45	Pass
			2	22.35	0.50	20.70	<=38.45	Pass
			3	22.31	0.50	20.66	<=38.45	Pass

		6	0	21.50	0.50	19.85	<=38.45	Pass
	836.5	1	0	23.06	0.50	21.41	<=38.45	Pass
			2	21.87	0.50	20.22	<=38.45	Pass
			5	22.78	0.50	21.13	<=38.45	Pass
			0	22.28	0.50	20.63	<=38.45	Pass
		3	2	22.19	0.50	20.54	<=38.45	Pass
			3	22.34	0.50	20.69	<=38.45	Pass
			6	0	21.46	0.50	19.81	<=38.45
	848.3	1	0	22.48	0.50	20.83	<=38.45	Pass
			2	22.08	0.50	20.43	<=38.45	Pass
			5	22.10	0.50	20.45	<=38.45	Pass
		3	0	22.14	0.50	20.49	<=38.45	Pass
			2	22.26	0.50	20.61	<=38.45	Pass
			3	22.01	0.50	20.36	<=38.45	Pass
		6	0	21.28	0.50	19.63	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.55	0.50	21.90	<=38.45	Pass
			7	23.25	0.50	21.60	<=38.45	Pass
			14	23.29	0.50	21.64	<=38.45	Pass
		8	0	22.38	0.50	20.73	<=38.45	Pass
			4	22.41	0.50	20.76	<=38.45	Pass
			7	22.40	0.50	20.75	<=38.45	Pass
		15	0	22.32	0.50	20.67	<=38.45	Pass
	836.5	1	0	23.26	0.50	21.61	<=38.45	Pass
			7	23.45	0.50	21.80	<=38.45	Pass
			14	23.18	0.50	21.53	<=38.45	Pass
		8	0	22.32	0.50	20.67	<=38.45	Pass
			4	22.42	0.50	20.77	<=38.45	Pass
			7	22.34	0.50	20.69	<=38.45	Pass
		15	0	22.21	0.50	20.56	<=38.45	Pass
	847.5	1	0	23.07	0.50	21.42	<=38.45	Pass
			7	23.35	0.50	21.70	<=38.45	Pass
			14	22.15	0.50	20.50	<=38.45	Pass
		8	0	22.10	0.50	20.45	<=38.45	Pass
			4	22.13	0.50	20.48	<=38.45	Pass
			7	22.16	0.50	20.51	<=38.45	Pass
		15	0	22.07	0.50	20.42	<=38.45	Pass
16QAM	825.5	1	0	22.40	0.50	20.75	<=38.45	Pass
			7	22.56	0.50	20.91	<=38.45	Pass
			14	21.88	0.50	20.23	<=38.45	Pass
		8	0	21.75	0.50	20.10	<=38.45	Pass
			4	21.59	0.50	19.94	<=38.45	Pass
			7	21.60	0.50	19.95	<=38.45	Pass
		15	0	21.53	0.50	19.88	<=38.45	Pass
	836.5	1	0	21.90	0.50	20.25	<=38.45	Pass
			7	22.56	0.50	20.91	<=38.45	Pass
			14	23.04	0.50	21.39	<=38.45	Pass
		8	0	21.56	0.50	19.91	<=38.45	Pass
			4	21.59	0.50	19.94	<=38.45	Pass
			7	21.54	0.50	19.89	<=38.45	Pass
		15	0	21.43	0.50	19.78	<=38.45	Pass

	847.5	1	0	22.40	0.50	20.75	<=38.45	Pass
			7	22.07	0.50	20.42	<=38.45	Pass
			14	21.84	0.50	20.19	<=38.45	Pass
		8	0	21.42	0.50	19.77	<=38.45	Pass
			4	21.33	0.50	19.68	<=38.45	Pass
			7	21.42	0.50	19.77	<=38.45	Pass
		15	0	21.26	0.50	19.61	<=38.45	Pass
		Note1: ERP=Conducted Power+Antenna Gain-2.15						

B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	826.5	1	0	23.26	0.50	21.61	<=38.45	Pass		
			13	23.23	0.50	21.58	<=38.45	Pass		
			24	23.24	0.50	21.59	<=38.45	Pass		
		12	0	22.39	0.50	20.74	<=38.45	Pass		
			6	22.46	0.50	20.81	<=38.45	Pass		
			13	22.35	0.50	20.70	<=38.45	Pass		
		25	0	22.36	0.50	20.71	<=38.45	Pass		
		836.5	1	0	23.31	0.50	21.66	<=38.45	Pass	
				13	23.31	0.50	21.66	<=38.45	Pass	
	24			23.14	0.50	21.49	<=38.45	Pass		
	12		0	22.26	0.50	20.61	<=38.45	Pass		
			6	22.27	0.50	20.62	<=38.45	Pass		
			13	22.31	0.50	20.66	<=38.45	Pass		
	25	0	22.30	0.50	20.65	<=38.45	Pass			
	846.5	1	0	23.21	0.50	21.56	<=38.45	Pass		
			13	22.14	0.50	20.49	<=38.45	Pass		
			24	23.14	0.50	21.49	<=38.45	Pass		
		12	0	22.19	0.50	20.54	<=38.45	Pass		
			6	22.19	0.50	20.54	<=38.45	Pass		
			13	22.11	0.50	20.46	<=38.45	Pass		
		25	0	22.14	0.50	20.49	<=38.45	Pass		
		16QAM	826.5	1	0	22.32	0.50	20.67	<=38.45	Pass
					13	22.23	0.50	20.58	<=38.45	Pass
	24				22.28	0.50	20.63	<=38.45	Pass	
12	0			21.46	0.50	19.81	<=38.45	Pass		
	6			22.38	0.50	20.73	<=38.45	Pass		
	13			22.29	0.50	20.64	<=38.45	Pass		
25	0			21.52	0.50	19.87	<=38.45	Pass		
836.5	1		0	22.30	0.50	20.65	<=38.45	Pass		
			13	22.23	0.50	20.58	<=38.45	Pass		
			24	21.42	0.50	19.77	<=38.45	Pass		
	12		0	21.42	0.50	19.77	<=38.45	Pass		
			6	21.42	0.50	19.77	<=38.45	Pass		
			13	21.35	0.50	19.70	<=38.45	Pass		
25	0		21.45	0.50	19.80	<=38.45	Pass			
846.5	1		0	22.12	0.50	20.47	<=38.45	Pass		
			13	22.14	0.50	20.49	<=38.45	Pass		
			24	22.06	0.50	20.41	<=38.45	Pass		
	12		0	21.15	0.50	19.50	<=38.45	Pass		
		6	21.21	0.50	19.56	<=38.45	Pass			
		13	21.25	0.50	19.60	<=38.45	Pass			
	25	0	21.30	0.50	19.65	<=38.45	Pass			
Note1: ERP=Conducted Power+Antenna Gain-2.15										

B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	829	1	0	23.24	0.50	21.59	<=38.45	Pass		
			25	23.32	0.50	21.67	<=38.45	Pass		
			49	23.28	0.50	21.63	<=38.45	Pass		
		25	0	22.47	0.50	20.82	<=38.45	Pass		
			13	22.41	0.50	20.76	<=38.45	Pass		
			25	22.37	0.50	20.72	<=38.45	Pass		
		50	0	22.38	0.50	20.73	<=38.45	Pass		
		836.5	1	0	23.41	0.50	21.76	<=38.45	Pass	
				25	23.30	0.50	21.65	<=38.45	Pass	
	49			23.13	0.50	21.48	<=38.45	Pass		
	25		0	22.39	0.50	20.74	<=38.45	Pass		
			13	22.36	0.50	20.71	<=38.45	Pass		
			25	22.28	0.50	20.63	<=38.45	Pass		
	50		0	22.33	0.50	20.68	<=38.45	Pass		
	844		1	0	23.25	0.50	21.60	<=38.45	Pass	
				25	23.13	0.50	21.48	<=38.45	Pass	
		49		22.99	0.50	21.34	<=38.45	Pass		
		25	0	22.37	0.50	20.72	<=38.45	Pass		
			13	22.23	0.50	20.58	<=38.45	Pass		
			25	22.28	0.50	20.63	<=38.45	Pass		
		50	0	22.23	0.50	20.58	<=38.45	Pass		
		16QAM	829	1	0	21.91	0.50	20.26	<=38.45	Pass
					25	22.43	0.50	20.78	<=38.45	Pass
	49				22.47	0.50	20.82	<=38.45	Pass	
25	0			21.58	0.50	19.93	<=38.45	Pass		
	13			21.45	0.50	19.80	<=38.45	Pass		
	25			21.47	0.50	19.82	<=38.45	Pass		
50	0			21.44	0.50	19.79	<=38.45	Pass		
836.5	1			0	22.51	0.50	20.86	<=38.45	Pass	
				25	22.43	0.50	20.78	<=38.45	Pass	
			49	21.66	0.50	20.01	<=38.45	Pass		
	25		0	21.45	0.50	19.80	<=38.45	Pass		
			13	21.43	0.50	19.78	<=38.45	Pass		
			25	21.53	0.50	19.88	<=38.45	Pass		
	50		0	21.48	0.50	19.83	<=38.45	Pass		
	844		1	0	22.48	0.50	20.83	<=38.45	Pass	
				25	21.74	0.50	20.09	<=38.45	Pass	
49				22.12	0.50	20.47	<=38.45	Pass		
25			0	21.49	0.50	19.84	<=38.45	Pass		
			13	21.32	0.50	19.67	<=38.45	Pass		
			25	21.34	0.50	19.69	<=38.45	Pass		
50			0	21.28	0.50	19.63	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15										

B26c_15MHz_ERP

Band: 26c / Bandwidth: 15MHz / NTNv										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	831.5	1	0	23.79	0.50	22.14	<=38.45	Pass		
			38	23.70	0.50	22.05	<=38.45	Pass		
			74	23.60	0.50	21.95	<=38.45	Pass		
		36	0	22.60	0.50	20.95	<=38.45	Pass		
			18	22.66	0.50	21.01	<=38.45	Pass		
			39	22.57	0.50	20.92	<=38.45	Pass		
		75	0	22.65	0.50	21.00	<=38.45	Pass		
		841.5	1	0	23.58	0.50	21.93	<=38.45	Pass	
				38	23.39	0.50	21.74	<=38.45	Pass	
	74			23.21	0.50	21.56	<=38.45	Pass		
	36		0	22.42	0.50	20.77	<=38.45	Pass		
			18	22.39	0.50	20.74	<=38.45	Pass		
			39	22.41	0.50	20.76	<=38.45	Pass		
	75		0	22.47	0.50	20.82	<=38.45	Pass		
	16QAM		831.5	1	0	22.81	0.50	21.16	<=38.45	Pass
					38	22.73	0.50	21.08	<=38.45	Pass
		74			22.61	0.50	20.96	<=38.45	Pass	
		36		0	21.78	0.50	20.13	<=38.45	Pass	
18				21.76	0.50	20.11	<=38.45	Pass		
39				21.76	0.50	20.11	<=38.45	Pass		
75		0		21.73	0.50	20.08	<=38.45	Pass		
841.5		1		0	22.70	0.50	21.05	<=38.45	Pass	
				38	22.44	0.50	20.79	<=38.45	Pass	
			74	22.34	0.50	20.69	<=38.45	Pass		
		36	0	21.72	0.50	20.07	<=38.45	Pass		
			18	21.68	0.50	20.03	<=38.45	Pass		
			39	21.50	0.50	19.85	<=38.45	Pass		
		75	0	21.64	0.50	19.99	<=38.45	Pass		
		Note1: ERP=Conducted Power+Antenna Gain-2.15								

B41_5MHz_EIRP

Band: 41 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2547.5	1	0	21.92	0.50	22.42	<=33.01	Pass
			13	21.92	0.50	22.42	<=33.01	Pass
			24	21.88	0.50	22.38	<=33.01	Pass
		12	0	20.88	0.50	21.38	<=33.01	Pass
			6	20.99	0.50	21.49	<=33.01	Pass
			13	20.83	0.50	21.33	<=33.01	Pass
		25	0	20.77	0.50	21.27	<=33.01	Pass
	2600	1	0	21.37	0.50	21.87	<=33.01	Pass
			13	21.39	0.50	21.89	<=33.01	Pass
			24	21.36	0.50	21.86	<=33.01	Pass
		12	0	20.50	0.50	21.00	<=33.01	Pass
			6	20.44	0.50	20.94	<=33.01	Pass
			13	20.43	0.50	20.93	<=33.01	Pass
		25	0	20.45	0.50	20.95	<=33.01	Pass
	2652.5	1	0	20.91	0.50	21.41	<=33.01	Pass
			13	20.75	0.50	21.25	<=33.01	Pass
			24	20.97	0.50	21.47	<=33.01	Pass
		12	0	19.90	0.50	20.40	<=33.01	Pass
			6	19.94	0.50	20.44	<=33.01	Pass
			13	19.89	0.50	20.39	<=33.01	Pass
		25	0	19.74	0.50	20.24	<=33.01	Pass
16QAM	2547.5	1	0	20.79	0.50	21.29	<=33.01	Pass
			13	20.47	0.50	20.97	<=33.01	Pass
			24	20.77	0.50	21.27	<=33.01	Pass
		12	0	20.00	0.50	20.50	<=33.01	Pass
			6	19.91	0.50	20.41	<=33.01	Pass
			13	20.06	0.50	20.56	<=33.01	Pass
		25	0	19.90	0.50	20.40	<=33.01	Pass
	2600	1	0	21.01	0.50	21.51	<=33.01	Pass
			13	20.95	0.50	21.45	<=33.01	Pass
			24	20.96	0.50	21.46	<=33.01	Pass
		12	0	19.42	0.50	19.92	<=33.01	Pass
			6	19.40	0.50	19.90	<=33.01	Pass
			13	19.38	0.50	19.88	<=33.01	Pass
		25	0	19.64	0.50	20.14	<=33.01	Pass
	2652.5	1	0	19.74	0.50	20.24	<=33.01	Pass
			13	19.56	0.50	20.06	<=33.01	Pass
			24	19.59	0.50	20.09	<=33.01	Pass
		12	0	18.88	0.50	19.38	<=33.01	Pass
			6	18.97	0.50	19.47	<=33.01	Pass
			13	18.86	0.50	19.36	<=33.01	Pass
		25	0	19.03	0.50	19.53	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

B41_10MHz_EIRP

Band: 41 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2550	1	0	21.94	0.50	22.44	<=33.01	Pass
			25	21.81	0.50	22.31	<=33.01	Pass
			49	21.81	0.50	22.31	<=33.01	Pass

	2600	25	0	20.83	0.50	21.33	<=33.01	Pass			
			13	20.75	0.50	21.25	<=33.01	Pass			
			25	20.79	0.50	21.29	<=33.01	Pass			
		50	0	20.83	0.50	21.33	<=33.01	Pass			
			1	0	21.46	0.50	21.96	<=33.01	Pass		
				25	21.35	0.50	21.85	<=33.01	Pass		
		49		21.36	0.50	21.86	<=33.01	Pass			
		25	0	20.48	0.50	20.98	<=33.01	Pass			
			13	20.49	0.50	20.99	<=33.01	Pass			
			25	20.41	0.50	20.91	<=33.01	Pass			
	50	0	20.46	0.50	20.96	<=33.01	Pass				
		2650	1	0	20.94	0.50	21.44	<=33.01	Pass		
				25	20.90	0.50	21.40	<=33.01	Pass		
	49			20.89	0.50	21.39	<=33.01	Pass			
	25		0	19.92	0.50	20.42	<=33.01	Pass			
			13	19.87	0.50	20.37	<=33.01	Pass			
			25	19.78	0.50	20.28	<=33.01	Pass			
	50		0	19.93	0.50	20.43	<=33.01	Pass			
			16QAM	2550	1	0	20.77	0.50	21.27	<=33.01	Pass
						25	20.93	0.50	21.43	<=33.01	Pass
	49	20.69				0.50	21.19	<=33.01	Pass		
25	0	19.91			0.50	20.41	<=33.01	Pass			
	13	19.94			0.50	20.44	<=33.01	Pass			
	25	19.95			0.50	20.45	<=33.01	Pass			
50	0	19.94			0.50	20.44	<=33.01	Pass			
2600	1	0		20.69	0.50	21.19	<=33.01	Pass			
		25		20.48	0.50	20.98	<=33.01	Pass			
		49		20.51	0.50	21.01	<=33.01	Pass			
	25	0	19.79	0.50	20.29	<=33.01	Pass				
		13	19.78	0.50	20.28	<=33.01	Pass				
		25	19.73	0.50	20.23	<=33.01	Pass				
	50	0	19.41	0.50	19.91	<=33.01	Pass				
2650	1	0	20.00	0.50	20.50	<=33.01	Pass				
		25	19.90	0.50	20.40	<=33.01	Pass				
		49	20.30	0.50	20.80	<=33.01	Pass				
	25	0	19.03	0.50	19.53	<=33.01	Pass				
		13	19.14	0.50	19.64	<=33.01	Pass				
		25	19.22	0.50	19.72	<=33.01	Pass				
	50	0	18.99	0.50	19.49	<=33.01	Pass				
Note1: EIRP=Conducted Power+Antenna Gain											

B41_15MHz_EIRP

Band: 41 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2552.5	1	0	22.01	0.50	22.51	<=33.01	Pass
			38	21.93	0.50	22.43	<=33.01	Pass
			74	21.86	0.50	22.36	<=33.01	Pass
		36	0	20.83	0.50	21.33	<=33.01	Pass
			18	20.88	0.50	21.38	<=33.01	Pass
			39	20.82	0.50	21.32	<=33.01	Pass
		75	0	20.92	0.50	21.42	<=33.01	Pass
	2600	1	0	21.56	0.50	22.06	<=33.01	Pass
			38	21.47	0.50	21.97	<=33.01	Pass
			74	21.37	0.50	21.87	<=33.01	Pass
		36	0	20.45	0.50	20.95	<=33.01	Pass

			18	20.43	0.50	20.93	<=33.01	Pass
			39	20.42	0.50	20.92	<=33.01	Pass
		75	0	20.41	0.50	20.91	<=33.01	Pass
	2647.5	1	0	21.14	0.50	21.64	<=33.01	Pass
			38	20.88	0.50	21.38	<=33.01	Pass
			74	20.86	0.50	21.36	<=33.01	Pass
		36	0	19.91	0.50	20.41	<=33.01	Pass
			18	19.93	0.50	20.43	<=33.01	Pass
			39	19.81	0.50	20.31	<=33.01	Pass
		75	0	19.78	0.50	20.28	<=33.01	Pass
16QAM	2552.5	1	0	20.94	0.50	21.44	<=33.01	Pass
			38	20.90	0.50	21.40	<=33.01	Pass
			74	20.67	0.50	21.17	<=33.01	Pass
		36	0	20.03	0.50	20.53	<=33.01	Pass
			18	19.95	0.50	20.45	<=33.01	Pass
			39	19.88	0.50	20.38	<=33.01	Pass
		75	0	19.99	0.50	20.49	<=33.01	Pass
	2600	1	0	20.61	0.50	21.11	<=33.01	Pass
			38	20.48	0.50	20.98	<=33.01	Pass
			74	20.27	0.50	20.77	<=33.01	Pass
		36	0	19.58	0.50	20.08	<=33.01	Pass
			18	19.61	0.50	20.11	<=33.01	Pass
			39	19.59	0.50	20.09	<=33.01	Pass
		75	0	19.51	0.50	20.01	<=33.01	Pass
	2647.5	1	0	20.47	0.50	20.97	<=33.01	Pass
			38	20.48	0.50	20.98	<=33.01	Pass
			74	20.37	0.50	20.87	<=33.01	Pass
		36	0	18.97	0.50	19.47	<=33.01	Pass
			18	18.95	0.50	19.45	<=33.01	Pass
			39	18.98	0.50	19.48	<=33.01	Pass
		75	0	19.03	0.50	19.53	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

B41_20MHz_EIRP

Band: 41 / Bandwidth: 20MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2555	1	0	21.86	0.50	22.36	<=33.01	Pass
			50	21.77	0.50	22.27	<=33.01	Pass
			99	21.75	0.50	22.25	<=33.01	Pass
		50	0	20.88	0.50	21.38	<=33.01	Pass
			25	20.78	0.50	21.28	<=33.01	Pass
			50	20.69	0.50	21.19	<=33.01	Pass
		100	0	20.82	0.50	21.32	<=33.01	Pass
	2600	1	0	21.57	0.50	22.07	<=33.01	Pass
			50	21.51	0.50	22.01	<=33.01	Pass
			99	21.42	0.50	21.92	<=33.01	Pass
		50	0	20.49	0.50	20.99	<=33.01	Pass
			25	20.40	0.50	20.90	<=33.01	Pass
			50	20.45	0.50	20.95	<=33.01	Pass
		100	0	20.48	0.50	20.98	<=33.01	Pass
	2645	1	0	20.84	0.50	21.34	<=33.01	Pass
			50	20.64	0.50	21.14	<=33.01	Pass
			99	20.52	0.50	21.02	<=33.01	Pass
		50	0	20.03	0.50	20.53	<=33.01	Pass
			25	19.91	0.50	20.41	<=33.01	Pass

			50	19.78	0.50	20.28	<=33.01	Pass	
		100	0	19.88	0.50	20.38	<=33.01	Pass	
16QAM	2555	1	0	21.69	0.50	22.19	<=33.01	Pass	
			50	21.29	0.50	21.79	<=33.01	Pass	
			99	21.61	0.50	22.11	<=33.01	Pass	
		50	0	20.11	0.50	20.61	<=33.01	Pass	
			25	20.01	0.50	20.51	<=33.01	Pass	
			50	20.05	0.50	20.55	<=33.01	Pass	
		100	0	19.93	0.50	20.43	<=33.01	Pass	
		2600	1	0	21.48	0.50	21.98	<=33.01	Pass
				50	20.87	0.50	21.37	<=33.01	Pass
	99			21.27	0.50	21.77	<=33.01	Pass	
	50		0	19.73	0.50	20.23	<=33.01	Pass	
			25	19.67	0.50	20.17	<=33.01	Pass	
			50	19.64	0.50	20.14	<=33.01	Pass	
	100		0	19.59	0.50	20.09	<=33.01	Pass	
	2645	1	0	20.71	0.50	21.21	<=33.01	Pass	
			50	20.71	0.50	21.21	<=33.01	Pass	
			99	20.85	0.50	21.35	<=33.01	Pass	
		50	0	19.05	0.50	19.55	<=33.01	Pass	
			25	19.07	0.50	19.57	<=33.01	Pass	
			50	19.01	0.50	19.51	<=33.01	Pass	
100		0	19.00	0.50	19.50	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain									

B66_1.4MHz_EIRP

Band: 66 / Bandwidth: 1.4MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1710.7	1	0	21.39	0.50	21.89	<=30	Pass	
			2	21.43	0.50	21.93	<=30	Pass	
			5	21.42	0.50	21.92	<=30	Pass	
		3	0	20.33	0.50	20.83	<=30	Pass	
			2	20.36	0.50	20.86	<=30	Pass	
			3	20.30	0.50	20.80	<=30	Pass	
		6	0	20.23	0.50	20.73	<=30	Pass	
	1745	1	0	21.48	0.50	21.98	<=30	Pass	
			2	21.45	0.50	21.95	<=30	Pass	
			5	21.31	0.50	21.81	<=30	Pass	
		3	0	20.44	0.50	20.94	<=30	Pass	
			2	20.48	0.50	20.98	<=30	Pass	
			3	20.39	0.50	20.89	<=30	Pass	
	1779.3	6	0	20.38	0.50	20.88	<=30	Pass	
			1	0	21.58	0.50	22.08	<=30	Pass
				2	21.53	0.50	22.03	<=30	Pass
		5		21.52	0.50	22.02	<=30	Pass	
		3	0	20.63	0.50	21.13	<=30	Pass	
			2	20.62	0.50	21.12	<=30	Pass	
			3	20.62	0.50	21.12	<=30	Pass	
	16QAM	1710.7	6	0	20.61	0.50	21.11	<=30	Pass
1				0	20.29	0.50	20.79	<=30	Pass
				2	20.36	0.50	20.86	<=30	Pass
			5	20.32	0.50	20.82	<=30	Pass	
3			0	20.06	0.50	20.56	<=30	Pass	
			2	20.18	0.50	20.68	<=30	Pass	
			3	20.03	0.50	20.53	<=30	Pass	
6		0	19.30	0.50	19.80	<=30	Pass		
1745		1	0	19.98	0.50	20.48	<=30	Pass	
			2	19.94	0.50	20.44	<=30	Pass	
			5	19.93	0.50	20.43	<=30	Pass	
		3	0	19.97	0.50	20.47	<=30	Pass	
			2	20.01	0.50	20.51	<=30	Pass	
			3	20.00	0.50	20.50	<=30	Pass	
6		0	19.57	0.50	20.07	<=30	Pass		
1779.3		1	0	20.61	0.50	21.11	<=30	Pass	
			2	20.60	0.50	21.10	<=30	Pass	
			5	20.60	0.50	21.10	<=30	Pass	
		3	0	20.10	0.50	20.60	<=30	Pass	
			2	20.10	0.50	20.60	<=30	Pass	
			3	20.09	0.50	20.59	<=30	Pass	
	6	0	20.09	0.50	20.59	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain									

B66_3MHz_EIRP

Band: 66 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	21.21	0.50	21.71	<=30	Pass
			7	21.21	0.50	21.71	<=30	Pass
			14	21.28	0.50	21.78	<=30	Pass

		8	0	20.32	0.50	20.82	<=30	Pass		
			4	20.33	0.50	20.83	<=30	Pass		
			7	20.30	0.50	20.80	<=30	Pass		
		15	0	20.30	0.50	20.80	<=30	Pass		
			1745	1	0	21.50	0.50	22.00	<=30	Pass
					7	21.47	0.50	21.97	<=30	Pass
		14			21.50	0.50	22.00	<=30	Pass	
		8		0	20.41	0.50	20.91	<=30	Pass	
				4	20.41	0.50	20.91	<=30	Pass	
				7	20.33	0.50	20.83	<=30	Pass	
		15	0	20.37	0.50	20.87	<=30	Pass		
		1778.5	1	0	21.59	0.50	22.09	<=30	Pass	
	7			21.56	0.50	22.06	<=30	Pass		
	14			21.55	0.50	22.05	<=30	Pass		
	8			0	20.54	0.50	21.04	<=30	Pass	
				4	20.61	0.50	21.11	<=30	Pass	
				7	20.62	0.50	21.12	<=30	Pass	
	15		0	20.58	0.50	21.08	<=30	Pass		

16QAM	1711.5	1	0	20.06	0.50	20.56	<=30	Pass	
			7	20.11	0.50	20.61	<=30	Pass	
			14	20.09	0.50	20.59	<=30	Pass	
			8	0	19.40	0.50	19.90	<=30	Pass
				4	19.36	0.50	19.86	<=30	Pass
				7	19.38	0.50	19.88	<=30	Pass
		15	0	19.29	0.50	19.79	<=30	Pass	
		1745	1	0	20.38	0.50	20.88	<=30	Pass
				7	20.36	0.50	20.86	<=30	Pass
				14	20.38	0.50	20.88	<=30	Pass
			8	0	19.59	0.50	20.09	<=30	Pass
				4	19.59	0.50	20.09	<=30	Pass
	7			19.64	0.50	20.14	<=30	Pass	
	15		0	19.39	0.50	19.89	<=30	Pass	
	1778.5	1	0	21.31	0.50	21.81	<=30	Pass	
			7	21.36	0.50	21.86	<=30	Pass	
			14	21.30	0.50	21.80	<=30	Pass	
		8	0	19.80	0.50	20.30	<=30	Pass	
			4	19.76	0.50	20.26	<=30	Pass	
			7	19.75	0.50	20.25	<=30	Pass	
		15	0	19.68	0.50	20.18	<=30	Pass	

Note1: EIRP=Conducted Power+Antenna Gain								
--	--	--	--	--	--	--	--	--

B66_5MHz_EIRP

Band: 66 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	21.29	0.50	21.79	<=30	Pass
			13	21.24	0.50	21.74	<=30	Pass
			24	21.27	0.50	21.77	<=30	Pass
		12	0	20.33	0.50	20.83	<=30	Pass
			6	20.31	0.50	20.81	<=30	Pass
			13	20.30	0.50	20.80	<=30	Pass
		25	0	20.29	0.50	20.79	<=30	Pass
	1745	1	0	21.37	0.50	21.87	<=30	Pass
			13	21.44	0.50	21.94	<=30	Pass
			24	21.44	0.50	21.94	<=30	Pass
		12	0	20.44	0.50	20.94	<=30	Pass

			6	20.44	0.50	20.94	<=30	Pass
			13	20.44	0.50	20.94	<=30	Pass
		25	0	20.45	0.50	20.95	<=30	Pass
	1777.5	1	0	21.57	0.50	22.07	<=30	Pass
			13	21.55	0.50	22.05	<=30	Pass
			24	21.55	0.50	22.05	<=30	Pass
		12	0	20.55	0.50	21.05	<=30	Pass
			6	20.54	0.50	21.04	<=30	Pass
			13	20.54	0.50	21.04	<=30	Pass
		25	0	20.54	0.50	21.04	<=30	Pass
16QAM	1712.5	1	0	20.28	0.50	20.78	<=30	Pass
			13	20.28	0.50	20.78	<=30	Pass
			24	20.27	0.50	20.77	<=30	Pass
		12	0	19.77	0.50	20.27	<=30	Pass
			6	19.76	0.50	20.26	<=30	Pass
			13	19.76	0.50	20.26	<=30	Pass
		25	0	19.76	0.50	20.26	<=30	Pass
	1745	1	0	20.44	0.50	20.94	<=30	Pass
			13	20.44	0.50	20.94	<=30	Pass
			24	20.44	0.50	20.94	<=30	Pass
		12	0	19.94	0.50	20.44	<=30	Pass
			6	19.94	0.50	20.44	<=30	Pass
			13	19.94	0.50	20.44	<=30	Pass
		25	0	19.94	0.50	20.44	<=30	Pass
	1777.5	1	0	20.54	0.50	21.04	<=30	Pass
			13	20.53	0.50	21.03	<=30	Pass
			24	20.53	0.50	21.03	<=30	Pass
		12	0	20.03	0.50	20.53	<=30	Pass
			6	20.04	0.50	20.54	<=30	Pass
			13	20.04	0.50	20.54	<=30	Pass
		25	0	20.04	0.50	20.54	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

B66_10MHz_EIRP

Band: 66 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	21.21	0.50	21.71	<=30	Pass
			25	21.32	0.50	21.82	<=30	Pass
			49	21.32	0.50	21.82	<=30	Pass
		25	0	20.26	0.50	20.76	<=30	Pass
			13	20.22	0.50	20.72	<=30	Pass
			25	20.24	0.50	20.74	<=30	Pass
		50	0	20.24	0.50	20.74	<=30	Pass
	1745	1	0	21.61	0.50	22.11	<=30	Pass
			25	21.55	0.50	22.05	<=30	Pass
			49	21.65	0.50	22.15	<=30	Pass
		25	0	20.43	0.50	20.93	<=30	Pass
			13	20.44	0.50	20.94	<=30	Pass
			25	20.35	0.50	20.85	<=30	Pass
		50	0	20.40	0.50	20.90	<=30	Pass
	1775	1	0	21.65	0.50	22.15	<=30	Pass
			25	21.65	0.50	22.15	<=30	Pass
			49	21.65	0.50	22.15	<=30	Pass
		25	0	20.57	0.50	21.07	<=30	Pass
			13	20.60	0.50	21.10	<=30	Pass

16QAM		50	25	20.63	0.50	21.13	<=30	Pass
			0	20.60	0.50	21.10	<=30	Pass
	1715	1	0	20.05	0.50	20.55	<=30	Pass
			25	20.13	0.50	20.63	<=30	Pass
			49	20.10	0.50	20.60	<=30	Pass
		25	0	19.32	0.50	19.82	<=30	Pass
			13	19.33	0.50	19.83	<=30	Pass
			25	19.35	0.50	19.85	<=30	Pass
		50	0	19.40	0.50	19.90	<=30	Pass
	1745	1	0	19.82	0.50	20.32	<=30	Pass
			25	19.84	0.50	20.34	<=30	Pass
			49	19.88	0.50	20.38	<=30	Pass
		25	0	19.42	0.50	19.92	<=30	Pass
			13	19.43	0.50	19.93	<=30	Pass
			25	19.46	0.50	19.96	<=30	Pass
		50	0	19.40	0.50	19.90	<=30	Pass
	1775	1	0	20.71	0.50	21.21	<=30	Pass
			25	20.62	0.50	21.12	<=30	Pass
			49	20.57	0.50	21.07	<=30	Pass
		25	0	19.72	0.50	20.22	<=30	Pass
			13	19.72	0.50	20.22	<=30	Pass
			25	19.75	0.50	20.25	<=30	Pass
		50	0	19.65	0.50	20.15	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

B66_15MHz_EIRP

Band: 66 / Bandwidth: 15MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	21.26	0.50	21.76	<=30	Pass
			38	21.30	0.50	21.80	<=30	Pass
			74	21.28	0.50	21.78	<=30	Pass
		36	0	20.27	0.50	20.77	<=30	Pass
			18	20.29	0.50	20.79	<=30	Pass
			39	20.32	0.50	20.82	<=30	Pass
		75	0	20.33	0.50	20.83	<=30	Pass
	1745	1	0	21.62	0.50	22.12	<=30	Pass
			38	21.66	0.50	22.16	<=30	Pass
			74	21.56	0.50	22.06	<=30	Pass
		36	0	20.40	0.50	20.90	<=30	Pass
			18	20.50	0.50	21.00	<=30	Pass
			39	20.34	0.50	20.84	<=30	Pass
		75	0	20.51	0.50	21.01	<=30	Pass
	1772.5	1	0	21.67	0.50	22.17	<=30	Pass
			38	21.65	0.50	22.15	<=30	Pass
			74	21.64	0.50	22.14	<=30	Pass
		36	0	20.60	0.50	21.10	<=30	Pass
			18	20.56	0.50	21.06	<=30	Pass
			39	20.61	0.50	21.11	<=30	Pass
		75	0	20.64	0.50	21.14	<=30	Pass
16QAM	1717.5	1	0	20.11	0.50	20.61	<=30	Pass
			38	20.07	0.50	20.57	<=30	Pass
			74	20.08	0.50	20.58	<=30	Pass
		36	0	19.39	0.50	19.89	<=30	Pass
			18	19.47	0.50	19.97	<=30	Pass
			39	19.48	0.50	19.98	<=30	Pass

	1745	75	0	19.41	0.50	19.91	<=30	Pass
			0	20.42	0.50	20.92	<=30	Pass
			38	20.43	0.50	20.93	<=30	Pass
			74	20.42	0.50	20.92	<=30	Pass
		36	0	19.54	0.50	20.04	<=30	Pass
			18	19.54	0.50	20.04	<=30	Pass
			39	19.54	0.50	20.04	<=30	Pass
		75	0	19.52	0.50	20.02	<=30	Pass
	1772.5	1	0	20.64	0.50	21.14	<=30	Pass
			38	20.67	0.50	21.17	<=30	Pass
			74	20.68	0.50	21.18	<=30	Pass
		36	0	19.70	0.50	20.20	<=30	Pass
			18	19.69	0.50	20.19	<=30	Pass
			39	19.69	0.50	20.19	<=30	Pass
		75	0	19.59	0.50	20.09	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

B66_20MHz_EIRP

Band: 66 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	21.35	0.50	21.85	<=30	Pass
			50	21.31	0.50	21.81	<=30	Pass
			99	21.39	0.50	21.89	<=30	Pass
		50	0	20.35	0.50	20.85	<=30	Pass
			25	20.30	0.50	20.80	<=30	Pass
			50	20.34	0.50	20.84	<=30	Pass
		100	0	20.38	0.50	20.88	<=30	Pass
	1745	1	0	21.54	0.50	22.04	<=30	Pass
			50	21.56	0.50	22.06	<=30	Pass
			99	21.67	0.50	22.17	<=30	Pass
		50	0	20.43	0.50	20.93	<=30	Pass
			25	20.32	0.50	20.82	<=30	Pass
			50	20.50	0.50	21.00	<=30	Pass
		100	0	20.42	0.50	20.92	<=30	Pass
	1770	1	0	21.53	0.50	22.03	<=30	Pass
			50	21.60	0.50	22.10	<=30	Pass
			99	21.58	0.50	22.08	<=30	Pass
		50	0	20.56	0.50	21.06	<=30	Pass
			25	20.61	0.50	21.11	<=30	Pass
			50	20.55	0.50	21.05	<=30	Pass
		100	0	20.59	0.50	21.09	<=30	Pass
16QAM	1720	1	0	20.06	0.50	20.56	<=30	Pass
			50	20.09	0.50	20.59	<=30	Pass
			99	20.10	0.50	20.60	<=30	Pass
		50	0	19.42	0.50	19.92	<=30	Pass
			25	19.42	0.50	19.92	<=30	Pass
			50	19.45	0.50	19.95	<=30	Pass
		100	0	19.36	0.50	19.86	<=30	Pass
	1745	1	0	20.27	0.50	20.77	<=30	Pass
			50	20.31	0.50	20.81	<=30	Pass
			99	20.27	0.50	20.77	<=30	Pass
		50	0	19.47	0.50	19.97	<=30	Pass
			25	19.41	0.50	19.91	<=30	Pass
			50	19.43	0.50	19.93	<=30	Pass
		100	0	19.43	0.50	19.93	<=30	Pass

	1770	1	0	20.60	0.50	21.10	<=30	Pass
			50	20.58	0.50	21.08	<=30	Pass
			99	20.64	0.50	21.14	<=30	Pass
		50	0	19.74	0.50	20.24	<=30	Pass
			25	19.68	0.50	20.18	<=30	Pass
			50	19.75	0.50	20.25	<=30	Pass
		100	0	19.59	0.50	20.09	<=30	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						