




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1276	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2477MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	43.88	-9.34	34.54	46.00	-11.46	QP			
2	360.4476	48.23	-7.26	40.97	46.00	-5.03	QP			
3	661.1504	38.61	-1.59	37.02	46.00	-8.98	QP			

1GHz - 18GHz




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1167	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2402MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2402.000	103.28	-1.61	101.67	/	/	peak			
2	4804.028	45.88	4.90	50.78	74.00	-23.22	peak			
3	4804.028	36.45	4.90	41.35	54.00	-12.65	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1168	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2402MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2402.000	102.78	-1.61	101.17	/	/	peak			
2	4804.029	45.28	4.90	50.18	74.00	-23.82	peak			
3	4804.029	37.44	4.90	42.34	54.00	-11.66	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1171

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing

Mode: TX 2440MHz

Model: MBP855CONNECT

Manufacturer: Binatone

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 17/02/17/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2440.000	100.22	-1.46	98.76	/	/	peak			
2	4880.033	44.26	5.60	49.86	74.00	-24.14	peak			
3	4880.033	34.74	5.60	40.34	54.00	-13.66	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1172	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2440MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2440.000	99.72	-1.46	98.26	/	/	peak			
2	4880.030	44.82	5.60	50.42	74.00	-23.58	peak			
3	4880.030	35.74	5.60	41.34	54.00	-12.66	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1174	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2477MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2477.000	100.84	-1.41	99.43	/	/	peak			
2	4954.036	44.29	6.06	50.35	74.00	-23.65	peak			
3	4954.036	35.28	6.06	41.34	54.00	-12.66	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1173	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2477MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2477.000	102.84	-1.41	101.43	/	/	peak			
2	4954.032	44.64	6.06	50.70	74.00	-23.30	peak			
3	4954.032	36.28	6.06	42.34	54.00	-11.66	AVG			

**Wi-Fi 802.11 b mode, 11 Mbps
30MHz - 1GHz**




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1247	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11b






ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1248	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11b	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	44.32	-9.34	34.98	46.00	-11.02	QP			
2	360.4476	47.79	-7.26	40.53	46.00	-5.47	QP			
3	721.7259	36.57	-0.75	35.82	46.00	-10.18	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1250	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	53.67	-9.34	44.33	46.00	-1.67	QP			
2	360.4476	52.13	-7.26	44.87	46.00	-1.13	QP			
3	661.1504	42.40	-1.59	40.81	46.00	-5.19	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1249	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	44.15	-9.34	34.81	46.00	-11.19	QP			
2	360.4476	48.84	-7.26	41.58	46.00	-4.42	QP			
3	661.1504	38.18	-1.59	36.59	46.00	-9.41	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1251	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11b	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	53.71	-9.34	44.37	46.00	-1.63	QP			
2	300.3672	52.01	-9.01	43.00	46.00	-3.00	QP			
3	360.4476	49.80	-7.26	42.54	46.00	-3.46	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1252	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11b	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	44.27	-9.34	34.93	46.00	-11.07	QP			
2	360.4476	48.35	-7.26	41.09	46.00	-4.91	QP			
3	420.5803	42.08	-5.75	36.33	46.00	-9.67	QP			

1GHz - 18GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1183	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	99.76	-1.57	98.19	/	/	peak			
2	4824.224	45.37	5.08	50.45	74.00	-23.55	peak			
3	4824.224	37.16	5.08	42.24	54.00	-11.76	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1184	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11b	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	101.09	-1.57	99.52	/	/	peak			
2	4824.236	45.29	5.08	50.37	74.00	-23.63	peak			
3	4824.236	37.26	5.08	42.34	54.00	-11.66	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1187	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11b	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	101.21	-1.46	99.75	/	/	peak			
2	4874.240	43.90	5.54	49.44	74.00	-24.56	peak			
3	4874.240	36.02	5.54	41.56	54.00	-12.44	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1188	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11b	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	102.93	-1.46	101.47	/	/	peak			
2	4874.250	45.00	5.54	50.54	74.00	-23.46	peak			
3	4874.250	36.80	5.54	42.34	54.00	-11.66	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1190	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11b	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	99.70	-1.41	98.29	/	/	peak			
2	4924.222	44.41	5.90	50.31	74.00	-23.69	peak			
3	4924.222	35.10	5.90	41.00	54.00	-13.00	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1189	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11b	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	102.07	-1.41	100.66	/	/	peak			
2	4924.237	44.17	5.90	50.07	74.00	-23.93	peak			
3	4924.237	36.35	5.90	42.25	54.00	-11.75	AVG			

**Wi-Fi 802.11 g mode, 54 Mbps
30MHz - 1GHz**



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1254	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	53.73	-9.34	44.39	46.00	-1.61	QP			
2	300.3672	53.35	-9.01	44.34	46.00	-1.66	QP			
3	360.4476	50.73	-7.26	43.47	46.00	-2.53	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1253	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11g	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	44.10	-9.34	34.76	46.00	-11.24	QP			
2	360.4476	48.25	-7.26	40.99	46.00	-5.01	QP			
3	661.1504	38.40	-1.59	36.81	46.00	-9.19	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1255	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11g	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	53.69	-9.34	44.35	46.00	-1.65	QP			
2	300.3672	52.84	-9.01	43.83	46.00	-2.17	QP			
3	360.4476	49.82	-7.26	42.56	46.00	-3.44	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1256	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	44.09	-9.34	34.75	46.00	-11.25	QP			
2	360.4476	47.34	-7.26	40.08	46.00	-5.92	QP			
3	661.1504	39.40	-1.59	37.81	46.00	-8.19	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1258	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11g	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	53.55	-9.34	44.21	46.00	-1.79	QP			
2	300.3672	53.21	-9.01	44.20	46.00	-1.80	QP			
3	360.4476	49.76	-7.26	42.50	46.00	-3.50	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1257

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing

Mode: TX 2462MHz

Model: MBP855CONNECT

Manufacturer: Binatone

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 17/02/18/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	44.16	-9.34	34.82	46.00	-11.18	QP			
2	360.4476	47.55	-7.26	40.29	46.00	-5.71	QP			
3	661.1504	38.43	-1.59	36.84	46.00	-9.16	QP			

1GHz - 18GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1199	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	100.32	-1.57	98.75	/	/	peak			
2	4824.253	44.70	5.08	49.78	74.00	-24.22	peak			
3	4824.253	36.12	5.08	41.20	54.00	-12.80	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1200

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing

Mode: TX 2412MHz

Model: MBP855CONNECT

Manufacturer: Binatone

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 17/02/17/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	102.58	-1.57	101.01	/	/	peak			
2	4824.247	45.26	5.08	50.34	74.00	-23.66	peak			
3	4824.247	36.17	5.08	41.25	54.00	-12.75	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1203

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing

Mode: TX 2437MHz

Model: MBP855CONNECT

Manufacturer: Binatone

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 17/02/17/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	100.19	-1.46	98.73	/	/	peak			
2	4874.264	44.58	5.54	50.12	74.00	-23.88	peak			
3	4874.264	35.70	5.54	41.24	54.00	-12.76	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1204

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing

Mode: TX 2437MHz

Model: MBP855CONNECT

Manufacturer: Binatone

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 17/02/17/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	100.29	-1.46	98.83	/	/	peak			
2	4874.265	45.38	5.54	50.92	74.00	-23.08	peak			
3	4874.265	36.35	5.54	41.89	54.00	-12.11	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1206	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11g	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	98.64	-1.41	97.23	/	/	peak			
2	4924.248	44.85	5.90	50.75	74.00	-23.25	peak			
3	4924.248	35.58	5.90	41.48	54.00	-12.52	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1205	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11g	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	102.34	-1.41	100.93	/	/	peak			
2	4924.239	44.84	5.90	50.74	74.00	-23.26	peak			
3	4924.239	35.37	5.90	41.27	54.00	-12.73	AVG			

**Wi-Fi 802.11 n(HT20) mode, MCS0
30MHz - 1GHz**



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1259	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	53.46	-9.34	44.12	46.00	-1.88	QP			
2	300.3672	52.55	-9.01	43.54	46.00	-2.46	QP			
3	360.4476	51.27	-7.26	44.01	46.00	-1.99	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1260	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT20	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	44.22	-9.34	34.88	46.00	-11.12	QP			
2	360.4476	47.37	-7.26	40.11	46.00	-5.89	QP			
3	661.1504	39.42	-1.59	37.83	46.00	-8.17	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1262	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT20	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	53.50	-9.34	44.16	46.00	-1.84	QP			
2	300.3672	53.40	-9.01	44.39	46.00	-1.61	QP			
3	360.4476	50.71	-7.26	43.45	46.00	-2.55	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1261	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT20	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	44.39	-9.34	35.05	46.00	-10.95	QP			
2	360.4476	47.50	-7.26	40.24	46.00	-5.76	QP			
3	661.1504	39.17	-1.59	37.58	46.00	-8.42	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1263	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT20	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	53.61	-9.34	44.27	46.00	-1.73	QP			
2	300.3672	53.36	-9.01	44.35	46.00	-1.65	QP			
3	360.4476	49.60	-7.26	42.34	46.00	-3.66	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1264	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT20	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	44.07	-9.34	34.73	46.00	-11.27	QP			
2	360.4476	46.76	-7.26	39.50	46.00	-6.50	QP			
3	661.1504	38.80	-1.59	37.21	46.00	-8.79	QP			

1GHz - 18GHz



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1215	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT20	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	99.33	-1.57	97.76	/	/	peak			
2	4824.266	45.10	5.08	50.18	74.00	-23.82	peak			
3	4824.266	36.26	5.08	41.34	54.00	-12.66	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1216	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT20	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	99.25	-1.57	97.68	/	/	peak			
2	4824.275	44.47	5.08	49.55	74.00	-24.45	peak			
3	4824.275	36.27	5.08	41.35	54.00	-12.65	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1219	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT20	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	97.60	-1.46	96.14	/	/	peak			
2	4874.243	45.02	5.54	50.56	74.00	-23.44	peak			
3	4874.243	35.82	5.54	41.36	54.00	-12.64	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1220	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT20	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	97.04	-1.46	95.58	/	/	peak			
2	4874.255	44.84	5.54	50.38	74.00	-23.62	peak			
3	4874.255	35.80	5.54	41.34	54.00	-12.66	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1222

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing

Mode: TX 2462MHz

Model: MBP855CONNECT

Manufacturer: Binatone

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 17/02/18/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	95.94	-1.41	94.53	/	/	peak			
2	4924.268	44.42	5.90	50.32	74.00	-23.68	peak			
3	4924.268	35.45	5.90	41.35	54.00	-12.65	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1221

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing

Mode: TX 2462MHz

Model: MBP855CONNECT

Manufacturer: Binatone

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 17/02/18/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	98.50	-1.41	97.09	/	/	peak			
2	4924.265	44.17	5.90	50.07	74.00	-23.93	peak			
3	4924.265	35.45	5.90	41.35	54.00	-12.65	AVG			

**Wi-Fi 802.11 n(HT40) mode, MCS0
30MHz - 1GHz**



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1266	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2422MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	53.51	-9.34	44.17	46.00	-1.83	QP			
2	300.3672	53.27	-9.01	44.26	46.00	-1.74	QP			
3	360.4476	50.73	-7.26	43.47	46.00	-2.53	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1265	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2422MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT40	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	44.35	-9.34	35.01	46.00	-10.99	QP			
2	360.4476	48.12	-7.26	40.86	46.00	-5.14	QP			
3	661.1504	38.96	-1.59	37.37	46.00	-8.63	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1267

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing

Mode: TX 2437MHz

Model: MBP855CONNECT

Manufacturer: Binatone

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 17/02/18/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	53.45	-9.34	44.11	46.00	-1.89	QP			
2	300.3672	53.24	-9.01	44.23	46.00	-1.77	QP			
3	360.4476	51.14	-7.26	43.88	46.00	-2.12	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1268	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	43.93	-9.34	34.59	46.00	-11.41	QP			
2	360.4476	49.64	-7.26	42.38	46.00	-3.62	QP			
3	661.1504	39.84	-1.59	38.25	46.00	-7.75	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1270	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2452MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT40	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	53.50	-9.34	44.16	46.00	-1.84	QP			
2	300.3672	50.78	-9.01	41.77	46.00	-4.23	QP			
3	360.4476	49.34	-7.26	42.08	46.00	-3.92	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1269	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2452MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT40	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	287.9904	44.35	-9.34	35.01	46.00	-10.99	QP			
2	360.4476	49.01	-7.26	41.75	46.00	-4.25	QP			
3	661.1504	37.36	-1.59	35.77	46.00	-10.23	QP			

1GHz - 18GHz



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1231	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2422MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT40	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2422.000	97.16	-1.53	95.63	/	/	peak			
2	4844.322	44.51	5.26	49.77	74.00	-24.23	peak			
3	4844.322	35.09	5.26	40.35	54.00	-13.65	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1232	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2422MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT40	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2422.000	94.97	-1.52	93.45	/	/	peak			
2	4844.310	45.55	5.26	50.81	74.00	-23.19	peak			
3	4844.310	36.08	5.26	41.34	54.00	-12.66	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1235	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT40	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	94.28	-1.46	92.82	/	/	peak			
2	4874.335	45.06	5.54	50.60	74.00	-23.40	peak			
3	4874.335	35.69	5.54	41.23	54.00	-12.77	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1236	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT40	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	93.90	-1.46	92.44	/	/	peak			
2	4874.341	44.38	5.54	49.92	74.00	-24.08	peak			
3	4874.341	35.70	5.54	41.24	54.00	-12.76	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1238	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2452MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT40	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2452.000	94.37	-1.41	92.96	/	/	peak			
2	4904.336	44.36	5.80	50.16	54.00	-3.84	peak			
3	4904.336	36.57	5.80	42.37	54.00	-11.63	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1237	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2452MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT40	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2452.000	92.68	-1.41	91.27	/	/	peak			
2	4904.329	44.51	5.80	50.31	74.00	-23.69	peak			
3	4904.329	36.78	5.80	42.58	54.00	-11.42	AVG			

Appendix C.2: Test Results of Radiated Emissions in Restricted Bands

General 2.4GHz

Low channel




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1170	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2402MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2390.000	54.01	-1.71	52.30	74.00	-21.70	peak			
2	2390.000	43.83	-1.71	42.12	54.00	-11.88	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1169	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2402MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2389.760	56.04	-1.71	54.33	74.00	-19.67	peak			
2	2389.760	46.06	-1.71	44.35	54.00	-9.65	AVG			

High channel




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1175	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2477MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.533	50.73	-1.40	49.33	74.00	-24.67	peak			
2	2483.533	40.96	-1.40	39.56	54.00	-14.44	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1176	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2477MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2485.233	55.05	-1.40	53.65	74.00	-20.35	peak			
2	2485.233	43.73	-1.40	42.33	54.00	-11.67	AVG			

**Wi-Fi 802.11 b mode, 11 Mbps
Low channel**




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1186	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2389.520	44.93	-1.71	43.22	74.00	-30.78	peak			
2	2389.520	35.19	-1.71	33.48	54.00	-20.52	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1185	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11b	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2389.680	46.13	-1.71	44.42	74.00	-29.58	peak			
2	2389.680	35.95	-1.71	34.24	54.00	-19.76	AVG			

High channel




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1191	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2484.869	44.76	-1.40	43.36	74.00	-30.64	peak			
2	2484.869	34.14	-1.40	32.74	54.00	-21.26	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1192	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2484.242	46.29	-1.41	44.88	74.00	-29.12	peak			
2	2484.242	34.53	-1.41	33.12	54.00	-20.88	AVG			

Wi-Fi 802.11 g mode, 54 Mbps
Low channel




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1202	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2389.760	43.75	-1.71	42.04	74.00	-31.96	peak			
2	2389.760	34.25	-1.71	32.54	54.00	-21.46	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1201	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2389.440	45.42	-1.71	43.71	74.00	-30.29	peak			
2	2389.440	34.97	-1.71	33.26	54.00	-20.74	AVG			

High channel




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1207	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.599	49.23	-1.40	47.83	74.00	-26.17	peak			
2	2483.599	38.96	-1.40	37.56	54.00	-16.44	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1208	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/17/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.648	54.46	-1.40	53.06	74.00	-20.94	peak			
2	2483.648	44.53	-1.40	43.13	54.00	-10.87	AVG			

**Wi-Fi 802.11 n(HT20) mode, MCS0
Low channel**




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1218	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2389.840	48.08	-1.71	46.37	74.00	-27.63	peak			
2	2389.840	38.25	-1.71	36.54	54.00	-17.46	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1217	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT20	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2390.000	53.58	-1.71	51.87	74.00	-22.13	peak			
2	2390.000	43.06	-1.71	41.35	54.00	-12.65	AVG			

High channel




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1223	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.615	52.65	-1.40	51.25	74.00	-22.75	peak			
2	2483.615	42.74	-1.40	41.34	54.00	-12.66	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1224	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.550	54.65	-1.40	53.25	74.00	-20.75	peak			
2	2483.550	44.81	-1.40	43.41	54.00	-10.59	AVG			

Wi-Fi 802.11 n(HT40) mode, MCS0
Low channel



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LGW2017 #1234	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2422MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2385.120	43.72	-1.74	41.98	74.00	-32.02	peak			
2	2385.120	32.98	-1.74	31.24	54.00	-22.76	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1233	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2422MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: 802.11n HT40	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2385.280	47.56	-1.74	45.82	74.00	-28.18	peak			
2	2385.280	37.19	-1.74	35.45	54.00	-18.55	AVG			

High channel



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1239	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2452MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2485.166	52.15	-1.40	50.75	74.00	-23.25	peak			
2	2485.166	41.65	-1.40	40.25	54.00	-13.75	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1240	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/02/18/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: LGWADE
Mode: TX 2452MHz	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2485.398	54.90	-1.40	53.50	74.00	-20.50	peak			
2	2485.398	45.27	-1.40	43.87	54.00	-10.13	AVG			

Appendix C.3: Test Results of Conducted Emission on AC Mains D+F mode with adapter #1

ACCURATE TECHNOLOGY CO., LTD


CONDUCTED EMISSION STANDARD FCC PART 15 B

EUT: 5"Video Baby Monitor With Wi-Fi Internet Viewing M/N:MBP855CONNECT
 Manufacturer: Binatone
 Operating Condition: D+F
 Test Site: 1#Shielding Room
 Operator: WADE
 Test Specification: L 120V/60Hz
 Comment: SPS:S012BEU0500150
 Start of Test: 2/20/2017 /

SCAN TABLE: "V 9K-30MHz fin"

Short Description: SUB STD VTERM2 1.70

Start Frequency	Stop Frequency	Step Width	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	NSLK8126 2008
150.0 kHz	30.0 MHz	5.0 kHz	Average			
			QuasiPeak	1.0 s	9 kHz	NSLK8126 2008
			Average			



MEASUREMENT RESULT: "TUV-0220-2_fin"

2/20/2017

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.475000	43.00	10.7	56	13.4	QP	L1	GND
0.980000	32.20	10.8	56	23.8	QP	L1	GND
9.000000	34.90	11.3	60	25.1	QP	L1	GND

MEASUREMENT RESULT: "TUV-0220-2_fin2"

2/20/2017

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.485000	34.30	10.7	46	12.0	AV	L1	GND
0.920000	20.50	10.8	46	25.5	AV	L1	GND
9.000000	25.50	11.3	50	24.5	AV	L1	GND


ACCURATE TECHNOLOGY CO., LTD

CONDUCTED EMISSION STANDARD FCC PART 15 B

EUT: 5"Video Baby Monitor With Wi-Fi Internet Viewing M/N:MBP855CONNECT
 Manufacturer: Binatone
 Operating Condition: D+F
 Test Site: 1#Shielding Room
 Operator: WADE
 Test Specification: N 120V/60Hz
 Comment: SPS:S012BEU0500150
 Start of Test: 2/20/2017 /

SCAN TABLE: "V 9K-30MHz fin"

Start	Stop	Step	Sub	STD	VTERM2	1.70	IF	Transducer
Frequency	Frequency	Width	Detector	Meas.	Time	Bandw.		
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	NSLK8126 2008		
			Average					
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	NSLK8126 2008		
			Average					



MEASUREMENT RESULT: "TUV-0220-1_fin"

2/20/2017								
Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE	
0.490000	41.00	10.7	56	15.2	QP	N	GND	
1.430000	27.20	10.9	56	28.8	QP	N	GND	
9.000000	29.70	11.3	60	30.3	QP	N	GND	

MEASUREMENT RESULT: "TUV-0220-1_fin2"

2/20/2017								
Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE	
0.480000	35.60	10.7	46	10.7	AV	N	GND	
1.470000	20.10	10.9	46	25.9	AV	N	GND	
9.000000	20.30	11.3	50	29.7	AV	N	GND	

D+F mode with adapter #2


ACCURATE TECHNOLOGY CO.,LTD

CONDUCTED EMISSION STANDARD FCC PART 15 B

EUT: 5"Video Baby Monitor With Wi-Fi Internet Viewing M/N:MBP855CONNECT
 Manufacturer: Binatone
 Operating Condition: D+F
 Test Site: 1#Shielding Room
 Operator: WADE
 Test Specification: L 120V/60Hz
 Comment: SPS:BLJ06W050150P1-U
 Start of Test: 2/20/2017 /

SCAN TABLE: "V 9K-30MHz fin"

Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	NSLK8126 2008
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	NSLK8126 2008



MEASUREMENT RESULT: "TUV-0220-6_fin"

2/20/2017

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.490000	36.00	10.7	56	20.2	QP	L1	GND
1.205000	32.70	10.9	56	23.3	QP	L1	GND
9.580000	40.50	11.3	60	19.5	QP	L1	GND

MEASUREMENT RESULT: "TUV-0220-6_fin2"

2/20/2017

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.490000	27.90	10.7	46	18.3	AV	L1	GND
0.965000	21.40	10.8	46	24.6	AV	L1	GND
10.690000	31.40	11.3	50	18.6	AV	L1	GND


ACCURATE TECHNOLOGY CO., LTD

CONDUCTED EMISSION STANDARD FCC PART 15 B

EUT: 5"Video Baby Monitor With Wi-Fi Internet Viewing M/N:MBP855CONNECT
 Manufacturer: Binatone
 Operating Condition: D+F
 Test Site: 1#Shielding Room
 Operator: WADE
 Test Specification: N 120V/60Hz
 Comment: SPS:BLJ06W050150P1-U
 Start of Test: 2/20/2017 /

SCAN TABLE: "V 9K-30MHz fin"

Short Description:		SUB STD VTERM2 1.70					
Start	Stop	Step	Detector	Meas.	IF	Transducer	
Frequency	Frequency	Width		Time	Bandw.		
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	NSLK8126 2008	
			Average				
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	NSLK8126 2008	
			Average				



MEASUREMENT RESULT: "TUV-0220-5_fin"

2/20/2017

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.185000	39.10	10.5	64	25.2	QP	N	GND
0.500000	33.30	10.7	56	22.7	QP	N	GND
9.480000	37.60	11.3	60	22.4	QP	N	GND

MEASUREMENT RESULT: "TUV-0220-5_fin2"

2/20/2017

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.195000	24.50	10.5	54	29.3	AV	N	GND
0.545000	26.00	10.7	46	20.0	AV	N	GND
9.480000	28.70	11.3	50	21.3	AV	N	GND

E+F mode with adapter #1


ACCURATE TECHNOLOGY CO., LTD

CONDUCTED EMISSION STANDARD FCC PART 15 B

EUT: 5"Video Baby Monitor With Wi-Fi Internet Viewing M/N:MBP855CONNECT
 Manufacturer: Binatone
 Operating Condition: E+F
 Test Site: 1#Shielding Room
 Operator: WADE
 Test Specification: L 120V/60Hz
 Comment: SPS:S012BEU0500150
 Start of Test: 2/20/2017 /

SCAN TABLE: "V 9K-30MHz fin"

Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	NSLK8126 2008
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	NSLK8126 2008



MEASUREMENT RESULT: "TUV-0220-3_fin"

2/20/2017								
Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE	
0.490000	42.70	10.7	56	13.5	QP	L1	GND	
0.980000	32.30	10.8	56	23.7	QP	L1	GND	
9.000000	33.90	11.3	60	26.1	QP	L1	GND	

MEASUREMENT RESULT: "TUV-0220-3_fin2"

2/20/2017								
Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE	
0.480000	34.60	10.7	46	11.7	AV	L1	GND	
0.900000	20.60	10.8	46	25.4	AV	L1	GND	
9.000000	24.50	11.3	50	25.5	AV	L1	GND	


ACCURATE TECHNOLOGY CO., LTD

CONDUCTED EMISSION STANDARD FCC PART 15 B

EUT: 5"Video Baby Monitor With Wi-Fi Internet Viewing M/N:MBP855CONNECT
 Manufacturer: Binatone
 Operating Condition: E+F
 Test Site: 1#Shielding Room
 Operator: WADE
 Test Specification: N 120V/60Hz
 Comment: SPS:S012BEU0500150
 Start of Test: 2/20/2017 /

SCAN TABLE: "V 9K-30MHz fin"

Start	Stop	Step	Sub	STD	VTERM2	1.70	IF	Transducer
Frequency	Frequency	Width	Detector	Meas.	Time	Bandw.		
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	NSLK8126 2008		
			Average					
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	NSLK8126 2008		
			Average					



MEASUREMENT RESULT: "TUV-0220-4_fin"

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.490000	40.50	10.7	56	15.7	QP	N	GND
1.460000	27.80	10.9	56	28.2	QP	N	GND
9.000000	30.10	11.3	60	29.9	QP	N	GND

MEASUREMENT RESULT: "TUV-0220-4_fin2"

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.485000	35.40	10.7	46	10.9	AV	N	GND
1.460000	20.50	10.9	46	25.5	AV	N	GND
9.000000	20.80	11.3	50	29.2	AV	N	GND

E+F mode with adapter #2


ACCURATE TECHNOLOGY CO.,LTD

CONDUCTED EMISSION STANDARD FCC PART 15 B

EUT: 5"Video Baby Monitor With Wi-Fi Internet Viewing M/N:MBP855CONNECT
 Manufacturer: Binatone
 Operating Condition: E+F
 Test Site: 1#Shielding Room
 Operator: WADE
 Test Specification: L 120V/60Hz
 Comment: SPS:BLJ06W050150P1-U
 Start of Test: 2/20/2017 /

SCAN TABLE: "V 9K-30MHz fin"

Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	NSLK8126 2008
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	NSLK8126 2008



MEASUREMENT RESULT: "TUV-0220-7_fin"

Frequency MHz	Level dBuV	Transd dB	Limit dBpV	Margin dB	Detector	Line	PE
0.500000	35.80	10.7	56	20.2	QP	L1	GND
0.885000	31.60	10.8	56	24.4	QP	L1	GND
9.380000	40.60	11.3	60	19.4	QP	L1	GND

MEASUREMENT RESULT: "TUV-0220-7_fin2"

Frequency MHz	Level dBuV	Transd dB	Limit dBpV	Margin dB	Detector	Line	PE
0.485000	27.80	10.7	46	18.5	AV	L1	GND
0.535000	27.30	10.7	46	18.7	AV	L1	GND
9.780000	32.00	11.3	50	18.0	AV	L1	GND


ACCURATE TECHNOLOGY CO., LTD

CONDUCTED EMISSION STANDARD FCC PART 15 B

EUT: 5"Video Baby Monitor With Wi-Fi Internet Viewing M/N:MBP855CONNECT
 Manufacturer: Binatone
 Operating Condition: E+F
 Test Site: 1#Shielding Room
 Operator: WADE
 Test Specification: N 120V/60Hz
 Comment: SPS:BLJ06W050150P1-U
 Start of Test: 2/20/2017 /

SCAN TABLE: "V 9K-30MHz fin"

Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	NSLK8126 2008
150.0 kHz	30.0 MHz	5.0 kHz	Average	1.0 s	9 kHz	NSLK8126 2008



MEASUREMENT RESULT: "TUV-0220-8_fin"

2/20/2017	Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
	0.190000	38.10	10.5	64	25.9	QP	N	GND
	0.485000	32.70	10.7	56	23.6	QP	N	GND
	8.950000	35.30	11.3	60	24.7	QP	N	GND

MEASUREMENT RESULT: "TUV-0220-8_fin2"

2/20/2017	Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
	0.290000	23.50	10.6	51	27.0	AV	N	GND
	0.540000	26.00	10.7	46	20.0	AV	N	GND
	9.580000	28.80	11.3	50	21.2	AV	N	GND

Appendix C.4: Test Results of Radiated Emission F mode with adapter #1




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1535	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/03/01/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: WADE
Mode: Charging	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: SPS:S012BEU0500150	





ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1534

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing

Mode: Charging

Model: MBP855CONNECT

Manufacturer: Binatone

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 17/03/01/

Time:

Engineer Signature: WADE

Distance: 3m

Note: SPS:S012BEU0500150





ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1528

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing

Mode: Charging

Model: MBP855CONNECT

Manufacturer: Binatone

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 17/03/01/

Time:

Engineer Signature: WADE

Distance: 3m

Note: SPS:S012BEU0500150



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5515.414	37.02	7.45	44.47	74.00	-29.53	peak			
2	5515.414	27.79	7.45	35.24	54.00	-18.76	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1529

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing

Mode: Charging

Model: MBP855CONNECT

Manufacturer: Binatone

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 17/03/01/

Time:

Engineer Signature: WADE

Distance: 3m

Note: SPS:S012BEU0500150



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5545.141	38.87	7.54	46.41	74.00	-27.59	peak			
2	5545.141	31.02	7.54	38.56	54.00	-15.44	AVG			

F mode with adapter #2




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1532	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/03/01/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: WADE
Mode: Charging	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: SPS:BLJ06W050150P1-U	






ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1533	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/03/01/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: WADE
Mode: Charging	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	
Note: SPS:BLJ06W050150P1-U	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	324.4560	46.26	-8.26	38.00	46.00	-8.00	QP			
2	444.8514	46.82	-5.43	41.39	46.00	-4.61	QP			
3	649.6597	43.34	-1.81	41.53	46.00	-4.47	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1531	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/03/01/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: WADE
Mode: Charging	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: SPS:BLJ06W050150P1-U



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5033.759	38.44	6.26	44.70	74.00	-29.30	peak			
2	5033.759	29.11	6.26	35.37	54.00	-18.63	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: LGW2017 #1530	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/03/01/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: 5" Video Baby Monitor With Wi-Fi Internet Viewing	Engineer Signature: WADE
Mode: Charging	Distance: 3m
Model: MBP855CONNECT	
Manufacturer: Binatone	

Note: SPS:BLJ06W050150P1-U



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5925.216	36.49	8.50	44.99	74.00	-29.01	peak			
2	5925.216	27.06	8.50	35.56	54.00	-18.44	AVG			