




IC 802.11n 40MHz Main 5510MHz




IC 802.11n 40MHz Main 5710MHz




IC 802.11n 40MHz Main 5550MHz




IC 802.11n 40MHz Main 5755MHz



IC 802.11n 40MHz Main 5670MHz



IC 802.11n 40MHz Main 5795MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


IC 802.11ac 80MHz Main 5210MHz




IC 802.11ac 80MHz Main 5610MHz




IC 802.11ac 80MHz Main 5290MHz




IC 802.11ac 80MHz Main 5690MHz



IC 802.11ac 80MHz Main 5530MHz



IC 802.11ac 80MHz Main 5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 9 MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

### 9.1 Standard Applicable

#### FCC

| OPERZTION Band                                                                                                                                                                                     | EUT CATEGORY |                                   | LIMIT                             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------------|-----------------------------------|
| U-NII-1                                                                                                                                                                                            |              | Access Point (Mater device )      | 1 Watt(30dBm)                     |
|                                                                                                                                                                                                    |              | Fixed point-to-point Acss Ponit   | 1 Watt(30dBm)                     |
|                                                                                                                                                                                                    | ✓            | Mobile and portable clinet device | 250mW(23.98dBm)                   |
| U-NII-2A                                                                                                                                                                                           | ✓            |                                   | 250mW(23.98dBm) or 11dBm+10 log B |
| U-NII-2C                                                                                                                                                                                           | ✓            |                                   | 250mW(23.98dBm) or 11dBm+10 log B |
| U-NII-3                                                                                                                                                                                            | ✓            |                                   | 1 Watt(30dBm)                     |
| If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum transmit power shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6 dBi. |              |                                   |                                   |

#### ISED

| OPERZTION FREQUENCY BAND                                                                                                                                                                                                                                    | LIMIT                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| 5150~5250 MHz                                                                                                                                                                                                                                               | EIRP shall not exceed 200 mW or 10 + 10 log <sub>10</sub> B, dBm                                                                                |
| 5250~5350 MHz                                                                                                                                                                                                                                               | Conducted output power shall not exceed 250 mW or 11 +10 log <sub>10</sub> B<br>EIRP shall not exceed 1.0 W or 17 + 10 log <sub>10</sub> B, dBm |
| 5470-5600 MHz and 5650-5725 MHz                                                                                                                                                                                                                             | Conducted output power shall not exceed 250 mW or 11 +10 log <sub>10</sub> B<br>EIRP shall not exceed 1.0 W or 17 + 10 log <sub>10</sub> B, dBm |
| 5725~5850 MHz                                                                                                                                                                                                                                               | Conducted output power shall not exceed 1 W                                                                                                     |
| For equipment operating in the band <b>5725-5850</b> MHz, If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum transmit power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. |                                                                                                                                                 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


## 9.2 Measurement Procedure

1. Place the EUT on the table and set it in transmitting mode.
2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
4. Power Meter is used as the auxiliary test equipment to conduct the output power measurement.
5. Record the max. reading and add  $10 \log(1/\text{duty cycle})$ .
6. Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.

## 9.3 Measurement Equipment Used

| SGS Conducted Room |              |           |               |                  |                 |
|--------------------|--------------|-----------|---------------|------------------|-----------------|
| Name of Equipment  | Manufacturer | Model     | Serial Number | Calibration Date | Calibration Due |
| Power Meter        | Anritsu      | ML2496A   | 1242004       | 10/23/2018       | 10/22/2019      |
| Power Sensor       | Anritsu      | MA2411B   | 1207365       | 10/23/2018       | 10/22/2019      |
| Power Sensor       | Anritsu      | MA2411B   | 1207368       | 10/23/2018       | 10/22/2019      |
| DC Power Supply    | Agilent      | E3640A    | MY53130054    | 09/03/2018       | 09/02/2019      |
| DC Power Supply    | Agilent      | E3640A    | KR93300208    | 08/15/2018       | 08/14/2019      |
| Attenuator         | Mini-Circuit | BW-S10W2+ | 1             | 02/26/2019       | 02/25/2020      |

## 9.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 9.5 Measurement Result

## Conducted output power (FCC)

## 802.11a\_Ch0

| CH  | Frequency (MHz) | Data Rate | TOTAL POWER (dBm) | TOTAL POWER (mW) | REQUIRED LIMIT (dBm)            | RESULT |
|-----|-----------------|-----------|-------------------|------------------|---------------------------------|--------|
| 36  | 5180            | 6         | 10.82             | 12.073           | 23.98                           | PASS   |
| 44  | 5220            | 6         | <b>10.93</b>      | 12.382           | 23.98                           | PASS   |
| 48  | 5240            | 6         | 10.90             | 12.297           | 23.98                           | PASS   |
| 52  | 5260            | 6         | 10.86             | 12.184           | 23.98 or $11+10\log(B) = 23.98$ | PASS   |
| 60  | 5300            | 6         | <b>10.90</b>      | 12.297           | 23.98 or $11+10\log(B) = 23.93$ | PASS   |
| 64  | 5320            | 6         | 10.88             | 12.241           | 23.98 or $11+10\log(B) = 23.91$ | PASS   |
| 100 | 5500            | 6         | <b>11.03</b>      | 12.671           | 23.98 or $11+10\log(B) = 23.92$ | PASS   |
| 116 | 5580            | 6         | 10.96             | 12.468           | 23.98 or $11+10\log(B) = 23.95$ | PASS   |
| 140 | 5700            | 6         | 10.77             | 11.934           | 23.98 or $11+10\log(B) = 23.89$ | PASS   |
| 144 | 5720(U-NII 2C)  | 6         | 8.27279           | 6.719            | 23.98 or $11+10\log(B) = 22.68$ | PASS   |
| 144 | 5720 (U-NII 3)  | 6         | 2.585247          | 1.814            | 30                              | PASS   |
| 149 | 5745            | 6         | 10.61             | 11.503           | 30                              | PASS   |
| 157 | 5785            | 6         | 10.78             | 11.962           | 30                              | PASS   |
| 165 | 5825            | 6         | <b>10.93</b>      | 12.382           | 30                              | PASS   |

## 802.11n\_HT20\_Ch0

| CH  | Frequency (MHz) | Data Rate | TOTAL POWER (dBm) | TOTAL POWER (mW) | REQUIRED LIMIT (dBm)            | RESULT |
|-----|-----------------|-----------|-------------------|------------------|---------------------------------|--------|
| 36  | 5180            | MCS0      | 10.97             | 12.510           | 23.98                           | PASS   |
| 44  | 5220            | MCS0      | <b>11.08</b>      | 12.830           | 23.98                           | PASS   |
| 48  | 5240            | MCS0      | 11.04             | 12.713           | 23.98                           | PASS   |
| 52  | 5260            | MCS0      | 10.98             | 12.538           | 23.98 or $11+10\log(B) = 24.01$ | PASS   |
| 60  | 5300            | MCS0      | <b>11.06</b>      | 12.772           | 23.98 or $11+10\log(B) = 23.98$ | PASS   |
| 64  | 5320            | MCS0      | 10.97             | 12.510           | 23.98 or $11+10\log(B) = 23.97$ | PASS   |
| 100 | 5500            | MCS0      | <b>11.13</b>      | 12.979           | 23.98 or $11+10\log(B) = 23.91$ | PASS   |
| 116 | 5580            | MCS0      | 11.12             | 12.949           | 23.98 or $11+10\log(B) = 24.02$ | PASS   |
| 140 | 5700            | MCS0      | 10.88             | 12.253           | 23.98 or $11+10\log(B) = 24.01$ | PASS   |
| 144 | 5720(U-NII 2C)  | MCS0      | 8.28              | 6.735            | 23.98 or $11+10\log(B) = 22.74$ | PASS   |
| 144 | 5720 (U-NII 3)  | MCS0      | 2.71              | 1.866            | 30                              | PASS   |
| 149 | 5745            | MCS0      | 10.73             | 11.837           | 30                              | PASS   |
| 157 | 5785            | MCS0      | 10.92             | 12.366           | 30                              | PASS   |
| 165 | 5825            | MCS0      | <b>11.06</b>      | 12.772           | 30                              | PASS   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 802.11n HT40 Ch0

| CH  | Frequency (MHz) | Data Rate | TOTAL POWER (dBm) | TOTAL POWER (mW) | REQUIRED LIMIT (dBm)            | RESULT |
|-----|-----------------|-----------|-------------------|------------------|---------------------------------|--------|
| 38  | 5190            | MCS0      | <b>8.09</b>       | 6.435            | 23.98                           | PASS   |
| 46  | 5230            | MCS0      | 8.02              | 6.332            | 23.98                           | PASS   |
| 54  | 5270            | MCS0      | 8.19              | 6.585            | 23.98 or $11+10\log(B) = 27.16$ | PASS   |
| 62  | 5310            | MCS0      | <b>8.39</b>       | 6.895            | 23.98 or $11+10\log(B) = 27.09$ | PASS   |
| 102 | 5510            | MCS0      | <b>8.27</b>       | 6.707            | 23.98 or $11+10\log(B) = 27.09$ | PASS   |
| 110 | 5550            | MCS0      | 8.02              | 6.332            | 23.98 or $11+10\log(B) = 27.03$ | PASS   |
| 134 | 5670            | MCS0      | 7.83              | 6.061            | 23.98 or $11+10\log(B) = 27.15$ | PASS   |
| 142 | 5710(U-NII 2C)  | MCS0      | 6.95              | 4.958            | 23.98 or $11+10\log(B) = 26.51$ | PASS   |
| 142 | 5710 (U-NII 3)  | MCS0      | 0.96              | 1.248            | 30                              | PASS   |
| 151 | 5755            | MCS0      | 7.84              | 6.075            | 30                              | PASS   |
| 159 | 5795            | MCS0      | <b>8.00</b>       | 6.303            | 30                              | PASS   |

### 802.11ac VHT80 Ch0

| CH  | Frequency (MHz) | Data Rate | TOTAL POWER (dBm) | TOTAL POWER (mW) | REQUIRED LIMIT (dBm)            | RESULT |
|-----|-----------------|-----------|-------------------|------------------|---------------------------------|--------|
| 42  | 5210            | MCS0      | <b>8.55</b>       | 7.154            | 23.98                           | PASS   |
| 58  | 5290            | MCS0      | <b>8.74</b>       | 7.474            | 23.98 or $11+10\log(B) = 30.16$ | PASS   |
| 106 | 5530            | MCS0      | <b>8.77</b>       | 7.526            | 23.98 or $11+10\log(B) = 30.08$ | PASS   |
| 122 | 5610            | MCS0      | 8.59              | 7.220            | 23.98 or $11+10\log(B) = 30.11$ | PASS   |
| 138 | 5690(U-NII 2C)  | MCS0      | 7.74              | 5.941            | 23.98 or $11+10\log(B) = 29.81$ | PASS   |
| 138 | 5690 (U-NII 3)  | MCS0      | 0.56              | 1.137            | 30                              | PASS   |
| 155 | 5775            | MCS0      | <b>8.37</b>       | 6.863            | 30                              | PASS   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Conducted output power (IC)

### 802.11a\_Ch0

| CH  | Frequency (MHz) | TOTAL POWER (dBm) | TOTAL POWER (mW) | REQUIRED LIMIT (dBm)            | RESULT |
|-----|-----------------|-------------------|------------------|---------------------------------|--------|
| 52  | 5260            | 10.86             | 12.184           | 23.98 or $11+10\log(B) = 23.24$ | PASS   |
| 60  | 5300            | 10.90             | 12.297           | 23.98 or $11+10\log(B) = 23.24$ | PASS   |
| 64  | 5320            | 10.88             | 12.241           | 23.98 or $11+10\log(B) = 23.24$ | PASS   |
| 100 | 5500            | <b>11.03</b>      | <b>12.671</b>    | 23.98 or $11+10\log(B) = 23.23$ | PASS   |
| 116 | 5580            | 10.96             | 12.468           | 23.98 or $11+10\log(B) = 23.24$ | PASS   |
| 140 | 5700            | 10.77             | <b>11.934</b>    | 23.98 or $11+10\log(B) = 23.23$ | PASS   |
| 144 | 5720(U-NII 2C)  | 8.27              | 6.719            | 23.98 or $11+11\log(B) = 22.25$ | PASS   |
| 144 | 5720 (U-NII 3)  | 2.59              | 1.814            | 30                              | PASS   |
| 149 | 5745            | 10.61             | 11.503           | 30                              | PASS   |
| 157 | 5785            | 10.78             | 11.962           | 30                              | PASS   |
| 165 | 5825            | 10.93             | <b>12.382</b>    | 30                              | PASS   |

### 802.11n\_HT20\_Ch0

| CH  | Frequency (MHz) | TOTAL POWER (dBm) | TOTAL POWER (mW) | REQUIRED LIMIT (dBm)            | RESULT |
|-----|-----------------|-------------------|------------------|---------------------------------|--------|
| 52  | 5260            | 10.98             | 12.538           | 23.98 or $11+10\log(B) = 23.49$ | PASS   |
| 60  | 5300            | <b>11.06</b>      | 12.772           | 23.98 or $11+10\log(B) = 23.48$ | PASS   |
| 64  | 5320            | 10.97             | 12.510           | 23.98 or $11+10\log(B) = 23.48$ | PASS   |
| 100 | 5500            | <b>11.13</b>      | <b>12.979</b>    | 23.98 or $11+10\log(B) = 23.23$ | PASS   |
| 116 | 5580            | 11.12             | 12.949           | 23.98 or $11+10\log(B) = 23.49$ | PASS   |
| 140 | 5700            | <b>10.88</b>      | <b>12.253</b>    | 23.98 or $11+10\log(B) = 23.49$ | PASS   |
| 144 | 5720(U-NII 2C)  | 8.28              | 6.735            | 23.98 or $11+11\log(B) = 22.42$ | PASS   |
| 144 | 5720 (U-NII 3)  | 2.71              | 1.866            | 30                              | PASS   |
| 149 | 5745            | 10.73             | 11.837           | 30                              | PASS   |
| 157 | 5785            | 10.92             | 12.366           | 30                              | PASS   |
| 165 | 5825            | <b>11.06</b>      | <b>12.772</b>    | 30                              | PASS   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 802.11n\_HT40\_Ch0

| CH  | Frequency (MHz) | TOTAL POWER (dBm) | TOTAL POWER (mW) | REQUIRED LIMIT (dBm)            | RESULT |
|-----|-----------------|-------------------|------------------|---------------------------------|--------|
| 54  | 5270            | 8.19              | 6.585            | 23.98 or $11+10\log(B) = 26.58$ | PASS   |
| 62  | 5310            | <b>8.39</b>       | <b>6.895</b>     | 23.98 or $11+10\log(B) = 26.58$ | PASS   |
| 102 | 5510            | <b>8.27</b>       | <b>6.707</b>     | 23.98 or $11+10\log(B) = 26.58$ | PASS   |
| 110 | 5550            | 8.02              | 6.332            | 23.98 or $11+10\log(B) = 26.58$ | PASS   |
| 134 | 5670            | <b>7.83</b>       | <b>6.061</b>     | 23.98 or $11+10\log(B) = 26.57$ | PASS   |
| 142 | 5710(U-NII 2C)  | 6.95              | 4.958            | 23.98 or $11+11\log(B) = 26.19$ | PASS   |
| 142 | 5710 (U-NII 3)  | 0.96              | 1.248            | 30                              | PASS   |
| 151 | 5755            | 7.84              | 6.075            | 30                              | PASS   |
| 159 | 5795            | <b>8.00</b>       | <b>6.303</b>     | 30                              | PASS   |

### 802.11ac\_VHT80\_Ch0

| CH  | Frequency (MHz) | TOTAL POWER (dBm) | TOTAL POWER (mW) | REQUIRED LIMIT (dBm)            | RESULT |
|-----|-----------------|-------------------|------------------|---------------------------------|--------|
| 58  | 5290            | <b>8.74</b>       | 7.474            | 23.98 or $11+10\log(B) = 29.80$ | PASS   |
| 106 | 5530            | <b>8.77</b>       | <b>7.526</b>     | 23.98 or $11+10\log(B) = 29.80$ | PASS   |
| 122 | 5610            | 8.59              | 7.220            | 23.98 or $11+11\log(B) = 29.80$ | PASS   |
| 138 | 5690(U-NII 2C)  | 7.74              | 5.941            | 23.98 or $11+12\log(B) = 29.63$ | PASS   |
| 138 | 5690 (U-NII 3)  | 0.56              | 1.137            | 30                              | PASS   |
| 155 | 5775            | <b>8.37</b>       | <b>6.863</b>     | 30                              | PASS   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## EIRP

## 802.11a\_Ch0

| CH  | Frequency (MHz) | TOTAL POWER (dBm) | Antenna Gain (dBi) | EIRP (dBm)   | EIRP (mW)     | REQUIRED LIMIT (dBm)        | RESULT |
|-----|-----------------|-------------------|--------------------|--------------|---------------|-----------------------------|--------|
| 36  | 5180            | 10.82             | 5.200              | 16.02        | 39.976        | 23.01 or 10+10log(B)= 22.23 | PASS   |
| 44  | 5220            | <b>10.93</b>      | 5.200              | <b>16.13</b> | <b>41.002</b> | 23.01 or 10+10log(B)= 22.23 | PASS   |
| 48  | 5240            | 10.90             | 5.200              | 16.10        | 40.720        | 23.01 or 10+10log(B)= 22.23 | PASS   |
| 52  | 5260            | 10.86             | 5.200              | 16.06        | 40.346        | 30 or 17+10log(B)= 29.24    | PASS   |
| 60  | 5300            | <b>10.90</b>      | 5.200              | <b>16.10</b> | <b>40.720</b> | 30 or 17+10log(B)= 29.24    | PASS   |
| 64  | 5320            | 10.88             | 5.200              | 16.08        | 40.533        | 30 or 17+10log(B)= 29.24    | PASS   |
| 100 | 5500            | <b>11.03</b>      | 5.200              | <b>16.23</b> | <b>41.957</b> | 30 or 17+10log(B)= 29.23    | PASS   |
| 116 | 5580            | 10.96             | 5.200              | 16.16        | 41.286        | 30 or 17+10log(B)= 29.24    | PASS   |
| 140 | 5700            | <b>10.77</b>      | 5.200              | <b>15.97</b> | <b>39.519</b> | 30 or 17+10log(B)= 29.23    | PASS   |

## 802.11n\_HT20\_Ch0

| CH  | Frequency (MHz) | TOTAL POWER (dBm) | Antenna Gain (dBi) | EIRP (dBm)   | EIRP (mW)     | REQUIRED LIMIT (dBm)        | RESULT |
|-----|-----------------|-------------------|--------------------|--------------|---------------|-----------------------------|--------|
| 36  | 5180            | 10.97             | 5.200              | 16.17        | 41.423        | 23.01 or 10+10log(B)= 22.48 | PASS   |
| 44  | 5220            | <b>11.08</b>      | 5.200              | <b>16.28</b> | <b>42.486</b> | 23.01 or 10+10log(B)= 22.48 | PASS   |
| 48  | 5240            | 11.04             | 5.200              | 16.24        | 42.096        | 23.01 or 10+10log(B)= 22.48 | PASS   |
| 52  | 5260            | 10.98             | 5.200              | 16.18        | 41.519        | 30 or 17+10log(B)= 29.49    | PASS   |
| 60  | 5300            | <b>11.06</b>      | 5.200              | <b>16.26</b> | <b>42.291</b> | 30 or 17+10log(B)= 29.48    | PASS   |
| 64  | 5320            | 10.97             | 5.200              | 16.17        | 41.423        | 30 or 17+10log(B)= 29.48    | PASS   |
| 100 | 5500            | <b>11.13</b>      | 5.200              | <b>16.33</b> | <b>42.978</b> | 30 or 17+10log(B)= 29.23    | PASS   |
| 116 | 5580            | 11.12             | 5.200              | 16.32        | 42.879        | 30 or 17+10log(B)= 29.49    | PASS   |
| 140 | 5700            | <b>10.88</b>      | 5.200              | <b>16.08</b> | <b>40.574</b> | 30 or 17+10log(B)= 29.49    | PASS   |

## 802.11n\_HT40\_Ch0

| CH  | Frequency (MHz) | TOTAL POWER (dBm) | Antenna Gain (dBi) | EIRP (dBm)   | EIRP (mW)     | REQUIRED LIMIT (dBm)        | RESULT |
|-----|-----------------|-------------------|--------------------|--------------|---------------|-----------------------------|--------|
| 38  | 5190            | <b>8.09</b>       | 5.200              | <b>13.29</b> | <b>21.308</b> | 23.01 or 10+10log(B)= 25.58 | PASS   |
| 46  | 5230            | 8.02              | 5.200              | 13.22        | 20.968        | 23.01 or 10+10log(B)= 25.57 | PASS   |
| 54  | 5270            | 8.19              | 5.200              | 13.39        | 21.805        | 30 or 17+10log(B)= 32.58    | PASS   |
| 62  | 5310            | <b>8.39</b>       | 5.200              | <b>13.59</b> | <b>22.832</b> | 30 or 17+10log(B)= 32.58    | PASS   |
| 102 | 5510            | <b>8.27</b>       | 5.200              | <b>13.47</b> | <b>22.210</b> | 30 or 17+10log(B)= 32.58    | PASS   |
| 110 | 5550            | 8.02              | 5.200              | 13.22        | 20.968        | 30 or 17+10log(B)= 32.58    | PASS   |
| 134 | 5670            | <b>7.83</b>       | 5.200              | <b>13.03</b> | <b>20.070</b> | 30 or 17+10log(B)= 32.57    | PASS   |

## 802.11ac\_VHT80\_Ch0

| CH  | Frequency (MHz) | TOTAL POWER (dBm) | Antenna Gain (dBi) | EIRP (dBm)   | EIRP (mW)     | REQUIRED LIMIT (dBm)        | RESULT |
|-----|-----------------|-------------------|--------------------|--------------|---------------|-----------------------------|--------|
| 42  | 5210            | <b>8.55</b>       | 5.200              | <b>13.75</b> | <b>23.689</b> | 23.01 or 10+10log(B)= 28.80 | PASS   |
| 58  | 5290            | <b>8.74</b>       | 5.200              | <b>13.94</b> | <b>24.748</b> | 30 or 17+10log(B)= 35.80    | PASS   |
| 106 | 5530            | <b>8.77</b>       | 5.200              | <b>13.97</b> | <b>24.920</b> | 30 or 17+10log(B)= 35.80    | PASS   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 10 MAXIMUM POWER SPECTRAL DENSITY

### 10.1 Standard Applicable

#### FCC

| OPERZTION Band | EUT CATEGORY |                                   | LIMIT         |
|----------------|--------------|-----------------------------------|---------------|
| U-NII-1        |              | Access Point (Master device )     | 17dBm/ MHz    |
|                |              | Fixed point-to-point Access Ponit |               |
|                | √            | Mobile and portable client device | 11dBm/ MHz    |
| U-NII-2A       | √            |                                   | 11dBm/ MHz    |
| U-NII-2C       | √            |                                   | 11dBm/ MHz    |
| U-NII-3        | √            |                                   | 30dBm/ 500kHz |

If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

#### ISED

| OPERZTION FREQUENCY BAND        | LIMIT                              |
|---------------------------------|------------------------------------|
| 5150~5250 MHz                   | EIRP spectral density 10 dBm / MHz |
| 5250~5350 MHz                   | 11dBm / MHz                        |
| 5470-5600 MHz and 5650-5725 MHz | 11dBm / MHz                        |
| 5725~5850 MHz                   | 30dBm / 500 kHz                    |

For equipment operating in the band **5725-5850** MHz, If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


## 10.2 Measurement Procedure

1. Place the EUT on the table and set it in transmitting mode.
2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.
4. **For U-NII1, U-NII-2A, U-NII-2C Band:**  
Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)  
**For U-NII-3 Band:**  
Set RBW=500 kHz, VBW $\geq$  3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)
5. Use the cursor on spectrum to peak search the highest level of trace
6. Record the max. reading and add 10 log(1/duty cycle).
7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

## 10.3 Measurement Equipment Used

| SGS Conducted Room              |               |           |               |                  |                 |
|---------------------------------|---------------|-----------|---------------|------------------|-----------------|
| Name of Equipment               | Manufacturer  | Model     | Serial Number | Calibration Date | Calibration Due |
| DC Power Supply                 | Agilent       | E3640A    | MY53130054    | 09/03/2018       | 09/02/2019      |
| PXA Spectrum Analyzer           | Agilent       | N9030A    | MY53120760    | 04/09/2018       | 04/08/2019      |
| DC Power Supply                 | Agilent       | E3640A    | KR93300208    | 08/15/2018       | 08/14/2019      |
| Thermostatic/Hrgrosatic Chamber | TAICHY        | MHG-150LF | 930619        | 10/08/2018       | 10/07/2019      |
| DC Block                        | Mini-Circuits | BLK-18-S+ | 31129(1)      | 02/26/2019       | 02/25/2020      |
| Attenuator                      | Mini-Circuit  | BW-S10W2+ | 1             | 02/26/2019       | 02/25/2020      |

## 10.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 10.5 Measurement Result

| POWER DENSITY 802.11a MODE |                           |             |                            |             |             |
|----------------------------|---------------------------|-------------|----------------------------|-------------|-------------|
| Frequency (MHz)            | PSD W/O Duty Factor (dBm) | Duty Factor | PSD With Duty Factor (dBm) | Limit (dBm) | Margin (dB) |
| 5180                       | 0.29                      | 0.05        | 0.34                       | 11          | -10.66      |
| 5220                       | 0.85                      | 0.05        | 0.90                       | 11          | -10.10      |
| 5240                       | 1.21                      | 0.05        | 1.26                       | 11          | -9.74       |
| 5260                       | 0.62                      | 0.05        | 0.67                       | 11          | -10.33      |
| 5300                       | 0.56                      | 0.05        | 0.61                       | 11          | -10.39      |
| 5320                       | -0.31                     | 0.05        | -0.26                      | 11          | -11.26      |
| 5500                       | -2.24                     | 0.05        | -2.19                      | 11          | -13.19      |
| 5580                       | -0.49                     | 0.05        | -0.44                      | 11          | -11.44      |
| 5700                       | -0.34                     | 0.05        | -0.29                      | 11          | -11.29      |
| 5720 (U-NII 2C)            | -2.67                     | 0.05        | -2.62                      | 11          | -13.62      |
| 5720 (U-NII 3)             | -3.04                     | 0.05        | -2.99                      | 30          | -32.99      |
| 5745                       | 5.94                      | -           | 5.94                       | 30          | -24.06      |
| 5785                       | 5.25                      | -           | 5.25                       | 30          | -24.75      |
| 5825                       | 5.26                      | -           | 5.26                       | 30          | -24.74      |

| POWER DENSITY 802.11n HT20 MODE |                           |             |                            |             |             |
|---------------------------------|---------------------------|-------------|----------------------------|-------------|-------------|
| Frequency (MHz)                 | PSD W/O Duty Factor (dBm) | Duty Factor | PSD With Duty Factor (dBm) | Limit (dBm) | Margin (dB) |
| 5180                            | 0.04                      | 0.05        | 0.09                       | 11          | -10.91      |
| 5220                            | 0.57                      | 0.05        | 0.62                       | 11          | -10.38      |
| 5240                            | 0.34                      | 0.05        | 0.39                       | 11          | -10.61      |
| 5260                            | 0.60                      | 0.05        | 0.65                       | 11          | -10.35      |
| 5300                            | 0.46                      | 0.05        | 0.51                       | 11          | -10.49      |
| 5320                            | -0.04                     | 0.05        | 0.01                       | 11          | -10.99      |
| 5500                            | -0.85                     | 0.05        | -0.80                      | 11          | -11.80      |
| 5580                            | -1.00                     | 0.05        | -0.95                      | 11          | -11.95      |
| 5700                            | 0.46                      | 0.05        | 0.51                       | 11          | -10.49      |
| 5720 (U-NII 2C)                 | -2.95                     | 0.05        | -2.90                      | 11          | -13.90      |
| 5720 (U-NII 3)                  | -1.79                     | 0.05        | -1.74                      | 30          | -31.74      |
| 5745                            | 6.15                      | -           | 6.15                       | 30          | -23.85      |
| 5785                            | 4.83                      | -           | 4.83                       | 30          | -25.17      |
| 5825                            | 5.32                      | -           | 5.32                       | 30          | -24.68      |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| POWER DENSITY 802.11n HT40 MODE |                           |             |                            |             |             |
|---------------------------------|---------------------------|-------------|----------------------------|-------------|-------------|
| Frequency (MHz)                 | PSD W/O Duty Factor (dBm) | Duty Factor | PSD With Duty Factor (dBm) | Limit (dBm) | Margin (dB) |
| 5190                            | -8.04                     | 0.11        | -7.93                      | 11          | -18.93      |
| 5230                            | -7.92                     | 0.11        | -7.81                      | 11          | -18.81      |
| 5270                            | -7.99                     | 0.11        | -7.88                      | 11          | -18.88      |
| 5310                            | -8.09                     | 0.11        | -7.98                      | 11          | -18.98      |
| 5510                            | -7.39                     | 0.11        | -7.28                      | 11          | -18.28      |
| 5550                            | -8.03                     | 0.11        | -7.92                      | 11          | -18.92      |
| 5670                            | -8.02                     | 0.11        | -7.91                      | 11          | -18.91      |
| 5710 (U-NII 2C)                 | -8.83                     | 0.11        | -8.72                      | 11          | -19.72      |
| 5710 (U-NII 3)                  | -9.11                     | 0.11        | -9.00                      | 30          | -39.00      |
| 5755                            | -2.95                     | -           | -2.95                      | 30          | -32.95      |
| 5795                            | -2.68                     | -           | -2.68                      | 30          | -32.68      |

| POWER DENSITY 802.11ac VHT80 MODE |                           |             |                            |             |             |
|-----------------------------------|---------------------------|-------------|----------------------------|-------------|-------------|
| Frequency (MHz)                   | PSD W/O Duty Factor (dBm) | Duty Factor | PSD With Duty Factor (dBm) | Limit (dBm) | Margin (dB) |
| 5210                              | -10.35                    | 0.20        | -10.15                     | 11          | -21.15      |
| 5290                              | -11.07                    | 0.20        | -10.87                     | 11          | -21.87      |
| 5530                              | -11.08                    | 0.20        | -10.88                     | 11          | -21.88      |
| 5610                              | -11.37                    | 0.20        | -11.17                     | 11          | -22.17      |
| 5690 (U-NII 2C)                   | -11.57                    | 0.20        | -11.37                     | 11          | -22.37      |
| 5690 (U-NII 3)                    | -12.42                    | 0.20        | -12.23                     | 30          | -42.23      |
| 5775                              | -5.29                     | -           | -5.29                      | 30          | -35.29      |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| EIRP spectral density 802.11a MODE |           |                 |               |             |             |
|------------------------------------|-----------|-----------------|---------------|-------------|-------------|
| Freq. (MHz)                        | PSD (dBm) | Ant. Gain (dBi) | EIRP SD (dBm) | Limit (dBm) | Margin (dB) |
| 5180                               | 0.34      | 5.20            | 5.54          | 10          | -4.46       |
| 5220                               | 0.90      | 5.20            | 6.10          | 10          | -3.90       |
| 5240                               | 1.26      | 5.20            | 6.46          | 10          | -3.54       |

| EIRP spectral density 802.11n HT20 MODE |           |                 |               |             |             |
|-----------------------------------------|-----------|-----------------|---------------|-------------|-------------|
| Freq. (MHz)                             | PSD (dBm) | Ant. Gain (dBi) | EIRP SD (dBm) | Limit (dBm) | Margin (dB) |
| 5180                                    | 0.09      | 5.20            | 5.29          | 10          | -4.71       |
| 5220                                    | 0.62      | 5.20            | 5.82          | 10          | -4.18       |
| 5240                                    | 0.39      | 5.20            | 5.59          | 10          | -4.41       |

| EIRP spectral density 802.11n HT40 MODE |           |                 |               |             |             |
|-----------------------------------------|-----------|-----------------|---------------|-------------|-------------|
| Freq. (MHz)                             | PSD (dBm) | Ant. Gain (dBi) | EIRP SD (dBm) | Limit (dBm) | Margin (dB) |
| 5180                                    | -7.93     | 5.20            | -2.73         | 10          | -12.73      |
| 5220                                    | -7.81     | 5.20            | -2.61         | 10          | -12.61      |

| EIRP spectral density 802.11ac VHT80 MODE |           |                 |               |             |             |
|-------------------------------------------|-----------|-----------------|---------------|-------------|-------------|
| Freq. (MHz)                               | PSD (dBm) | Ant. Gain (dBi) | EIRP SD (dBm) | Limit (dBm) | Margin (dB) |
| 5210                                      | -10.15    | 5.20            | -4.95         | 10          | -14.95      |

**Note:**

Cable Loss=


10.5 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11a 20MHz 5180MHz




802.11a 20MHz 5260MHz




802.11a 20MHz 5220MHz




802.11a 20MHz 5300MHz



802.11a 20MHz 5240MHz



802.11a 20MHz 5320MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11a 20MHz 5500MHz




802.11a 20MHz 5720MHz




802.11a 20MHz 5580MHz




802.11a 20MHz 5745MHz



802.11a 20MHz 5700MHz



802.11a 20MHz 5785MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11a 20MHz 5825MHz




802.11n 20MHz 5240MHz




802.11n 20MHz 5180MHz




802.11n 20MHz 5260MHz



802.11n 20MHz 5220MHz



802.11n 20MHz 5300MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11n 20MHz 5320MHz



802.11n 20MHz 5700MHz




802.11n 20MHz 5500MHz




802.11n 20MHz 5720MHz



802.11n 20MHz 5580MHz



802.11n 20MHz 5745MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11n 20MHz 5785MHz




802.11n 40MHz 5230MHz




802.11n 20MHz 5825MHz




802.11n 40MHz 5270MHz



802.11n 40MHz 5190MHz



802.11n 40MHz 5310MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11n 40MHz 5510MHz




802.11n 40MHz 5710MHz




802.11n 40MHz 5550MHz




802.11n 40MHz 5755MHz



802.11n 40MHz 5670MHz



802.11n 40MHz 5795MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ac 80MHz 5210MHz



802.11ac 80MHz 5610MHz



802.11ac 80MHz 5290MHz



802.11ac 80MHz 5690MHz



802.11ac 80MHz 5530MHz



802.11ac 80MHz 5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11 UNDESIRABLE RADIATED EMISSION MEASUREMENT

### 11.1 Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

| APPLICABLE TO                                                                                                                                                                                                                                                                                                                      | LIMIT                                                                                   |                                                                                             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| FCC KDB 789033 D02 General<br>UNII Test Procedures New Rules                                                                                                                                                                                                                                                                       | FIELD STRENGTH AT 3m                                                                    |                                                                                             |
|                                                                                                                                                                                                                                                                                                                                    | PK: 74 (dBμV/m)                                                                         | AV 54 (dBμV/m)                                                                              |
| APPLICABLE TO                                                                                                                                                                                                                                                                                                                      | EIRP LIMIT                                                                              | FIELD STRENGTH AT 3m                                                                        |
| 15.407(b)(1)<br>RSS-247 6.2.1.2                                                                                                                                                                                                                                                                                                    | PK: -27 (dBm/MHz)                                                                       | PK: 68.3 (dBμV/m)                                                                           |
| 15.407(b)(2)<br>RSS-247 6.2.2.2                                                                                                                                                                                                                                                                                                    |                                                                                         |                                                                                             |
| 15.407(b)(3)<br>RSS-247 6.2.3.2                                                                                                                                                                                                                                                                                                    |                                                                                         |                                                                                             |
| 15.407(b)(4)(i)<br>RSS-247 6.2.4.2                                                                                                                                                                                                                                                                                                 | PK:-27 (dBm/MHz) *1<br>PK:10 (dBm/MHz) *2<br>PK:15.6 (dBm/MHz) *3<br>PK:27 (dBm/MHz) *4 | PK: 68.2(dBμV/m) *1<br>PK:105.2 (dBμV/m) *2<br>PK: 110.8(dBμV/m) *3<br>PK:122.2 (dBμV/m) *4 |
| *1 beyond 75 MHz or more above of the bandedge.<br>*2 below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.<br>*3 below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.<br>*4 from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge. |                                                                                         |                                                                                             |

$EIRP = (E \cdot d)^2 / 30$ , where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

| Frequency (MHz) | Field strength (microvolts/meter) | Distance (meters) |
|-----------------|-----------------------------------|-------------------|
| 0.009-0.490     | 2400/F(KHz)                       | 300               |
| 0.490-1.705     | 24000/F(KHz)                      | 30                |
| 1.705-30        | 30                                | 30                |
| 30-88           | 100                               | 3                 |
| 88-216          | 150                               | 3                 |
| 216-960         | 200                               | 3                 |
| Above 960       | 500                               | 3                 |

**Note:**

1. The lower limit shall apply at the transition frequencies.
2. Emission level (dBμV/m) = 20 log Emission level (dBμV/m)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11.2 Measurement Equipment Used

| 966A Chamber                     |                   |                     |               |                  |                 |
|----------------------------------|-------------------|---------------------|---------------|------------------|-----------------|
| Name of Equipment                | Manufacturer      | Model               | Serial Number | Calibration Date | Calibration Due |
| Bilog Antenna                    | Sunol Sciences    | JB3                 | A030105       | 07/13/2018       | 07/12/2019      |
| Cable                            | HUBER SU-HNER     | SUCOFLEX 104PEA     | 25157         | 02/26/2019       | 02/25/2020      |
| Cable                            | HUBER SU-HNER     | SUCOFLEX 104PEA     | 20995         | 02/26/2019       | 02/25/2020      |
| Digital Ther-mo-Hygro Meter      | WISEWIND          | 1206                | D07           | 01/30/2019       | 01/29/2020      |
| double Ridged Guide Horn Antenna | ETC               | MCTD 1209           | DRH13M02003   | 08/20/2018       | 08/19/2019      |
| High Pass Filter                 | WI                | WHKX7.0/18G-8SS     | 45            | 02/26/2019       | 02/25/2020      |
| Horn Antenna                     | ETS LINDGREN      | 3116                | 00026370      | 12/26/2018       | 12/25/2019      |
| Loop Antenna                     | ETS.LINDGREN      | 6502                | 148045        | 10/08/2018       | 10/07/2019      |
| Pre-Amplifier                    | EMEC              | EM330               | 060609        | 02/26/2019       | 02/25/2020      |
| Pre-Amplifier                    | MITEQ             | AMF-6F-260400-40-8P | 985646        | 02/26/2019       | 02/25/2020      |
| Pre-Amplifier                    | HP                | 8449B               | 3008A00965    | 02/26/2019       | 02/25/2020      |
| PSA Series Spectrum Analyzer     | Agilent           | E4446A              | MY46180323    | 05/31/2018       | 05/30/2019      |
| Antenna Tower                    | CCS               | CC-A-1F             | N/A           | N.C.R            | N.C.R           |
| Controller                       | CCS               | CC-C-1F             | N/A           | N.C.R            | N.C.R           |
| Turn Table                       | CCS               | CC-T-1F             | N/A           | N.C.R            | N.C.R           |
| Software                         | e3 V6.11-20180413 |                     |               |                  |                 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11.3 Test SET-UP


### (A) Radiated Emission Test Set-UP Frequency Below 30MHz.



### (B) Radiated Emission Test Set-UP, Frequency form 30MHz to 1000MHz



### (C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11.4 Measurement Procedure

1. The EUT was placed on a turn table which is 0.8m above ground plane.
2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
3. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
4. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
5. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
9. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
11. Repeat above procedures until all frequency measured were complete.

## 11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

|                           |                                            |
|---------------------------|--------------------------------------------|
| Where FS = Field Strength | CL = Cable Attenuation Factor (Cable Loss) |
| RA = Reading Amplitude    | AG = Amplifier Gain                        |
| AF = Antenna Factor       |                                            |

Actual FS(dBμV/m) = SPA. Reading level(dBμV) + Factor(dB)

Factor(dB) = Antenna Factor(dBμV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11.6 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) & RSS-GEN §6.13.2 was not reported.

Pre-scanned was done at frequency 5.47 GHz and 5.85 GHz for bandedge measurement of straddle channels 138, 142 and 144 which was 20dB lower than the limit per 15.31(o) & RSS-GEN §6.13.2 was not reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11.7 Measurement Result


### Radiated Spurious Emission Measurement Result

#### Below 1GHz Worst-Case Data:

##### 802.11a 5150~5250 MHz

Operation Band :802.11aB1  
 Fundamental Frequency :5220 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E1 Plan

Test Date :2019-03-27  
 Temp./Humi. :24.1 deg\_C / 65 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 307.42       | Peak                         | 35.91                                   | -3.55        | 32.36                        | 46.00                        | -13.64       |
| 487.84       | Peak                         | 31.66                                   | -0.66        | 31.00                        | 46.00                        | -15.00       |
| 597.45       | Peak                         | 27.83                                   | 0.10         | 27.93                        | 46.00                        | -18.07       |
| 681.84       | Peak                         | 25.44                                   | 2.17         | 27.61                        | 46.00                        | -18.39       |
| 822.49       | Peak                         | 24.11                                   | 4.39         | 28.50                        | 46.00                        | -17.50       |
| 936.95       | Peak                         | 24.14                                   | 5.42         | 29.56                        | 46.00                        | -16.44       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |            |                          |                     |
|-----------------------|------------|--------------------------|---------------------|
| Operation Band        | :802.11aB1 | Test Date                | :2019-03-27         |
| Fundamental Frequency | :5220 MHz  | Temp./Humi.              | :24.1 deg_C / 65 RH |
| Operation Mode        | :Tx CH MID | Engineer                 | :Wei                |
| EUT Pol.              | :E1 Plan   | Measurement Antenna Pol. | :HORIZONTAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 321.00       | Peak                         | 42.02                             | -3.20        | 38.82                  | 46.00                  | -7.18        |
| 400.54       | Peak                         | 33.30                             | -2.21        | 31.09                  | 46.00                  | -14.91       |
| 578.05       | Peak                         | 26.79                             | -0.01        | 26.78                  | 46.00                  | -19.22       |
| 713.85       | Peak                         | 23.33                             | 2.34         | 25.67                  | 46.00                  | -20.33       |
| 901.06       | Peak                         | 24.58                             | 5.21         | 29.79                  | 46.00                  | -16.21       |
| 944.71       | Peak                         | 22.81                             | 5.87         | 28.68                  | 46.00                  | -17.32       |

**802.11a 5250~5350 MHz**

Operation Band :802.11aB2  
 Fundamental Frequency :5300 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E1 Plan

Test Date :2019-03-27  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 125.06       | Peak                         | 41.21                             | -8.29        | 32.92                  | 43.50                  | -10.58       |
| 254.07       | Peak                         | 33.13                             | -9.68        | 23.45                  | 46.00                  | -22.55       |
| 408.30       | Peak                         | 26.89                             | -4.53        | 22.36                  | 46.00                  | -23.64       |
| 570.29       | Peak                         | 30.74                             | -1.34        | 29.40                  | 46.00                  | -16.60       |
| 842.86       | Peak                         | 24.42                             | 4.55         | 28.97                  | 46.00                  | -17.03       |
| 929.19       | Peak                         | 23.24                             | 4.97         | 28.21                  | 46.00                  | -17.79       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11aB2  
 Fundamental Frequency :5300 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E1 Plan

Test Date :2019-03-27  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 278.32       | Peak                         | 31.61                             | -7.68        | 23.93                  | 46.00                  | -22.07       |
| 555.74       | Peak                         | 25.94                             | -1.49        | 24.45                  | 46.00                  | -21.55       |
| 662.44       | Peak                         | 23.80                             | 0.78         | 24.58                  | 46.00                  | -21.42       |
| 796.30       | Peak                         | 23.48                             | 2.68         | 26.16                  | 46.00                  | -19.84       |
| 875.84       | Peak                         | 25.21                             | 4.07         | 29.28                  | 46.00                  | -16.72       |
| 936.95       | Peak                         | 23.99                             | 5.06         | 29.05                  | 46.00                  | -16.95       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**802.11a, 5470~5725 MHz**

Operation Band :802.11aB3  
 Fundamental Frequency :5580 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E1 Plan

Test Date :2019-03-27  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 138.64       | Peak                         | 35.43                             | -9.02        | 26.41                  | 43.50                  | -17.09       |
| 570.29       | Peak                         | 31.41                             | -1.34        | 30.07                  | 46.00                  | -15.93       |
| 641.10       | Peak                         | 27.85                             | 0.84         | 28.69                  | 46.00                  | -17.31       |
| 810.85       | Peak                         | 24.13                             | 3.38         | 27.51                  | 46.00                  | -18.49       |
| 932.10       | Peak                         | 24.41                             | 5.01         | 29.42                  | 46.00                  | -16.58       |
| 983.51       | Peak                         | 22.85                             | 6.49         | 29.34                  | 54.00                  | -24.66       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11aB3  
 Fundamental Frequency :5580 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E1 Plan

Test Date :2019-03-27  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 83.35        | Peak                         | 40.28                             | -15.00       | 25.28                  | 40.00                  | -14.72       |
| 272.50       | Peak                         | 37.20                             | -7.78        | 29.42                  | 46.00                  | -16.58       |
| 353.98       | Peak                         | 36.98                             | -5.99        | 30.99                  | 46.00                  | -15.01       |
| 672.14       | Peak                         | 23.99                             | 1.09         | 25.08                  | 46.00                  | -20.92       |
| 833.16       | Peak                         | 22.38                             | 4.45         | 26.83                  | 46.00                  | -19.17       |
| 967.99       | Peak                         | 21.93                             | 6.46         | 28.39                  | 54.00                  | -25.61       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**802.11a, 5725~5850 MHz**

Operation Band :802.11aB4  
 Fundamental Frequency :5785 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E1 Plan

Test Date :2019-03-27  
 Temp./Humi. :24.1 deg\_C / 65 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 205.38       | Peak                         | 34.32                                   | -5.40        | 28.92                        | 43.50                        | -14.58       |
| 302.55       | Peak                         | 32.37                                   | -4.29        | 28.08                        | 46.00                        | -17.92       |
| 560.55       | Peak                         | 30.69                                   | -0.60        | 30.09                        | 46.00                        | -15.91       |
| 633.79       | Peak                         | 27.92                                   | 0.37         | 28.29                        | 46.00                        | -17.71       |
| 769.96       | Peak                         | 28.72                                   | 2.10         | 30.82                        | 46.00                        | -15.18       |
| 955.35       | Peak                         | 27.68                                   | 4.96         | 32.64                        | 46.00                        | -13.36       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11aB4  
 Fundamental Frequency :5785 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E1 Plan

Test Date :2019-03-27  
 Temp./Humi. :24.1 deg\_C / 65 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 330.73       | Peak                         | 43.54                             | -3.80        | 39.74                  | 46.00                  | -6.26        |
| 398.72       | Peak                         | 35.83                             | -3.23        | 32.60                  | 46.00                  | -13.40       |
| 602.71       | Peak                         | 28.22                             | -0.47        | 27.75                  | 46.00                  | -18.25       |
| 700.65       | Peak                         | 25.77                             | 1.24         | 27.01                  | 46.00                  | -18.99       |
| 902.69       | Peak                         | 26.58                             | 4.46         | 31.04                  | 46.00                  | -14.96       |
| 969.71       | Peak                         | 25.82                             | 6.25         | 32.07                  | 54.00                  | -21.93       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Above 1GHz Worst-Case Data:****Radiated Spurious Emission Measurement Result 802.11a, 5150~5250 MHz**

|                       |            |                          |                   |
|-----------------------|------------|--------------------------|-------------------|
| Operation Band        | :802.11aB1 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5180 MHz  | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane  | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10360.00     | Peak                         | 39.11                                   | 14.41        | 53.52                        | 68.20                        | -14.68       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |            |                          |                   |
|-----------------------|------------|--------------------------|-------------------|
| Operation Band        | :802.11aB1 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5180 MHz  | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane  | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 40.87                             | 14.41        | 55.28                  | 68.20                  | -12.92       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11aB1  
Fundamental Frequency :5220 MHz  
Operation Mode :Tx CH MID  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10440.00     | Peak                         | 39.73                                   | 15.58        | 55.31                        | 68.20                        | -12.89       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |            |                          |                   |
|-----------------------|------------|--------------------------|-------------------|
| Operation Band        | :802.11aB1 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5220 MHz  | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH MID | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane  | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10440.00     | Peak                         | 40.56                             | 15.58        | 56.14                  | 68.20                  | -12.06       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |             |                          |                   |
|-----------------------|-------------|--------------------------|-------------------|
| Operation Band        | :802.11aB1  | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5240 MHz   | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane   | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10480.00     | Peak                         | 39.15                             | 16.48        | 55.63                  | 68.20                  | -12.57       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |             |                          |                   |
|-----------------------|-------------|--------------------------|-------------------|
| Operation Band        | :802.11aB1  | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5240 MHz   | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane   | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10480.00     | Peak                         | 40.27                             | 16.48        | 56.75                  | 68.20                  | -11.45       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11a, 5250MHz-5350MHz**

Operation Band :802.11aB2  
 Fundamental Frequency :5260 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10520.00     | Peak                         | 38.78                                   | 15.57        | 54.35                        | 68.20                        | -13.85       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11aB2  
Fundamental Frequency :5260 MHz  
Operation Mode :Tx CH LOW  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10520.00     | Peak                         | 39.25                             | 15.57        | 54.82                  | 68.20                  | -13.38       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11aB2  
Fundamental Frequency :5300 MHz  
Operation Mode :Tx CH MID  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10600.00     | Average                      | 25.11                                   | 15.47        | 40.58                        | 54.00                        | -13.42       |
| 10600.00     | Peak                         | 39.16                                   | 15.47        | 54.63                        | 74.00                        | -19.37       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |            |                          |                   |
|-----------------------|------------|--------------------------|-------------------|
| Operation Band        | :802.11aB2 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5300 MHz  | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH MID | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane  | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10600.00     | Average                      | 25.67                             | 15.47        | 41.14                  | 54.00                  | -12.86       |
| 10600.00     | Peak                         | 40.22                             | 15.47        | 55.69                  | 74.00                  | -18.31       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |             |                          |                   |
|-----------------------|-------------|--------------------------|-------------------|
| Operation Band        | :802.11aB2  | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5320 MHz   | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane   | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10640.00     | Average                      | 24.95                                   | 16.12        | 41.07                        | 54.00                        | -12.93       |
| 10640.00     | Peak                         | 38.24                                   | 16.12        | 54.36                        | 74.00                        | -19.64       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11aB2  
 Fundamental Frequency :5320 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10640.00     | Average                      | 25.34                                   | 16.12        | 41.46                        | 54.00                        | -12.54       |
| 10640.00     | Peak                         | 39.16                                   | 16.12        | 55.28                        | 74.00                        | -18.72       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11a, 5470~5725 MHz**

Operation Band :802.11aB3  
 Fundamental Frequency :5500 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11000.00     | Average                      | 24.33                                   | 17.75        | 42.08                        | 54.00                        | -11.92       |
| 11000.00     | Peak                         | 36.56                                   | 17.75        | 54.31                        | 74.00                        | -19.69       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11aB3  
 Fundamental Frequency :5500 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11000.00     | Average                      | 24.68                                   | 17.75        | 42.43                        | 54.00                        | -11.57       |
| 11000.00     | Peak                         | 37.22                                   | 17.75        | 54.97                        | 74.00                        | -19.03       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11aB3  
Fundamental Frequency :5580 MHz  
Operation Mode : Tx CH MID  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11160.00     | Average                      | 25.17                                   | 16.53        | 41.70                        | 54.00                        | -12.30       |
| 11160.00     | Peak                         | 38.68                                   | 16.53        | 55.21                        | 74.00                        | -18.79       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |             |                          |                   |
|-----------------------|-------------|--------------------------|-------------------|
| Operation Band        | :802.11aB3  | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5580 MHz   | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | : Tx CH MID | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane   | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11160.00     | Average                      | 25.54                             | 16.53        | 42.07                  | 54.00                  | -11.93       |
| 11160.00     | Peak                         | 39.62                             | 16.53        | 56.15                  | 74.00                  | -17.85       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |             |                          |                   |
|-----------------------|-------------|--------------------------|-------------------|
| Operation Band        | :802.11aB3  | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5700 MHz   | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane   | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11400.00     | Average                      | 24.81                                   | 16.48        | 41.29                        | 54.00                        | -12.71       |
| 11400.00     | Peak                         | 38.11                                   | 16.48        | 54.59                        | 74.00                        | -19.41       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |             |                          |                   |
|-----------------------|-------------|--------------------------|-------------------|
| Operation Band        | :802.11aB3  | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5700 MHz   | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane   | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Average                      | 25.23                             | 16.48        | 41.71                  | 54.00                  | -12.29       |
| 11400.00     | Peak                         | 39.12                             | 16.48        | 55.60                  | 74.00                  | -18.40       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11aB4  
 Fundamental Frequency :5720 MHz  
 Operation Mode :Tx CH CH144  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11440.00     | Average                      | 25.12                                   | 17.09        | 42.21                        | 54.00                        | -11.79       |
| 11440.00     | Peak                         | 38.70                                   | 17.09        | 55.79                        | 74.00                        | -18.21       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11aB4   | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5720 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH CH144 | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11440.00     | Average                      | 25.53                             | 17.09        | 42.62                  | 54.00                  | -11.38       |
| 11440.00     | Peak                         | 40.20                             | 17.09        | 57.29                  | 74.00                  | -16.71       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11a, 5725~5850 MHz**

Operation Band :802.11aB4  
 Fundamental Frequency :5745 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11490.00     | Average                      | 24.97                                   | 15.85        | 40.82                        | 54.00                        | -13.18       |
| 11490.00     | Peak                         | 38.63                                   | 15.85        | 54.48                        | 74.00                        | -19.52       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11aB4  
 Fundamental Frequency :5745 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11490.00     | Average                      | 25.51                                   | 15.85        | 41.36                        | 54.00                        | -12.64       |
| 11490.00     | Peak                         | 39.88                                   | 15.85        | 55.73                        | 74.00                        | -18.27       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |            |                          |                   |
|-----------------------|------------|--------------------------|-------------------|
| Operation Band        | :802.11aB4 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5785 MHz  | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH MID | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane  | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11570.00     | Average                      | 25.16                                   | 16.29        | 41.45                        | 54.00                        | -12.55       |
| 11570.00     | Peak                         | 39.07                                   | 16.29        | 55.36                        | 74.00                        | -18.64       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |            |                          |                   |
|-----------------------|------------|--------------------------|-------------------|
| Operation Band        | :802.11aB4 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5785 MHz  | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH MID | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane  | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11570.00     | Average                      | 25.59                             | 16.29        | 41.88                  | 54.00                  | -12.12       |
| 11570.00     | Peak                         | 40.20                             | 16.29        | 56.49                  | 74.00                  | -17.51       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11aB4  
 Fundamental Frequency :5825 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11650.00     | Average                      | 25.14                                   | 16.61        | 41.75                        | 54.00                        | -12.25       |
| 11650.00     | Peak                         | 39.27                                   | 16.61        | 55.88                        | 74.00                        | -18.12       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11aB4  
 Fundamental Frequency :5825 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11650.00     | Average                      | 25.38                                   | 16.61        | 41.99                        | 54.00                        | -12.01       |
| 11650.00     | Peak                         | 40.04                                   | 16.61        | 56.65                        | 74.00                        | -17.35       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11n HT20, 5150~5250 MHz**

Operation Band :802.11n20B1  
 Fundamental Frequency :5180 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10360.00     | Peak                         | 39.37                                   | 14.41        | 53.78                        | 68.20                        | -14.42       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B1  
Fundamental Frequency :5180 MHz  
Operation Mode :Tx CH LOW  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10360.00     | Peak                         | 40.26                                   | 14.41        | 54.67                        | 68.20                        | -13.53       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B1  
Fundamental Frequency :5220 MHz  
Operation Mode :Tx CH MID  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10440.00     | Peak                         | 39.05                             | 15.58        | 54.63                  | 68.20                  | -13.57       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B1  
Fundamental Frequency :5220 MHz  
Operation Mode :Tx CH MID  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10440.00     | Peak                         | 40.16                                   | 15.58        | 55.74                        | 68.20                        | -12.46       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B1  
Fundamental Frequency :5240 MHz  
Operation Mode :Tx CH HIGH  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :VERTICAL



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| MHz      | Mode     | Reading Level |        | FS     | @3m    |        |
|          | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 10480.00 | Peak     | 39.16         | 16.48  | 55.64  | 68.20  | -12.56 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B1  
Fundamental Frequency :5240 MHz  
Operation Mode :Tx CH HIGH  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :HORIZONTAL



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| MHz      | Mode     | Reading Level |        | FS     | @3m    |        |
|          | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 10480.00 | Peak     | 40.36         | 16.48  | 56.84  | 68.20  | -11.36 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11n HT20, 5250~5350 MHz**

Operation Band :802.11n20B2  
 Fundamental Frequency :5260 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10520.00     | Peak                         | 38.88                                   | 15.57        | 54.45                        | 68.20                        | -13.75       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B2 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5260 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH LOW   | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10520.00     | Peak                         | 39.73                             | 15.57        | 55.30                  | 68.20                  | -12.90       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B2  
Fundamental Frequency :5300 MHz  
Operation Mode :Tx CH MID  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10600.00     | Average                      | 25.21                                   | 15.47        | 40.68                        | 54.00                        | -13.32       |
| 10600.00     | Peak                         | 38.16                                   | 15.47        | 53.63                        | 74.00                        | -20.37       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B2 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5300 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH MID   | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10600.00     | Average                      | 25.50                             | 15.47        | 40.97                  | 54.00                  | -13.03       |
| 10600.00     | Peak                         | 39.68                             | 15.47        | 55.15                  | 74.00                  | -18.85       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B2  
 Fundamental Frequency :5320 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10600.00     | Average                      | 24.82                                   | 15.47        | 40.29                        | 54.00                        | -13.71       |
| 10600.00     | Peak                         | 38.72                                   | 15.47        | 54.19                        | 74.00                        | -19.81       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B2  
 Fundamental Frequency :5320 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10600.00     | Average                      | 25.30                                   | 15.47        | 40.77                        | 54.00                        | -13.23       |
| 10600.00     | Peak                         | 39.76                                   | 15.47        | 55.23                        | 74.00                        | -18.77       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11n HT20, 5470~5725 MHz**

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B3 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5500 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH LOW   | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Average                      | 24.73                             | 17.75        | 42.48                  | 54.00                  | -11.52       |
| 11000.00     | Peak                         | 37.56                             | 17.75        | 55.31                  | 74.00                  | -18.69       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B3  
 Fundamental Frequency :5500 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11000.00     | Average                      | 25.02                                   | 17.75        | 42.77                        | 54.00                        | -11.23       |
| 11000.00     | Peak                         | 38.13                                   | 17.75        | 55.88                        | 74.00                        | -18.12       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B3 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5580 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH MID   | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11160.00     | Average                      | 25.29                             | 16.53        | 41.82                  | 54.00                  | -12.18       |
| 11160.00     | Peak                         | 39.26                             | 16.53        | 55.79                  | 74.00                  | -18.21       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B3 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5580 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH MID   | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11160.00     | Average                      | 25.53                             | 16.53        | 42.06                  | 54.00                  | -11.94       |
| 11160.00     | Peak                         | 39.76                             | 16.53        | 56.29                  | 74.00                  | -17.71       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B3  
Fundamental Frequency :5700 MHz  
Operation Mode :Tx CH HIGH  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11400.00     | Average                      | 25.21                                   | 16.48        | 41.69                        | 54.00                        | -12.31       |
| 11400.00     | Peak                         | 39.22                                   | 16.48        | 55.70                        | 74.00                        | -18.30       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B3 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5700 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH HIGH  | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Average                      | 25.73                             | 16.48        | 42.21                  | 54.00                  | -11.79       |
| 11400.00     | Peak                         | 40.38                             | 16.48        | 56.86                  | 74.00                  | -17.14       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B4  
 Fundamental Frequency :5720 MHz  
 Operation Mode :Tx CH CH144  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11440.00     | Average                      | 25.06                                   | 17.09        | 42.15                        | 54.00                        | -11.85       |
| 11440.00     | Peak                         | 39.03                                   | 17.09        | 56.12                        | 74.00                        | -17.88       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B4 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5720 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH CH144 | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11440.00     | Average                      | 25.38                                   | 17.09        | 42.47                        | 54.00                        | -11.53       |
| 11440.00     | Peak                         | 40.10                                   | 17.09        | 57.19                        | 74.00                        | -16.81       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11n HT20, 5725~5850 MHz**

Operation Band :802.11n20B4  
 Fundamental Frequency :5745 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11490.00     | Average                      | 25.17                                   | 15.85        | 41.02                        | 54.00                        | -12.98       |
| 11490.00     | Peak                         | 39.32                                   | 15.85        | 55.17                        | 74.00                        | -18.83       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B4 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5745 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH LOW   | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Average                      | 25.55                             | 15.85        | 41.40                  | 54.00                  | -12.60       |
| 11490.00     | Peak                         | 40.15                             | 15.85        | 56.00                  | 74.00                  | -18.00       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B4  
 Fundamental Frequency :5785 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11530.00     | Average                      | 25.06                                   | 15.47        | 40.53                        | 54.00                        | -13.47       |
| 11530.00     | Peak                         | 39.09                                   | 15.47        | 54.56                        | 74.00                        | -19.44       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B4  
 Fundamental Frequency :5785 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11530.00     | Average                      | 25.40                                   | 15.47        | 40.87                        | 54.00                        | -13.13       |
| 11530.00     | Peak                         | 40.07                                   | 15.47        | 55.54                        | 74.00                        | -18.46       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B4 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5825 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH HIGH  | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11650.00     | Average                      | 25.21                                   | 16.61        | 41.82                        | 54.00                        | -12.18       |
| 11650.00     | Peak                         | 39.26                                   | 16.61        | 55.87                        | 74.00                        | -18.13       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B4 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5825 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH HIGH  | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Average                      | 25.58                             | 16.61        | 42.19                  | 54.00                  | -11.81       |
| 11650.00     | Peak                         | 40.30                             | 16.61        | 56.91                  | 74.00                  | -17.09       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11n HT40, 5150~5250 MHz**

Operation Band :802.11n40B1  
Fundamental Frequency :5190 MHz  
Operation Mode :Tx CH LOW  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10380.00     | Peak                         | 35.13                             | 14.58        | 49.71                  | 68.20                  | -18.49       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B1 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5190 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH LOW   | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10380.00     | Peak                         | 36.54                             | 14.58        | 51.12                  | 68.20                  | -17.08       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40B1  
 Fundamental Frequency :5230 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10460.00     | Peak                         | 35.33                                   | 15.97        | 51.30                        | 68.20                        | -16.90       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40B1  
Fundamental Frequency :5230 MHz  
Operation Mode :Tx CH HIGH  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :HORIZONTAL



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| MHz      | Mode     | Reading Level |        | FS     | @3m    |        |
|          | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 10460.00 | Peak     | 36.69         | 15.97  | 52.66  | 68.20  | -15.54 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11n HT40, 5250~5350 MHz**

Operation Band :802.11n40B2  
 Fundamental Frequency :5270 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10540.00     | Peak                         | 35.08                                   | 15.67        | 50.75                        | 68.20                        | -17.45       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40B2  
Fundamental Frequency :5270 MHz  
Operation Mode :Tx CH LOW  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :HORIZONTAL




| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| MHz      | Mode     | Reading Level |        | FS     | @3m    |        |
|          | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 10540.00 | Peak     | 36.11         | 15.67  | 51.78  | 68.20  | -16.42 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B2 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5310 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH HIGH  | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10620.00     | Average                      | 23.56                             | 15.78        | 39.34                  | 54.00                  | -14.66       |
| 10620.00     | Peak                         | 35.24                             | 15.78        | 51.02                  | 74.00                  | -22.98       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40B2  
 Fundamental Frequency :5310 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10620.00     | Average                      | 24.13                                   | 15.78        | 39.91                        | 54.00                        | -14.09       |
| 10620.00     | Peak                         | 36.53                                   | 15.78        | 52.31                        | 74.00                        | -21.69       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11n HT40, 5470~5725 MHz**

Operation Band :802.11n40B3  
 Fundamental Frequency :5510 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11020.00     | Average                      | 23.32                                   | 17.87        | 41.19                        | 54.00                        | -12.81       |
| 11020.00     | Peak                         | 35.09                                   | 17.87        | 52.96                        | 74.00                        | -21.04       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B3 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5510 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH LOW   | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11020.00     | Average                      | 24.01                             | 17.87        | 41.88                  | 54.00                  | -12.12       |
| 11020.00     | Peak                         | 36.28                             | 17.87        | 54.15                  | 74.00                  | -19.85       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B3 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5550 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH MID   | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11100.00     | Average                      | 23.20                             | 17.25        | 40.45                  | 54.00                  | -13.55       |
| 11100.00     | Peak                         | 35.18                             | 17.25        | 52.43                  | 74.00                  | -21.57       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B3 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5550 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH MID   | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11100.00     | Average                      | 24.12                             | 17.25        | 41.37                  | 54.00                  | -12.63       |
| 11100.00     | Peak                         | 36.29                             | 17.25        | 53.54                  | 74.00                  | -20.46       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B3 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5670 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH HIGH  | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11340.00     | Average                      | 23.23                             | 16.36        | 39.59                  | 54.00                  | -14.41       |
| 11340.00     | Peak                         | 35.19                             | 16.36        | 51.55                  | 74.00                  | -22.45       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B3 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5670 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH HIGH  | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11340.00     | Average                      | 24.05                             | 16.36        | 40.41                  | 54.00                  | -13.59       |
| 11340.00     | Peak                         | 36.21                             | 16.36        | 52.57                  | 74.00                  | -21.43       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B4 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5710 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH CH142 | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11420.00     | Average                      | 23.38                             | 16.87        | 40.25                  | 54.00                  | -13.75       |
| 11420.00     | Peak                         | 35.06                             | 16.87        | 51.93                  | 74.00                  | -22.07       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40B4  
 Fundamental Frequency :5710 MHz  
 Operation Mode :Tx CH CH142  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11420.00     | Average                      | 24.07                                   | 16.87        | 40.94                        | 54.00                        | -13.06       |
| 11420.00     | Peak                         | 36.36                                   | 16.87        | 53.23                        | 74.00                        | -20.77       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11n HT40, 5725~5850 MHz**

Operation Band :802.11n40B4  
 Fundamental Frequency :5755 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11550.00     | Average                      | 23.18                                   | 15.82        | 39.00                        | 54.00                        | -15.00       |
| 11550.00     | Peak                         | 35.16                                   | 15.82        | 50.98                        | 74.00                        | -23.02       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B4 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5755 MHz    | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH LOW   | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane    | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11550.00     | Average                      | 24.09                             | 15.82        | 39.91                  | 54.00                  | -14.09       |
| 11550.00     | Peak                         | 36.37                             | 15.82        | 52.19                  | 74.00                  | -21.81       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40B4  
 Fundamental Frequency :5795 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11590.00     | Average                      | 23.29                                   | 16.81        | 40.10                        | 54.00                        | -13.90       |
| 11590.00     | Peak                         | 35.33                                   | 16.81        | 52.14                        | 74.00                        | -21.86       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40B4  
 Fundamental Frequency :5795 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11590.00     | Average                      | 24.15                                   | 16.81        | 40.96                        | 54.00                        | -13.04       |
| 11590.00     | Peak                         | 36.37                                   | 16.81        | 53.18                        | 74.00                        | -20.82       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5150~5250 MHz**

Operation Band :802.11ac80B1  
 Fundamental Frequency :5210 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10420.00     | Peak                         | 35.33                                   | 15.12        | 50.45                        | 68.20                        | -17.75       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11ac80B1  
Fundamental Frequency :5210 MHz  
Operation Mode :Tx CH LOW  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10420.00     | Peak                         | 36.74                                   | 15.12        | 51.86                        | 68.20                        | -16.34       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5250~5350 MHz**

Operation Band :802.11ac80B2  
 Fundamental Frequency :5290 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10580.00     | Peak                         | 35.34                                   | 15.43        | 50.77                        | 68.20                        | -17.43       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11ac80B2  
Fundamental Frequency :5290 MHz  
Operation Mode :Tx CH HIGH  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10580.00     | Peak                         | 36.60                                   | 15.43        | 52.03                        | 68.20                        | -16.17       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5470~5725 MHz**

Operation Band :802.11ac80B3  
 Fundamental Frequency :5530 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11060.00     | Average                      | 23.28                                   | 17.50        | 40.78                        | 54.00                        | -13.22       |
| 11060.00     | Peak                         | 35.25                                   | 17.50        | 52.75                        | 74.00                        | -21.25       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11ac80B3  
 Fundamental Frequency :5530 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11060.00     | Average                      | 24.23                                   | 17.50        | 41.73                        | 54.00                        | -12.27       |
| 11060.00     | Peak                         | 36.37                                   | 17.50        | 53.87                        | 74.00                        | -20.13       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11ac80B3  
 Fundamental Frequency :5610 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11220.00     | Average                      | 23.31                                   | 16.53        | 39.84                        | 54.00                        | -14.16       |
| 11220.00     | Peak                         | 35.39                                   | 16.53        | 51.92                        | 74.00                        | -22.08       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11ac80B3  
Fundamental Frequency :5610 MHz  
Operation Mode :Tx CH MID  
EUT Pol. :E1 Plane

Test Date :2019-03-21  
Temp./Humi. :23 deg\_C / 62 RH  
Engineer :Wei  
Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11220.00     | Peak                         | 36.61                                   | 16.53        | 53.14                        | 74.00                        | -20.86       |
| 11220.00     | QP                           | 24.28                                   | 16.53        | 40.81                        | 74.00                        | -33.19       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11ac80B3  
 Fundamental Frequency :5690 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11380.00     | Average                      | 23.37                                   | 16.48        | 39.85                        | 54.00                        | -14.15       |
| 11380.00     | Peak                         | 35.29                                   | 16.48        | 51.77                        | 74.00                        | -22.23       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11ac80B3  
 Fundamental Frequency :5690 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11380.00     | Average                      | 24.13                                   | 16.48        | 40.61                        | 54.00                        | -13.39       |
| 11380.00     | Peak                         | 36.57                                   | 16.48        | 53.05                        | 74.00                        | -20.95       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5725~5850 MHz**

Operation Band :802.11ac80B4  
 Fundamental Frequency :5775 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-21  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11550.00     | Average                      | 23.38                                   | 15.82        | 39.20                        | 54.00                        | -14.80       |
| 11550.00     | Peak                         | 35.68                                   | 15.82        | 51.50                        | 74.00                        | -22.50       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |               |                          |                   |
|-----------------------|---------------|--------------------------|-------------------|
| Operation Band        | :802.11ac80B4 | Test Date                | :2019-03-21       |
| Fundamental Frequency | :5775 MHz     | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Tx CH LOW    | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane     | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11550.00     | Average                      | 24.16                             | 15.82        | 39.98                  | 54.00                  | -14.02       |
| 11550.00     | Peak                         | 36.71                             | 15.82        | 52.53                  | 74.00                  | -21.47       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Band edge falling to restricted band

### 802.11a mode

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11aB1       | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5180 MHz        | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5118.16      | Average                      | 38.55                             | 4.75         | 43.30                  | 54.00                  | -10.70       |
| 5118.16      | Peak                         | 53.67                             | 4.75         | 58.42                  | 74.00                  | -15.58       |
| 5148.04      | Average                      | 35.58                             | 4.55         | 40.13                  | 54.00                  | -13.87       |
| 5148.04      | Peak                         | 59.34                             | 4.55         | 63.89                  | 74.00                  | -10.11       |
| 5150.00      | Average                      | 36.09                             | 4.55         | 40.64                  | 54.00                  | -13.36       |
| 5150.00      | Peak                         | 59.60                             | 4.55         | 64.15                  | 74.00                  | -9.85        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11aB1       | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5180 MHz        | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5139.16      | Average                      | 36.32                             | 4.56         | 40.88                  | 54.00                  | -13.12       |
| 5139.16      | Peak                         | 60.94                             | 4.56         | 65.50                  | 74.00                  | -8.50        |
| 5146.84      | Average                      | 37.29                             | 4.55         | 41.84                  | 54.00                  | -12.16       |
| 5146.84      | Peak                         | 62.29                             | 4.55         | 66.84                  | 74.00                  | -7.16        |
| 5150.00      | Average                      | 37.94                             | 4.55         | 42.49                  | 54.00                  | -11.51       |
| 5150.00      | Peak                         | 62.15                             | 4.55         | 66.70                  | 74.00                  | -7.30        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11aB2        | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5320 MHz         | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.00      | Peak                         | 55.68                             | 5.19         | 60.87                  | 74.00                  | -13.13       |
| 5350.00      | Peak                         | 35.22                             | 5.19         | 40.41                  | 74.00                  | -33.59       |
| 5354.64      | Average                      | 34.57                             | 5.21         | 39.78                  | 54.00                  | -14.22       |
| 5354.64      | Peak                         | 55.53                             | 5.21         | 60.74                  | 74.00                  | -13.26       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11aB2        | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5320 MHz         | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.00      | Average                      | 37.02                             | 5.19         | 42.21                  | 54.00                  | -11.79       |
| 5350.00      | Peak                         | 59.48                             | 5.19         | 64.67                  | 74.00                  | -9.33        |
| 5357.04      | Average                      | 35.71                             | 5.21         | 40.92                  | 54.00                  | -13.08       |
| 5357.04      | Peak                         | 57.93                             | 5.21         | 63.14                  | 74.00                  | -10.86       |
| 5413.20      | Average                      | 34.36                             | 5.63         | 39.99                  | 54.00                  | -14.01       |
| 5413.20      | Peak                         | 51.43                             | 5.63         | 57.06                  | 74.00                  | -16.94       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11aB3       | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5500 MHz        | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5460.00      | Average                      | 33.89                             | 5.54         | 39.43                  | 54.00                  | -14.57       |
| 5460.00      | Peak                         | 55.65                             | 5.54         | 61.19                  | 74.00                  | -12.81       |
| 5470.00      | Peak                         | 57.05                             | 5.52         | 62.57                  | 68.20                  | -5.63        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11aB3       | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5500 MHz        | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5452.16      | Average                      | 35.18                             | 5.56         | 40.74                  | 54.00                  | -13.26       |
| 5452.16      | Peak                         | 56.94                             | 5.56         | 62.50                  | 74.00                  | -11.50       |
| 5460.00      | Average                      | 35.89                             | 5.54         | 41.43                  | 54.00                  | -12.57       |
| 5460.00      | Peak                         | 59.17                             | 5.54         | 64.71                  | 74.00                  | -9.29        |
| 5470.00      | Peak                         | 61.65                             | 5.52         | 67.17                  | 68.20                  | -1.03        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11aB3  
 Fundamental Frequency :5700 MHz  
 Operation Mode :Bandedge CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-20  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5725.00      | Peak                         | 55.22                                   | 6.55         | 61.77                        | 68.20                        | -6.43        |
| 5729.96      | Peak                         | 54.46                                   | 6.53         | 60.99                        | 68.20                        | -7.21        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11aB3        | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5700 MHz         | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.00      | Peak                         | 59.39                             | 6.55         | 65.94                  | 68.20                  | -2.26        |
| 5729.36      | Peak                         | 57.65                             | 6.53         | 64.18                  | 68.20                  | -4.02        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11aB4       | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5745 MHz        | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5650.00      | Peak                         | 46.28                                   | 5.91         | 52.19                        | 68.23                        | -16.04       |
| 5700.00      | Peak                         | 54.84                                   | 6.43         | 61.27                        | 105.23                       | -43.96       |
| 5720.00      | Peak                         | 61.04                                   | 6.55         | 67.59                        | 110.83                       | -43.24       |
| 5725.00      | Peak                         | 64.02                                   | 6.55         | 70.57                        | 122.23                       | -51.66       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11aB4       | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5745 MHz        | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5650.00      | Peak                         | 47.45                             | 5.91         | 53.36                  | 68.23                  | -14.87       |
| 5679.43      | Peak                         | 56.68                             | 6.18         | 62.86                  | 90.01                  | -27.15       |
| 5700.00      | Peak                         | 58.17                             | 6.43         | 64.60                  | 105.23                 | -40.63       |
| 5720.00      | Peak                         | 65.26                             | 6.55         | 71.81                  | 110.83                 | -39.02       |
| 5725.00      | Peak                         | 67.15                             | 6.55         | 73.70                  | 122.23                 | -48.53       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11aB4        | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5825 MHz         | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.00      | Peak                         | 57.40                             | 6.41         | 63.81                  | 122.23                 | -58.42       |
| 5855.00      | Peak                         | 54.96                             | 6.43         | 61.39                  | 110.83                 | -49.44       |
| 5863.75      | Peak                         | 63.11                             | 6.46         | 69.57                  | 108.38                 | -38.81       |
| 5875.00      | Peak                         | 52.20                             | 6.49         | 58.69                  | 105.23                 | -46.54       |
| 5881.63      | Peak                         | 53.09                             | 6.51         | 59.60                  | 100.33                 | -40.73       |
| 5885.63      | Peak                         | 56.34                             | 6.49         | 62.83                  | 97.37                  | -34.54       |
| 5925.00      | Peak                         | 50.74                             | 6.44         | 57.18                  | 68.23                  | -11.05       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11aB4        | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5825 MHz         | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5850.00      | Peak                         | 60.58                                   | 6.41         | 66.99                        | 122.23                       | -55.24       |
| 5855.00      | Peak                         | 57.84                                   | 6.43         | 64.27                        | 110.83                       | -46.56       |
| 5875.00      | Peak                         | 55.10                                   | 6.49         | 61.59                        | 105.23                       | -43.64       |
| 5925.00      | Peak                         | 47.74                                   | 6.44         | 54.18                        | 68.23                        | -14.05       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**802.11n20 mode**

Operation Band :802.11n20B1  
 Fundamental Frequency :5180 MHz  
 Operation Mode :Bandedge CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-20  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5105.56      | Average                      | 36.51                                   | 4.77         | 41.28                        | 54.00                        | -12.72       |
| 5105.56      | Peak                         | 46.37                                   | 4.77         | 51.14                        | 74.00                        | -22.86       |
| 5150.00      | Average                      | 36.38                                   | 4.55         | 40.93                        | 54.00                        | -13.07       |
| 5150.00      | Peak                         | 51.47                                   | 4.55         | 56.02                        | 74.00                        | -17.98       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B1     | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5180 MHz        | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5134.96      | Average                      | 35.94                             | 4.61         | 40.55                  | 54.00                  | -13.45       |
| 5134.96      | Peak                         | 57.85                             | 4.61         | 62.46                  | 74.00                  | -11.54       |
| 5150.00      | Average                      | 38.28                             | 4.55         | 42.83                  | 54.00                  | -11.17       |
| 5150.00      | Peak                         | 60.73                             | 4.55         | 65.28                  | 74.00                  | -8.72        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B2      | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5320 MHz         | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.00      | Average                      | 35.66                             | 5.19         | 40.85                  | 54.00                  | -13.15       |
| 5350.00      | Peak                         | 53.76                             | 5.19         | 58.95                  | 74.00                  | -15.05       |
| 5355.96      | Average                      | 34.82                             | 5.21         | 40.03                  | 54.00                  | -13.97       |
| 5355.96      | Peak                         | 53.15                             | 5.21         | 58.36                  | 74.00                  | -15.64       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B2      | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5320 MHz         | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.00      | Average                      | 38.55                             | 5.19         | 43.74                  | 54.00                  | -10.26       |
| 5350.00      | Peak                         | 59.79                             | 5.19         | 64.98                  | 74.00                  | -9.02        |
| 5351.40      | Average                      | 37.88                             | 5.20         | 43.08                  | 54.00                  | -10.92       |
| 5351.40      | Peak                         | 59.34                             | 5.20         | 64.54                  | 74.00                  | -9.46        |
| 5398.56      | Average                      | 35.72                             | 5.62         | 41.34                  | 54.00                  | -12.66       |
| 5398.56      | Peak                         | 60.65                             | 5.62         | 66.27                  | 74.00                  | -7.73        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B3     | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5500 MHz        | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5456.00      | Average                      | 34.35                             | 5.55         | 39.90                  | 54.00                  | -14.10       |
| 5456.00      | Peak                         | 54.41                             | 5.55         | 59.96                  | 74.00                  | -14.04       |
| 5460.00      | Average                      | 34.56                             | 5.54         | 40.10                  | 54.00                  | -13.90       |
| 5460.00      | Peak                         | 54.42                             | 5.54         | 59.96                  | 74.00                  | -14.04       |
| 5470.00      | Peak                         | 58.38                             | 5.52         | 63.90                  | 68.20                  | -4.30        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B3  
 Fundamental Frequency :5500 MHz  
 Operation Mode :Bandedge CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-20  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5456.00      | Average                      | 35.98                                   | 5.55         | 41.53                        | 54.00                        | -12.47       |
| 5456.00      | Peak                         | 57.80                                   | 5.55         | 63.35                        | 74.00                        | -10.65       |
| 5460.00      | Average                      | 36.55                                   | 5.54         | 42.09                        | 54.00                        | -11.91       |
| 5460.00      | Peak                         | 58.14                                   | 5.54         | 63.68                        | 74.00                        | -10.32       |
| 5470.04      | Peak                         | 61.38                                   | 5.52         | 66.90                        | 68.20                        | -1.30        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B3      | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5700 MHz         | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5725.00      | Peak                         | 57.50                                   | 6.55         | 64.05                        | 68.20                        | -4.15        |
| 5727.56      | Peak                         | 56.31                                   | 6.54         | 62.85                        | 68.20                        | -5.35        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B3      | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5700 MHz         | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5725.04      | Peak                         | 58.97                                   | 6.55         | 65.52                        | 68.20                        | -2.68        |
| 5765.84      | Peak                         | 57.63                                   | 6.39         | 64.02                        | 68.20                        | -4.18        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B4     | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5745 MHz        | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5649.95      | Peak                         | 46.33                             | 5.91         | 52.24                  | 68.23                  | -15.99       |
| 5652.15      | Peak                         | 53.73                             | 5.93         | 59.66                  | 69.82                  | -10.16       |
| 5700.00      | Peak                         | 53.29                             | 6.43         | 59.72                  | 105.23                 | -45.51       |
| 5720.02      | Peak                         | 60.23                             | 6.55         | 66.78                  | 110.88                 | -44.10       |
| 5724.97      | Peak                         | 63.88                             | 6.55         | 70.43                  | 122.16                 | -51.73       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B4     | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5745 MHz        | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5650.00      | Peak                         | 48.62                                   | 5.91         | 54.53                        | 68.23                        | -13.70       |
| 5700.00      | Peak                         | 57.65                                   | 6.43         | 64.08                        | 105.23                       | -41.15       |
| 5720.00      | Peak                         | 63.14                                   | 6.55         | 69.69                        | 110.83                       | -41.14       |
| 5725.00      | Peak                         | 66.36                                   | 6.55         | 72.91                        | 122.23                       | -49.32       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11n20B4      | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5825 MHz         | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.00      | Peak                         | 58.68                             | 6.41         | 65.09                  | 122.23                 | -57.14       |
| 5855.00      | Peak                         | 53.62                             | 6.43         | 60.05                  | 110.83                 | -50.78       |
| 5873.38      | Peak                         | 60.59                             | 6.49         | 67.08                  | 105.69                 | -38.61       |
| 5875.00      | Peak                         | 49.87                             | 6.49         | 56.36                  | 105.23                 | -48.87       |
| 5925.00      | Peak                         | 47.37                             | 6.44         | 53.81                  | 68.23                  | -14.42       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20B4  
 Fundamental Frequency :5825 MHz  
 Operation Mode :Bandedge CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-20  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.00      | Peak                         | 60.12                             | 6.41         | 66.53                  | 122.23                 | -55.70       |
| 5855.00      | Peak                         | 57.10                             | 6.43         | 63.53                  | 110.83                 | -47.30       |
| 5872.75      | Peak                         | 63.67                             | 6.48         | 70.15                  | 105.86                 | -35.71       |
| 5875.00      | Peak                         | 52.69                             | 6.49         | 59.18                  | 105.23                 | -46.05       |
| 5925.00      | Peak                         | 48.34                             | 6.44         | 54.78                  | 68.23                  | -13.45       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 802.11n40 mode

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B1     | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5190 MHz        | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5150.00      | Average                      | 35.45                                   | 4.55         | 40.00                        | 54.00                        | -14.00       |
| 5150.00      | Peak                         | 54.38                                   | 4.55         | 58.93                        | 74.00                        | -15.07       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B1     | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5190 MHz        | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5150.00      | Average                      | 39.06                             | 4.55         | 43.61                  | 54.00                  | -10.39       |
| 5150.00      | Peak                         | 58.87                             | 4.55         | 63.42                  | 74.00                  | -10.58       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B2      | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5310 MHz         | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.00      | Average                      | 32.58                             | 5.19         | 37.77                  | 54.00                  | -16.23       |
| 5350.00      | Peak                         | 50.33                             | 5.19         | 55.52                  | 74.00                  | -18.48       |
| 5351.00      | Average                      | 32.83                             | 5.20         | 38.03                  | 54.00                  | -15.97       |
| 5351.00      | Peak                         | 52.95                             | 5.20         | 58.15                  | 74.00                  | -15.85       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B2      | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5310 MHz         | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.00      | Average                      | 35.38                             | 5.19         | 40.57                  | 54.00                  | -13.43       |
| 5350.00      | Peak                         | 54.00                             | 5.19         | 59.19                  | 74.00                  | -14.81       |
| 5353.16      | Average                      | 35.34                             | 5.20         | 40.54                  | 54.00                  | -13.46       |
| 5353.16      | Peak                         | 55.58                             | 5.20         | 60.78                  | 74.00                  | -13.22       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B3     | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5510 MHz        | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5460.00      | Average                      | 34.65                                   | 5.54         | 40.19                        | 54.00                        | -13.81       |
| 5460.00      | Peak                         | 53.66                                   | 5.54         | 59.20                        | 74.00                        | -14.80       |
| 5470.00      | Peak                         | 57.18                                   | 5.52         | 62.70                        | 68.20                        | -5.50        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40B3  
 Fundamental Frequency :5510 MHz  
 Operation Mode :Bandedge CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-20  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5460.00      | Average                      | 37.07                                   | 5.54         | 42.61                        | 54.00                        | -11.39       |
| 5460.00      | Peak                         | 57.26                                   | 5.54         | 62.80                        | 74.00                        | -11.20       |
| 5470.00      | Peak                         | 59.84                                   | 5.52         | 65.36                        | 68.20                        | -2.84        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B3      | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5670 MHz         | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.00      | Peak                         | 46.53                             | 6.55         | 53.08                  | 68.20                  | -15.12       |


|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B3      | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5670 MHz         | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5725.00      | Peak                         | 47.88                                   | 6.55         | 54.43                        | 68.20                        | -13.77       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B4     | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5755 MHz        | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5650.00      | Peak                         | 45.78                             | 5.91         | 51.69                  | 68.23                  | -16.54       |
| 5700.00      | Peak                         | 50.95                             | 6.43         | 57.38                  | 105.23                 | -47.85       |
| 5720.00      | Peak                         | 56.46                             | 6.55         | 63.01                  | 110.83                 | -47.82       |
| 5725.00      | Peak                         | 59.94                             | 6.55         | 66.49                  | 122.23                 | -55.74       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B4     | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5755 MHz        | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5650.00      | Peak                         | 46.27                                   | 5.91         | 52.18                        | 68.23                        | -16.05       |
| 5700.00      | Peak                         | 52.50                                   | 6.43         | 58.93                        | 105.23                       | -46.30       |
| 5720.00      | Peak                         | 60.04                                   | 6.55         | 66.59                        | 110.83                       | -44.24       |
| 5725.00      | Peak                         | 61.93                                   | 6.55         | 68.48                        | 122.23                       | -53.75       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40B4  
 Fundamental Frequency :5795 MHz  
 Operation Mode :Bandedge CH HIGH  
 EUT Pol. :E1 Plane

Test Date :2019-03-20  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5850.00      | Peak                         | 48.99                                   | 6.41         | 55.40                        | 122.23                       | -66.83       |
| 5855.00      | Peak                         | 47.45                                   | 6.43         | 53.88                        | 110.83                       | -56.95       |
| 5875.00      | Peak                         | 46.05                                   | 6.49         | 52.54                        | 105.23                       | -52.69       |
| 5925.00      | Peak                         | 46.58                                   | 6.44         | 53.02                        | 68.23                        | -15.21       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11n40B4      | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5795 MHz         | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.00      | Peak                         | 50.55                             | 6.41         | 56.96                  | 122.23                 | -65.27       |
| 5855.00      | Peak                         | 49.06                             | 6.43         | 55.49                  | 110.83                 | -55.34       |
| 5875.00      | Peak                         | 46.78                             | 6.49         | 53.27                  | 105.23                 | -51.96       |
| 5925.00      | Peak                         | 46.97                             | 6.44         | 53.41                  | 68.23                  | -14.82       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**802.11ac80 mode**

Operation Band :802.11ac80B1  
 Fundamental Frequency :5210 MHz  
 Operation Mode :Bandedge CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-20  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5150.00      | Average                      | 36.71                                   | 4.55         | 41.26                        | 54.00                        | -12.74       |
| 5150.00      | Peak                         | 50.10                                   | 4.55         | 54.65                        | 74.00                        | -19.35       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11ac80B1    | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5210 MHz        | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5150.00      | Average                      | 40.65                             | 4.55         | 45.20                  | 54.00                  | -8.80        |
| 5150.00      | Peak                         | 54.55                             | 4.55         | 59.10                  | 74.00                  | -14.90       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11ac80B2     | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5290 MHz         | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.00      | Average                      | 35.20                             | 5.19         | 40.39                  | 54.00                  | -13.61       |
| 5350.00      | Peak                         | 49.07                             | 5.19         | 54.26                  | 74.00                  | -19.74       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11ac80B2     | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5290 MHz         | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.00      | Average                      | 36.79                             | 5.19         | 41.98                  | 54.00                  | -12.02       |
| 5350.00      | Peak                         | 50.93                             | 5.19         | 56.12                  | 74.00                  | -17.88       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11ac80B3    | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5530 MHz        | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :VERTICAL         |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5452.50      | Average                      | 38.99                             | 5.55         | 44.54                  | 54.00                  | -9.46        |
| 5452.50      | Peak                         | 53.20                             | 5.55         | 58.75                  | 74.00                  | -15.25       |
| 5460.00      | Average                      | 39.23                             | 5.54         | 44.77                  | 54.00                  | -9.23        |
| 5460.00      | Peak                         | 51.39                             | 5.54         | 56.93                  | 74.00                  | -17.07       |
| 5470.00      | Peak                         | 52.51                             | 5.52         | 58.03                  | 68.20                  | -10.17       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11ac80B3  
 Fundamental Frequency :5530 MHz  
 Operation Mode :Bandedge CH LOW  
 EUT Pol. :E1 Plane

Test Date :2019-03-20  
 Temp./Humi. :23 deg\_C / 62 RH  
 Engineer :Wei  
 Measurement Antenna Pol. :HORIZONTAL




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5458.70      | Average                      | 42.82                             | 5.54         | 48.36                  | 54.00                  | -5.64        |
| 5458.70      | Peak                         | 56.84                             | 5.54         | 62.38                  | 74.00                  | -11.62       |
| 5460.00      | Average                      | 42.85                             | 5.54         | 48.39                  | 54.00                  | -5.61        |
| 5460.00      | Peak                         | 56.52                             | 5.54         | 62.06                  | 74.00                  | -11.94       |
| 5470.00      | Peak                         | 55.85                             | 5.52         | 61.37                  | 68.20                  | -6.83        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11ac80B4    | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5775 MHz        | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5650.00      | Peak                         | 46.48                             | 5.91         | 52.39                  | 68.23                  | -15.84       |
| 5700.00      | Peak                         | 51.56                             | 6.43         | 57.99                  | 105.23                 | -47.24       |
| 5720.00      | Peak                         | 52.91                             | 6.55         | 59.46                  | 110.83                 | -51.37       |
| 5725.00      | Peak                         | 55.68                             | 6.55         | 62.23                  | 122.23                 | -60.00       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11ac80B4    | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5775 MHz        | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane        | Measurement Antenna Pol. | :HORIZONTAL       |




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5650.00      | Peak                         | 47.06                             | 5.91         | 52.97                  | 68.23                  | -15.26       |
| 5700.00      | Peak                         | 50.85                             | 6.43         | 57.28                  | 105.23                 | -47.95       |
| 5720.00      | Peak                         | 53.56                             | 6.55         | 60.11                  | 110.83                 | -50.72       |
| 5725.00      | Peak                         | 56.72                             | 6.55         | 63.27                  | 122.23                 | -58.96       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11ac80B4     | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5775 MHz         | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.00      | Peak                         | 46.37                             | 6.41         | 52.78                  | 122.23                 | -69.45       |
| 5855.00      | Peak                         | 46.16                             | 6.43         | 52.59                  | 110.83                 | -58.24       |
| 5875.00      | Peak                         | 46.28                             | 6.49         | 52.77                  | 105.23                 | -52.46       |
| 5925.00      | Peak                         | 45.64                             | 6.44         | 52.08                  | 68.23                  | -16.15       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                       |                   |                          |                   |
|-----------------------|-------------------|--------------------------|-------------------|
| Operation Band        | :802.11ac80B4     | Test Date                | :2019-03-20       |
| Fundamental Frequency | :5775 MHz         | Temp./Humi.              | :23 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH HIGH | Engineer                 | :Wei              |
| EUT Pol.              | :E1 Plane         | Measurement Antenna Pol. | :HORIZONTAL       |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5850.00      | Peak                         | 47.83                                   | 6.41         | 54.24                        | 122.23                       | -67.99       |
| 5855.00      | Peak                         | 47.55                                   | 6.43         | 53.98                        | 110.83                       | -56.85       |
| 5875.00      | Peak                         | 45.94                                   | 6.49         | 52.43                        | 105.23                       | -52.80       |
| 5925.00      | Peak                         | 45.50                                   | 6.44         | 51.94                        | 68.23                        | -16.29       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 12 TRANSMISSION IN THE ABSENCE OF DATA

### 12.1 Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

### 12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 13 FREQUENCY STABILITY


### 13.1 Standard Applicable

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

### 13.2 Measurement Procedure

1. The EUT was placed inside temperature chamber and powered and powered by nominal DC voltage.
2. Set EUT as normal operation.
3. Turn the EUT on and couple its output to spectrum.
4. Turn the EUT off and set the chamber to the highest temperature specified.
5. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize, turn the EUT and measure the operating frequency.
6. Repeat step with the temperature chamber set to the lowest temperature.

### 13.3 Test SET-UP



### 13.4 Measurement Equipment Used:

| SGS Conducted Room              |               |           |               |                  |                 |
|---------------------------------|---------------|-----------|---------------|------------------|-----------------|
| Name of Equipment               | Manufacturer  | Model     | Serial Number | Calibration Date | Calibration Due |
| DC Power Supply                 | Agilent       | E3640A    | MY53130054    | 09/03/2018       | 09/02/2019      |
| PXA Spectrum Analyzer           | Agilent       | N9030A    | MY53120760    | 04/09/2018       | 04/08/2019      |
| DC Power Supply                 | Agilent       | E3640A    | KR93300208    | 08/15/2018       | 08/14/2019      |
| Thermostatic/Hrgrosatic Chamber | TAICHY        | MHG-150LF | 930619        | 10/08/2018       | 10/07/2019      |
| DC Block                        | Mini-Circuits | BLK-18-S+ | 31129(1)      | 02/26/2019       | 02/25/2020      |
| Attenuator                      | Mini-Circuit  | BW-S10W2+ | 1             | 02/26/2019       | 02/25/2020      |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 13.5 Measurement Result

#### Startup:

|                |          |           |            |
|----------------|----------|-----------|------------|
| Operation Mode | 802.11 a | Test Date | 2019.03.19 |
| Temperature    | : 23.4°C | Test By   | Peter      |
| Humidity       | : 57%    |           |            |

| Test Temp.(°C) | Test Voltage(V) | Channel | Measured Frequency (MHz) | Spectrum Frequency (MHz) | ΔFrequency (MHz) |
|----------------|-----------------|---------|--------------------------|--------------------------|------------------|
| -40            | 3.5             | 36      | 5180                     | 5,179.99292              | 0.00000137       |
|                | 3.1             | 36      | 5180                     | 5,179.99044              | 0.00000185       |
| 25             | 3.3             | 36      | 5180                     | 5,179.98318              | 0.00000325       |
| 85             | 3.5             | 36      | 5180                     | 5,179.98821              | 0.00000228       |
|                | 3.1             | 36      | 5180                     | 5,179.99817              | 0.00000035       |

#### 2 Minutes:

|                |          |           |            |
|----------------|----------|-----------|------------|
| Operation Mode | 802.11 a | Test Date | 2019.03.19 |
| Temperature    | : 23.4°C | Test By   | Peter      |
| Humidity       | : 57%    |           |            |

| Test Temp.(°C) | Test Voltage(V) | Channel | Measured Frequency (MHz) | Spectrum Frequency (MHz) | ΔFrequency (MHz) |
|----------------|-----------------|---------|--------------------------|--------------------------|------------------|
| -40            | 3.5             | 36      | 5180                     | 5,179.99023              | 0.00000189       |
|                | 3.1             | 36      | 5180                     | 5,179.99325              | 0.00000130       |
| 25             | 3.3             | 36      | 5180                     | 5,179.98537              | 0.00000282       |
| 85             | 3.5             | 36      | 5180                     | 5,179.99752              | 0.00000048       |
|                | 3.1             | 36      | 5180                     | 5,179.99081              | 0.00000177       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**5 Minutes:**

|                |          |           |            |
|----------------|----------|-----------|------------|
| Operation Mode | 802.11 a | Test Date | 2019.03.19 |
| Temperature    | : 23.4°C | Test By   | Peter      |
| Humidity       | : 57%    |           |            |

| Test Temp.(°C) | Test Voltage(V) | Channel | Measured Frequency (MHz) | Spectrum Frequency (MHz) | ΔFrequency (MHz) |
|----------------|-----------------|---------|--------------------------|--------------------------|------------------|
| -40            | 3.5             | 36      | 5180                     | 5,179.99300              | 0.00000135       |
|                | 3.1             | 36      | 5180                     | 5,179.99006              | 0.00000192       |
| 25             | 3.3             | 36      | 5180                     | 5,179.98218              | 0.00000344       |
| 85             | 3.5             | 36      | 5180                     | 5,179.98571              | 0.00000276       |
|                | 3.1             | 36      | 5180                     | 5,179.98765              | 0.00000238       |

**10 Minutes:**

|                |          |           |            |
|----------------|----------|-----------|------------|
| Operation Mode | 802.11 a | Test Date | 2019.03.19 |
| Temperature    | : 23.4°C | Test By   | Peter      |
| Humidity       | : 57%    |           |            |

| Test Temp.(°C) | Test Voltage(V) | Channel | Measured Frequency (MHz) | Spectrum Frequency (MHz) | ΔFrequency (MHz) |
|----------------|-----------------|---------|--------------------------|--------------------------|------------------|
| -40            | 3.5             | 36      | 5180                     | 5,179.99322              | 0.00000131       |
|                | 3.1             | 36      | 5180                     | 5,179.99164              | 0.00000161       |
| 25             | 3.3             | 36      | 5180                     | 5,179.98276              | 0.00000333       |
| 85             | 3.5             | 36      | 5180                     | 5,179.99090              | 0.00000176       |
|                | 3.1             | 36      | 5180                     | 5,179.99316              | 0.00000132       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 14 ANTENNA REQUIREMENT

### 14.1 Standard Applicable

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### 14.2 Antenna Connected Construction

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.