

FCC Part 15 Antenna Gain Test Report


FCC ID:	VPYLB1VY
Client:	Murata Manufacturing Co., Ltd.
Type of Equipment:	Communication Module
Model No.:	Type1VY (* installed in Digital Camera 1VY007)
Date of Testing:	June 15, 2023 – June 16, 2023
Date of Issue:	June 16, 2023

Sony Corporation

5-1-1 Minatomirai Nishi-ku Yokohama-shi Kanagawa, 220-8750, Japan

1. Measurement Procedure

- The antenna gain is measured in a fully anechoic chamber



2. Test Equipment and Measurement Software

Used	Equipment Description	Model No.	Serial No.	Manufacturer	Cal. Interval	Last Cal.	Remark
Y	Absorber Chamber	B83117-A1421-T161	21061	Albatross Projects	N/A	N/A	
Y	Multi-Probe Measurement System	SG32	1102611-0001	MVG	12 months	2022.09.22	
N	Dual-Ridge Horn Antenna (0.6-6.0 GHz)	SH600	30	MVG	N/A	N/A	Reference Antenna
N	Sleeve-Dipole Antenna (0.69-0.8 GHz)	SD740	32	MVG	N/A	N/A	Reference Antenna
N	Sleeve-Dipole Antenna (0.865-0.93 GHz)	SD900	153	MVG	N/A	N/A	Reference Antenna
Y	Signal Generator and Receiver	NPAC	1102249-2495	MVG	N/A	N/A	For Passive
Y	Mixer Unit	MU	1102545-2491	MVG	N/A	N/A	
Y	CW Unit	CWU	1102188-2573	MVG	N/A	N/A	
Y	Active Switching Unit	ASU	1101217-2569	MVG	12 months	2022.09.28	
Y	Tx Amplification Unit	TxAU	1102527-2493	MVG	N/A	N/A	
Y	Rx Amplification Unit	RxAU	1102537-2492	MVG	N/A	N/A	
Y	Transfer Switching Unit	TSU	1102181-2494	MVG	N/A	N/A	
Y	Probe Driver Unit	PDU	1102186-2487	MVG	N/A	N/A	
Y	Power and Control Unit	PACU	1102184-2529	MVG	N/A	N/A	
Y	Array Control Unit	ACU	1102345-2489	MVG	N/A	N/A	
• The calibration is valid until the end of the expiration month.							

Measurement Software

Used	Software Description	Model No.	Version	Manufacturer	Remark
Y	Automated Antenna and OTA Measurement Software Suite	MVG WaveStudio	22.5.5	MVG	
Y	Near-Field to Far-Field Transformation Software	MV-Sphere	3.0.1	MVG	

3. Antenna Under Test

Antenna 1

Antenna Model Name: WF-1008
Antenna Type: Dual Band Monopole
Input Impedance: 50 ohm

Antenna 2

Antenna Model Name: WF-12
Antenna Type: Dual Band Monopole
Input Impedance: 50 ohm

4. Antenna Gains

Antenna 1

Date of Testing: June 16, 2023

Tested Personnel: Akihiro Somura

Antenna	Frequency (MHz)	Peak Gain (dBi)	Remark
Antenna 1	2480	-1.37	* 2.4 GHz peak
	5200	-1.30	
	5300	-1.80	
	5600	-0.10	* 5 GHz peak
	5800	-4.57	

Antenna 2


Date of Testing: June 15, 2023

Tested Personnel: Akihiro Somura

Antenna	Frequency (MHz)	Peak Gain (dBi)	Remark
Antenna 2	2440	-2.07	* 2.4 GHz peak
	5200	-1.42	
	5300	-1.77	
	5600	+0.12	* 5 GHz peak
	5800	-3.96	

5. Antenna Directivity Plots


Antenna 1 (1/3)




Antenna 1 (2/3)

Frequency Band	XZ-cut		YZ-cut		XY-cut	
W52 (5.2 GHz)		xz-cut (Phi=0) / Frequency=5200MHz 		yz-cut (Phi=90) / Frequency=5200MHz 		xy-cut (Theta=-90) / Frequency=5200MHz
W53 (5.3 GHz)		xz-cut (Phi=0) / Frequency=5300MHz 		yz-cut (Phi=90) / Frequency=5300MHz 		xy-cut (Theta=-90) / Frequency=5300MHz


Antenna 1 (3/3)




Antenna 2 (1/3)



Antenna 2 (2/3)



Antenna 2 (3/3)



Appendix. Photographs of Test Setup

