

Appendix A: Restricted Band

Mode:	11B-2412
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.87	74.00	29.13	42.30	54.00	11.70	150	106	Horizontal	PASS
2	2352.56	6.88	45.75	74.00	28.25	42.02	54.00	11.98	150	76	Horizontal	PASS
3	2385.92	7.97	50.80	74.00	23.20	47.27	54.00	6.73	150	72	Horizontal	PASS
4	2386.64	8.01	52.02	74.00	21.98	47.48	54.00	6.52	150	72	Horizontal	PASS
5	2388.72	8.07	51.64	74.00	22.36	47.03	54.00	6.97	150	76	Horizontal	PASS
6	2390	8.15	49.46	74.00	24.54	48.07	54.00	5.93	150	82	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.62	74.00	29.38	40.88	54.00	13.12	150	222	Vertical	PASS
2	2326	6.81	45.75	74.00	28.25	43.24	54.00	10.76	150	360	Vertical	PASS
3	2339.76	6.81	46.33	74.00	27.67	42.55	54.00	11.45	150	358	Vertical	PASS
4	2353.2	6.89	45.58	74.00	28.42	42.77	54.00	11.23	150	133	Vertical	PASS
5	2370	7.22	50.45	74.00	23.55	48.52	54.00	5.48	150	183	Vertical	PASS
6	2390	8.15	47.54	74.00	26.46	44.69	54.00	9.31	150	31	Vertical	PASS

Mode:

11B-2462

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	8.67	59.28	74.00	14.72	51.86	54.00	2.14	150	81	Horizontal	PASS
2	2483.665	8.65	61.22	74.00	12.78	53.47	54.00	0.53	150	79	Horizontal	PASS
3	2483.6654	8.65	55.76	74.00	18.24	52.28	54.00	1.72	140.2	79.2	Horizontal	PASS
4	2486.206	8.42	57.84	74.00	16.16	51.05	54.00	2.95	150	79	Horizontal	PASS
5	2487.823	8.29	56.24	74.00	17.76	50.61	54.00	3.39	150	79	Horizontal	PASS
6	2500.0000	8.20	48.30	74.00	25.70	45.85	54.00	8.15	150	81	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	8.67	55.12	74.00	18.88	52.46	54.00	1.54	150	29	Vertical	PASS
2	2483.665	8.65	57.49	74.00	16.51	49.47	54.00	4.53	150	29	Vertical	PASS
3	2485.546	8.49	55.37	74.00	18.63	52.02	54.00	1.98	150	32	Vertical	PASS
4	2486.734	8.41	54.35	74.00	19.65	50.91	54.00	3.09	150	32	Vertical	PASS
5	2488.12	8.27	52.95	74.00	21.05	50.29	54.00	3.71	150	27	Vertical	PASS
6	2500.0000	8.20	47.33	74.00	26.67	43.73	54.00	10.27	150	34	Vertical	PASS

Mode:	11G-2412
-------	----------

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.15	74.00	29.85	37.38	54.00	16.62	150	123	Horizontal	PASS
2	2384.24	7.39	51.56	74.00	22.44	42.45	54.00	11.55	150	61	Horizontal	PASS
3	2386.32	7.39	53.13	74.00	20.87	44.25	54.00	9.75	150	61	Horizontal	PASS
4	2387.76	7.44	52.98	74.00	21.02	44.23	54.00	9.77	150	58	Horizontal	PASS
5	2389.28	7.61	55.52	74.00	18.48	44.75	54.00	9.25	150	61	Horizontal	PASS
6	2390	7.73	55.49	74.00	18.51	45.11	54.00	8.89	150	64	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.83	74.00	29.17	41.66	54.00	12.34	150	186	Vertical	PASS
2	2382.64	7.37	51.43	74.00	22.57	42.54	54.00	11.46	150	235	Vertical	PASS
3	2384.56	7.40	52.77	74.00	21.23	42.83	54.00	11.17	150	235	Vertical	PASS
4	2388.24	7.47	54.80	74.00	19.20	44.06	54.00	9.94	150	189	Vertical	PASS
5	2389.28	7.61	58.12	74.00	15.88	44.43	54.00	9.57	150	189	Vertical	PASS
6	2390	7.73	56.74	74.00	17.26	44.64	54.00	9.36	150	200	Vertical	PASS

Mode:

11G-2462

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	65.68	74.00	8.32	46.65	54.00	7.35	150	65	Horizontal	PASS
2	2484.1765	6.55	67.79	74.00	6.21	45.68	54.00	8.32	150	65	Horizontal	PASS
3	2484.589	6.55	66.43	74.00	7.57	44.77	54.00	9.23	150	62	Horizontal	PASS
4	2485.414	6.55	63.18	74.00	10.82	43.75	54.00	10.25	150	70	Horizontal	PASS
5	2485.9915	6.55	62.34	74.00	11.66	43.04	54.00	10.96	150	65	Horizontal	PASS
6	2500	6.58	51.32	74.00	22.68	36.47	54.00	17.53	150	36	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	66.20	74.00	7.80	50.41	54.00	3.59	150	198	Vertical	PASS
2	2484.028	6.55	68.42	74.00	5.58	50.37	54.00	3.63	150	186	Vertical	PASS
3	2484.8365	6.55	66.83	74.00	7.17	49.76	54.00	4.24	150	198	Vertical	PASS
4	2485.2985	6.55	64.99	74.00	9.01	49.03	54.00	4.97	150	195	Vertical	PASS
5	2486.338	6.56	62.16	74.00	11.84	47.81	54.00	6.19	150	200	Vertical	PASS
6	2500	6.58	51.41	74.00	22.59	38.59	54.00	15.41	150	44	Vertical	PASS

Mode:

11N20-2412

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.45	74.00	29.55	41.46	54.00	12.54	150	163	Horizontal	PASS
2	2372.4	7.22	48.94	74.00	25.06	44.54	54.00	9.46	150	296	Horizontal	PASS
3	2380.8	7.34	52.27	74.00	21.73	41.53	54.00	12.47	150	75	Horizontal	PASS
4	2383.28	7.37	52.09	74.00	21.91	41.92	54.00	12.08	150	286	Horizontal	PASS
5	2386	7.38	61.09	74.00	12.91	42.87	54.00	11.13	150	78	Horizontal	PASS
6	2389.84	7.70	61.88	74.00	12.12	43.85	54.00	10.15	150	78	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.17	74.00	29.83	35.64	54.00	18.36	150	106	Vertical	PASS
2	2376.32	7.28	48.52	74.00	25.48	37.79	54.00	16.21	150	308	Vertical	PASS
3	2380.88	7.34	51.00	74.00	23.00	38.19	54.00	15.81	150	323	Vertical	PASS
4	2384.96	7.40	52.48	74.00	21.52	40.51	54.00	13.49	150	35	Vertical	PASS
5	2386.24	7.38	57.96	74.00	16.04	40.60	54.00	13.40	150	314	Vertical	PASS
6	2389.92	7.72	58.08	74.00	15.92	41.02	54.00	12.98	150	305	Vertical	PASS

Mode:

11N20-2462

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	62.92	74.00	11.08	46.00	54.00	8.00	150	66	Horizontal	PASS
2	2483.8135	6.55	64.14	74.00	9.86	45.45	54.00	8.55	150	66	Horizontal	PASS
3	2484.193	6.55	63.95	74.00	10.05	45.07	54.00	8.93	150	66	Horizontal	PASS
4	2484.523	6.55	62.14	74.00	11.86	44.47	54.00	9.53	150	64	Horizontal	PASS
5	2488.1035	6.55	58.78	74.00	15.22	40.38	54.00	13.62	150	138	Horizontal	PASS
6	2500	6.58	51.81	74.00	22.19	35.63	54.00	18.37	150	128	Horizontal	PASS


Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	64.38	74.00	9.62	46.80	54.00	7.20	150	182	Vertical	PASS
2	2483.731	6.54	65.13	74.00	8.87	46.57	54.00	7.43	150	209	Vertical	PASS
3	2484.1435	6.55	64.46	74.00	9.54	46.11	54.00	7.89	150	204	Vertical	PASS
4	2488.0705	6.56	59.86	74.00	14.14	41.96	54.00	12.04	150	206	Vertical	PASS
5	2495.8915	6.57	56.16	74.00	17.84	37.28	54.00	16.72	150	60	Vertical	PASS
6	2500	6.58	50.99	74.00	23.01	36.36	54.00	17.64	150	325	Vertical	PASS


Appendix B: Spurious emissions

Note:

1. The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.
2. During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (B-2412MHz) condition was recorded in this report.
3. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	58.1300	14.48	-16.47	40.00	25.52	100	172	Vertical	PASS
2	86.2600	11.47	-20.45	40.00	28.53	100	153	Vertical	PASS
3	215.270	26.40	-18.48	43.50	17.10	100	72	Vertical	PASS
4	263.770	24.24	-17.09	46.00	21.76	100	72	Vertical	PASS
5	492.690	29.86	-11.08	46.00	16.14	100	72	Vertical	PASS
6	642.070	28.81	-8.06	46.00	17.19	100	197	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	51.3400	15.14	-16.05	40.00	24.86	100	203	Horizontal	PASS
2	97.9000	13.88	-19.61	43.50	29.62	100	170	Horizontal	PASS
3	150.280	17.08	-16.37	43.50	26.42	100	116	Horizontal	PASS
4	216.240	25.62	-18.44	46.00	20.38	100	61	Horizontal	PASS
5	263.770	25.86	-17.09	46.00	20.14	100	259	Horizontal	PASS
6	715.790	26.15	-6.66	46.00	19.85	100	214	Horizontal	PASS

Mode:	11B-2412
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1296	43.20	2.35	74.00	30.80	150	193	Horizontal	PASS
2	1910	45.85	5.67	74.00	28.15	150	4	Horizontal	PASS
3	4227	43.01	-16.56	74.00	30.99	150	85	Horizontal	PASS
4	6432	47.94	-12.34	74.00	26.06	150	135	Horizontal	PASS
5	11898	47.99	-4.33	74.00	26.01	150	11	Horizontal	PASS
6	16092	51.48	-0.15	74.00	22.52	150	340	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1316	44.34	2.28	74.00	29.66	150	204	Vertical	PASS
2	2012	46.01	5.95	74.00	27.99	150	230	Vertical	PASS
3	4725	48.13	-14.85	74.00	25.87	150	119	Vertical	PASS
4	6432	48.10	-12.34	74.00	25.90	150	213	Vertical	PASS
5	10104	46.46	-7.20	74.00	27.54	150	34	Vertical	PASS
6	13488	48.62	-2.47	74.00	25.38	150	34	Vertical	PASS

Mode:	11B-2437
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1224	42.61	2.16	74.00	31.39	150	60	Horizontal	PASS
2	2038	46.07	5.97	74.00	27.93	150	264	Horizontal	PASS
3	4371	42.43	-16.13	74.00	31.57	150	224	Horizontal	PASS
4	6513	48.66	-12.53	74.00	25.34	150	168	Horizontal	PASS
5	7329	46.12	-11.61	74.00	27.88	150	180	Horizontal	PASS
6	11904	48.86	-4.37	74.00	25.14	150	16	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1340	43.30	2.14	74.00	30.70	150	272	Vertical	PASS
2	1906	45.45	5.68	74.00	28.55	150	240	Vertical	PASS
3	4731	50.31	-14.76	74.00	23.69	150	351	Vertical	PASS
4	5256	48.82	-14.07	74.00	25.18	150	109	Vertical	PASS
5	6513	47.39	-12.53	74.00	26.61	150	21	Vertical	PASS
6	10488	47.65	-7.46	74.00	26.35	150	189	Vertical	PASS

Mode:

11B-2462

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1350	42.58	2.08	74.00	31.42	150	206	Horizontal	PASS
2	1902	45.09	5.68	74.00	28.91	150	332	Horizontal	PASS
3	4221	42.75	-16.52	74.00	31.25	150	114	Horizontal	PASS
4	6591	49.40	-12.37	74.00	24.60	150	152	Horizontal	PASS
5	7413	47.59	-11.41	74.00	26.41	150	39	Horizontal	PASS
6	13116	49.65	-2.87	74.00	24.35	150	104	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1338	43.19	2.15	74.00	30.81	150	313	Vertical	PASS
2	2112	46.39	6.13	74.00	27.61	150	313	Vertical	PASS
3	4731	48.79	-14.76	74.00	25.21	150	30	Vertical	PASS
4	6591	48.85	-12.37	74.00	25.15	150	192	Vertical	PASS
5	9888	46.91	-8.45	74.00	27.09	150	296	Vertical	PASS
6	15135	50.06	-0.22	74.00	23.94	150	324	Vertical	PASS

Mode: 11G-2412

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1420	45.66	0.47	74.00	28.34	150	106	Horizontal
2	1890	46.22	6.18	74.00	27.78	150	143	Horizontal
3	4293	42.97	-15.33	74.00	31.03	150	198	Horizontal
4	6432	49.24	-10.59	74.00	24.76	150	213	Horizontal
5	9651	46.98	-6.38	74.00	27.02	150	0	Horizontal
6	14874	49.73	0.94	74.00	24.27	150	116	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1708	42.24	2.73	74.00	31.76	150	85	Vertical
2	1992	47.02	6.10	74.00	26.98	150	64	Vertical
3	4824	44.51	-13.27	74.00	29.49	150	233	Vertical
4	6432	52.05	-10.59	74.00	21.95	150	177	Vertical
5	10611	48.18	-4.60	74.00	25.82	150	323	Vertical
6	13023	49.25	-1.06	74.00	24.75	150	292	Vertical

Mode: 11G-2437

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1528	45.87	0.55	74.00	28.13	150	129	Horizontal
2	1888	47.46	6.13	74.00	26.54	150	108	Horizontal
3	5256	46.23	-12.50	74.00	27.77	150	232	Horizontal
4	6498	49.12	-10.65	74.00	24.88	150	179	Horizontal
5	8025	45.53	-9.18	74.00	28.47	150	30	Horizontal
6	11076	48.59	-3.69	74.00	25.41	150	188	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1568	44.48	0.38	74.00	29.52	150	41	Vertical
2	3954	45.45	-16.05	74.00	28.55	150	257	Vertical
3	4731	54.73	-13.48	74.00	19.27	150	49	Vertical
4	6498	50.38	-10.65	74.00	23.62	150	98	Vertical
5	7092	46.07	-10.31	74.00	27.93	150	157	Vertical
6	9666	46.56	-6.34	74.00	27.44	150	4	Vertical

Mode: 11G-2462

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1476	42.80	0.67	74.00	31.20	150	160	Horizontal
2	2096	51.87	7.62	74.00	22.13	150	93	Horizontal
3	4983	49.89	-13.74	74.00	24.11	150	172	Horizontal
4	6564	48.57	-10.66	74.00	25.43	150	78	Horizontal
5	7407	46.24	-10.01	74.00	27.76	150	198	Horizontal
6	9627	46.60	-6.48	74.00	27.40	150	151	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1468	45.30	0.64	74.00	28.70	150	50	Vertical
2	1992	51.55	6.10	74.00	22.45	150	79	Vertical
3	3942	47.57	-16.05	74.00	26.43	150	117	Vertical
4	4737	49.35	-13.46	74.00	24.65	150	22	Vertical
5	6564	50.96	-10.66	74.00	23.04	150	92	Vertical
6	9471	47.84	-6.92	74.00	26.16	150	337	Vertical

Mode:	11N20-2412
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1482	43.51	0.69	74.00	30.49	150	91	Horizontal
2	1738	42.49	3.11	74.00	31.51	150	52	Horizontal
3	3888	42.42	-16.08	74.00	31.58	150	127	Horizontal
4	6432	49.89	-10.59	74.00	24.11	150	213	Horizontal
5	8247	45.04	-9.09	74.00	28.96	150	330	Horizontal
6	12120	49.03	-2.48	74.00	24.97	150	251	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1494	41.37	0.73	74.00	32.63	150	210	Vertical
2	1926	46.67	6.31	74.00	27.33	150	224	Vertical
3	4221	43.65	-15.63	74.00	30.35	150	330	Vertical
4	6432	53.09	-10.59	74.00	20.91	150	172	Vertical
5	9582	46.62	-6.64	74.00	27.38	150	137	Vertical
6	12816	49.15	-1.30	74.00	24.85	150	233	Vertical

Mode: 11N20-2437

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1658	41.99	1.80	74.00	32.01	150	320	Horizontal
2	1908	47.86	6.38	74.00	26.14	150	89	Horizontal
3	3939	46.18	-16.04	74.00	27.82	150	92	Horizontal
4	5169	44.87	-12.71	74.00	29.13	150	123	Horizontal
5	6498	49.60	-10.65	74.00	24.40	150	164	Horizontal
6	9375	47.42	-7.24	74.00	26.58	150	20	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1528	45.05	0.55	74.00	28.95	150	291	Vertical
2	1994	47.82	6.10	74.00	26.18	150	252	Vertical
3	3948	47.89	-16.04	74.00	26.11	150	246	Vertical
4	5256	49.30	-12.50	74.00	24.70	150	174	Vertical
5	6498	50.90	-10.65	74.00	23.10	150	97	Vertical
6	7524	45.81	-9.82	74.00	28.19	150	82	Vertical

Mode: 11N20-2462

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1498	45.84	0.75	74.00	28.16	150	160	Horizontal
2	1874	48.93	5.83	74.00	25.07	150	98	Horizontal
3	5253	46.65	-12.50	74.00	27.35	150	92	Horizontal
4	6564	49.14	-10.66	74.00	24.86	150	101	Horizontal
5	9180	45.70	-7.39	74.00	28.30	150	308	Horizontal
6	10488	48.39	-5.35	74.00	25.61	150	11	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1588	41.50	0.38	74.00	32.50	150	90	Vertical
2	4737	51.98	-13.46	74.00	22.02	150	50	Vertical
3	5268	48.47	-12.53	74.00	25.53	150	148	Vertical
4	6564	51.26	-10.66	74.00	22.74	150	106	Vertical
5	8211	45.71	-9.04	74.00	28.29	150	332	Vertical
6	11466	48.96	-3.04	74.00	25.04	150	50	Vertical