

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 278 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(RU26_Left); Bandwidth:20MHz;

Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4807.320	71.59	-16.22	55.37	74.00	-18.63	peak
2	4807.320	60.24	-16.22	44.02	74.00	-29.98	peak
3	7210.440	55.60	-9.79	45.81	74.00	-28.19	peak
4	11582.160	52.97	-6.12	46.85	74.00	-27.15	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 279 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(RU26_Left); Bandwidth:20MHz;

Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4808.000	76.49	-16.22	60.27	74.00	-13.73	peak
2	4808.000	64.85	-16.22	48.63	54.00	-5.37	AVG
3	7209.760	59.64	-9.79	49.85	74.00	-24.15	peak
4	9563.920	54.24	-6.79	47.45	74.00	-26.55	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 280 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(RU26_Middle); Bandwidth:20MHz;

Test Frequency:2437MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4873.280	70.90	-16.10	54.80	74.00	-19.20	peak
2	4873.280	59.35	-16.10	43.25	54.00	-10.75	AVG
3	7310.400	62.52	-9.71	52.81	74.00	-21.19	peak
4	10362.920	54.07	-6.37	47.70	74.00	-26.30	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 281 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(RU26_Middle); Bandwidth:20MHz;

Test Frequency:2437MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4872.600	74.81	-16.10	58.71	74.00	-15.29	peak
2	4872.600	63.06	-16.10	46.96	54.00	-7.04	AVG
3	7311.080	72.07	-9.71	62.36	74.00	-11.64	peak
4	7311.080	60.35	-9.71	50.64	54.00	-3.36	AVG
5	11096.640	53.12	-6.30	46.82	74.00	-27.18	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 282 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(RU26_Right); Bandwidth:20MHz;

Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4939.920	64.86	-15.97	48.89	74.00	-25.11	peak
2	7277.080	54.87	-9.73	45.14	74.00	-28.86	peak
3	10501.640	54.40	-6.39	48.01	74.00	-25.99	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 283 of 453

Test Mode: 00; Polarity: Vertical; Modulation: 802.11ax(RU26_Right); Bandwidth: 20MHz;

Test Frequency: 2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4941.280	69.24	-15.96	53.28	74.00	-20.72	peak
2	7410.360	57.87	-9.61	48.26	74.00	-25.74	peak
3	9525.840	53.50	-6.86	46.64	74.00	-27.36	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 284 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(RU52_Left); Bandwidth:20MHz;

Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4808.000	70.52	-16.22	54.30	74.00	-19.70	peak
2	4808.000	59.08	-16.22	42.86	54.00	-11.14	AVG
3	8139.320	55.23	-9.29	45.94	74.00	-28.06	peak
4	9773.360	54.44	-6.41	48.03	74.00	-25.97	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 285 of 453

Test Mode: 00; Polarity: Vertical; Modulation: 802.11ax(RU52_Left); Bandwidth: 20MHz;

Test Frequency: 2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4808.680	73.36	-16.22	57.14	74.00	-16.86	peak
2	4808.680	61.83	-16.22	45.61	54.00	-8.39	AVG
3	7216.560	60.24	-9.79	50.45	74.00	-23.55	peak
4	11064.680	52.81	-6.32	46.49	74.00	-27.51	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 286 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(RU52_Right); Bandwidth:20MHz;

Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4938.560	62.74	-15.97	46.77	74.00	-27.23	peak
2	8409.960	54.86	-8.93	45.93	74.00	-28.07	peak
3	12642.960	52.40	-5.84	46.56	74.00	-27.44	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 287 of 453

Test Mode: 00; Polarity: Vertical; Modulation: 802.11ax(RU52_Right); Bandwidth: 20MHz;

Test Frequency: 2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4936.520	65.36	-15.97	49.39	74.00	-24.61	peak
2	8512.640	55.56	-8.78	46.78	74.00	-27.22	peak
3	10411.880	53.14	-6.38	46.76	74.00	-27.24	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 288 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(RU106_Left); Bandwidth:20MHz;

Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4814.120	66.65	-16.22	50.43	74.00	-23.57	peak
2	7739.480	55.54	-9.48	46.06	74.00	-27.94	peak
3	12237.680	52.74	-6.18	46.56	74.00	-27.44	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 289 of 453

Test Mode: 00; Polarity: Vertical; Modulation: 802.11ax(RU106_Left); Bandwidth: 20MHz;

Test Frequency: 2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4813.440	69.74	-16.22	53.52	74.00	-20.48	peak
2	7220.640	58.79	-9.78	49.01	74.00	-24.99	peak
3	10432.960	53.93	-6.38	47.55	74.00	-26.45	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 290 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(RU106_Right); Bandwidth:20MHz;

Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4931.080	61.76	-15.99	45.77	74.00	-28.23	peak
2	7283.200	55.12	-9.72	45.40	74.00	-28.60	peak
3	10534.960	52.92	-6.38	46.54	74.00	-27.46	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 291 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(RU106_Right); Bandwidth:20MHz;

Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4931.080	65.28	-15.99	49.29	74.00	-24.71	peak
2	7406.280	57.75	-9.62	48.13	74.00	-25.87	peak
3	10224.200	53.71	-6.36	47.35	74.00	-26.65	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 292 of 453

PCB Antenna

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4823.640	69.03	-16.20	52.83	74.00	-21.17	peak
2	8380.040	55.04	-8.97	46.07	74.00	-27.93	peak
3	10719.920	53.66	-6.38	47.28	74.00	-26.72	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 293 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4823.640	70.75	-16.20	54.55	74.00	-19.45	peak
2	4823.640	69.23	-16.20	53.03	54.00	-0.97	AVG
3	8822.040	53.46	-8.11	45.35	74.00	-28.65	peak
4	10697.480	52.70	-6.37	46.33	74.00	-27.67	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 294 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Test Frequency:2437MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4873.960	68.57	-16.10	52.47	74.00	-21.53	peak
2	7773.480	56.04	-9.48	46.56	74.00	-27.44	peak
3	9814.840	53.40	-6.34	47.06	74.00	-26.94	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 295 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Test Frequency:2437MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4873.960	70.22	-16.10	54.12	74.00	-19.88	peak
2	4873.960	68.97	-16.10	52.87	54.00	-1.13	AVG
3	8443.280	54.27	-8.88	45.39	74.00	-28.61	peak
4	11804.520	52.81	-6.30	46.51	74.00	-27.49	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 296 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4924.280	69.40	-16.00	53.40	74.00	-20.60	peak
2	7122.720	55.50	-9.87	45.63	74.00	-28.37	peak
3	9850.880	52.97	-6.28	46.69	74.00	-27.31	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 297 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4924.280	69.61	-16.00	53.61	74.00	-20.39	peak
2	8736.360	53.98	-8.29	45.69	74.00	-28.31	peak
3	10288.120	53.34	-6.36	46.98	74.00	-27.02	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 298 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4821.600	64.36	-16.20	48.16	74.00	-25.84	peak
2	8794.160	54.29	-8.17	46.12	74.00	-27.88	peak
3	9854.280	53.36	-6.28	47.08	74.00	-26.92	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 299 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4831.120	68.05	-16.19	51.86	74.00	-22.14	peak
2	9398.680	53.90	-7.07	46.83	74.00	-27.17	peak
3	11750.800	52.82	-6.26	46.56	74.00	-27.44	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 300 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Test Frequency:2437MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4875.320	64.19	-16.09	48.10	74.00	-25.90	peak
2	9101.520	53.76	-7.54	46.22	74.00	-27.78	peak
3	10318.040	52.82	-6.37	46.45	74.00	-27.55	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 301 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Test Frequency:2437MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4876.000	67.11	-16.09	51.02	74.00	-22.98	peak
2	8367.120	53.98	-8.98	45.00	74.00	-29.00	peak
3	10506.400	53.39	-6.39	47.00	74.00	-27.00	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 302 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4920.200	62.45	-16.00	46.45	74.00	-27.55	peak
2	7207.720	54.65	-9.79	44.86	74.00	-29.14	peak
3	10073.240	52.88	-6.34	46.54	74.00	-27.46	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 303 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4920.880	63.76	-16.00	47.76	74.00	-26.24	peak
2	7508.280	55.17	-9.46	45.71	74.00	-28.29	peak
3	9862.440	53.07	-6.28	46.79	74.00	-27.21	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 304 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4829.760	64.06	-16.19	47.87	74.00	-26.13	peak
2	8247.440	54.78	-9.14	45.64	74.00	-28.36	peak
3	11090.520	52.82	-6.31	46.51	74.00	-27.49	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 305 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4829.080	65.00	-16.19	48.81	74.00	-25.19	peak
2	7747.640	54.69	-9.48	45.21	74.00	-28.79	peak
3	10342.520	53.11	-6.37	46.74	74.00	-27.26	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 306 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Test Frequency:2437MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4873.280	63.40	-16.10	47.30	74.00	-26.70	peak
2	7736.760	54.76	-9.48	45.28	74.00	-28.72	peak
3	10342.520	53.00	-6.37	46.63	74.00	-27.37	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 307 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Test Frequency:2437MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4870.560	66.02	-16.10	49.92	74.00	-24.08	peak
2	8834.960	54.45	-8.08	46.37	74.00	-27.63	peak
3	9927.720	53.02	-6.31	46.71	74.00	-27.29	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 308 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4878.040	61.49	-16.09	45.40	74.00	-28.60	peak
2	7105.040	54.88	-9.88	45.00	74.00	-29.00	peak
3	9600.640	53.82	-6.72	47.10	74.00	-26.90	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 309 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4873.280	62.73	-16.10	46.63	74.00	-27.37	peak
2	8953.280	54.00	-7.83	46.17	74.00	-27.83	peak
3	9909.360	53.72	-6.30	47.42	74.00	-26.58	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 310 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(Full RU); Bandwidth:20MHz;

Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4829.760	61.17	-16.19	44.98	74.00	-29.02	peak
2	8403.160	54.40	-8.93	45.47	74.00	-28.53	peak
3	11531.160	54.04	-6.08	47.96	74.00	-26.04	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 311 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(Full RU); Bandwidth:20MHz;

Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4939.240	70.56	-15.97	54.59	74.00	-19.41	peak
2	4939.240	58.93	-15.97	42.96	54.00	-11.04	AVG
3	7410.360	55.87	-9.61	46.26	74.00	-27.74	peak
4	9952.200	53.65	-6.31	47.34	74.00	-26.66	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 312 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(Full RU); Bandwidth:20MHz;

Test Frequency:2437MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4822.280	63.07	-16.20	46.87	74.00	-27.13	peak
2	9390.520	53.53	-7.08	46.45	74.00	-27.55	peak
3	11037.480	53.36	-6.34	47.02	74.00	-26.98	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 313 of 453

Test Mode: 00; Polarity: Vertical; Modulation: 802.11ax(Full RU); Bandwidth: 20MHz;

Test Frequency: 2437MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4870.560	60.02	-16.10	43.92	74.00	-30.08	peak
2	9538.760	52.95	-6.84	46.11	74.00	-27.89	peak
3	11680.760	52.88	-6.20	46.68	74.00	-27.32	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 314 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(Full RU); Bandwidth:20MHz;

Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4809.360	70.05	-16.22	53.83	74.00	-20.17	peak
2	7215.200	58.23	-9.79	48.44	74.00	-25.56	peak
3	10248.000	53.40	-6.36	47.04	74.00	-26.96	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 315 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(Full RU); Bandwidth:20MHz;

Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4872.600	64.48	-16.10	48.38	74.00	-25.62	peak
2	8782.600	54.31	-8.19	46.12	74.00	-27.88	peak
3	10369.720	53.52	-6.37	47.15	74.00	-26.85	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 316 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(RU26_Left); Bandwidth:20MHz;

Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4929.040	59.86	-15.99	43.87	74.00	-30.13	peak
2	8460.280	54.00	-8.86	45.14	74.00	-28.86	peak
3	9833.880	53.58	-6.31	47.27	74.00	-26.73	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 317 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(RU26_Left); Bandwidth:20MHz;

Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4922.920	61.63	-16.00	45.63	74.00	-28.37	peak
2	7116.600	55.12	-9.87	45.25	74.00	-28.75	peak
3	10014.760	53.50	-6.33	47.17	74.00	-26.83	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 318 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(RU26_Middle); Bandwidth:20MHz;

Test Frequency:2437MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4808.000	72.51	-16.22	56.29	74.00	-17.71	peak
2	4808.000	60.89	-16.22	44.67	54.00	-9.33	AVG
3	7211.800	57.58	-9.79	47.79	74.00	-26.21	peak
4	9894.400	53.82	-6.30	47.52	74.00	-26.48	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 319 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(RU26_Middle); Bandwidth:20MHz;

Test Frequency:2437MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4807.320	75.77	-16.22	59.55	74.00	-14.45	peak
2	4807.320	64.25	-16.22	48.03	54.00	-5.97	AVG
3	7211.120	56.52	-9.79	46.73	74.00	-27.27	peak
4	9586.360	53.86	-6.75	47.11	74.00	-26.89	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 320 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(RU26_Right); Bandwidth:20MHz;

Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4875.320	73.17	-16.09	57.08	74.00	-16.92	peak
2	4875.320	61.34	-16.09	45.25	54.00	-8.75	AVG
3	7309.720	62.36	-9.71	52.65	74.00	-21.35	peak
4	9717.600	53.33	-6.51	46.82	74.00	-27.18	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 321 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(RU26_Right); Bandwidth:20MHz;

Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4873.960	73.12	-16.10	57.02	74.00	-16.98	peak
2	4873.960	61.95	-16.10	45.85	54.00	-8.15	AVG
3	7310.400	65.18	-9.71	55.47	74.00	-18.53	peak
4	7310.400	52.82	-9.71	43.11	54.00	-10.89	AVG
5	10238.480	53.64	-6.36	47.28	74.00	-26.72	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 322 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(RU52_Left); Bandwidth:20MHz;

Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4942.640	67.10	-15.96	51.14	74.00	-22.86	peak
2	8470.480	54.04	-8.84	45.20	74.00	-28.80	peak
3	10313.280	53.52	-6.37	47.15	74.00	-26.85	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 323 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(RU52_Left); Bandwidth:20MHz;

Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4811.400	72.49	-16.22	56.27	74.00	-17.73	peak
2	4811.400	70.80	-16.22	54.58	54.00	0.58	AVG
3	7214.520	55.77	-9.79	45.98	74.00	-28.02	peak
4	9480.280	53.86	-6.93	46.93	74.00	-27.07	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 324 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(RU52_Right); Bandwidth:20MHz;
Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4938.560	65.10	-15.97	49.13	74.00	-24.87	peak
2	7517.800	54.38	-9.46	44.92	74.00	-29.08	peak
3	10224.200	53.49	-6.36	47.13	74.00	-26.87	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 325 of 453

Test Mode: 00; Polarity: Vertical; Modulation: 802.11ax(RU52_Right); Bandwidth: 20MHz;

Test Frequency: 2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4938.560	67.64	-15.97	51.67	74.00	-22.33	peak
2	8713.240	53.97	-8.35	45.62	74.00	-28.38	peak
3	12149.280	53.25	-6.26	46.99	74.00	-27.01	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 326 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(RU106_Left); Bandwidth:20MHz;

Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4812.080	67.81	-16.22	51.59	74.00	-22.41	peak
2	7225.400	56.78	-9.77	47.01	74.00	-26.99	peak
3	9680.880	53.29	-6.58	46.71	74.00	-27.29	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 327 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(RU106_Left); Bandwidth:20MHz;

Test Frequency:2412MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4812.760	69.42	-16.22	53.20	74.00	-20.80	peak
2	7217.240	55.59	-9.79	45.80	74.00	-28.20	peak
3	9432.680	53.70	-7.01	46.69	74.00	-27.31	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 328 of 453

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(RU106_Right); Bandwidth:20MHz;

Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4929.720	65.63	-15.99	49.64	74.00	-24.36	peak
2	6645.360	53.16	-10.48	42.68	74.00	-31.32	peak
3	10069.840	53.24	-6.34	46.90	74.00	-27.10	peak

Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 329 of 453

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(RU106_Right); Bandwidth:20MHz;

Test Frequency:2462MHz



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4933.120	67.87	-15.97	51.90	74.00	-22.10	peak
2	7338.960	54.69	-9.68	45.01	74.00	-28.99	peak
3	10354.760	53.43	-6.37	47.06	74.00	-26.94	peak

7.10 99% Bandwidth

Test Requirement RSS-Gen Section 6.7
Test Method: ANSI C63.10 (2013) Section 6.9.3


7.10.1 E.U.T. Operation

Operating Environment:
Temperature: 25.7 °C Humidity: 51.1 % RH Atmospheric Pressure: 1010 mbar

7.10.1 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ MCS0 is the worst case of IEEE 802.11n/ax 20; Only the data of worst case is recorded in the report.

7.10.2 Test Setup Diagram



7.10.3 Measurement Procedure and Data

Please Refer to Appendix for Details



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 331 of 453

8 Test Setup Photo

Refer to Appendix - Test Setup Photo for KSCR2404000566AT

9 EUT Constructional Details (EUT Photos)

Refer to External and Internal Photos for KSCR2404000566AT

10 Appendix

1. Duty Cycle


1.1 Test Result

1.1.1 Ant1


Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	8.614	8.740	98.56	0.06	0.42
		2417	8.610	8.740	98.51	0.07	0.45
		2437	8.610	8.703	98.93	0.05	0.04
		2457	8.610	8.734	98.58	0.06	0.38
		2462	8.610	8.703	98.93	0.05	0.04
802.11g	SISO	2412	1.429	1.529	93.46	0.29	0.03
		2417	1.429	1.528	93.52	0.29	0.03
		2437	1.429	1.528	93.52	0.29	0.00
		2457	1.429	1.529	93.46	0.29	0.03
		2462	1.429	1.528	93.52	0.29	0.03
802.11n (HT20)	SISO	2412	1.337	1.436	93.11	0.31	0.03
		2417	1.337	1.437	93.04	0.31	0.03
		2437	1.337	1.436	93.11	0.31	0.03
		2457	1.337	1.437	93.04	0.31	0.03
		2462	1.337	1.437	93.04	0.31	0.03
802.11ax (HE20)	SISO	2412	1.045	1.145	91.27	0.40	0.00
		2417	1.045	1.145	91.27	0.40	0.03
		2437	1.045	1.145	91.27	0.40	0.03
		2457	1.044	1.144	91.26	0.40	0.03
		2462	1.045	1.145	91.27	0.40	0.03

1.2 Test Graph


1.2.1 Ant1




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_MCH_2457MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2457MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2457MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2417MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_MCH_2437MHz_RU242_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_MCH_2457MHz_RU242_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 343 of 453

2. Bandwidth

2.1 Test Result

2.1.1 99% OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	13.362	/	Pass
		2417	1	13.473	/	Pass
		2437	1	13.269	/	Pass
		2457	1	13.626	/	Pass
		2462	1	13.707	/	Pass
802.11g	SISO	2412	1	17.815	/	Pass
		2417	1	17.769	/	Pass
		2437	1	17.829	/	Pass
		2457	1	17.803	/	Pass
		2462	1	17.990	/	Pass
802.11n (HT20)	SISO	2412	1	18.790	/	Pass
		2417	1	18.822	/	Pass
		2437	1	18.847	/	Pass
		2457	1	18.748	/	Pass
		2462	1	18.827	/	Pass
802.11ax (HE20)	SISO	2412	1	19.314	/	Pass
		2417	1	19.291	/	Pass
		2437	1	19.332	/	Pass
		2457	1	19.344	/	Pass
		2462	1	19.340	/	Pass

Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603


Page: 344 of 453

2.1.2 6dB BW


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	8.674	≥ 0.5	Pass
		2417	1	8.677	≥ 0.5	Pass
		2437	1	8.228	≥ 0.5	Pass
		2457	1	8.698	≥ 0.5	Pass
		2462	1	8.701	≥ 0.5	Pass
802.11g	SISO	2412	1	16.108	≥ 0.5	Pass
		2417	1	16.134	≥ 0.5	Pass
		2437	1	16.186	≥ 0.5	Pass
		2457	1	16.179	≥ 0.5	Pass
		2462	1	16.200	≥ 0.5	Pass
802.11n (HT20)	SISO	2412	1	17.212	≥ 0.5	Pass
		2417	1	17.243	≥ 0.5	Pass
		2437	1	17.473	≥ 0.5	Pass
		2457	1	17.383	≥ 0.5	Pass
		2462	1	17.389	≥ 0.5	Pass
802.11ax (HE20)	SISO	2412	1	18.897	≥ 0.5	Pass
		2417	1	18.850	≥ 0.5	Pass
		2437	1	18.844	≥ 0.5	Pass
		2457	1	18.892	≥ 0.5	Pass
		2462	1	18.882	≥ 0.5	Pass

2.2 Test Graph


2.2.1 99% OBW




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_LCH_2457MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2457MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2457MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2417MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_MCH_2437MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_MCH_2457MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_HCH_2462MHz_RU242_Ant1 (SISO)_NTNV




2.2.2 6dB BW



802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11b_LCH_2457MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 357 of 453


802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2457MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 360 of 453

802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2417MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 361 of 453


802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2457MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2417MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_MCH_2437MHz_RU242_Ant1 (SISO)_NTNV



802.11ax(HE20)_LCH_2457MHz_RU242_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2462MHz_RU242_Ant1 (SISO)_NTNV



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT1	Limit	
802.11b	SISO	2412	/	/	18.60	<=30	Pass
		2417	/	/	18.53	<=30	Pass
		2437	/	/	20.75	<=30	Pass
		2457	/	/	16.96	<=30	Pass
		2462	/	/	17.61	<=30	Pass
802.11g	SISO	2412	/	/	13.56	<=30	Pass
		2417	/	/	16.82	<=30	Pass
		2437	/	/	19.32	<=30	Pass
		2457	/	/	15.62	<=30	Pass
		2462	/	/	11.02	<=30	Pass
802.11n (HT20)	SISO	2412	/	/	11.94	<=30	Pass
		2417	/	/	16.09	<=30	Pass
		2437	/	/	17.66	<=30	Pass
		2457	/	/	15.56	<=30	Pass
		2462	/	/	10.56	<=30	Pass
802.11ax (HE20)	SISO	2412	RU26	Left	12.01	<=30	Pass
			RU52	Left	13.53	<=30	Pass
			RU106	Left	13.84	<=30	Pass
			RU242	/	11.49	<=30	Pass
		2417	RU26	Left	12.62	<=30	Pass
			RU52	Left	12.52	<=30	Pass
			RU106	Left	13.08	<=30	Pass
			RU242	Left	14.39	<=30	Pass
		2437	RU26	Mid	15.94	<=30	Pass
			RU242	/	15.95	<=30	Pass
		2457	RU26	Left	13.71	<=30	Pass
			RU52	Left	13.28	<=30	Pass
			RU106	Left	13.84	<=30	Pass
			RU242	/	14.39	<=30	Pass
		2462	RU26	Right	11.48	<=30	Pass
			RU52	Right	10.43	<=30	Pass
			RU106	Right	11.84	<=30	Pass
			RU242	/	9.90	<=30	Pass

Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 366 of 453

3.1.2 EIRP (Dipole antenna)

Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)		Verdict
					ANT1	Limit	
802.11b	SISO	2412	/	/	21.60	<=36.02	Pass
		2417	/	/	21.53	<=36.02	Pass
		2437	/	/	23.75	<=36.02	Pass
		2457	/	/	19.96	<=36.02	Pass
		2462	/	/	20.61	<=36.02	Pass
802.11g	SISO	2412	/	/	16.56	<=36.02	Pass
		2417	/	/	19.82	<=36.02	Pass
		2437	/	/	22.32	<=36.02	Pass
		2457	/	/	18.62	<=36.02	Pass
		2462	/	/	14.02	<=36.02	Pass
802.11n (HT20)	SISO	2412	/	/	14.94	<=36.02	Pass
		2417	/	/	19.09	<=36.02	Pass
		2437	/	/	20.66	<=36.02	Pass
		2457	/	/	18.56	<=36.02	Pass
		2462	/	/	13.56	<=36.02	Pass
802.11ax (HE20)	SISO	2412	RU26	Left	15.01	<=36.02	Pass
			RU52	Left	16.53	<=36.02	Pass
			RU106	Left	16.84	<=36.02	Pass
			RU242	/	14.49	<=36.02	Pass
		2417	RU26	Left	15.62	<=36.02	Pass
			RU52	Left	15.52	<=36.02	Pass
			RU106	Left	16.08	<=36.02	Pass
			RU242	/	17.39	<=36.02	Pass
		2437	RU26	Mid	18.94	<=36.02	Pass
			RU242	/	18.95	<=36.02	Pass
		2457	RU26	Right	16.71	<=36.02	Pass
			RU52	Right	16.28	<=36.02	Pass
			RU106	Right	16.84	<=36.02	Pass
			RU242	/	17.39	<=36.02	Pass
		2462	RU26	Right	14.48	<=36.02	Pass
			RU52	Right	13.43	<=36.02	Pass
			RU106	Right	14.84	<=36.02	Pass
			RU242	/	12.90	<=36.02	Pass

Note1: Dipole Antenna Gain: 3.00dBi;
Note2: E.I.R.P = Measured Power + Antenna Gain

3.1.3 EIRP (PCB antenna)


Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)		Verdict
					ANT1	Limit	
802.11b	SISO	2412	/	/	21.40	<=36.02	Pass

		2417	/	/	21.33	<=36.02	Pass
		2437	/	/	23.55	<=36.02	Pass
		2457	/	/	19.76	<=36.02	Pass
		2462	/	/	20.41	<=36.02	Pass
802.11g	SISO	2412	/	/	16.36	<=36.02	Pass
		2417	/	/	19.62	<=36.02	Pass
		2437	/	/	22.12	<=36.02	Pass
		2457	/	/	18.42	<=36.02	Pass
		2462	/	/	13.82	<=36.02	Pass
802.11n (HT20)	SISO	2412	/	/	14.74	<=36.02	Pass
		2417	/	/	18.89	<=36.02	Pass
		2437	/	/	20.46	<=36.02	Pass
		2457	/	/	18.36	<=36.02	Pass
		2462	/	/	13.36	<=36.02	Pass
802.11ax (HE20)	SISO	2412	RU26	Left	14.81	<=36.02	Pass
			RU52	Left	16.33	<=36.02	Pass
			RU106	Left	16.64	<=36.02	Pass
			RU242	/	14.29	<=36.02	Pass
		2417	RU26	Left	15.42	<=36.02	Pass
			RU52	Left	15.32	<=36.02	Pass
			RU106	Left	15.88	<=36.02	Pass
			RU242	/	17.19	<=36.02	Pass
		2437	RU26	Mid	18.74	<=36.02	Pass
			RU242	/	18.75	<=36.02	Pass
		2457	RU26	Right	16.51	<=36.02	Pass
			RU52	Right	16.08	<=36.02	Pass
			RU106	Right	16.64	<=36.02	Pass
			RU242	/	17.19	<=36.02	Pass
		2462	RU26	Right	14.28	<=36.02	Pass
			RU52	Right	13.23	<=36.02	Pass
			RU106	Right	14.64	<=36.02	Pass
			RU242	/	12.70	<=36.02	Pass


Note1: PCB Antenna Gain: 2.80dBi;
Note2: E.I.R.P = Measured Power + Antenna Gain

3.2 Test Graph


3.2.1 Power




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_LCH_2457MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2457MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 373 of 453


802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2457MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU26_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_LCH_2412MHz_RU52_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_LCH_2412MHz_RU106_Left_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 377 of 453


802.11ax(HE20)_LCH_2412MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2417MHz_RU26_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_LCH_2417MHz_RU52_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_LCH_2417MHz_RU106_Left_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 379 of 453


802.11ax(HE20)_LCH_2417MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_MCH_2437MHz_RU26_Mid_Ant1 (SISO)_NTNV




802.11ax(HE20)_MCH_2437MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2457MHz_RU26_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2457MHz_RU52_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2457MHz_RU106_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2457MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_HCH_2462MHz_RU26_Right_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2462MHz_RU52_Right_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2462MHz_RU106_Right_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 384 of 453

802.11ax(HE20)_HCH_2462MHz_RU242_Ant1 (SISO)_NTNV



4. Maximum Power Spectral Density


4.1 Test Result

4.1.1 PSD


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/3kHz)		Verdict
					ANT1	Limit	
802.11b	SISO	2412	/	/	-2.06	<=8	Pass
		2417	/	/	-3.71	<=8	Pass
		2437	/	/	-0.69	<=8	Pass
		2457	/	/	-3.34	<=8	Pass
		2462	/	/	-4.11	<=8	Pass
802.11g	SISO	2412	/	/	-10.15	<=8	Pass
		2417	/	/	-7.78	<=8	Pass
		2437	/	/	-5.91	<=8	Pass
		2457	/	/	-8.48	<=8	Pass
		2462	/	/	-12.88	<=8	Pass
802.11n (HT20)	SISO	2412	/	/	-13.21	<=8	Pass
		2417	/	/	-8.40	<=8	Pass
		2437	/	/	-7.31	<=8	Pass
		2457	/	/	-9.29	<=8	Pass
		2462	/	/	-15.18	<=8	Pass
802.11ax (HE20)	SISO	2412	RU26	Left	-4.51	<=8	Pass
			RU52	Left	-4.66	<=8	Pass
			RU106	Left	-7.65	<=8	Pass
			RU242	/	-14.69	<=8	Pass
		2417	RU26	Left	-2.38	<=8	Pass
			RU52	Left	-6.44	<=8	Pass
			RU106	Left	-8.06	<=8	Pass
			RU242	/	-9.46	<=8	Pass
		2437	RU26	Mid	-0.85	<=8	Pass
			RU242	/	-10.12	<=8	Pass
		2457	RU26	Right	-2.00	<=8	Pass
			RU52	Right	-5.49	<=8	Pass
			RU106	Right	-7.91	<=8	Pass
			RU242	/	-10.19	<=8	Pass
		2462	RU26	Right	-6.36	<=8	Pass
			RU52	Right	-8.99	<=8	Pass
			RU106	Right	-10.68	<=8	Pass
			RU242	/	-15.78	<=8	Pass

4.2 Test Graph


4.2.1 PSD




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_MCH_2457MHz_Ant1 (SISO)_NTNV



802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 389 of 453


802.11g_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2457MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 391 of 453

802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2417MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 392 of 453


802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2457MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU26_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_LCH_2412MHz_RU52_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_LCH_2412MHz_RU106_Left_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 395 of 453

802.11ax(HE20)_LCH_2412MHz_RU242_Ant1 (SISO)_NTNV



802.11ax(HE20)_LCH_2417MHz_RU26_Left_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 396 of 453


802.11ax(HE20)_LCH_2417MHz_RU52_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2417MHz_RU106_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_LCH_2417MHz_RU242_Ant1 (SISO)_NTNV



802.11ax(HE20)_MCH_2437MHz_RU26_Mid_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 398 of 453

802.11ax(HE20)_MCH_2437MHz_RU242_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2457MHz_RU26_Right_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 399 of 453

802.11ax(HE20)_HCH_2457MHz_RU52_Right_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2457MHz_RU106_Right_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 400 of 453

802.11ax(HE20)_HCH_2457MHz_RU242_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2462MHz_RU26_Right_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 401 of 453

802.11ax(HE20)_HCH_2462MHz_RU52_Right_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2462MHz_RU106_Right_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 402 of 453

802.11ax(HE20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV



5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Reference (dBm)
802.11b	SISO	2412	/	/	1	12.57
		2417	/	/	1	10.85
		2437	/	/	1	12.79
		2457	/	/	1	9.44
		2462	/	/	1	12.93
802.11g	SISO	2412	/	/	1	10.67
		2417	/	/	1	8.71
		2437	/	/	1	11.03
		2457	/	/	1	7.45
		2462	/	/	1	11.12
802.11n (HT20)	SISO	2412	/	/	1	9.94
		2417	/	/	1	7.96
		2437	/	/	1	9.21
		2457	/	/	1	7.11
		2462	/	/	1	9.51
802.11ax (HE20)	SISO	2412	RU26	Left	1	13.36
			RU52	Left	1	10.86
			RU106	Left	1	7.37
			RU242	/	1	7.38
		2417	RU26	Left	1	8.78
			RU52	Left	1	6.64
			RU106	Left	1	4.47
			RU242	/	1	5.79
		2437	RU26	Mid	1	12.88
			RU242	Left	1	7.24
		2457	RU26	Right	1	10.95
			RU52	Right	1	7.83
			RU106	Right	1	5.75
			RU242	/	1	5.59
		2462	RU26	Right	1	12.50
			RU52	Right	1	9.59
			RU106	Right	1	7.41
			RU242	/	1	7.34

5.1.2 CSE

Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 404 of 453

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	/	/	1	12.93	-17.07	Pass
		2417	/	/	1	10.85	-19.15	Pass
		2437	/	/	1	12.93	-17.07	Pass
		2457	/	/	1	10.85	-19.15	Pass
		2462	/	/	1	12.93	-17.07	Pass
802.11g	SISO	2412	/	/	1	11.12	-18.88	Pass
		2417	/	/	1	8.71	-21.29	Pass
		2437	/	/	1	11.12	-18.88	Pass
		2457	/	/	1	8.71	-21.29	Pass
		2462	/	/	1	11.12	-18.88	Pass
802.11n (HT20)	SISO	2412	/	/	1	9.94	-20.06	Pass
		2417	/	/	1	7.96	-22.04	Pass
		2437	/	/	1	9.94	-20.06	Pass
		2457	/	/	1	7.96	-22.04	Pass
		2462	/	/	1	9.94	-20.06	Pass
802.11ax (HE20)	SISO	2412	RU26	Left	1	13.36	-16.64	Pass
			RU52	Left	1	10.86	-19.14	Pass
			RU106	Left	1	13.36	-16.64	Pass
			RU242	/	1	13.36	-16.64	Pass
		2417	RU26	Left	1	8.78	-21.22	Pass
			RU52	Left	1	6.64	-23.36	Pass
			RU106	Left	1	4.93	-25.07	Pass
			RU242	/	1	4.47	-25.53	Pass
		2437	RU26	Mid	1	12.88	-17.12	Pass
			RU242	Left	1	7.24	-22.76	Pass
		2457	RU26	Right	1	10.95	-19.05	Pass
			RU52	Right	1	7.83	-22.17	Pass
			RU106	Right	1	5.75	-24.25	Pass
			RU242	/	1	5.79	-24.21	Pass
		2462	RU26	Right	1	12.50	-17.50	Pass
			RU52	Right	1	9.59	-20.41	Pass
			RU106	Right	1	7.41	-22.59	Pass
			RU242	/	1	7.34	-22.66	Pass

5.2 Test Graph

5.2.1 Ref




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 406 of 453

802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11b_MCH_2457MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 407 of 453

802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 408 of 453


802.11g_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2457MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 410 of 453


802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2417MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2457MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 412 of 453


802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU26_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU52_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU106_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_LCH_2412MHz_RU242_Ant1 (SISO)_NTNV



802.11ax(HE20)_MCH_2417MHz_RU26_Left_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 415 of 453


802.11ax(HE20)_MCH_2417MHz_RU52_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_MCH_2417MHz_RU106_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_MCH_2417MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_MCH_2437MHz_RU26_Mid_Ant1 (SISO)_NTNV



802.11ax(HE20)_MCH_2437MHz_RU242_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2457MHz_RU26_Right_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 418 of 453

802.11ax(HE20)_HCH_2457MHz_RU52_Right_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2457MHz_RU106_Right_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 419 of 453

802.11ax(HE20)_HCH_2457MHz_RU242_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2462MHz_RU26_Right_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 420 of 453

802.11ax(HE20)_HCH_2462MHz_RU52_Right_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2462MHz_RU106_Right_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 421 of 453


802.11ax(HE20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV




5.2.2 CSE




802.11b_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11b_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2457MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2457MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2457MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2457MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2417MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2457MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2457MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU26_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU26_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU52_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU52_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU106_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU106_Left_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2412MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_LCH_2417MHz_RU26_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_LCH_2417MHz_RU26_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_LCH_2417MHz_RU52_Left_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 441 of 453

802.11ax(HE20)_LCH_2417MHz_RU52_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_LCH_2417MHz_RU106_Left_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 442 of 453

802.11ax(HE20)_LCH_2417MHz_RU106_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_LCH_2417MHz_RU242_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 443 of 453

802.11ax(HE20)_LCH_2417MHz_RU242_Ant1 (SISO)_NTNV



802.11ax(HE20)_MCH_2437MHz_RU26_Mid_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 444 of 453


802.11ax(HE20)_MCH_2437MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_HCH_2457MHz_RU26_Right_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2457MHz_RU26_Right_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2457MHz_RU52_Right_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240400056603

Page: 446 of 453


802.11ax(HE20)_HCH_2457MHz_RU52_Right_Ant1 (SISO)_NTNV




802.11ax(HE20)_HCH_2457MHz_RU106_Right_Ant1 (SISO)_NTNV




802.11ax(HE20)_HCH_2457MHz_RU106_Right_Ant1 (SISO)_NTNV




802.11ax(HE20)_HCH_2457MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_HCH_2457MHz_RU242_Ant1 (SISO)_NTNV




802.11ax(HE20)_HCH_2462MHz_RU26_Right_Ant1 (SISO)_NTNV




802.11ax(HE20)_HCH_2462MHz_RU26_Right_Ant1 (SISO)_NTNV




802.11ax(HE20)_HCH_2462MHz_RU52_Right_Ant1 (SISO)_NTNV




802.11ax(HE20)_HCH_2462MHz_RU52_Right_Ant1 (SISO)_NTNV




802.11ax(HE20)_HCH_2462MHz_RU106_Right_Ant1 (SISO)_NTNV




802.11ax(HE20)_HCH_2462MHz_RU106_Right_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV



802.11ax(HE20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240400056603

Page: 453 of 453

6. Frequency Error

6.1 Test Result

6.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
Carrier Wave	SISO	2412	20	2.805	2411.980	2406.655 to 2417.345	Pass
				3.300	2411.980	2406.655 to 2417.345	Pass
				3.795	2411.980	2406.655 to 2417.345	Pass
			-20	3.300	2411.980	2406.655 to 2417.345	Pass
			50	3.300	2411.979	2406.655 to 2417.345	Pass
		2437	20	2.805	2436.982	2431.692 to 2442.308	Pass
				3.300	2436.982	2431.692 to 2442.308	Pass
				3.795	2436.982	2431.692 to 2442.308	Pass
			-20	3.300	2436.982	2431.692 to 2442.308	Pass
			50	3.300	2436.983	2431.692 to 2442.308	Pass
		2462	20	2.805	2461.983	2456.517 to 2467.483	Pass
				3.300	2461.983	2456.517 to 2467.483	Pass
				3.795	2461.983	2456.517 to 2467.483	Pass
			-20	3.300	2461.983	2456.517 to 2467.483	Pass
			50	3.300	2461.983	2456.517 to 2467.483	Pass

- End of the Report -