



Test Setup Photos

EUT Name: BLE Device

EUT Model: nIO-BT

FCC ID: VR8-SSIINTR004

FCC Title 47, Part 15C, ANSI C63.10:2009

Prepared for:

Frank Pelliccio
Sensor Switch
900 Northrop Rd.
Wallingford, CT 06492 USA
Tel: (203) 303-5447
Fax:

Prepared by:

TUV Rheinland of North America
762 Park Avenue
Youngsville, NC 27596
Tel: (919) 554-3668
Fax: (919) 554-3542
<http://www.tuv.com/>

Report/Issue Date: 18 September 2015

Report Number: Supplement to 31551027.001 - Test Setup Photos

Test Setup Photos:



Figure 1: Typical Radiated Emissions – 30 MHz to 1 GHz shown, front view



Figure 2: Typical Radiated Emissions – 30 MHz to 1 GHz shown, rear view
Orientation “B” shown



Figure 3: Typical Radiated Emissions – 1 GHz to 18 GHz shown, to ANSI C63.10:2009



Figure 4: Typical Radiated Emissions – 18 GHz to 25 GHz shown, to ANSI C63.10:2009



Figure 5: Radiated Emissions – Orientation A
Investigation for highest emissions




Figure 6: Radiated Emissions – Orientation B

Investigation for highest emissions

Note: Orientation B provided the highest emissions




Figure 7: Radiated Emissions – Orientation C
Investigation for highest emissions



Report Number: Supplement to 31551027.001 - Test Setup Photos
EUT: BLE Device Model: nIO-BT