



PWR/GND




CONTROL




EEPROM for WLAN

To boot Fw via UART connect MP5910 to GND.




Title			01 POWER / CONTROL
Size	Document Number	Rev 1.2	
Custom			
Date:	Tuesday, October 29, 2013	Sheet	1 of 5



BT



FM/GPIO




WLAN







Title			02 WLAN/BT/FM/GPIO	
Size	Custom	Document Number	Rev 1.2	
Date:	Tuesday, October 29, 2013	Sheet	2 of 5	

Boundary Scan Chain

WLAN RF




BLUETOOTH RF




Title		
03 CONNECTION_PADS		
Size	Document Number	Rev
A4		1.2
Date:	Tuesday, October 29, 2013	Sheet 3 of 5

WLAN



BT



Title			04 COMBO_GL
Size	Document Number		Rev 1.2
Custom			
Date:	Tuesday, October 29, 2013	Sheet	4 of 5

Version 1.0
It's the first released.

Version 1.1
Modified WiFi / BT matching
For 11n Rx sen.:
(1). L5906: 3.9nH --> 4.7nH
(2). Add C5948

For 11n EVM:
(1). L5905: 3.9nH --> 10pF
(2). C5907: 2.2pF --> 2pF

For BT performance improvement
(1). Add C5921
(2). L5909: 3.9nH --> 2.7nH

Remove BR5905 & BR5906

Version 1.2
Solve Band-edge issue
(1). R5904: 150 ohm --> 31.6 ohm
(2). R5905: 200 ohm --> 0 ohm
(3). R5904: 33 ohm --> 52.3 ohm

Title			
05 REVISION HISTORY			
Size	Document Number		Rev
B			1.2
Date:	Tuesday, October 29, 2013	Sheet	5 of 5