















REMARKS:


10. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
11. Margin value = Limit value- Emission level.
12. 2462MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,326.875	57.38	74.00	16.62	36.83	V	359.1	1.00
3	2,390.000	57.82	74.00	16.18	37.00	V	1	1.00
3	2,437.240	101.84			37.55	V	31.8	1.00






REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2412MHz: Fundamental frequency.








REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2437MHz: Fundamental frequency.













REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2452MHz: Fundamental frequency.











REMARKS:


7. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
8. Margin value = Limit value- Emission level.
9. 2412MHz: Fundamental frequency.








REMARKS:

13. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
14. Margin value = Limit value- Emission level.
15. 2437MHz: Fundamental frequency.









REMARKS:

13. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
14. Margin value = Limit value- Emission level.
15. 2462MHz: Fundamental frequency.

