


Test Report No.: RF260714B017

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,756.000	-47.45	-13.00	34.45	27.35	V	359	2.00
4	5,634.000	-40.36	-13.00	27.36	35.12	V	88	2.00




CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 371500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,701.500	-48.07	-13.00	35.07	26.36	H	0.9	2.00
4	5,552.250	-39.70	-13.00	26.70	34.54	H	1	1.00




Test Report No.: RF260714B017

MODE	TX channel 371500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,701.500	-48.68	-13.00	35.68	26.18	V	359.1	1.00
4	5,552.250	-40.03	-13.00	27.03	34.29	V	117.9	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,751.500	-47.82	-13.00	34.82	27.02	H	359	2.00
4	5,627.250	-39.78	-13.00	26.78	35.77	H	231.4	1.00




Test Report No.: RF260714B017

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,751.500	-47.52	-13.00	34.52	26.73	V	359.1	1.00
4	5,627.250	-39.31	-13.00	26.31	35.51	V	1	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 381500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,801.500	-45.76	-13.00	32.76	27.47	H	1	1.00
4	5,702.250	-39.02	-13.00	26.02	35.72	H	1	1.00




Test Report No.: RF260714B017

MODE	TX channel 381500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,801.500	-46.88	-13.00	33.88	27.17	V	1	1.00
4	5,702.250	-40.87	-13.00	27.87	35.46	V	359.1	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,747.000	-46.19	-13.00	33.19	27.04	H	359	1.00
4	5,620.500	-40.54	-13.00	27.54	34.97	H	359	2.00




Test Report No.: RF260714B017

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,747.000	-48.43	-13.00	35.43	26.75	V	359.1	1.00
4	5,620.500	-39.93	-13.00	26.93	34.71	V	83.4	2.00



Test Report No.: RF260714B017

N25-ANT2


CHANNEL BANDWIDTH: 10MHz / QPSK

CH 376500:

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,756.000	-47.25	-13.00	34.25	27.65	H	359	1.00
4	5,634.000	-40.79	-13.00	27.79	35.38	H	1	1.00




Test Report No.: RF260714B017

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,756.000	-47.76	-13.00	34.76	27.35	V	359	1.00
4	5,634.000	-40.53	-13.00	27.53	35.50	V	1	1.00



Test Report No.: RF260714B017


N30-ANT0

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 462000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,610.500	-51.55	-40.00	11.55	23.00	H	359	2.00
5	6,915.750	-50.38	-40.00	10.38	26.48	H	1	1.00




Test Report No.: RF260714B017

MODE	TX channel 462000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,610.500	-49.78	-40.00	9.78	23.50	V	0.9	2.00
5	6,915.750	-49.41	-40.00	9.41	26.47	V	1.7	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 462000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,615.500	-51.42	-40.00	11.42	23.02	H	359	1.00
5	6,923.250	-49.62	-40.00	9.62	26.42	H	1	1.00




Test Report No.: RF260714B017

MODE	TX channel 462000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,615.500	-51.28	-40.00	11.28	23.51	V	189.8	2.00
5	6,923.250	-47.14	-40.00	7.14	26.43	V	0.9	2.00



Test Report No.: RF260714B017


CHANNEL BANDWIDTH: 5MHz / QPSK

CH 522000

MODE	TX channel 522000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,620.500	-50.99	-40.00	10.99	23.03	H	152.2	1.00
5	6,930.750	-49.10	-40.00	9.10	26.37	H	359	2.00




Test Report No.: RF260714B017

MODE	TX channel 522000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,620.500	-49.85	-40.00	9.85	23.53	V	341.2	1.00
5	6,930.750	-48.67	-40.00	8.67	26.40	V	202.3	1.00



Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 10MHz / QPSK

CH 522000




Test Report No.: RF260714B017

MODE	TX channel 522000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,611.000	-50.01	-40.00	10.01	23.50	V	18.7	2.00
5	6,916.500	-49.71	-40.00	9.71	26.46	V	358.8	1.00



Test Report No.: RF260714B017


N30-ANT2

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 462000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,615.500	-51.42	-40.00	11.42	23.02	H	359	1.00
5	6,923.250	-49.62	-40.00	9.62	26.42	H	1	1.00




Test Report No.: RF260714B017

MODE	TX channel 462000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,615.500	-51.28	-40.00	11.28	23.51	V	189.8	2.00
5	6,923.250	-47.14	-40.00	7.14	26.43	V	0.9	2.00



Test Report No.: RF260714B017


N41(HPUE)-ANT0

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,176.980	-42.07	-25.00	17.07	31.83	H	0.9	2.00
4	7,765.470	-39.46	-25.00	14.46	36.84	H	0.9	2.00




Test Report No.: RF260714B017

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,176.980	-42.03	-25.00	17.03	31.76	V	359	1.00
4	7,765.470	-39.24	-25.00	14.24	36.88	V	244.6	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 30MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,158.980	-43.72	-25.00	18.72	32.05	H	56.9	2.00
4	7,738.470	-38.84	-25.00	13.84	37.13	H	359	2.00




Test Report No.: RF260714B017

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,158.980	-42.65	-25.00	17.65	31.96	V	0.9	2.00
4	7,738.470	-39.05	-25.00	14.05	37.14	V	107.2	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,149.980	-42.92	-25.00	17.92	31.21	H	0.9	2.00
4	7,724.970	-41.19	-25.00	16.19	36.37	H	1	1.00




Test Report No.: RF260714B017

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,149.980	-43.97	-25.00	18.97	31.11	V	359.1	1.00
4	7,724.970	-40.01	-25.00	15.01	36.37	V	0.9	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 50MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,140.980	-43.12	-25.00	18.12	31.27	H	0.9	2.00
4	7,711.470	-39.96	-25.00	14.96	37.17	H	1	1.00




Test Report No.: RF260714B017

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,140.980	-43.64	-25.00	18.64	31.15	V	359	2.00
4	7,711.470	-39.29	-25.00	14.29	37.16	V	273.2	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 60MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,131.980	-44.23	-25.00	19.23	31.03	H	359	2.00
4	7,697.970	-41.07	-25.00	16.07	36.15	H	1	2.00




Test Report No.: RF260714B017

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,131.980	-44.23	-25.00	19.23	30.90	V	359	2.00
4	7,697.970	-41.02	-25.00	16.02	36.12	V	359	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 70MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,122.980	-44.71	-25.00	19.71	31.23	H	359.1	1.00
4	7,684.470	-41.40	-25.00	16.40	36.02	H	0.9	2.00




Test Report No.: RF260714B017

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,122.980	-44.11	-25.00	19.11	31.08	V	267.2	1.00
4	7,684.470	-40.22	-25.00	15.22	35.98	V	359	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 80MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,113.980	-43.13	-25.00	18.13	31.38	H	359	1.00
4	7,670.970	-40.51	-25.00	15.51	36.10	H	359	1.00




Test Report No.: RF260714B017

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,113.980	-43.84	-25.00	18.84	31.22	V	1	1.00
4	7,670.970	-41.61	-25.00	16.61	36.05	V	0.9	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 90MHz / QPSK

MODE	TX channel 508200	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,001.000	-44.52	-25.00	19.52	29.99	H	359	2.00
4	7,501.500	-41.64	-25.00	16.64	35.66	H	359	1.00




Test Report No.: RF260714B017

MODE	TX channel 508200	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,001.000	-44.44	-25.00	19.44	29.84	V	0.9	2.00
4	7,501.500	-39.98	-25.00	14.98	35.83	V	98.8	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 90MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,104.980	-44.08	-25.00	19.08	30.77	H	359	2.00
4	7,657.470	-38.68	-25.00	13.68	36.67	H	359	2.00




Test Report No.: RF260714B017

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,104.980	-43.66	-25.00	18.66	30.59	V	0.9	2.00
4	7,657.470	-39.70	-25.00	14.70	36.61	V	359.1	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 90MHz / QPSK

MODE	TX channel 528996	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,208.960	-43.59	-25.00	18.59	31.86	H	359	1.00
4	7,813.440	-38.68	-25.00	13.68	36.49	H	83.2	2.00




Test Report No.: RF260714B017

MODE	TX channel 528996	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,208.960	-43.99	-25.00	18.99	31.84	V	359.1	1.00
4	7,813.440	-40.62	-25.00	15.62	36.57	V	359.1	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 100MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,095.980	-45.32	-25.00	20.32	30.06	H	79.7	2.00
4	7,643.970	-40.22	-25.00	15.22	36.66	H	359.1	1.00



Test Report No.: RF260714B017

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,095.980	-44.44	-25.00	19.44	29.87	V	69	2.00
4	7,643.970	-40.22	-25.00	15.22	36.61	V	69	2.00

