


Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,964.020	-42.39	-13.00	29.39	32.78	H	1	1.00
6	10,446.030	-53.01	-13.00	40.01	18.49	H	1.4	2.00




Test Report No.: RF260714B017

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,964.020	-43.03	-13.00	30.03	32.83	V	158.7	2.00
6	10,446.030	-53.46	-13.00	40.46	18.30	V	1	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 50MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,955.020	-42.89	-13.00	29.89	32.77	H	1	1.00
6	10,432.530	-52.59	-13.00	39.59	18.41	H	1.2	2.00




Test Report No.: RF260714B017

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,955.020	-42.94	-13.00	29.94	32.82	V	0.9	2.00
6	10,432.530	-53.54	-13.00	40.54	18.25	V	106.1	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 60MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,946.020	-43.65	-13.00	30.65	32.76	H	329.1	1.00
6	10,419.030	-53.20	-13.00	40.20	18.33	H	1	1.00




Test Report No.: RF260714B017

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,946.020	-43.35	-13.00	30.35	32.81	V	202.4	1.00
6	10,419.030	-54.06	-13.00	41.06	18.17	V	359.1	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 70MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,937.000	-42.30	-13.00	29.30	32.75	H	198.9	1.00
6	10,405.000	-55.00	-13.00	42.00	18.24	H	323.2	1.00




Test Report No.: RF260714B017

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,937.000	-41.47	-13.00	28.47	32.80	V	46.4	2.00
6	10,405.000	-54.19	-13.00	41.19	18.06	V	359	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 80MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,928.000	-43.70	-13.00	30.70	32.82	H	1	1.00
6	10,392.000	-54.56	-13.00	41.56	18.16	H	359.1	1.00




Test Report No.: RF260714B017

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,928.000	-42.25	-13.00	29.25	32.84	V	359	2.00
6	10,392.000	-54.80	-13.00	41.80	17.95	V	1	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 90MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,919.020	-43.18	-13.00	30.18	32.88	H	212	1.00
6	10,378.530	-54.72	-13.00	41.72	18.07	H	10	2.00




Test Report No.: RF260714B017

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,919.020	-42.97	-13.00	29.97	32.88	V	216.8	1.00
6	10,378.530	-54.16	-13.00	41.16	17.84	V	359	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: 100MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,910.020	-43.23	-13.00	30.23	32.88	H	359.1	1.00
6	10,365.030	-54.85	-13.00	41.85	17.98	H	0.9	2.00




Test Report No.: RF260714B017

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 3.7V
TESTED BY	Carl Xie		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,910.020	-42.55	-13.00	29.55	32.85	V	310	1.00
6	10,365.030	-55.43	-13.00	42.43	17.73	V	0.9	2.00




Test Report No.: RF260714B017

DC_2A_N71A

CHANNEL BANDWIDTH: (20+20) MHz

CHANNEL BANDWIDTH (20-25) MHz			
MODE	TX channel 18900/136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,328.000	-47.30	-13.00	34.30	23.03	H	1	2.00
2	1,992.000	-43.14	-13.00	30.14	28.31	H	1	2.00
4	3,702.000	-51.53	-13.00	38.53	21.12	H	359	1.00
4	5,553.000	-51.52	-13.00	38.52	24.26	H	208.9	2.00



Test Report No.: RF260714B017

MODE	TX channel 18900/136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,328.000	-47.07	-13.00	34.07	24.09	V	359	2.00
2	1,992.000	-43.13	-13.00	30.13	28.30	V	1	1.00
4	3,702.000	-51.13	-13.00	38.13	21.72	V	3.6	2.00
4	5,553.000	-50.48	-13.00	37.48	24.96	V	353.4	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 18900/136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,343.000	-47.68	-13.00	34.68	23.09	H	359.1	1.00
2	2,014.500	-44.68	-13.00	31.68	27.92	H	309.4	2.00
4	3,742.000	-50.17	-13.00	37.17	21.35	H	359	2.00
4	5,613.000	-51.30	-13.00	38.30	24.60	H	209	2.00



Test Report No.: RF260714B017

MODE	TX channel 18900/136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,343.000	-47.58	-13.00	34.58	23.91	V	21.6	2.00
2	2,014.500	-44.13	-13.00	31.13	28.27	V	51.8	1.00
4	3,742.000	-51.57	-13.00	38.57	22.00	V	354.2	1.00
4	5,613.000	-51.12	-13.00	38.12	25.05	V	1.1	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 18900/136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,350.000	-47.97	-13.00	34.97	23.21	H	359	2.00
2	2,029.500	-44.22	-13.00	31.22	27.79	H	359	2.00
4	3,782.000	-51.90	-13.00	38.90	22.07	H	208.9	2.00
4	5,673.000	-51.46	-13.00	38.46	24.94	H	1	2.00



Test Report No.: RF260714B017

MODE	TX channel 18900/136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,350.000	-46.57	-13.00	33.57	23.98	V	359	2.00
2	2,029.000	-42.99	-13.00	29.99	28.36	V	359.1	1.00
4	3,782.000	-51.59	-13.00	38.59	22.28	V	359	2.00
4	5,673.000	-49.49	-13.00	36.49	25.34	V	1	1.00




Test Report No.: RF260714B017

DC_5A_N2A

CHANNEL BANDWIDTH: (10+20) MHz

CHANNEL BANDWIDTH (15-20) MHz			
MODE	TX channel 20525/376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-45.19	-13.00	32.19	24.43	H	51.8	1.00
3	2,473.500	-50.75	-13.00	37.75	20.30	H	359	2.00
4	3,702.000	-49.48	-13.00	36.48	21.12	H	0.9	2.00
4	5,553.000	-50.95	-13.00	37.95	24.26	H	320.8	1.00



Test Report No.: RF260714B017

MODE	TX channel 20525/376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-46.71	-13.00	33.71	23.98	V	1.8	2.00
3	2,473.500	-51.33	-13.00	38.33	20.55	V	358.2	1.00
4	3,702.000	-53.38	-13.00	40.38	21.72	V	1	2.00
4	5,553.000	-50.21	-13.00	37.21	24.96	V	359.1	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 20525/376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-46.36	-13.00	33.36	24.99	H	293.3	1.00
3	2,496.000	-50.61	-13.00	37.61	20.76	H	359	2.00
4	3,742.000	-52.93	-13.00	39.93	21.35	H	208.9	2.00
4	5,613.000	-50.49	-13.00	37.49	24.60	H	151	1.00



Test Report No.: RF260714B017

MODE	TX channel 20525/376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-47.36	-13.00	34.36	23.87	V	293.3	1.00
3	2,496.000	-49.33	-13.00	36.33	21.03	V	1	2.00
4	3,742.000	-50.88	-13.00	37.88	22.00	V	319.5	1.00
4	5,613.000	-48.76	-13.00	35.76	25.05	V	207.8	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 20525/376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-44.67	-13.00	31.67	25.29	H	1.4	2.00
3	2,518.500	-51.19	-13.00	38.19	20.28	H	1	1.00
4	3,782.000	-51.22	-13.00	38.22	22.07	H	1	2.00
4	5,673.000	-49.63	-13.00	36.63	24.94	H	1	2.00



Test Report No.: RF260714B017

MODE	TX channel 20525/376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-46.48	-13.00	33.48	24.21	V	1	1.00
3	2,518.500	-50.93	-13.00	37.93	21.13	V	53.5	2.00
4	3,782.000	-52.85	-13.00	39.85	22.28	V	178.6	1.00
4	5,673.000	-49.57	-13.00	36.57	25.34	V	1	2.00




Test Report No.: RF260714B017

DC_7A_N5A

CHANNEL BANDWIDTH: (20+20) MHz

CHANNEL BANDWIDTH (20-25) MHz			
MODE	TX channel 21100/167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,650.000	-55.81	-25.00	30.81	14.87	H	75.1	2.00
3	2,475.000	-42.45	-25.00	17.45	29.06	H	310	1.00
4	5,002.000	-49.68	-25.00	24.68	23.66	H	210.2	2.00
5	7,503.000	-45.41	-25.00	20.41	27.41	H	359	2.00



Test Report No.: RF260714B017

MODE	TX channel 21100/167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,650.000	-56.89	-25.00	31.89	14.35	V	2.6	2.00
3	2,475.000	-41.67	-25.00	16.67	29.30	V	113.9	1.00
4	5,002.000	-50.71	-25.00	25.71	23.88	V	1	1.00
5	7,503.000	-46.38	-25.00	21.38	27.39	V	225.1	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 21100/167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,655.000	-54.96	-25.00	29.96	15.06	H	1	1.00
3	2,482.500	-41.51	-25.00	16.51	29.19	H	2	2.00
4	5,052.000	-51.12	-25.00	26.12	23.97	H	359	1.00
5	7,578.000	-46.76	-25.00	21.76	27.48	H	359	2.00



Test Report No.: RF260714B017

MODE	TX channel 21100/167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,655.000	-55.77	-25.00	30.77	14.23	V	359.1	1.00
3	2,482.500	-41.72	-25.00	16.72	29.42	V	100.8	1.00
4	5,052.000	-47.92	-25.00	22.92	24.38	V	359.1	1.00
5	7,578.000	-46.39	-25.00	21.39	27.27	V	36.8	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 21100/167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,660.000	-56.55	-25.00	31.55	15.24	H	359	2.00
3	2,490.000	-40.82	-25.00	15.82	29.32	H	99.6	1.00
4	5,102.000	-49.77	-25.00	24.77	23.43	H	1	2.00
5	7,653.000	-46.77	-25.00	21.77	27.89	H	331.5	1.00



Test Report No.: RF260714B017

MODE	TX channel 21100/167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,660.000	-57.12	-25.00	32.12	14.12	V	51.8	1.00
3	2,490.000	-41.06	-25.00	16.06	29.54	V	1	1.00
4	5,102.000	-49.49	-25.00	24.49	23.96	V	151	1.00
5	7,653.000	-46.34	-25.00	21.34	27.73	V	326.6	1.00




Test Report No.: RF260714B017

DC_12A_N77A

CHANNEL BANDWIDTH: (10+100) MHz

CHANNEL BANDWIDTH (10-100 MHz)			
MODE	TX channel 23095/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-54.99	-13.00	41.99	13.26	H	359	2.00
2	2,098.500	-52.38	-13.00	39.38	18.51	H	71	1.00
5	7,410.000	-39.48	-13.00	26.48	32.94	H	359	1.00
6	11,115.000	-54.10	-13.00	41.10	19.05	H	1	1.00



Test Report No.: RF260714B017

MODE	TX channel 23095/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-57.14	-13.00	44.14	13.69	V	293.8	2.00
2	2,098.500	-50.28	-13.00	37.28	19.51	V	359	1.00
5	7,410.000	-40.71	-13.00	27.71	32.90	V	1	1.00
6	11,115.000	-52.91	-13.00	39.91	19.22	V	359	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (10+100) MHz

MODE	TX channel 23095/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.500	-52.37	-13.00	39.37	13.54	H	2.8	2.00
2	2,109.000	-50.22	-13.00	37.22	18.95	H	2.8	2.00
5	7,590.000	-41.82	-13.00	28.82	32.44	H	1	1.00
6	11,385.000	-52.18	-13.00	39.18	19.37	H	27.2	2.00



Test Report No.: RF260714B017

MODE	TX channel 23095/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-56.81	-13.00	43.81	13.64	V	100.9	1.00
2	2,109.000	-52.83	-13.00	39.83	19.65	V	1	1.00
5	7,590.000	-42.06	-13.00	29.06	32.22	V	301.7	1.00
6	11,385.000	-51.13	-13.00	38.13	19.43	V	359.1	1.00



BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com

Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (10+100) MHz

MODE	TX channel 23095/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.500	-50.70	-13.00	37.70	13.82	H	358.3	1.00
2	2,119.500	-53.81	-13.00	40.81	19.02	H	69.7	1.00
5	7,770.000	-42.19	-13.00	29.19	32.95	H	90.6	2.00
6	11,655.000	-54.16	-13.00	41.16	20.11	H	359	2.00

