


Test Report No.: RF260714B017

MODE	TX channel 23095/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-57.70	-13.00	44.70	13.44	V	1	1.00
2	2,119.500	-51.28	-13.00	38.28	19.62	V	67.4	1.00
5	7,770.000	-40.43	-13.00	27.43	32.72	V	87	2.00
6	11,655.000	-52.55	-13.00	39.55	20.42	V	359	1.00




Test Report No.: RF260714B017

DC_13A_N66A

CHANNEL BANDWIDTH: (5+30) MHz

CHANNEL BANDWIDTH (0-65) MHz			
MODE	TX channel 23230/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,554.500	-48.68	-13.00	35.68	22.38	H	307	2.00
3	2,331.750	-51.56	-13.00	38.56	19.34	H	255.4	2.00
4	3,423.000	-53.54	-13.00	40.54	20.51	H	1	1.00
4	5,132.000	-46.67	-13.00	33.67	23.56	H	359	2.00



Test Report No.: RF260714B017

MODE	TX channel 23230/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,554.500	-47.68	-13.00	34.68	23.72	V	51.1	2.00
3	2,331.750	-52.41	-13.00	39.41	19.95	V	104.3	1.00
4	3,423.000	-50.79	-13.00	37.79	20.88	V	1	1.00
4	5,132.000	-40.91	-13.00	27.91	23.88	V	341.2	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (5+30) MHz

MODE	TX channel 23230/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,554.500	-47.68	-13.00	34.68	23.72	V	51.1	2.00
3	2,331.750	-52.41	-13.00	39.41	19.95	V	104.3	1.00
4	3,423.000	-50.79	-13.00	37.79	20.88	V	1	1.00
4	5,132.000	-40.91	-13.00	27.91	23.88	V	341.2	1.00



Test Report No.: RF260714B017

MODE	TX channel 23230/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-47.55	-13.00	34.55	22.38	H	1	1.00
3	2,332.500	-53.47	-13.00	40.47	19.37	H	359	2.00
4	3,463.000	-53.31	-13.00	40.31	20.28	H	359	2.00
4	5,194.500	-50.91	-13.00	37.91	23.82	H	1	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (5+30) MHz

MODE	TX channel 23230/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,564.500	-48.13	-40.00	8.13	22.27	H	298.6	2.00
3	2,346.750	-52.24	-13.00	39.24	19.81	H	104.5	1.00
4	3,503.000	-52.37	-13.00	39.37	20.58	H	155.8	1.00
4	5,254.500	-50.49	-13.00	37.49	24.13	H	133.6	2.00



Test Report No.: RF260714B017

MODE	TX channel 23230/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,564.500	-47.05	-40.00	7.05	23.69	V	1	1.00
3	2,346.750	-51.67	-13.00	38.67	20.01	V	103.3	1.00
4	3,503.000	-51.88	-13.00	38.88	21.33	V	154.6	1.00
4	5,254.500	-50.41	-13.00	37.41	24.61	V	1	1.00




Test Report No.: RF260714B017

DC_14A_N66A

CHANNEL BANDWIDTH: (5+30) MHz

CHANNEL BANDWIDTH (0-65) MHz			
MODE	TX channel 23330/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,576.500	-46.83	-40.00	6.83	22.62	H	359	1.00
3	2,364.750	-51.63	-13.00	38.63	20.38	H	359	2.00
4	3,423.000	-54.22	-13.00	41.22	20.51	H	0.9	2.00
4	5,134.500	-50.31	-13.00	37.31	23.57	H	342.9	1.00



Test Report No.: RF260714B017

MODE	TX channel 23330/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,576.500	-47.28	-40.00	7.28	23.82	V	316	1.00
3	2,364.750	-52.23	-13.00	39.23	20.04	V	327.8	1.00
4	3,423.000	-52.60	-13.00	39.60	20.88	V	340.3	1.00
4	5,134.500	-51.26	-13.00	38.26	23.88	V	359.1	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (5+30) MHz

MODE	TX channel 23330/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,577.000	-48.05	-40.00	8.05	22.63	H	359	1.00
3	2,365.500	-49.15	-13.00	36.15	20.41	H	253.1	2.00
4	3,463.000	-53.63	-13.00	40.63	20.28	H	1	1.00
4	5,192.000	-47.21	-13.00	34.21	23.81	H	1	1.00



Test Report No.: RF260714B017

MODE	TX channel 23330/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,577.000	-47.63	-40.00	7.63	23.83	V	0.9	2.00
3	2,365.500	-51.76	-13.00	38.76	20.04	V	0.9	2.00
4	3,463.000	-53.13	-13.00	40.13	20.96	V	0.9	2.00
4	5,192.500	-41.80	-13.00	28.80	24.37	V	359	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (5+30) MHz

MODE	TX channel 23330/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,586.500	-47.28	-40.00	7.28	22.82	H	0.9	2.00
3	2,379.750	-50.74	-13.00	37.74	20.49	H	1	1.00
4	3,503.000	-51.24	-13.00	38.24	20.58	H	19.7	2.00
4	5,254.500	-50.80	-13.00	37.80	24.13	H	359	2.00



Test Report No.: RF260714B017

MODE	TX channel 23330/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,586.500	-47.60	-40.00	7.60	23.90	V	1	1.00
3	2,379.750	-50.78	-13.00	37.78	19.94	V	359	2.00
4	3,503.000	-51.26	-13.00	38.26	21.33	V	18.7	2.00
4	5,252.000	-43.24	-13.00	30.24	24.61	V	344.4	1.00




Test Report No.: RF260714B017

DC_19A_N78A

CHANNEL BANDWIDTH: (10+90) MHz

CHANNEL BANDWIDTH (15-65) MHz			
MODE	TX channel 23300/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,661.000	-54.65	-13.00	41.65	15.26	H	359	2.00
3	2,491.500	-48.70	-13.00	35.70	20.74	H	357.9	1.00
5	6,909.000	-42.45	-13.00	29.45	32.87	H	259.8	1.00
6	10,363.500	-54.73	-13.00	41.73	17.98	H	34.3	2.00



Test Report No.: RF260714B017

MODE	TX channel 23300/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,661.000	-57.23	-13.00	44.23	14.14	V	74.6	1.00
3	2,491.500	-49.29	-13.00	36.29	20.97	V	359	2.00
5	6,909.000	-41.87	-13.00	28.87	32.84	V	359	2.00
6	10,363.500	-51.70	-13.00	38.70	17.71	V	1	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (10+90) MHz

MODE	TX channel 23300/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,661.500	-55.74	-13.00	42.74	15.27	H	1	2.00
3	2,492.250	-49.23	-13.00	36.23	20.76	H	358.8	1.00
5	6,910.020	-41.25	-13.00	28.25	32.88	H	54.7	2.00
6	10,365.030	-54.84	-13.00	41.84	17.98	H	4	2.00



Test Report No.: RF260714B017

MODE	TX channel 23300/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,661.500	-57.31	-13.00	44.31	14.15	V	290.2	2.00
3	2,492.250	-49.41	-13.00	36.41	20.98	V	359	2.00
5	6,910.020	-42.28	-13.00	29.28	32.85	V	66.7	2.00
6	10,365.030	-54.06	-13.00	41.06	17.73	V	325.5	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (10+90) MHz

MODE	TX channel 23300/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,671.000	-55.00	-13.00	42.00	15.45	H	66.1	1.00
3	2,506.500	-50.89	-13.00	37.89	20.57	H	139.6	2.00
5	6,928.980	-44.98	-13.00	31.98	32.81	H	359	2.00
6	10,393.470	-55.01	-13.00	42.01	18.17	H	359.1	1.00



Test Report No.: RF260714B017

MODE	TX channel 23300/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,671.000	-56.12	-13.00	43.12	14.34	V	285.5	2.00
3	2,506.500	-48.60	-13.00	35.60	21.11	V	219.8	2.00
5	6,928.980	-43.42	-13.00	30.42	32.83	V	359	2.00
6	10,393.470	-53.19	-13.00	40.19	17.96	V	335	1.00




Test Report No.: RF260714B017

DC_26A_N41A

CHANNEL BANDWIDTH: (15+100) MHz

CHANNEL BANDWIDTH (15-100 MHz)			
MODE	TX channel 26915/518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.500	-56.42	-25.00	31.42	14.85	H	354.2	1.00
3	2,474.250	-42.44	-25.00	17.44	29.04	H	359	2.00
4	5,002.020	-49.64	-25.00	24.64	23.66	H	1	2.00
5	7,503.030	-46.43	-25.00	21.43	27.41	H	359	1.00



Test Report No.: RF260714B017

MODE	TX channel 26915/518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.500	-56.64	-25.00	31.64	14.36	V	240.7	1.00
3	2,474.250	-42.47	-25.00	17.47	29.29	V	359	1.00
4	5,002.020	-50.64	-25.00	25.64	23.88	V	357.4	1.00
5	7,503.030	-46.37	-25.00	21.37	27.39	V	359	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (15+100) MHz

MODE	TX channel 26915/518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,659.500	-55.61	-25.00	30.61	15.24	H	359	1.00
3	2,489.250	-41.50	-25.00	16.50	29.30	H	0.9	2.00
4	5,095.980	-51.32	-25.00	26.32	23.44	H	359	2.00
5	7,643.970	-46.72	-25.00	21.72	27.83	H	342.1	1.00



Test Report No.: RF260714B017

MODE	TX channel 26915/518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,659.500	-56.96	-25.00	31.96	14.12	V	359.1	1.00
3	2,489.250	-41.36	-25.00	16.36	29.52	V	0.9	2.00
4	5,095.980	-49.34	-25.00	24.34	23.99	V	330.3	1.00
5	7,643.970	-44.76	-25.00	19.76	27.67	V	1	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (15+100) MHz

MODE	TX channel 26915/518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,669.500	-55.34	-25.00	30.34	15.42	H	359	1.00
3	2,504.250	-42.54	-25.00	17.54	29.12	H	359	2.00
4	5,190.000	-50.81	-25.00	25.81	23.81	H	0.9	2.00
5	7,785.000	-47.56	-25.00	22.56	28.04	H	139.6	2.00



Test Report No.: RF260714B017

MODE	TX channel 26915/518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,669.500	-56.35	-25.00	31.35	14.30	V	308.2	2.00
3	2,504.250	-41.97	-25.00	16.97	29.60	V	255.5	2.00
4	5,190.000	-50.49	-25.00	25.49	24.34	V	23.8	2.00
5	7,785.000	-47.05	-25.00	22.05	27.83	V	357.5	1.00




Test Report No.: RF260714B017

DC_38A_N78A

CHANNEL BANDWIDTH: (20+90) MHz

CHANNEL BANDWIDTH (20-65) MHz			
MODE	TX channel 38000/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,142.000	-39.59	-25.00	14.59	33.88	H	154	2.00
5	6,909.000	-41.47	-25.00	16.47	32.88	H	1	1.00
5	7,713.000	-39.39	-25.00	14.39	33.05	H	359.1	1.00
6	10,363.500	-52.43	-25.00	27.43	17.98	H	17.9	2.00



Test Report No.: RF260714B017

MODE	TX channel 38000/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,142.000	-40.45	-25.00	15.45	34.13	V	158.7	2.00
5	6,909.000	-42.73	-25.00	17.73	32.84	V	0.9	2.00
5	7,713.000	-42.25	-25.00	17.25	32.81	V	312.3	1.00
6	10,363.500	-54.83	-25.00	29.83	17.71	V	359	2.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 38000/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,172.000	-34.70	-25.00	9.70	33.98	H	1	1.00
5	6,919.000	-41.77	-25.00	16.77	32.88	H	359	2.00
5	7,758.000	-41.38	-25.00	16.38	33.03	H	0.9	2.00
6	10,378.000	-53.34	-25.00	28.34	18.07	H	359	1.00



Test Report No.: RF260714B017

MODE	TX channel 38000/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,172.000	-40.85	-25.00	15.85	34.36	V	1	1.00
5	6,919.020	-42.04	-25.00	17.04	32.88	V	0.9	2.00
5	7,758.000	-42.51	-25.00	17.51	32.76	V	293.3	1.00
6	10,378.530	-55.14	-25.00	30.14	17.84	V	359.1	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 38000/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,202.000	-36.82	-25.00	11.82	34.09	H	170.6	2.00
5	6,929.000	-40.76	-25.00	15.76	32.81	H	301.6	1.00
5	7,803.000	-38.65	-25.00	13.65	32.55	H	359	1.00
6	10,393.500	-51.61	-25.00	26.61	18.15	H	359	2.00



Test Report No.: RF260714B017

MODE	TX channel 38000/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,202.000	-40.33	-25.00	15.33	34.71	V	1	1.00
5	6,928.980	-42.11	-25.00	17.11	32.83	V	359.1	1.00
5	7,803.000	-42.13	-25.00	17.13	32.73	V	359.1	1.00
6	10,393.470	-53.49	-25.00	28.49	17.96	V	40.4	2.00




Test Report No.: RF260714B017

DC_48A_N66A

CHANNEL BANDWIDTH: (20+30) MHz

CHANNEL BANDWIDTH (20-65) MHz			
MODE	TX channel 55990/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	3,423.000	-49.63	-40.00	9.63	22.79	H	103.2	1.00
5	5,134.500	-53.38	-40.00	13.38	20.63	H	14.2	2.00
5	7,102.000	-51.59	-40.00	11.59	24.36	H	0.9	2.00
6	10,653.000	-57.65	-40.00	17.65	11.67	H	204.9	1.00



Test Report No.: RF260714B017

MODE	TX channel 55990/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	3,423.000	-48.44	-40.00	8.44	22.79	V	359	1.00
5	5,135.000	-53.07	-40.00	13.07	20.62	V	152.2	1.00
5	7,102.000	-51.09	-40.00	11.09	24.36	V	89.4	2.00
6	10,653.000	-59.45	-40.00	19.45	11.67	V	359	1.00




Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (20+30) MHz

MODE	TX channel 55990/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	3,463.000	-49.00	-40.00	9.00	22.53	H	107.3	2.00
5	5,194.500	-53.68	-40.00	13.68	20.56	H	151.1	1.00
5	7,232.000	-50.33	-40.00	10.33	24.53	H	1	1.00
6	10,848.000	-59.71	-40.00	19.71	11.50	H	202.5	1.00



Test Report No.: RF260714B017

MODE	TX channel 55990/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	3,463.000	-49.82	-40.00	9.82	22.53	V	96.6	2.00
5	5,194.500	-53.49	-40.00	13.49	20.56	V	359	2.00
5	7,232.000	-50.17	-40.00	10.17	24.53	V	84.6	2.00
6	10,848.000	-60.70	-40.00	20.70	11.50	V	1	1.00



Test Report No.: RF260714B017

CHANNEL BANDWIDTH: (20+30) MHz

MODE	TX channel 55990/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	3,503.000	-48.41	-40.00	8.41	22.97	H	257.4	1.00
5	5,254.500	-54.17	-40.00	14.17	20.70	H	1	1.00
5	7,362.000	-58.55	-40.00	18.55	17.07	H	1	2.00
6	11,043.000	-58.82	-40.00	18.82	11.97	H	355	1.00

