






## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 5,308.400       | 98.51              |                    |                 | 43.65           | V            | 200.2         | 1.00               |
| 5  | 5,350.000       | 58.76              | 74.00              | 15.24           | 43.65           | V            | 358.8         | 1.00               |
| 5  | 5,356.100       | 60.08              | 74.00              | 13.92           | 43.68           | V            | 200.2         | 1.00               |







# REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.


## BADN 3

| Band 3 |
|--------|
|--------|













#### REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.











#### REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.






#### REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.








#### REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.











#### REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.






## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 8  | 5,438.925       | 59.30              | 74.00              | 14.70           | 44.18           | V            | 356           | 1.00               |
| 8  | 5,460.000       | 57.93              | 74.00              | 16.07           | 44.39           | V            | 356           | 1.00               |
| 8  | 5,572.800       | 106.61             |                    |                 | 44.68           | V            | 231.4         | 1.00               |







#### REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.


|                 |                |          |              |
|-----------------|----------------|----------|--------------|
| CHANNEL         | TX Channel 140 | DETECTOR | Peak (PK)    |
| FREQUENCY RANGE | 1GHz ~ 40GHz   | FUNCTION | Average (AV) |






#### REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.






#### REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 5,454.500       | 59.31              | 74.00              | 14.69           | 44.33           | V            | 1.1           | 2.00               |
| 5  | 5,460.000       | 58.58              | 74.00              | 15.42           | 44.40           | V            | 178.8         | 1.00               |
| 5  | 5,516.000       | 101.51             |                    |                 | 44.94           | V            | 133.3         | 1.00               |





#### REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5510MHz: Fundamental frequency.
4. #: Out of restricted band.

