









REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5610MHz: Fundamental frequency.
4. #: Out of restricted band.








REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5690MHz: Fundamental frequency.
4. #: Out of restricted band.

Test Report No.: RF260714B015











REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5500MHz: Fundamental frequency.
- 4 #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,451.150	60.02	74.00	13.98	44.30	V	317.5	2.00
7	5,460.000	59.01	74.00	14.99	44.39	V	80.8	2.00
7	5,506.050	108.49			44.91	V	233.8	1.00








REMARKS:

- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5500MHz: Fundamental frequency.
- 8 #: Out of restricted band.











REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5580MHz: Fundamental frequency.
- 4 #: Out of restricted band.






REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5700MHz: Fundamental frequency.
- 4 #: Out of restricted band.






REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5720MHz: Fundamental frequency.
- 4 #: Out of restricted band.


Test Report No.: RF260714B015




ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,452.950	44.47	54.00	9.53	44.32	H	20.6	2.00
7	5,460.000	44.30	54.00	9.70	44.39	H	359.1	1.00
7	5,491.650	97.83			44.75	H	244.6	1.00









REMARKS:


- 9 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 10 Margin value = Limit value- Emission level.
- 11 5500MHz: Fundamental frequency.
- 12 #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,452.525	59.02	74.00	14.98	44.31	V	315.2	2.00
8	5,460.000	58.39	74.00	15.61	44.39	V	1.9	2.00
8	5,580.880	105.37			44.65	V	44.9	1.00






REMARKS:

- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5580MHz: Fundamental frequency.
- 8 #: Out of restricted band.





REMARKS:

- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5700MHz: Fundamental frequency.
- 8 #: Out of restricted band.