



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,454.000	60.02	74.00	13.98	44.33	V	355	2.00
5	5,460.000	58.63	74.00	15.37	44.40	V	359.1	1.00
5	5,512.500	102.79			44.96	V	5	1.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,456.500	44.51	54.00	9.49	44.36	V	2.6	2.00
5	5,460.000	44.39	54.00	9.61	44.40	V	0.9	2.00
5	5,512.500	90.87			44.96	V	5	1.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5510MHz: Fundamental frequency.
- 4 #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,454.000	60.02	74.00	13.98	44.33	V	355	2.00
5	5,460.000	58.63	74.00	15.37	44.40	V	359.1	1.00
5	5,512.500	102.79			44.96	V	5	1.00






REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5500MHz: Fundamental frequency.
- 4 #: Out of restricted band.




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,661.500	105.47			44.58	V	42.5	1.00
8	5,725.000	58.64	68.20	9.56	44.58	V	92.8	1.00
8	5,729.500	59.18	68.20	9.02	44.58	V	358.2	1.00



REMARKS:


- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5670MHz: Fundamental frequency.
- #: Out of restricted band.






REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5710MHz: Fundamental frequency.
- 4 #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,444.683	59.51	74.00	14.49	44.23	V	4.5	1.00
2	5,460.000	58.52	74.00	15.48	44.38	V	232.6	1.00
2	5,550.100	101.94			44.75	V	4.5	1.00






REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5530MHz: Fundamental frequency.
- 4 #: Out of restricted band.






REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5610MHz: Fundamental frequency.
- 4 #: Out of restricted band.







REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5690MHz: Fundamental frequency.
- 4 #: Out of restricted band.

Test Report No.: RF260714B015






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,373.625	60.06	74.00	13.94	43.75	V	142.9	1.00
9	5,460.000	58.57	74.00	15.43	44.39	V	359.1	1.00
9	5,510.563	99.02			44.96	V	5.8	1.00







REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5500MHz: Fundamental frequency.
- 4 #: Out of restricted band.


Test Report No.: RF260714B015






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,443.950	59.74	74.00	14.26	44.23	V	221.8	2.00
7	5,460.000	59.53	74.00	14.47	44.39	V	187.1	1.00
7	5,495.250	106.00			44.79	V	283.9	1.00






REMARKS:

- 21 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 22 Margin value = Limit value- Emission level.
- 23 5500MHz: Fundamental frequency.
- 24 #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,449.125	59.81	74.00	14.19	44.28	V	42.6	1.00
8	5,460.000	57.91	74.00	16.09	44.39	V	357.6	1.00
8	5,583.430	107.97			44.64	V	4.5	1.00






REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5580MHz: Fundamental frequency.
- 4 #: Out of restricted band.





REMARKS:

- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5700MHz: Fundamental frequency.
- #: Out of restricted band.