









REMARKS:


- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5720MHz: Fundamental frequency.
- 8 #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,430.000	59.50	74.00	14.50	44.10	V	1	1.00
5	5,460.000	58.50	74.00	15.50	44.40	V	140.5	1.00
5	5,493.500	104.71			44.77	V	188.3	1.00








REMARKS:

- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5510MHz: Fundamental frequency.
- 8 #: Out of restricted band.










REMARKS:

- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5500MHz: Fundamental frequency.
- 8 #: Out of restricted band.




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,661.500	103.80			44.58	V	43.7	1.00
8	5,725.000	58.28	68.20	9.92	44.58	V	359	2.00
8	5,748.000	60.05	68.20	8.15	44.61	V	315.2	2.00




REMARKS:

- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5670MHz: Fundamental frequency.
- 8 #: Out of restricted band.




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,698.700	102.59			44.58	V	4.5	1.00
9	5,850.000	57.93	68.20	10.27	44.93	V	359	2.00
9	5,858.567	59.28	68.20	8.92	44.88	V	359	1.00





REMARKS:

- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5710MHz: Fundamental frequency.
- 8 #: Out of restricted band.











REMARKS:


- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5530MHz: Fundamental frequency.
- 8 #: Out of restricted band.






REMARKS:


- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5610MHz: Fundamental frequency.
- 8 #: Out of restricted band.








REMARKS:

- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5690MHz: Fundamental frequency.
- 8 #: Out of restricted band.









REMARKS:

- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5500MHz: Fundamental frequency.
- #: Out of restricted band.

Test Report No.: RF260714B015

