






11N20MIMO_Ant2_5260




11N20MIMO_Ant1_5500




11N20MIMO_Ant2_5500




11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




11N40MIMO_Ant1_5190




11N40MIMO_Ant2_5190




11N40MIMO_Ant1_5270




11N40MIMO_Ant2_5270




11N40MIMO_Ant1_5510




11N40MIMO_Ant2_5510




11N40MIMO_Ant1_5755




11N40MIMO_Ant2_5755




11AC80MIMO_Ant1_5210




11AC80MIMO_Ant2_5210




11AC80MIMO_Ant1_5290




11AC80MIMO_Ant2_5290




11AC80MIMO_Ant1_5530




11AC80MIMO_Ant2_5530




11AC80MIMO_Ant1_5775




11AC80MIMO_Ant2_5775




11AC160MIMO_Ant1_5250




11AC160MIMO_Ant2_5250




11AC160MIMO_Ant1_5570




11AC160MIMO_Ant2_5570




11AX20MIMO_Ant1_5180




11AX20MIMO_Ant2_5180




11AX20MIMO_Ant1_5260



11AX20MIMO_Ant2_5260




11AX20MIMO_Ant1_5500




11AX20MIMO_Ant2_5500




11AX20MIMO_Ant1_5745




11AX20MIMO_Ant2_5745




11AX40MIMO_Ant1_5190




11AX40MIMO_Ant2_5190




11AX40MIMO_Ant1_5270




11AX40MIMO_Ant2_5270




11AX40MIMO_Ant1_5510



11AX40MIMO_Ant2_5510




11AX40MIMO_Ant1_5755




11AX40MIMO_Ant2_5755




11AX80MIMO_Ant1_5210




11AX80MIMO_Ant2_5210




11AX80MIMO_Ant1_5290




11AX80MIMO_Ant2_5290




11AX80MIMO_Ant1_5530




11AX80MIMO_Ant2_5530




11AX80MIMO_Ant1_5775




11AX80MIMO_Ant2_5775




11AX160MIMO_Ant1_5250




11AX160MIMO_Ant2_5250




11AX160MIMO_Ant1_5570



11AX160MIMO_Ant2_5570




11BE20MIMO_Ant1_5180




11BE20MIMO_Ant2_5180




11BE20MIMO_Ant1_5260




11BE20MIMO_Ant2_5260




11BE20MIMO_Ant1_5500




11BE20MIMO_Ant2_5500




11BE20MIMO_Ant1_5745




11BE20MIMO_Ant2_5745




11BE40MIMO_Ant1_5190




11BE40MIMO_Ant2_5190




11BE40MIMO_Ant1_5270




11BE40MIMO_Ant2_5270




11BE40MIMO_Ant1_5510




11BE40MIMO_Ant2_5510



11BE40MIMO_Ant1_5755




11BE40MIMO_Ant2_5755




11BE80MIMO_Ant1_5210




11BE160MIMO_Ant1_5250




11BE160MIMO_Ant2_5250



11BE160MIMO_Ant1_5570



11BE160MIMO_Ant2_5570



MAXIMUM CONDUCTED OUTPUT POWER

TEST RESULT

BV Power Table For_U-NII-1								
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	Verdict
11A	CDD	5180	Ant1	15.19	≤24.00	17.22	≤36.00	Pass
			Ant2	15.69	≤24.00	17.72	≤36.00	Pass
			Total	18.46	≤24.00	20.49	≤36.00	Pass
		5200	Ant1	14.30	≤24.00	16.33	≤36.00	Pass
			Ant2	15.46	≤24.00	17.49	≤36.00	Pass
			Total	17.93	≤24.00	19.96	≤36.00	Pass
		5240	Ant1	15.31	≤24.00	17.34	≤36.00	Pass
			Ant2	15.57	≤24.00	17.60	≤36.00	Pass
			Total	18.45	≤24.00	20.48	≤36.00	Pass
11N20	MIMO	5180	Ant1	15.95	≤24.00	17.98	≤36.00	Pass
			Ant2	16.13	≤24.00	18.16	≤36.00	Pass
			Total	19.01	≤24.00	21.04	≤36.00	Pass
		5200	Ant1	15.57	≤24.00	17.60	≤36.00	Pass
			Ant2	16.06	≤24.00	18.09	≤36.00	Pass
			Total	18.79	≤24.00	20.82	≤36.00	Pass
		5240	Ant1	15.84	≤24.00	17.87	≤36.00	Pass
			Ant2	16.00	≤24.00	18.03	≤36.00	Pass
			Total	18.89	≤24.00	20.92	≤36.00	Pass
11N40	MIMO	5190	Ant1	15.82	≤24.00	17.85	≤36.00	Pass
			Ant2	16.35	≤24.00	18.38	≤36.00	Pass
			Total	19.07	≤24.00	21.10	≤36.00	Pass
		5230	Ant1	15.84	≤24.00	17.87	≤36.00	Pass
			Ant2	16.25	≤24.00	18.28	≤36.00	Pass
			Total	19.02	≤24.00	21.05	≤36.00	Pass
11AC20	MIMO	5180	Ant1	15.43	≤24.00	17.46	≤36.00	Pass
			Ant2	16.13	≤24.00	18.16	≤36.00	Pass
			Total	18.78	≤24.00	20.81	≤36.00	Pass

Test Report No.: RF260714B015

		5200	Ant1	14.85	≤24.00	16.88	≤36.00	Pass
			Ant2	16.57	≤24.00	18.60	≤36.00	Pass
			Total	18.78	≤24.00	20.81	≤36.00	Pass
		5240	Ant1	14.91	≤24.00	16.94	≤36.00	Pass
			Ant2	16.44	≤24.00	18.47	≤36.00	Pass
			Total	18.72	≤24.00	20.75	≤36.00	Pass
11AC40	MIMO	5190	Ant1	15.80	≤24.00	17.83	≤36.00	Pass
			Ant2	16.29	≤24.00	18.32	≤36.00	Pass
			Total	19.03	≤24.00	21.06	≤36.00	Pass
		5230	Ant1	15.96	≤24.00	17.99	≤36.00	Pass
			Ant2	16.68	≤24.00	18.71	≤36.00	Pass
			Total	19.32	≤24.00	21.35	≤36.00	Pass
11AC80	MIMO	5210	Ant1	15.86	≤24.00	17.89	≤36.00	Pass
			Ant2	16.18	≤24.00	18.21	≤36.00	Pass
			Total	19.00	≤24.00	21.03	≤36.00	Pass
11AC160	MIMO	5250	Ant1	15.18	≤24.00	17.21	≤36.00	Pass
			Ant2	15.35	≤24.00	17.38	≤36.00	Pass
			Total	18.25	≤24.00	20.28	≤36.00	Pass
11AX20	MIMO	5180	Ant1	15.68	≤24.00	17.71	≤36.00	Pass
			Ant2	16.13	≤24.00	18.16	≤36.00	Pass
			Total	18.90	≤24.00	20.93	≤36.00	Pass
		5200	Ant1	15.37	≤24.00	17.40	≤36.00	Pass
			Ant2	16.04	≤24.00	18.07	≤36.00	Pass
			Total	18.71	≤24.00	20.74	≤36.00	Pass
		5240	Ant1	15.86	≤24.00	17.89	≤36.00	Pass
			Ant2	16.00	≤24.00	18.03	≤36.00	Pass
			Total	18.92	≤24.00	20.95	≤36.00	Pass
11AX40	MIMO	5190	Ant1	15.69	≤24.00	17.72	≤36.00	Pass
			Ant2	16.26	≤24.00	18.29	≤36.00	Pass
			Total	18.97	≤24.00	21.00	≤36.00	Pass
		5230	Ant1	16.23	≤24.00	18.26	≤36.00	Pass
			Ant2	16.16	≤24.00	18.19	≤36.00	Pass
			Total	19.18	≤24.00	21.21	≤36.00	Pass
11AX80	MIMO	5210	Ant1	15.89	≤24.00	17.92	≤36.00	Pass
			Ant2	16.18	≤24.00	18.21	≤36.00	Pass
			Total	19.02	≤24.00	21.05	≤36.00	Pass

Test Report No.: RF260714B015

11AX160	MIMO	5250	Ant1	14.38	≤ 24.00	16.41	≤ 36.00	Pass
			Ant2	15.31	≤ 24.00	17.34	≤ 36.00	Pass
			Total	17.84	≤ 24.00	19.87	≤ 36.00	Pass
11BE20	MIMO	5180	Ant1	15.79	≤ 24.00	17.82	≤ 36.00	Pass
			Ant2	16.13	≤ 24.00	18.16	≤ 36.00	Pass
			Total	18.95	≤ 24.00	20.98	≤ 36.00	Pass
		5200	Ant1	15.98	≤ 24.00	18.01	≤ 36.00	Pass
			Ant2	16.10	≤ 24.00	18.13	≤ 36.00	Pass
			Total	19.02	≤ 24.00	21.05	≤ 36.00	Pass
		5240	Ant1	14.77	≤ 24.00	16.80	≤ 36.00	Pass
			Ant2	16.00	≤ 24.00	18.03	≤ 36.00	Pass
			Total	18.41	≤ 24.00	20.44	≤ 36.00	Pass
11BE40	MIMO	5190	Ant1	15.29	≤ 24.00	17.32	≤ 36.00	Pass
			Ant2	16.18	≤ 24.00	18.21	≤ 36.00	Pass
			Total	18.74	≤ 24.00	20.77	≤ 36.00	Pass
		5230	Ant1	15.81	≤ 24.00	17.84	≤ 36.00	Pass
			Ant2	16.07	≤ 24.00	18.10	≤ 36.00	Pass
			Total	18.92	≤ 24.00	20.95	≤ 36.00	Pass
11BE80	MIMO	5210	Ant1	15.31	≤ 24.00	17.34	≤ 36.00	Pass
			Ant2	16.22	≤ 24.00	18.25	≤ 36.00	Pass
			Total	18.77	≤ 24.00	20.80	≤ 36.00	Pass
11BE160	MIMO	5250	Ant1	15.65	≤ 24.00	17.68	≤ 36.00	Pass
			Ant2	16.36	≤ 24.00	18.39	≤ 36.00	Pass
			Total	18.99	≤ 24.00	21.02	≤ 36.00	Pass

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-2A								
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	Verdict
11A	CDD	5260	Ant1	15.30	≤ 24.00	16.91	≤ 30.00	Pass
			Ant2	15.79	≤ 24.00	17.40	≤ 30.00	Pass
			Total	18.56	≤ 24.00	20.17	≤ 30.00	Pass

Test Report No.: RF260714B015

		5300	Ant1	14.45	≤ 24.00	16.06	≤ 30.00	Pass
			Ant2	15.46	≤ 24.00	17.07	≤ 30.00	Pass
			Total	17.99	≤ 24.00	19.60	≤ 30.00	Pass
		5320	Ant1	15.38	≤ 24.00	16.99	≤ 30.00	Pass
			Ant2	15.43	≤ 24.00	17.04	≤ 30.00	Pass
			Total	18.42	≤ 24.00	20.03	≤ 30.00	Pass
11N20	MIMO	5260	Ant1	15.85	≤ 24.00	17.46	≤ 30.00	Pass
			Ant2	15.92	≤ 24.00	17.53	≤ 30.00	Pass
			Total	18.86	≤ 24.00	20.47	≤ 30.00	Pass
		5300	Ant1	16.38	≤ 24.00	17.99	≤ 30.00	Pass
			Ant2	15.96	≤ 24.00	17.57	≤ 30.00	Pass
			Total	19.15	≤ 24.00	20.76	≤ 30.00	Pass
		5320	Ant1	15.06	≤ 24.00	16.67	≤ 30.00	Pass
			Ant2	15.79	≤ 24.00	17.40	≤ 30.00	Pass
			Total	18.41	≤ 24.00	20.02	≤ 30.00	Pass
11N40	MIMO	5270	Ant1	16.14	≤ 24.00	17.75	≤ 30.00	Pass
			Ant2	16.09	≤ 24.00	17.70	≤ 30.00	Pass
			Total	19.09	≤ 24.00	20.70	≤ 30.00	Pass
		5310	Ant1	15.93	≤ 24.00	17.54	≤ 30.00	Pass
			Ant2	16.09	≤ 24.00	17.70	≤ 30.00	Pass
			Total	18.98	≤ 24.00	20.59	≤ 30.00	Pass
11AC20	MIMO	5260	Ant1	15.97	≤ 24.00	17.58	≤ 30.00	Pass
			Ant2	15.62	≤ 24.00	17.23	≤ 30.00	Pass
			Total	18.78	≤ 24.00	20.39	≤ 30.00	Pass
		5300	Ant1	15.89	≤ 24.00	17.50	≤ 30.00	Pass
			Ant2	15.96	≤ 24.00	17.57	≤ 30.00	Pass
			Total	18.91	≤ 24.00	20.52	≤ 30.00	Pass
		5320	Ant1	15.76	≤ 24.00	17.37	≤ 30.00	Pass
			Ant2	15.77	≤ 24.00	17.38	≤ 30.00	Pass
			Total	18.75	≤ 24.00	20.36	≤ 30.00	Pass
11AC40	MIMO	5270	Ant1	15.82	≤ 24.00	17.43	≤ 30.00	Pass
			Ant2	16.12	≤ 24.00	17.73	≤ 30.00	Pass
			Total	18.95	≤ 24.00	20.56	≤ 30.00	Pass
		5310	Ant1	15.91	≤ 24.00	17.52	≤ 30.00	Pass
			Ant2	16.12	≤ 24.00	17.73	≤ 30.00	Pass
			Total	19.00	≤ 24.00	20.61	≤ 30.00	Pass

Test Report No.: RF260714B015

11AC80	MIMO	5210	Ant1	15.50	≤24.00	17.11	≤30.00	Pass
			Ant2	16.73	≤24.00	18.34	≤30.00	Pass
			Total	19.13	≤24.00	20.74	≤30.00	Pass
11AX20	MIMO	5260	Ant1	15.17	≤24.00	16.78	≤30.00	Pass
			Ant2	15.99	≤24.00	17.60	≤30.00	Pass
			Total	18.59	≤24.00	20.20	≤30.00	Pass
		5300	Ant1	15.36	≤24.00	16.97	≤30.00	Pass
			Ant2	15.95	≤24.00	17.56	≤30.00	Pass
			Total	18.66	≤24.00	20.27	≤30.00	Pass
		5320	Ant1	15.37	≤24.00	16.98	≤30.00	Pass
			Ant2	15.88	≤24.00	17.49	≤30.00	Pass
			Total	18.62	≤24.00	20.23	≤30.00	Pass
11AX40	MIMO	5270	Ant1	15.27	≤24.00	16.88	≤30.00	Pass
			Ant2	16.01	≤24.00	17.62	≤30.00	Pass
			Total	18.64	≤24.00	20.25	≤30.00	Pass
		5310	Ant1	15.27	≤24.00	16.88	≤30.00	Pass
			Ant2	16.01	≤24.00	17.62	≤30.00	Pass
			Total	19.18	≤24.00	20.79	≤30.00	Pass
11AX80	MIMO	5290	Ant1	16.36	≤24.00	17.97	≤30.00	Pass
			Ant2	16.29	≤24.00	17.90	≤30.00	Pass
			Total	19.31	≤24.00	20.92	≤30.00	Pass
11BE20	MIMO	5260	Ant1	16.13	≤24.00	17.74	≤30.00	Pass
			Ant2	15.95	≤24.00	17.56	≤30.00	Pass
			Total	19.02	≤24.00	20.63	≤30.00	Pass
		5300	Ant1	15.83	≤24.00	17.44	≤30.00	Pass
			Ant2	16.01	≤24.00	17.62	≤30.00	Pass
			Total	18.90	≤24.00	20.51	≤30.00	Pass
		5320	Ant1	16.12	≤24.00	17.73	≤30.00	Pass
			Ant2	15.87	≤24.00	17.48	≤30.00	Pass
			Total	18.98	≤24.00	20.59	≤30.00	Pass
11BE40	MIMO	5270	Ant1	15.92	≤24.00	17.53	≤30.00	Pass
			Ant2	16.09	≤24.00	17.70	≤30.00	Pass
			Total	18.99	≤24.00	20.60	≤30.00	Pass
		5310	Ant1	16.45	≤24.00	18.06	≤30.00	Pass
			Ant2	16.12	≤24.00	17.73	≤30.00	Pass
			Total	19.27	≤24.00	20.88	≤30.00	Pass

Test Report No.: RF260714B015

11BE80	MIMO	5290	Ant1	15.54	≤24.00	17.15	≤30.00	Pass
			Ant2	16.18	≤24.00	17.79	≤30.00	Pass
			Total	18.85	≤24.00	20.46	≤30.00	Pass

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-2C								
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	Verdict
11A	CDD	5500	Ant1	15.18	≤24.00	17.92	≤30.00	Pass
			Ant2	15.35	≤24.00	18.09	≤30.00	Pass
			Total	18.28	≤24.00	21.02	≤30.00	Pass
		5580	Ant1	13.60	≤24.00	16.34	≤30.00	Pass
			Ant2	15.45	≤24.00	18.19	≤30.00	Pass
			Total	17.63	≤24.00	20.37	≤30.00	Pass
		5700	Ant1	15.25	≤24.00	17.99	≤30.00	Pass
			Ant2	15.48	≤24.00	18.22	≤30.00	Pass
			Total	18.38	≤24.00	21.12	≤30.00	Pass
		5720	Ant1	14.09	≤24.00	16.83	≤30.00	Pass
			Ant2	15.30	≤24.00	18.04	≤30.00	Pass
			Total	17.75	≤24.00	20.49	≤30.00	Pass
11N20	MIMO	5500	Ant1	15.41	≤24.00	18.15	≤30.00	Pass
			Ant2	16.01	≤24.00	18.75	≤30.00	Pass
			Total	18.69	≤24.00	21.43	≤30.00	Pass
		5580	Ant1	15.66	≤24.00	18.40	≤30.00	Pass
			Ant2	16.03	≤24.00	18.77	≤30.00	Pass
			Total	18.82	≤24.00	21.56	≤30.00	Pass
		5700	Ant1	15.46	≤24.00	18.20	≤30.00	Pass
			Ant2	15.67	≤24.00	18.41	≤30.00	Pass
			Total	18.54	≤24.00	21.28	≤30.00	Pass
		5720	Ant1	15.63	≤24.00	18.37	≤30.00	Pass
			Ant2	15.73	≤24.00	18.47	≤30.00	Pass
			Total	18.65	≤24.00	21.39	≤30.00	Pass
11N40	MIMO	5510	Ant1	15.58	≤24.00	18.32	≤30.00	Pass

Test Report No.: RF260714B015

			Ant2	16.14	≤24.00	18.88	≤30.00	Pass
			Total	18.84	≤24.00	21.58	≤30.00	Pass
		5550	Ant1	16.03	≤24.00	18.77	≤30.00	Pass
			Ant2	16.12	≤24.00	18.86	≤30.00	Pass
			Total	19.05	≤24.00	21.79	≤30.00	Pass
		5670	Ant1	15.76	≤24.00	18.50	≤30.00	Pass
			Ant2	16.60	≤24.00	19.34	≤30.00	Pass
			Total	19.17	≤24.00	21.91	≤30.00	Pass
		5710	Ant1	15.70	≤24.00	18.44	≤30.00	Pass
			Ant2	15.92	≤24.00	18.66	≤30.00	Pass
			Total	18.78	≤24.00	21.52	≤30.00	Pass
11AC20	MIMO	5500	Ant1	15.50	≤24.00	18.24	≤30.00	Pass
			Ant2	15.85	≤24.00	18.59	≤30.00	Pass
			Total	18.66	≤24.00	21.40	≤30.00	Pass
		5580	Ant1	15.82	≤24.00	18.56	≤30.00	Pass
			Ant2	15.84	≤24.00	18.58	≤30.00	Pass
			Total	18.81	≤24.00	21.55	≤30.00	Pass
		5700	Ant1	15.40	≤24.00	18.14	≤30.00	Pass
			Ant2	15.69	≤24.00	18.43	≤30.00	Pass
			Total	18.53	≤24.00	21.27	≤30.00	Pass
		5720	Ant1	15.63	≤24.00	18.37	≤30.00	Pass
			Ant2	15.67	≤24.00	18.41	≤30.00	Pass
			Total	18.63	≤24.00	21.37	≤30.00	Pass
11AC40	MIMO	5510	Ant1	15.52	≤24.00	18.26	≤30.00	Pass
			Ant2	16.08	≤24.00	18.82	≤30.00	Pass
			Total	18.79	≤24.00	21.53	≤30.00	Pass
		5550	Ant1	15.47	≤24.00	18.21	≤30.00	Pass
			Ant2	16.07	≤24.00	18.81	≤30.00	Pass
			Total	18.76	≤24.00	21.50	≤30.00	Pass
		5670	Ant1	15.11	≤24.00	17.85	≤30.00	Pass
			Ant2	15.90	≤24.00	18.64	≤30.00	Pass
			Total	18.51	≤24.00	21.25	≤30.00	Pass
		5710	Ant1	15.92	≤24.00	18.66	≤30.00	Pass
			Ant2	15.73	≤24.00	18.47	≤30.00	Pass
			Total	18.81	≤24.00	21.55	≤30.00	Pass
11AC80	MIMO	5530	Ant1	15.15	≤24.00	17.89	≤30.00	Pass

Test Report No.: RF260714B015

			Ant2	16.20	≤24.00	18.94	≤30.00	Pass
			Total	18.68	≤24.00	21.42	≤30.00	Pass
	MIMO	5690	Ant1	16.38	≤24.00	19.12	≤30.00	Pass
			Ant2	16.15	≤24.00	18.89	≤30.00	Pass
			Total	19.24	≤24.00	21.98	≤30.00	Pass
11AC160	MIMO	5570	Ant1	14.32	≤24.00	17.06	≤30.00	Pass
			Ant2	15.37	≤24.00	18.11	≤30.00	Pass
			Total	17.86	≤24.00	20.60	≤30.00	Pass
11AX20	MIMO	5500	Ant1	15.08	≤24.00	17.82	≤30.00	Pass
			Ant2	16.06	≤24.00	18.80	≤30.00	Pass
			Total	18.59	≤24.00	21.33	≤30.00	Pass
		5580	Ant1	15.29	≤24.00	18.03	≤30.00	Pass
			Ant2	15.98	≤24.00	18.72	≤30.00	Pass
			Total	18.64	≤24.00	21.38	≤30.00	Pass
		5700	Ant1	15.95	≤24.00	18.69	≤30.00	Pass
			Ant2	16.20	≤24.00	18.94	≤30.00	Pass
			Total	19.07	≤24.00	21.81	≤30.00	Pass
		5720	Ant1	15.07	≤24.00	17.81	≤30.00	Pass
			Ant2	15.77	≤24.00	18.51	≤30.00	Pass
			Total	18.43	≤24.00	21.17	≤30.00	Pass
11AX40	MIMO	5510	Ant1	15.68	≤24.00	18.42	≤30.00	Pass
			Ant2	16.16	≤24.00	18.90	≤30.00	Pass
			Total	18.91	≤24.00	21.65	≤30.00	Pass
		5550	Ant1	15.87	≤24.00	18.61	≤30.00	Pass
			Ant2	16.04	≤24.00	18.78	≤30.00	Pass
			Total	18.94	≤24.00	21.68	≤30.00	Pass
		5670	Ant1	15.33	≤24.00	18.07	≤30.00	Pass
			Ant2	15.89	≤24.00	18.63	≤30.00	Pass
			Total	18.68	≤24.00	21.42	≤30.00	Pass
		5710	Ant1	15.78	≤24.00	18.52	≤30.00	Pass
			Ant2	15.62	≤24.00	18.36	≤30.00	Pass
			Total	18.68	≤24.00	21.42	≤30.00	Pass
11AX80	MIMO	5530	Ant1	15.70	≤24.00	18.44	≤30.00	Pass
			Ant2	16.05	≤24.00	18.79	≤30.00	Pass
			Total	18.86	≤24.00	21.60	≤30.00	Pass
	MIMO	5690	Ant1	15.76	≤24.00	18.50	≤30.00	Pass

Test Report No.: RF260714B015

			Ant2	16.11	≤24.00	18.85	≤30.00	Pass
			Total	18.92	≤24.00	21.66	≤30.00	Pass
11AX160	MIMO	5570	Ant1	14.59	≤24.00	17.33	≤30.00	Pass
			Ant2	15.12	≤24.00	17.86	≤30.00	Pass
			Total	17.84	≤24.00	20.58	≤30.00	Pass
11BE20	MIMO	5500	Ant1	15.72	≤24.00	18.46	≤30.00	Pass
			Ant2	16.02	≤24.00	18.76	≤30.00	Pass
			Total	18.85	≤24.00	21.59	≤30.00	Pass
		5580	Ant1	16.03	≤24.00	18.77	≤30.00	Pass
			Ant2	16.01	≤24.00	18.75	≤30.00	Pass
			Total	19.00	≤24.00	21.74	≤30.00	Pass
		5700	Ant1	15.92	≤24.00	18.66	≤30.00	Pass
			Ant2	15.54	≤24.00	18.28	≤30.00	Pass
			Total	18.72	≤24.00	21.46	≤30.00	Pass
		5720	Ant1	16.00	≤24.00	18.74	≤30.00	Pass
			Ant2	16.15	≤24.00	18.89	≤30.00	Pass
			Total	19.06	≤24.00	21.80	≤30.00	Pass
11BE40	MIMO	5510	Ant1	16.08	≤24.00	18.82	≤30.00	Pass
			Ant2	16.07	≤24.00	18.81	≤30.00	Pass
			Total	19.06	≤24.00	21.80	≤30.00	Pass
		5550	Ant1	15.02	≤24.00	17.76	≤30.00	Pass
			Ant2	15.97	≤24.00	18.71	≤30.00	Pass
			Total	18.50	≤24.00	21.24	≤30.00	Pass
		5670	Ant1	15.75	≤24.00	18.49	≤30.00	Pass
			Ant2	15.90	≤24.00	18.64	≤30.00	Pass
			Total	18.81	≤24.00	21.55	≤30.00	Pass
		5710	Ant1	16.16	≤24.00	18.90	≤30.00	Pass
			Ant2	15.55	≤24.00	18.29	≤30.00	Pass
			Total	18.85	≤24.00	21.59	≤30.00	Pass
11BE80	MIMO	5530	Ant1	15.66	≤24.00	18.40	≤30.00	Pass
			Ant2	16.10	≤24.00	18.84	≤30.00	Pass
			Total	18.87	≤24.00	21.61	≤30.00	Pass
	MIMO	5690	Ant1	15.86	≤24.00	18.60	≤30.00	Pass
			Ant2	16.17	≤24.00	18.91	≤30.00	Pass
			Total	19.00	≤24.00	21.74	≤30.00	Pass
11BE160	MIMO	5570	Ant1	15.81	≤24.00	18.55	≤30.00	Pass

Test Report No.: RF260714B015

		Ant2	16.12	≤24.00	18.86	≤30.00	Pass
		Total	18.94	≤24.00	21.68	≤30.00	Pass

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-3							
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	Verdict
11A	CDD	5745	Ant1	15.30	≤30.00	17.07	Pass
			Ant2	15.06	≤30.00	16.83	Pass
			Total	18.17	≤30.00	19.94	Pass
		5785	Ant1	13.36	≤30.00	15.13	Pass
			Ant2	14.85	≤30.00	16.62	Pass
			Total	17.16	≤30.00	18.93	Pass
		5825	Ant1	13.26	≤30.00	15.03	Pass
			Ant2	14.87	≤30.00	16.64	Pass
			Total	17.13	≤30.00	18.90	Pass
11N20	MIMO	5745	Ant1	15.79	≤30.00	17.56	Pass
			Ant2	15.43	≤30.00	17.20	Pass
			Total	18.62	≤30.00	20.39	Pass
		5785	Ant1	16.12	≤30.00	17.89	Pass
			Ant2	15.16	≤30.00	16.93	Pass
			Total	18.68	≤30.00	20.45	Pass
		5825	Ant1	15.74	≤30.00	17.51	Pass
			Ant2	15.22	≤30.00	16.99	Pass
			Total	18.50	≤30.00	20.27	Pass
11N40	MIMO	5755	Ant1	16.07	≤30.00	17.84	Pass
			Ant2	16.13	≤30.00	17.90	Pass
			Total	19.11	≤30.00	20.88	Pass
		5795	Ant1	16.13	≤30.00	17.90	Pass
			Ant2	15.50	≤30.00	17.27	Pass
			Total	18.84	≤30.00	20.61	Pass
11AC20	MIMO	5745	Ant1	15.00	≤30.00	16.77	Pass
			Ant2	15.97	≤30.00	17.74	Pass
			Total	18.52	≤30.00	20.29	Pass

Test Report No.: RF260714B015

		5785	Ant1	16.00	≤30.00	17.77	Pass
			Ant2	15.24	≤30.00	17.01	Pass
			Total	18.65	≤30.00	20.42	Pass
		5825	Ant1	15.68	≤30.00	17.45	Pass
			Ant2	15.23	≤30.00	17.00	Pass
			Total	18.47	≤30.00	20.24	Pass
11AC40	MIMO	5755	Ant1	16.08	≤30.00	17.85	Pass
			Ant2	15.57	≤30.00	17.34	Pass
			Total	18.84	≤30.00	20.61	Pass
		5795	Ant1	15.76	≤30.00	17.53	Pass
			Ant2	15.87	≤30.00	17.64	Pass
			Total	18.83	≤30.00	20.60	Pass
11AC80	MIMO	5775	Ant1	15.11	≤30.00	16.88	Pass
			Ant2	15.47	≤30.00	17.24	Pass
			Total	18.30	≤30.00	20.07	Pass
11AX20	MIMO	5745	Ant1	14.96	≤30.00	16.73	Pass
			Ant2	15.57	≤30.00	17.34	Pass
			Total	18.29	≤30.00	20.06	Pass
		5785	Ant1	15.74	≤30.00	17.51	Pass
			Ant2	15.27	≤30.00	17.04	Pass
			Total	18.52	≤30.00	20.29	Pass
		5825	Ant1	15.18	≤30.00	16.95	Pass
			Ant2	15.31	≤30.00	17.08	Pass
			Total	18.26	≤30.00	20.03	Pass
11AX40	MIMO	5755	Ant1	16.00	≤30.00	17.77	Pass
			Ant2	15.66	≤30.00	17.43	Pass
			Total	18.84	≤30.00	20.61	Pass
		5795	Ant1	15.81	≤30.00	17.58	Pass
			Ant2	15.91	≤30.00	17.68	Pass
			Total	18.87	≤30.00	20.64	Pass
11AX80	MIMO	5775	Ant1	15.99	≤30.00	17.76	Pass
			Ant2	15.62	≤30.00	17.39	Pass
			Total	18.81	≤30.00	20.58	Pass
11BE20	MIMO	5745	Ant1	15.94	≤30.00	17.71	Pass
			Ant2	15.53	≤30.00	17.30	Pass
			Total	18.75	≤30.00	20.52	Pass

Test Report No.: RF260714B015

		5785	Ant1	14.58	≤ 30.00	16.35	Pass
			Ant2	15.82	≤ 30.00	17.59	Pass
			Total	18.25	≤ 30.00	20.02	Pass
		5825	Ant1	15.78	≤ 30.00	17.55	Pass
			Ant2	15.32	≤ 30.00	17.09	Pass
			Total	18.57	≤ 30.00	20.34	Pass
11BE40	MIMO	5755	Ant1	16.06	≤ 30.00	17.83	Pass
			Ant2	15.51	≤ 30.00	17.28	Pass
			Total	18.81	≤ 30.00	20.58	Pass
		5795	Ant1	15.90	≤ 30.00	17.67	Pass
			Ant2	15.40	≤ 30.00	17.17	Pass
			Total	18.68	≤ 30.00	20.45	Pass
11BE80	MIMO	5775	Ant1	15.99	≤ 30.00	17.76	Pass
			Ant2	15.53	≤ 30.00	17.30	Pass
			Total	18.68	≤ 30.00	20.45	Pass

Note: The Maximum Conducted Power with duty cycle factor.

Test Report No.: RF260714B015

MAXIMUM POWER SPECTRAL DENSITY

TEST RESULT

TestMode	Antenna	Freq (MHz)	Raw Data [dBm/MHz]	DC Factor	RBW Factor	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-CDD	Ant1	5180	4.41	0.04	0.00	4.45	≤11.00	PASS
	Ant2	5180	-3.68	0.04	0.00	-3.64	≤11.00	PASS
	total	5180	---	---	---	5.08	≤11.00	PASS
	Ant1	5200	4.32	0.07	0.00	4.39	≤11.00	PASS
	Ant2	5200	-2.81	0.06	0.00	-2.75	≤11.00	PASS
	total	5200	---	---	---	5.16	≤11.00	PASS
	Ant1	5240	4.6	0.05	0.00	4.65	≤11.00	PASS
	Ant2	5240	-3.13	0.06	0.00	-3.07	≤11.00	PASS
	total	5240	---	---	---	5.33	≤11.00	PASS
	Ant1	5260	4.9	0.04	0.00	4.94	≤11.00	PASS
	Ant2	5260	-3.29	0.04	0.00	-3.25	≤11.00	PASS
	total	5260	---	---	---	5.55	≤11.00	PASS
	Ant1	5300	5.13	0.05	0.00	5.18	≤11.00	PASS
	Ant2	5300	-2.52	0.06	0.00	-2.46	≤11.00	PASS
	total	5300	---	---	---	5.87	≤11.00	PASS
	Ant1	5320	4.58	0.07	0.00	4.65	≤11.00	PASS
	Ant2	5320	-3.14	0.06	0.00	-3.08	≤11.00	PASS
	total	5320	---	---	---	5.33	≤11.00	PASS
	Ant1	5500	4.6	0.04	0.00	4.64	≤11.00	PASS
	Ant2	5500	-1.38	0.02	0.00	-1.36	≤11.00	PASS
	total	5500	---	---	---	5.61	≤11.00	PASS
	Ant1	5580	4.48	0.06	0.00	4.54	≤11.00	PASS
	Ant2	5580	-0.31	0.06	0.00	-0.25	≤11.00	PASS
	total	5580	---	---	---	5.78	≤11.00	PASS
	Ant1	5700	4.62	0.07	0.00	4.69	≤11.00	PASS
	Ant2	5700	0.16	0.06	0.00	0.22	≤11.00	PASS
	total	5700	---	---	---	6.02	≤11.00	PASS
	Ant1	5720_UNII-2C	3.79	0.05	0.00	3.84	≤11.00	PASS
	Ant2	5720_UNII-2C	-0.2	0.05	0.00	-0.15	≤11.00	PASS

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com

Test Report No.: RF260714B015

	total	5720_UNII-2C	---	---	---	5.30	≤11.00	PASS
	Ant1	5720_UNII-3	0.49	0.05	0.00	0.54	≤30.00	PASS
	Ant2	5720_UNII-3	-2.84	0.05	0.00	-2.79	≤30.00	PASS
	total	5720_UNII-3	---	---	---	2.20	≤30.00	PASS
	Ant1	5745	0.88	0.04	0.00	0.92	≤30.00	PASS
	Ant2	5745	-2.52	0.04	0.00	-2.48	≤30.00	PASS
	total	5745	---	---	---	2.55	≤30.00	PASS
	Ant1	5785	0.61	0.05	0.00	0.66	≤30.00	PASS
	Ant2	5785	-2.27	0.05	0.00	-2.22	≤30.00	PASS
	total	5785	---	---	---	2.46	≤30.00	PASS
	Ant1	5825	0.54	0.06	0.00	0.60	≤30.00	PASS
	Ant2	5825	-2.3	0.05	0.00	-2.25	≤30.00	PASS
	total	5825	---	---	---	2.42	≤30.00	PASS
11N20MIMO	Ant1	5180	4.02	0.02	0.00	4.04	≤11.00	PASS
	Ant2	5180	-4.25	0.00	0.00	-4.25	≤11.00	PASS
	total	5180	---	---	---	4.64	≤11.00	PASS
	Ant1	5200	3.98	0.03	0.00	4.01	≤11.00	PASS
	Ant2	5200	-3.83	0.03	0.00	-3.80	≤11.00	PASS
	total	5200	---	---	---	4.68	≤11.00	PASS
	Ant1	5240	4.01	0.03	0.00	4.04	≤11.00	PASS
	Ant2	5240	-3.84	0.03	0.00	-3.81	≤11.00	PASS
	total	5240	---	---	---	4.70	≤11.00	PASS
	Ant1	5260	4.37	0.02	0.00	4.39	≤11.00	PASS
	Ant2	5260	-4.06	0.02	0.00	-4.04	≤11.00	PASS
	total	5260	---	---	---	4.97	≤11.00	PASS
	Ant1	5300	4.58	0.03	0.00	4.61	≤11.00	PASS
	Ant2	5300	-3.05	0.03	0.00	-3.02	≤11.00	PASS
	total	5300	---	---	---	5.30	≤11.00	PASS
	Ant1	5320	4.1	0.03	0.00	4.13	≤11.00	PASS
	Ant2	5320	-3.66	0.00	0.00	-3.66	≤11.00	PASS
	total	5320	---	---	---	4.80	≤11.00	PASS
	Ant1	5500	4.03	0.00	0.00	4.03	≤11.00	PASS
	Ant2	5500	-1.66	0.02	0.00	-1.64	≤11.00	PASS
	total	5500	---	---	---	5.07	≤11.00	PASS
	Ant1	5580	3.99	0.03	0.00	4.02	≤11.00	PASS

Test Report No.: RF260714B015

	Ant2	5580	-0.82	0.04	0.00	-0.78	≤11.00	PASS
	total	5580	---	---	---	5.26	≤11.00	PASS
	Ant1	5700	4.21	0.04	0.00	4.25	≤11.00	PASS
	Ant2	5700	-0.37	0.00	0.00	-0.37	≤11.00	PASS
	total	5700	---	---	---	5.54	≤11.00	PASS
	Ant1	5720_UNII-2C	4.29	0.03	0.00	4.32	≤11.00	PASS
	Ant2	5720_UNII-2C	0.26	0.03	0.00	0.29	≤11.00	PASS
	total	5720_UNII-2C	---	---	---	5.77	≤11.00	PASS
	Ant1	5720_UNII-3	1.12	0.03	0.00	1.15	≤30.00	PASS
	Ant2	5720_UNII-3	-2.56	0.03	0.00	-2.53	≤30.00	PASS
	total	5720_UNII-3	---	---	---	2.70	≤30.00	PASS
	Ant1	5745	1.4	0.00	0.00	1.40	≤30.00	PASS
	Ant2	5745	-2.31	0.02	0.00	-2.29	≤30.00	PASS
	total	5745	---	---	---	2.95	≤30.00	PASS
	Ant1	5785	1.09	0.03	0.00	1.12	≤30.00	PASS
	Ant2	5785	-2	0.04	0.00	-1.96	≤30.00	PASS
	total	5785	---	---	---	2.86	≤30.00	PASS
	Ant1	5825	1.15	0.03	0.00	1.18	≤30.00	PASS
	Ant2	5825	-1.87	0.03	0.00	-1.84	≤30.00	PASS
	total	5825	---	---	---	2.94	≤30.00	PASS
11N40MIMO	Ant1	5190	0.93	0.00	0.00	0.93	≤11.00	PASS
	Ant2	5190	-6.83	0.02	0.00	-6.81	≤11.00	PASS
	total	5190	---	---	---	1.61	≤11.00	PASS
	Ant1	5230	1.1	0.00	0.00	1.10	≤11.00	PASS
	Ant2	5230	-6.53	0.03	0.00	-6.50	≤11.00	PASS
	total	5230	---	---	---	1.80	≤11.00	PASS
	Ant1	5270	1.5	0.00	0.00	1.50	≤11.00	PASS
	Ant2	5270	-6.94	0.02	0.00	-6.92	≤11.00	PASS
	total	5270	---	---	---	2.08	≤11.00	PASS
	Ant1	5310	1.57	0.03	0.00	1.60	≤11.00	PASS
	Ant2	5310	-6.25	0.03	0.00	-6.22	≤11.00	PASS
	total	5310	---	---	---	2.26	≤11.00	PASS
	Ant1	5510	0.81	0.00	0.00	0.81	≤11.00	PASS

Test Report No.: RF260714B015

	Ant2	5510	-4.89	0.02	0.00	-4.87	≤11.00	PASS
	total	5510	---	---	---	1.85	≤11.00	PASS
	Ant1	5550	1.04	0.02	0.00	1.06	≤11.00	PASS
	Ant2	5550	-4.27	0.04	0.00	-4.23	≤11.00	PASS
	total	5550	---	---	---	2.19	≤11.00	PASS
	Ant1	5670	1.34	0.00	0.00	1.34	≤11.00	PASS
	Ant2	5670	-2.63	0.04	0.00	-2.59	≤11.00	PASS
	total	5670	---	---	---	2.82	≤11.00	PASS
	Ant1	5710_UNII-2C	1.46	0.02	0.00	1.48	≤11.00	PASS
	Ant2	5710_UNII-2C	-2.68	0.03	0.00	-2.65	≤11.00	PASS
	total	5710_UNII-2C	---	---	---	2.90	≤11.00	PASS
	Ant1	5710_UNII-3	-3	0.02	0.00	-2.98	≤30.00	PASS
	Ant2	5710_UNII-3	-6.51	0.03	0.00	-6.48	≤30.00	PASS
	total	5710_UNII-3	---	---	---	-1.38	≤30.00	PASS
	Ant1	5755	-1.73	0.00	0.00	-1.73	≤30.00	PASS
	Ant2	5755	-4.82	0.02	0.00	-4.80	≤30.00	PASS
	total	5755	---	---	---	0.01	≤30.00	PASS
	Ant1	5795	-1.67	0.02	0.00	-1.65	≤30.00	PASS
	Ant2	5795	-4.88	0.03	0.00	-4.85	≤30.00	PASS
	total	5795	---	---	---	0.05	≤30.00	PASS
11AC80MIMO	Ant1	5210	-2.16	0.00	0.00	-2.16	≤11.00	PASS
	Ant2	5210	-9.56	0.00	0.00	-9.56	≤11.00	PASS
	total	5210	---	---	---	-1.43	≤11.00	PASS
	Ant1	5290	-1.42	0.00	0.00	-1.42	≤11.00	PASS
	Ant2	5290	-9.19	0.00	0.00	-9.19	≤11.00	PASS
	total	5290	---	---	---	-0.75	≤11.00	PASS
	Ant1	5530	-2.05	0.00	0.00	-2.05	≤11.00	PASS
	Ant2	5530	-7.83	0.02	0.00	-7.81	≤11.00	PASS
	total	5530	---	---	---	-1.03	≤11.00	PASS
	Ant1	5610	-1.85	0.04	0.00	-1.81	≤11.00	PASS
	Ant2	5610	-6.42	0.03	0.00	-6.39	≤11.00	PASS
	total	5610	---	---	---	-0.51	≤11.00	PASS

Test Report No.: RF260714B015

	Ant1	5690_UNII-2C	-1.51	0.06	0.00	-1.45	≤11.00	PASS
	Ant2	5690_UNII-2C	-6.1	0.00	0.00	-6.10	≤11.00	PASS
	total	5690_UNII-2C	---	---	---	-0.17	≤11.00	PASS
	Ant1	5690_UNII-3	-7.28	0.06	0.00	-7.22	≤30.00	PASS
	Ant2	5690_UNII-3	-10.29	0.00	0.00	-10.29	≤30.00	PASS
	total	5690_UNII-3	---	---	---	-5.48	≤30.00	PASS
	Ant1	5775	-4.83	0.00	0.00	-4.83	≤30.00	PASS
	Ant2	5775	-7.84	0.00	0.00	-7.84	≤30.00	PASS
	total	5775	---	---	---	-3.07	≤30.00	PASS
11AC160MIM O	Ant1	5250_UNII-1	-5.61	0.02	0.00	-5.59	≤11.00	PASS
	Ant2	5250_UNII-1	-13.19	0.00	0.00	-13.19	≤11.00	PASS
	total	5250_UNII-1	---	---	---	-4.89	≤11.00	PASS
	Ant1	5250_UNII-2A	-5.37	0.02	0.00	-5.35	≤11.00	PASS
	Ant2	5250_UNII-2A	-13.52	0.00	0.00	-13.52	≤11.00	PASS
	total	5250_UNII-2A	---	---	---	-4.73	≤11.00	PASS
	Ant1	5570	-5.62	0.00	0.00	-5.62	≤11.00	PASS
	Ant2	5570	-10.62	0.00	0.00	-10.62	≤11.00	PASS
	total	5570	---	---	---	-4.43	≤11.00	PASS
11AX20MIMO	Ant1	5180	4.01	0.02	0.00	4.03	≤11.00	PASS
	Ant2	5180	-4.29	0.00	0.00	-4.29	≤11.00	PASS
	total	5180	---	---	---	4.63	≤11.00	PASS
	Ant1	5200	3.91	0.00	0.00	3.91	≤11.00	PASS
	Ant2	5200	-3.89	0.04	0.00	-3.85	≤11.00	PASS
	total	5200	---	---	---	4.58	≤11.00	PASS
	Ant1	5240	4.41	0.00	0.00	4.41	≤11.00	PASS
	Ant2	5240	-3.96	0.04	0.00	-3.92	≤11.00	PASS
	total	5240	---	---	---	5.01	≤11.00	PASS
	Ant1	5260	4.6	0.02	0.00	4.62	≤11.00	PASS
	Ant2	5260	-3.87	0.00	0.00	-3.87	≤11.00	PASS
	total	5260	---	---	---	5.20	≤11.00	PASS

Test Report No.: RF260714B015

	Ant1	5300	4.33	0.04	0.00	4.37	≤11.00	PASS
	Ant2	5300	-3.04	0.04	0.00	-3.00	≤11.00	PASS
	total	5300	---	---	---	5.10	≤11.00	PASS
	Ant1	5320	4.31	0.03	0.00	4.34	≤11.00	PASS
	Ant2	5320	-3.58	0.03	0.00	-3.55	≤11.00	PASS
	total	5320	---	---	---	4.99	≤11.00	PASS
	Ant1	5500	4.29	0.00	0.00	4.29	≤11.00	PASS
	Ant2	5500	-2.03	0.00	0.00	-2.03	≤11.00	PASS
	total	5500	---	---	---	5.20	≤11.00	PASS
	Ant1	5580	3.97	0.04	0.00	4.01	≤11.00	PASS
	Ant2	5580	-0.9	0.03	0.00	-0.87	≤11.00	PASS
	total	5580	---	---	---	5.23	≤11.00	PASS
	Ant1	5700	4.28	0.02	0.00	4.30	≤11.00	PASS
	Ant2	5700	-0.1	0.03	0.00	-0.07	≤11.00	PASS
	total	5700	---	---	---	5.65	≤11.00	PASS
	Ant1	5720_UNII-2C	4.42	0.03	0.00	4.45	≤11.00	PASS
	Ant2	5720_UNII-2C	0.28	0.04	0.00	0.32	≤11.00	PASS
	total	5720_UNII-2C	---	---	---	5.87	≤11.00	PASS
	Ant1	5720_UNII-3	1.12	0.03	0.00	1.15	≤30.00	PASS
	Ant2	5720_UNII-3	-2.86	0.04	0.00	-2.82	≤30.00	PASS
	total	5720_UNII-3	---	---	---	2.61	≤30.00	PASS
	Ant1	5745	1.23	0.02	0.00	1.25	≤30.00	PASS
	Ant2	5745	-2.11	0.00	0.00	-2.11	≤30.00	PASS
	total	5745	---	---	---	2.90	≤30.00	PASS
	Ant1	5785	1.01	0.03	0.00	1.04	≤30.00	PASS
	Ant2	5785	-2.24	0.04	0.00	-2.20	≤30.00	PASS
	total	5785	---	---	---	2.73	≤30.00	PASS
	Ant1	5825	1.07	0.02	0.00	1.09	≤30.00	PASS
	Ant2	5825	-1.68	0.03	0.00	-1.65	≤30.00	PASS
	total	5825	---	---	---	2.94	≤30.00	PASS
11AX40MIMO	Ant1	5190	0.83	0.00	0.00	0.83	≤11.00	PASS
	Ant2	5190	-6.76	0.01	0.00	-6.75	≤11.00	PASS
	total	5190	---	---	---	1.53	≤11.00	PASS

Test Report No.: RF260714B015

	Ant1	5230	1.25	0.03	0.00	1.28	≤11.00	PASS
	Ant2	5230	-6.67	0.04	0.00	-6.63	≤11.00	PASS
	total	5230	---	---	---	1.93	≤11.00	PASS
	Ant1	5270	1.35	0.00	0.00	1.35	≤11.00	PASS
	Ant2	5270	-6.94	0.00	0.00	-6.94	≤11.00	PASS
	total	5270	---	---	---	1.95	≤11.00	PASS
	Ant1	5310	1.42	0.03	0.00	1.45	≤11.00	PASS
	Ant2	5310	-6.45	0.03	0.00	-6.42	≤11.00	PASS
	total	5310	---	---	---	2.11	≤11.00	PASS
	Ant1	5510	0.7	0.02	0.00	0.72	≤11.00	PASS
	Ant2	5510	-5.09	0.02	0.00	-5.07	≤11.00	PASS
	total	5510	---	---	---	1.74	≤11.00	PASS
	Ant1	5550	0.91	0.03	0.00	0.94	≤11.00	PASS
	Ant2	5550	-4.68	0.03	0.00	-4.65	≤11.00	PASS
	total	5550	---	---	---	2.00	≤11.00	PASS
	Ant1	5670	1.13	0.03	0.00	1.16	≤11.00	PASS
	Ant2	5670	-2.86	0.02	0.00	-2.84	≤11.00	PASS
	total	5670	---	---	---	2.62	≤11.00	PASS
	Ant1	5710_UNII-2C	1.27	0.02	0.00	1.29	≤11.00	PASS
	Ant2	5710_UNII-2C	-2.8	0.04	0.00	-2.76	≤11.00	PASS
	total	5710_UNII-2C	---	---	---	2.73	≤11.00	PASS
	Ant1	5710_UNII-3	-2.96	0.02	0.00	-2.94	≤30.00	PASS
	Ant2	5710_UNII-3	-6.96	0.04	0.00	-6.92	≤30.00	PASS
	total	5710_UNII-3	---	---	---	-1.48	≤30.00	PASS
	Ant1	5755	-1.55	0.00	0.00	-1.55	≤30.00	PASS
	Ant2	5755	-5.3	0.00	0.00	-5.30	≤30.00	PASS
	total	5755	---	---	---	-0.02	≤30.00	PASS
	Ant1	5795	-1.69	0.00	0.00	-1.69	≤30.00	PASS
	Ant2	5795	-4.99	0.02	0.00	-4.97	≤30.00	PASS
	total	5795	---	---	---	-0.02	≤30.00	PASS
11AX80MIMO	Ant1	5210	-2.17	0.02	0.00	-2.15	≤11.00	PASS
	Ant2	5210	-9.86	0.00	0.00	-9.86	≤11.00	PASS
	total	5210	---	---	---	-1.47	≤11.00	PASS

Test Report No.: RF260714B015

	Ant1	5290	-1.68	0.02	0.00	-1.66	≤11.00	PASS
	Ant2	5290	-9.34	0.00	0.00	-9.34	≤11.00	PASS
	total	5290	---	---	---	-0.98	≤11.00	PASS
	Ant1	5530	-2.23	0.00	0.00	-2.23	≤11.00	PASS
	Ant2	5530	-7.88	0.00	0.00	-7.88	≤11.00	PASS
	total	5530	---	---	---	-1.18	≤11.00	PASS
	Ant1	5610	-1.87	0.02	0.00	-1.85	≤11.00	PASS
	Ant2	5610	-6.72	0.00	0.00	-6.72	≤11.00	PASS
	total	5610	---	---	---	-0.63	≤11.00	PASS
	Ant1	5690_UNII-2C	-1.89	0.04	0.00	-1.85	≤11.00	PASS
	Ant2	5690_UNII-2C	-6.04	0.03	0.00	-6.01	≤11.00	PASS
	total	5690_UNII-2C	---	---	---	-0.44	≤11.00	PASS
	Ant1	5690_UNII-3	-7.47	0.04	0.00	-7.43	≤30.00	PASS
	Ant2	5690_UNII-3	-10.61	0.03	0.00	-10.58	≤30.00	PASS
	total	5690_UNII-3	---	---	---	-5.72	≤30.00	PASS
	Ant1	5775	-4.89	0.00	0.00	-4.89	≤30.00	PASS
	Ant2	5775	-8.26	0.00	0.00	-8.26	≤30.00	PASS
	total	5775	---	---	---	-3.25	≤30.00	PASS
11AX160MIMO	Ant1	5250_UNII-1	-4.88	0.02	0.00	-4.86	≤11.00	PASS
	Ant2	5250_UNII-1	-12.64	0.01	0.00	-12.63	≤11.00	PASS
	total	5250_UNII-1	---	---	---	-4.19	≤11.00	PASS
	Ant1	5250_UNII-2A	-4.62	0.02	0.00	-4.60	≤11.00	PASS
	Ant2	5250_UNII-2A	-13.04	0.01	0.00	-13.03	≤11.00	PASS
	total	5250_UNII-2A	---	---	---	-4.02	≤11.00	PASS
	Ant1	5570	-4.8	0.00	0.00	-4.80	≤11.00	PASS
	Ant2	5570	-9.81	0.00	0.00	-9.81	≤11.00	PASS
	total	5570	---	---	---	-3.61	≤11.00	PASS
11BE20MIMO	Ant1	5180	3.95	0.00	0.00	3.95	≤11.00	PASS
	Ant2	5180	-4.21	0.14	0.00	-4.07	≤11.00	PASS
	total	5180	---	---	---	4.59	≤11.00	PASS

Test Report No.: RF260714B015

	Ant1	5200	3.8	0.04	0.00	3.84	≤11.00	PASS
	Ant2	5200	-3.89	0.02	0.00	-3.87	≤11.00	PASS
	total	5200	---	---	---	4.52	≤11.00	PASS
	Ant1	5240	4.06	0.04	0.00	4.10	≤11.00	PASS
	Ant2	5240	-3.86	0.03	0.00	-3.83	≤11.00	PASS
	total	5240	---	---	---	4.75	≤11.00	PASS
	Ant1	5260	4.51	0.00	0.00	4.51	≤11.00	PASS
	Ant2	5260	-4.22	0.00	0.00	-4.22	≤11.00	PASS
	total	5260	---	---	---	5.06	≤11.00	PASS
	Ant1	5300	3.96	0.03	0.00	3.99	≤11.00	PASS
	Ant2	5300	4.19	0.00	0.00	4.19	≤11.00	PASS
	total	5300	---	---	---	7.10	≤11.00	PASS
	Ant1	5320	4.09	0.03	0.00	4.12	≤11.00	PASS
	Ant2	5320	-3.59	0.02	0.00	-3.57	≤11.00	PASS
	total	5320	---	---	---	4.80	≤11.00	PASS
	Ant1	5500	4.04	0.00	0.00	4.04	≤11.00	PASS
	Ant2	5500	-2.04	0.00	0.00	-2.04	≤11.00	PASS
	total	5500	---	---	---	5.00	≤11.00	PASS
	Ant1	5580	3.84	0.03	0.00	3.87	≤11.00	PASS
	Ant2	5580	-1.01	0.04	0.00	-0.97	≤11.00	PASS
	total	5580	---	---	---	5.10	≤11.00	PASS
	Ant1	5700	4.37	0.04	0.00	4.41	≤11.00	PASS
	Ant2	5700	-0.27	0.03	0.00	-0.24	≤11.00	PASS
	total	5700	---	---	---	5.69	≤11.00	PASS
	Ant1	5720_UNII-2C	3.98	0.03	0.00	4.01	≤11.00	PASS
	Ant2	5720_UNII-2C	3.94	0.03	0.00	3.97	≤11.00	PASS
	total	5720_UNII-2C	---	---	---	7.00	≤11.00	PASS
	Ant1	5720_UNII-3	0.84	0.03	0.00	0.87	≤30.00	PASS
	Ant2	5720_UNII-3	1.12	0.03	0.00	1.15	≤30.00	PASS
	total	5720_UNII-3	---	---	---	4.02	≤30.00	PASS
	Ant1	5745	1.12	0.00	0.00	1.12	≤30.00	PASS
	Ant2	5745	-2.23	0.00	0.00	-2.23	≤30.00	PASS
	total	5745	---	---	---	2.77	≤30.00	PASS

Test Report No.: RF260714B015

	Ant1	5785	0.83	0.04	0.00	0.87	≤30.00	PASS
	Ant2	5785	-2.43	0.03	0.00	-2.40	≤30.00	PASS
	total	5785	---	---	---	2.55	≤30.00	PASS
	Ant1	5825	1.37	0.03	0.00	1.40	≤30.00	PASS
	Ant2	5825	-1.91	0.04	0.00	-1.87	≤30.00	PASS
	total	5825	---	---	---	3.08	≤30.00	PASS
11BE40MIMO	Ant1	5190	0.63	0.00	0.00	0.63	≤11.00	PASS
	Ant2	5190	-7.18	0.00	0.00	-7.18	≤11.00	PASS
	total	5190	---	---	---	1.30	≤11.00	PASS
	Ant1	5230	0.66	0.04	0.00	0.70	≤11.00	PASS
	Ant2	5230	-7.09	0.04	0.00	-7.05	≤11.00	PASS
	total	5230	---	---	---	1.37	≤11.00	PASS
	Ant1	5270	0.97	0.02	0.00	0.99	≤11.00	PASS
	Ant2	5270	-7.28	0.02	0.00	-7.26	≤11.00	PASS
	total	5270	---	---	---	1.60	≤11.00	PASS
	Ant1	5310	1.21	0.00	0.00	1.21	≤11.00	PASS
	Ant2	5310	-6.72	0.02	0.00	-6.70	≤11.00	PASS
	total	5310	---	---	---	1.86	≤11.00	PASS
	Ant1	5510	0.42	0.02	0.00	0.44	≤11.00	PASS
	Ant2	5510	-5.24	0.02	0.00	-5.22	≤11.00	PASS
	total	5510	---	---	---	1.48	≤11.00	PASS
	Ant1	5550	0.9	0.02	0.00	0.92	≤11.00	PASS
	Ant2	5550	-4.62	0.03	0.00	-4.59	≤11.00	PASS
	total	5550	---	---	---	2.00	≤11.00	PASS
	Ant1	5670	1.19	0.04	0.00	1.23	≤11.00	PASS
	Ant2	5670	0.92	0.03	0.00	0.95	≤11.00	PASS
	total	5670	---	---	---	4.10	≤11.00	PASS
	Ant1	5710_UNII-2C	1.15	0.00	0.00	1.15	≤11.00	PASS
	Ant2	5710_UNII-2C	0.96	0.02	0.00	0.98	≤11.00	PASS
	total	5710_UNII-2C	---	---	---	4.08	≤11.00	PASS
	Ant1	5710_UNII-3	-3.16	0.00	0.00	-3.16	≤30.00	PASS
	Ant2	5710_UNII-3	-2.74	0.02	0.00	-2.72	≤30.00	PASS
	total	5710_UNII-3	---	---	---	0.08	≤30.00	PASS

Test Report No.: RF260714B015

	Ant1	5755	-1.78	0.02	0.00	-1.76	≤30.00	PASS
	Ant2	5755	-2.27	0.01	0.00	-2.26	≤30.00	PASS
	total	5755	---	---	---	1.01	≤30.00	PASS
	Ant1	5795	-2.12	0.03	0.00	-2.09	≤30.00	PASS
	Ant2	5795	-2.38	0.04	0.00	-2.34	≤30.00	PASS
	total	5795	---	---	---	0.80	≤30.00	PASS
11BE80MIMO	Ant1	5210	-3.12	0.00	0.00	-3.12	≤11.00	PASS
	Ant2	5210	-2.48	0.03	0.00	-2.45	≤11.00	PASS
	total	5210	---	---	---	0.24	≤11.00	PASS
	Ant1	5290	-2.45	0.03	0.00	-2.42	≤11.00	PASS
	Ant2	5290	-2.27	0.00	0.00	-2.27	≤11.00	PASS
	total	5290	---	---	---	0.67	≤11.00	PASS
	Ant1	5530	-2.75	0.04	0.00	-2.71	≤11.00	PASS
	Ant2	5530	-2.51	0.04	0.00	-2.47	≤11.00	PASS
	total	5530	---	---	---	0.42	≤11.00	PASS
	Ant1	5610	-2.27	0.03	0.00	-2.24	≤11.00	PASS
	Ant2	5610	-2.39	0.03	0.00	-2.36	≤11.00	PASS
	total	5610	---	---	---	0.71	≤11.00	PASS
	Ant1	5690_UNII-2C	-1.81	0.04	0.00	-1.77	≤11.00	PASS
	Ant2	5690_UNII-2C	-2.29	0.03	0.00	-2.26	≤11.00	PASS
	total	5690_UNII-2C	---	---	---	1.00	≤11.00	PASS
	Ant1	5690_UNII-3	-7.76	0.04	0.00	-7.72	≤30.00	PASS
	Ant2	5690_UNII-3	-7.11	0.03	0.00	-7.08	≤30.00	PASS
	total	5690_UNII-3	---	---	---	-4.38	≤30.00	PASS
	Ant1	5775	-4.72	0.04	0.00	-4.68	≤30.00	PASS
	Ant2	5775	-5.17	0.04	0.00	-5.13	≤30.00	PASS
	total	5775	---	---	---	-1.89	≤30.00	PASS
11BE160MIMO	Ant1	5250_UNII-1	-5.44	0.03	0.00	-5.41	≤11.00	PASS
	Ant2	5250_UNII-1	-6.21	0.02	0.00	-6.19	≤11.00	PASS
	total	5250_UNII-1	---	---	---	-2.77	≤11.00	PASS
	Ant1	5250_UNII-2A	-5.55	0.03	0.00	-5.52	≤11.00	PASS


Test Report No.: RF260714B015

	Ant2	5250_UNII-2A	-5.92	0.02	0.00	-5.90	≤11.00	PASS
	total	5250_UNII-2A	---	---	---	-2.70	≤11.00	PASS
	Ant1	5570	-5.08	0.00	0.00	-5.08	≤11.00	PASS
	Ant2	5570	-4.71	0.00	0.00	-4.71	≤11.00	PASS
	total	5570	---	---	---	-1.88	≤11.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.


11A-CDD_Ant1_5180




11A-CDD_Ant2_5180




11A-CDD_Ant1_5200




11A-CDD_Ant2_5200




11A-CDD_Ant1_5240




11A-CDD_Ant2_5240




11A-CDD_Ant1_5260




11A-CDD_Ant2_5260




11A-CDD_Ant1_5300




11A-CDD_Ant2_5300




11A-CDD_Ant1_5320




11A-CDD_Ant2_5320




11A-CDD_Ant1_5500




11A-CDD_Ant2_5500




11A-CDD_Ant1_5580




11A-CDD_Ant2_5580




11A-CDD_Ant1_5700




11A-CDD_Ant2_5700




11A-CDD_Ant1_5720_UNII-2C




11A-CDD_Ant2_5720_UNII-2C




11A-CDD_Ant1_5720_UNII-3




11A-CDD_Ant2_5720_UNII-3




11A-CDD_Ant1_5745




11A-CDD_Ant2_5745




11A-CDD_Ant1_5785




11A-CDD_Ant2_5785




11A-CDD_Ant1_5825




11A-CDD_Ant2_5825




11N20MIMO_Ant1_5180




11N20MIMO_Ant2_5180



11N20MIMO_Ant1_5200



11N20MIMO_Ant2_5200



11N20MIMO_Ant1_5240