












REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5180MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,126.200	58.40	74.00	15.60	44.32	V	33	1.00
2	5,150.000	57.81	74.00	16.19	44.33	V	352.6	1.00
2	5,196.100	106.31			44.44	V	256.4	1.00






REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5200MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,114.500	58.15	74.00	15.85	44.31	V	238.6	1.00
3	5,150.000	57.09	74.00	16.91	44.33	V	316.4	2.00
3	5,239.000	106.57			44.16	V	359.1	1.00








REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5240MHz: Fundamental frequency.

Test Report No.: RF260714B015











REMARKS:


4. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
5. Margin value = Limit value- Emission level.
6. 5180MHz: Fundamental frequency.




ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,145.400	43.65	54.00	10.35	44.33	H	328.3	2.00
2	5,150.000	43.58	54.00	10.42	44.33	H	5	1.00
2	5,191.300	99.12			44.43	H	5	1.00











REMARKS:

4. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
5. Margin value = Limit value- Emission level.
6. 5200MHz: Fundamental frequency.










REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- Margin value = Limit value- Emission level.
- 5240MHz: Fundamental frequency.

Test Report No.: RF260714B015




ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,148.250	43.74	54.00	10.26	44.33	H	345	1.00
1	5,149.780	44.05	54.00	9.95	44.33	H	1	1.00
1	5,171.560	96.10			44.38	H	5	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,143.480	59.29	74.00	14.71	44.33	V	315.1	2.00
1	5,150.000	56.97	74.00	17.03	44.33	V	264.9	2.00
1	5,173.900	104.08			44.39	V	1	1.00






REMARKS:

7. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
8. Margin value = Limit value- Emission level.
9. 5180MHz: Fundamental frequency.



ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,148.700	44.12	54.00	9.88	44.33	H	359	1.00
2	5,150.000	44.13	54.00	9.87	44.33	H	359	1.00
2	5,195.800	97.82			44.44	H	4.5	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,119.900	58.74	74.00	15.26	44.31	V	293.6	2.00
2	5,150.000	58.29	74.00	15.71	44.33	V	359	2.00
2	5,196.100	108.29			44.44	V	177.7	1.00

