


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,111.313	47.02	54.00	6.98	44.31	H	316.4	2.00
8	5,150.000	45.21	54.00	8.79	44.33	H	316.4	2.00
8	5,244.750	86.39			44.12	H	291.1	1.00
8	5,350.000	45.56	54.00	8.44	43.65	H	243.4	1.00
8	5,354.125	45.87	54.00	8.13	43.67	H	243.4	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,117.875	60.60	74.00	13.40	44.31	V	314.1	2.00
8	5,150.000	56.90	74.00	17.10	44.33	V	167	2.00
8	5,260.500	98.98			43.99	V	70.2	2.00
8	5,350.000	58.69	74.00	15.31	43.65	V	334.2	1.00
8	5,409.688	59.62	74.00	14.38	43.91	V	43.7	1.00







REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5210MHz: Fundamental frequency.


Test Report No.: RF260714B015






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,119.720	58.86	74.00	15.14	44.31	V	359	2.00
1	5,150.000	57.35	74.00	16.65	44.33	V	0.9	2.00
1	5,177.950	107.22			44.40	V	355	2.00






REMARKS:

- 4 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 5 Margin value = Limit value- Emission level.
- 6 5180MHz: Fundamental frequency.




ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.000	44.06	54.00	9.94	44.33	H	329.4	2.00
2	5,150.000	44.16	54.00	9.84	44.33	H	329.4	2.00
2	5,201.800	97.45			44.41	H	258.9	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,119.000	58.42	74.00	15.58	44.31	V	150.1	1.00
2	5,150.000	57.37	74.00	16.63	44.33	V	224.2	1.00
2	5,200.900	106.56			44.42	V	150.1	1.00





REMARKS:

- 4 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 5 Margin value = Limit value- Emission level.
- 6 5200MHz: Fundamental frequency.




ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,118.250	43.84	54.00	10.16	44.31	H	317.6	2.00
3	5,150.000	43.73	54.00	10.27	44.33	H	355.6	2.00
3	5,241.625	98.06			44.14	H	280.4	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,115.625	58.75	74.00	15.25	44.31	V	5.1	1.00
3	5,150.000	57.34	74.00	16.66	44.33	V	269.8	2.00
3	5,237.130	107.52			44.17	V	279.2	1.00






REMARKS:


- 4 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 5 Margin value = Limit value- Emission level.
- 6 5240MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,146.000	60.20	74.00	13.80	44.33	V	288.7	1.00
1	5,150.000	59.39	74.00	14.61	44.33	V	191.9	1.00
1	5,192.500	105.97			44.44	V	5.1	1.00






REMARKS:


- 4 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 5 Margin value = Limit value- Emission level.
- 6 5190MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,119.450	58.88	74.00	15.12	44.31	V	238.8	1.00
2	5,150.000	58.26	74.00	15.74	44.33	V	217.1	2.00
2	5,235.300	105.69			44.18	V	189.7	1.00






REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5230MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,146.550	61.76	74.00	12.24	44.33	V	282.7	1.00
10	5,150.000	59.41	74.00	14.59	44.33	V	282.7	1.00
10	5,228.580	103.62			44.23	V	185.9	1.00





REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5210MHz: Fundamental frequency.