



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,310.033	98.90			43.65	V	359.1	1.00
1	5,350.000	59.56	74.00	14.44	43.65	V	357	1.00
1	5,363.567	60.97	74.00	13.03	43.71	V	232.6	1.00








REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5290MHz: Fundamental frequency.

Test Report No.: RF260714B015











REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5260MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,307.500	106.40			43.65	V	30.6	1.00
5	5,350.000	60.04	74.00	13.96	43.65	V	101.1	1.00
5	5,350.700	59.20	74.00	14.80	43.66	V	135.7	1.00






REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5300MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,312.800	106.70			43.65	V	5	1.00
6	5,350.000	58.44	74.00	15.56	43.65	V	277.9	1.00
6	5,367.200	59.55	74.00	14.45	43.72	V	1	1.00







REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5320MHz: Fundamental frequency.


Test Report No.: RF260714B015






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,251.300	105.87			44.07	V	95.2	1.00
4	5,350.575	58.93	74.00	15.07	43.65	V	95.2	1.00
4	5,361.025	59.53	74.00	14.47	43.70	V	243.4	1.00






REMARKS:

- 4 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 5 Margin value = Limit value- Emission level.
- 6 5260MHz: Fundamental frequency.




ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,299.100	94.45			43.65	H	359	1.00
5	5,350.000	44.47	54.00	9.53	43.65	H	359	2.00
5	5,354.000	44.53	54.00	9.47	43.67	H	288.8	2.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,299.100	102.60			43.65	V	226.6	1.00
5	5,350.100	58.57	74.00	15.43	43.65	V	0.9	2.00
5	5,369.300	59.28	74.00	14.72	43.73	V	151.3	1.00






REMARKS:

- 4 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 5 Margin value = Limit value- Emission level.
- 6 5300MHz: Fundamental frequency.




ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,328.400	94.37			43.65	H	345.1	1.00
6	5,350.000	44.37	54.00	9.63	43.65	H	14.2	2.00
6	5,353.600	44.45	54.00	9.55	43.67	H	0.9	2.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,329.200	102.54			43.65	V	96.3	1.00
6	5,350.000	58.57	74.00	15.43	43.65	V	43.7	1.00
6	5,382.000	59.27	74.00	14.73	43.78	V	298.3	1.00






REMARKS:

- 4 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 5 Margin value = Limit value- Emission level.
- 6 5320MHz: Fundamental frequency.




ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,251.300	97.27			44.07	H	359	1.00
4	5,350.000	44.37	54.00	9.63	43.65	H	297.1	1.00
4	5,359.125	44.58	54.00	9.42	43.69	H	0.9	2.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,251.300	102.72			44.07	V	176.5	1.00
4	5,350.000	58.04	74.00	15.96	43.65	V	0.9	2.00
4	5,356.750	59.30	74.00	14.70	43.68	V	176.5	1.00





REMARKS:

- 7 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 8 Margin value = Limit value- Emission level.
- 9 5260MHz: Fundamental frequency.