



Test Report No.: RF260714B018






Test Report No.: RF260714B018




Test Report No.: RF260714B018







Test Report No.: RF260714B018




Test Report No.: RF260714B018



Test Report No.: RF260714B018




Test Report No.: RF260714B018






Test Report No.: RF260714B018




Test Report No.: RF260714B018





Test Report No.: RF260714B018




BOOMWAVE TEST (SHENZHEN)
CO., LTD.


Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com


Test Report No.: RF260714B018



Test Report No.: RF260714B018



Test Report No.: RF260714B018




BOOMWAVE TEST (SHENZHEN)
CO., LTD.


Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com


Test Report No.: RF260714B018




Test Report No.: RF260714B018



Test Report No.: RF260714B018



Test Report No.: RF260714B018





Test Report No.: RF260714B018

CONDUCTED SPURIOUS EMISSION TEST RESULT

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant6	5955	30~3000	2732.6	-38.63	≤-27	PASS
11AX20MIMO	Ant7	5955	30~3000	2580.44	-39.41	≤-27	PASS
11AX20MIMO	Ant6	5955	3000~10000	5086.93	-40.81	≤-27	PASS
11AX20MIMO	Ant7	5955	3000~10000	3205.8	-40.8	≤-27	PASS
11AX20MIMO	Ant6	5955	10000~40000	23003.87	-33.33	≤-27	PASS
11AX20MIMO	Ant7	5955	10000~40000	23763.2	-33.14	≤-27	PASS
11AX20MIMO	Ant6	6175	30~3000	2353.33	-40.99	≤-27	PASS
11AX20MIMO	Ant7	6175	30~3000	2575.79	-40.16	≤-27	PASS
11AX20MIMO	Ant6	6175	3000~10000	5945.6	-40.23	≤-27	PASS
11AX20MIMO	Ant7	6175	3000~10000	3247.57	-41.8	≤-27	PASS
11AX20MIMO	Ant6	6175	10000~40000	23103.6	-33.94	≤-27	PASS
11AX20MIMO	Ant7	6175	10000~40000	24735.6	-32.99	≤-27	PASS
11AX20MIMO	Ant6	6415	30~3000	2705.48	-39.63	≤-27	PASS
11AX20MIMO	Ant7	6415	30~3000	2447.18	-40.56	≤-27	PASS
11AX20MIMO	Ant6	6415	3000~10000	6497.2	-41.11	≤-27	PASS
11AX20MIMO	Ant7	6415	3000~10000	3217.93	-40.44	≤-27	PASS
11AX20MIMO	Ant6	6415	10000~40000	24606.97	-34.2	≤-27	PASS
11AX20MIMO	Ant7	6415	10000~40000	24885.2	-33.7	≤-27	PASS
11AX20MIMO	Ant6	6435	30~3000	2609.25	-40.17	≤-27	PASS
11AX20MIMO	Ant7	6435	30~3000	2670.53	-39.76	≤-27	PASS
11AX20MIMO	Ant6	6435	3000~10000	6183.83	-40.8	≤-27	PASS
11AX20MIMO	Ant7	6435	3000~10000	5970.1	-41.39	≤-27	PASS
11AX20MIMO	Ant6	6435	10000~40000	23030.5	-33.98	≤-27	PASS
11AX20MIMO	Ant7	6435	10000~40000	24810.4	-33.81	≤-27	PASS
11AX20MIMO	Ant6	6475	30~3000	2441.05	-40.59	≤-27	PASS
11AX20MIMO	Ant7	6475	30~3000	2771.41	-40.15	≤-27	PASS
11AX20MIMO	Ant6	6475	3000~10000	5337.53	-41.3	≤-27	PASS
11AX20MIMO	Ant7	6475	3000~10000	3187.13	-41.01	≤-27	PASS
11AX20MIMO	Ant6	6475	10000~40000	24869.33	-33.45	≤-27	PASS
11AX20MIMO	Ant7	6475	10000~40000	24276.6	-34.14	≤-27	PASS
11AX20MIMO	Ant6	6515	30~3000	2456.59	-40.83	≤-27	PASS
11AX20MIMO	Ant7	6515	30~3000	2574.8	-40.22	≤-27	PASS
11AX20MIMO	Ant6	6515	3000~10000	5612.63	-41.58	≤-27	PASS
11AX20MIMO	Ant7	6515	3000~10000	3232.63	-40.63	≤-27	PASS
11AX20MIMO	Ant6	6515	10000~40000	22849.73	-33.4	≤-27	PASS
11AX20MIMO	Ant7	6515	10000~40000	22567.53	-33.69	≤-27	PASS
11AX20MIMO	Ant6	6535	30~3000	1380.36	-40.26	≤-27	PASS
11AX20MIMO	Ant7	6535	30~3000	2504.7	-39.83	≤-27	PASS
11AX20MIMO	Ant6	6535	3000~10000	5530.27	-40.94	≤-27	PASS
11AX20MIMO	Ant7	6535	3000~10000	5170	-41.18	≤-27	PASS
11AX20MIMO	Ant6	6535	10000~40000	24945.83	-33.85	≤-27	PASS
11AX20MIMO	Ant7	6535	10000~40000	23007.27	-33.71	≤-27	PASS
11AX20MIMO	Ant6	6695	30~3000	2739.23	-38.32	≤-27	PASS
11AX20MIMO	Ant7	6695	30~3000	2656.97	-39.98	≤-27	PASS
11AX20MIMO	Ant6	6695	3000~10000	5983.17	-41.25	≤-27	PASS
11AX20MIMO	Ant7	6695	3000~10000	5225.53	-40.59	≤-27	PASS
11AX20MIMO	Ant6	6695	10000~40000	23147.8	-34.21	≤-27	PASS
11AX20MIMO	Ant7	6695	10000~40000	23730.33	-32.54	≤-27	PASS
11AX20MIMO	Ant6	6855	30~3000	2299.08	-38.92	≤-27	PASS

Test Report No.: RF260714B018

11AX20MIMO	Ant7	6855	30~3000	2466.59	-38.54	≤-27	PASS
11AX20MIMO	Ant6	6855	3000~10000	5009.47	-40.76	≤-27	PASS
11AX20MIMO	Ant7	6855	3000~10000	5702.7	-40.85	≤-27	PASS
11AX20MIMO	Ant6	6855	10000~40000	22960.8	-33.29	≤-27	PASS
11AX20MIMO	Ant7	6855	10000~40000	23094.53	-32.87	≤-27	PASS
11AX20MIMO	Ant6	6875	30~3000	2592.52	-39.96	≤-27	PASS
11AX20MIMO	Ant7	6875	30~3000	2324.72	-40.14	≤-27	PASS
11AX20MIMO	Ant6	6875	3000~10000	4927.1	-40.16	≤-27	PASS
11AX20MIMO	Ant7	6875	3000~10000	4984.27	-39.42	≤-27	PASS
11AX20MIMO	Ant6	6875	10000~40000	24830.23	-32.8	≤-27	PASS
11AX20MIMO	Ant7	6875	10000~40000	23439.63	-33.02	≤-27	PASS
11AX20MIMO	Ant6	6895	30~3000	2849.32	-40.01	≤-27	PASS
11AX20MIMO	Ant7	6895	30~3000	2468.77	-37.21	≤-27	PASS
11AX20MIMO	Ant6	6895	3000~10000	6992.1	-40.5	≤-27	PASS
11AX20MIMO	Ant7	6895	3000~10000	3570.03	-39.6	≤-27	PASS
11AX20MIMO	Ant6	6895	10000~40000	24916.93	-33.57	≤-27	PASS
11AX20MIMO	Ant7	6895	10000~40000	23420.37	-33.98	≤-27	PASS
11AX20MIMO	Ant6	6995	30~3000	2438.18	-40.2	≤-27	PASS
11AX20MIMO	Ant7	6995	30~3000	2379.86	-39.94	≤-27	PASS
11AX20MIMO	Ant6	6995	3000~10000	4744.87	-39.58	≤-27	PASS
11AX20MIMO	Ant7	6995	3000~10000	5155.53	-39.51	≤-27	PASS
11AX20MIMO	Ant6	6995	10000~40000	22990.83	-34.09	≤-27	PASS
11AX20MIMO	Ant7	6995	10000~40000	24863.1	-32.24	≤-27	PASS
11AX20MIMO	Ant6	7115	30~3000	2580.83	-39.68	≤-27	PASS
11AX20MIMO	Ant7	7115	30~3000	2135.14	-40.32	≤-27	PASS
11AX20MIMO	Ant6	7115	3000~10000	3037.33	-40.75	≤-27	PASS
11AX20MIMO	Ant7	7115	3000~10000	3353.03	-41.6	≤-27	PASS
11AX20MIMO	Ant6	7115	10000~40000	22975.53	-33.41	≤-27	PASS
11AX20MIMO	Ant7	7115	10000~40000	23010.1	-33.24	≤-27	PASS
11AX40MIMO	Ant6	5965	30~3000	2485.1	-39.48	≤-27	PASS
11AX40MIMO	Ant7	5965	30~3000	2691.52	-39.35	≤-27	PASS
11AX40MIMO	Ant6	5965	3000~10000	5164.87	-40.16	≤-27	PASS
11AX40MIMO	Ant7	5965	3000~10000	5202.67	-39.85	≤-27	PASS
11AX40MIMO	Ant6	5965	10000~40000	23025.4	-33.42	≤-27	PASS
11AX40MIMO	Ant7	5965	10000~40000	24935.07	-32.47	≤-27	PASS
11AX40MIMO	Ant6	6165	30~3000	2564.6	-40.44	≤-27	PASS
11AX40MIMO	Ant7	6165	30~3000	2754.38	-40.19	≤-27	PASS
11AX40MIMO	Ant6	6165	3000~10000	6377.5	-40.98	≤-27	PASS
11AX40MIMO	Ant7	6165	3000~10000	6792.13	-41.17	≤-27	PASS
11AX40MIMO	Ant6	6165	10000~40000	23032.2	-33.5	≤-27	PASS
11AX40MIMO	Ant7	6165	10000~40000	24692.53	-33.68	≤-27	PASS
11AX40MIMO	Ant6	6405	30~3000	2507.57	-40.32	≤-27	PASS
11AX40MIMO	Ant7	6405	30~3000	2547.77	-40.18	≤-27	PASS
11AX40MIMO	Ant6	6405	3000~10000	6552.27	-41.09	≤-27	PASS
11AX40MIMO	Ant7	6405	3000~10000	3201.83	-41.23	≤-27	PASS
11AX40MIMO	Ant6	6405	10000~40000	25290.93	-33.11	≤-27	PASS
11AX40MIMO	Ant7	6405	10000~40000	24790.57	-33.15	≤-27	PASS
11AX40MIMO	Ant6	6445	30~3000	2405.11	-40.15	≤-27	PASS
11AX40MIMO	Ant7	6445	30~3000	2801.51	-40.45	≤-27	PASS
11AX40MIMO	Ant6	6445	3000~10000	5233.47	-40.85	≤-27	PASS
11AX40MIMO	Ant7	6445	3000~10000	5038.17	-40.55	≤-27	PASS
11AX40MIMO	Ant6	6445	10000~40000	25300.57	-33.94	≤-27	PASS
11AX40MIMO	Ant7	6445	10000~40000	24682.9	-33.89	≤-27	PASS
11AX40MIMO	Ant6	6485	30~3000	2562.12	-39.36	≤-27	PASS



Test Report No.: RF260714B018

11AX40MIMO	Ant7	6485	30~3000	2550.05	-39.73	≤-27	PASS
11AX40MIMO	Ant6	6485	3000~10000	5593.03	-40.94	≤-27	PASS
11AX40MIMO	Ant7	6485	3000~10000	5901.03	-40.15	≤-27	PASS
11AX40MIMO	Ant6	6485	10000~40000	24968.5	-33.55	≤-27	PASS
11AX40MIMO	Ant7	6485	10000~40000	25832.67	-34.22	≤-27	PASS
11AX40MIMO	Ant6	6525	30~3000	2450.06	-40.16	≤-27	PASS
11AX40MIMO	Ant7	6525	30~3000	2725.37	-40.19	≤-27	PASS
11AX40MIMO	Ant6	6525	3000~10000	4981.47	-41.06	≤-27	PASS
11AX40MIMO	Ant7	6525	3000~10000	5192.17	-39.52	≤-27	PASS
11AX40MIMO	Ant6	6525	10000~40000	24664.2	-34.19	≤-27	PASS
11AX40MIMO	Ant7	6525	10000~40000	24239.2	-34.15	≤-27	PASS
11AX40MIMO	Ant6	6565	30~3000	2535.59	-39.96	≤-27	PASS
11AX40MIMO	Ant7	6565	30~3000	2576.38	-39.83	≤-27	PASS
11AX40MIMO	Ant6	6565	3000~10000	7877.6	-39.79	≤-27	PASS
11AX40MIMO	Ant7	6565	3000~10000	5102.57	-40.49	≤-27	PASS
11AX40MIMO	Ant6	6565	10000~40000	24820.03	-33.9	≤-27	PASS
11AX40MIMO	Ant7	6565	10000~40000	22951.17	-33.36	≤-27	PASS
11AX40MIMO	Ant6	6685	30~3000	2608.95	-40.63	≤-27	PASS
11AX40MIMO	Ant7	6685	30~3000	2467.18	-40.5	≤-27	PASS
11AX40MIMO	Ant6	6685	3000~10000	4833.3	-41.24	≤-27	PASS
11AX40MIMO	Ant7	6685	3000~10000	5541.47	-40.71	≤-27	PASS
11AX40MIMO	Ant6	6685	10000~40000	24803.6	-33.06	≤-27	PASS
11AX40MIMO	Ant7	6685	10000~40000	25148.7	-33.75	≤-27	PASS
11AX40MIMO	Ant7	6845	30~3000	2605.78	-39.87	≤-27	PASS
11AX40MIMO	Ant6	6845	30~3000	2599.45	-40.14	≤-27	PASS
11AX40MIMO	Ant7	6845	3000~10000	4949.03	-40.77	≤-27	PASS
11AX40MIMO	Ant6	6845	3000~10000	5114.7	-40.36	≤-27	PASS
11AX40MIMO	Ant6	6845	10000~40000	23602.83	-33.04	≤-27	PASS
11AX40MIMO	Ant7	6845	10000~40000	23074.13	-33.75	≤-27	PASS
11AX40MIMO	Ant6	6885	30~3000	2043.86	-39.97	≤-27	PASS
11AX40MIMO	Ant7	6885	30~3000	2597.66	-39.25	≤-27	PASS
11AX40MIMO	Ant6	6885	3000~10000	6172.17	-40.32	≤-27	PASS
11AX40MIMO	Ant7	6885	3000~10000	4905.4	-39.45	≤-27	PASS
11AX40MIMO	Ant6	6885	10000~40000	23041.27	-33.41	≤-27	PASS
11AX40MIMO	Ant7	6885	10000~40000	23488.37	-33.16	≤-27	PASS
11AX40MIMO	Ant6	6925	30~3000	2580.74	-40.33	≤-27	PASS
11AX40MIMO	Ant7	6925	30~3000	2819.23	-39.57	≤-27	PASS
11AX40MIMO	Ant6	6925	3000~10000	3334.83	-40.89	≤-27	PASS
11AX40MIMO	Ant7	6925	3000~10000	3093.33	-40.33	≤-27	PASS
11AX40MIMO	Ant6	6925	10000~40000	24827.97	-33.69	≤-27	PASS
11AX40MIMO	Ant7	6925	10000~40000	24873.87	-33.3	≤-27	PASS
11AX40MIMO	Ant6	6965	30~3000	2554.3	-39.75	≤-27	PASS
11AX40MIMO	Ant7	6965	30~3000	2589.55	-38.8	≤-27	PASS
11AX40MIMO	Ant6	6965	3000~10000	5966.83	-40.98	≤-27	PASS
11AX40MIMO	Ant7	6965	3000~10000	3093.8	-41.1	≤-27	PASS
11AX40MIMO	Ant6	6965	10000~40000	24771.87	-33.49	≤-27	PASS
11AX40MIMO	Ant7	6965	10000~40000	25226.9	-33.05	≤-27	PASS
11AX40MIMO	Ant6	7085	30~3000	2716.27	-39.99	≤-27	PASS
11AX40MIMO	Ant7	7085	30~3000	2727.65	-40.3	≤-27	PASS
11AX40MIMO	Ant6	7085	3000~10000	4952.77	-40.36	≤-27	PASS
11AX40MIMO	Ant7	7085	3000~10000	3218.17	-40.63	≤-27	PASS
11AX40MIMO	Ant6	7085	10000~40000	25203.67	-33.87	≤-27	PASS
11AX40MIMO	Ant7	7085	10000~40000	23054.87	-33.69	≤-27	PASS
11AX80MIMO	Ant6	5985	30~3000	2546.98	-40.06	≤-27	PASS

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com