


Test Report No.: RF260714B018


ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	7,076.500	99.66			15.25	V	11.5	1.00
2	7,269.500	61.05	88.20	27.15	15.92	V	1	2.00



Test Report No.: RF260714B018

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	7,091.500	84.55			15.31	V	91.8	2.00
2	7,231.500	45.41	68.20	22.79	15.95	V	335	1.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Emission level – Limit value.
- 7085MHz: Fundamental frequency.




Test Report No.: RF260714B018
802.11be (80MHz)

CHANNEL	TX Channel 7	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,893.297	54.20	88.20	34.00	14.09	H	341.3	1.00
1	5,963.530	101.54			13.76	H	359	1.00




Test Report No.: RF260714B018

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,898.625	40.24	68.20	27.96	14.10	H	273	1.00
1	5,987.750	87.24			13.82	H	359.1	1.00




Test Report No.: RF260714B018

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M								
Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,912.672	54.01	88.20	34.19	14.01	V	225.8	2.00
1	5,999.859	98.88			13.85	V	359.1	1.00



Test Report No.: RF260714B018

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,898.141	39.56	68.20	28.64	14.10	V	343	1.00
1	5,975.156	86.33			13.79	V	204.9	1.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Emission level – Limit value.
- 5985MHz: Fundamental frequency.

Test Report No.: RF260714B018

CHANNEL	TX Channel 215	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	7,000.000	96.54			14.75	H	4.8	1.00
2	7,133.500	59.68	88.20	28.52	15.57	H	359.1	1.00



Test Report No.: RF260714B018

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	6,998.500	85.13			14.75	H	304.1	1.00
2	7,243.000	45.46	68.20	22.74	15.91	H	292.6	2.00



Test Report No.: RF260714B018

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M								
Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	6,995.500	97.57			14.74	V	76.3	2.00
2	7,219.000	60.18	88.20	28.02	16.00	V	67.4	1.00



Test Report No.: RF260714B018

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	6,990.500	81.80			14.73	V	355.1	2.00
2	7,222.000	45.39	68.20	22.81	15.99	V	283	2.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Emission level – Limit value.
- 7025MHz: Fundamental frequency.




Test Report No.: RF260714B018
802.11be (160MHz)

CHANNEL	TX Channel 15	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,887.969	59.82	88.20	28.38	14.07	H	293.3	1.00
1	6,030.860	102.67			14.20	H	1	1.00




Test Report No.: RF260714B018

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,924.297	43.99	68.20	24.21	13.92	H	289.7	1.00
1	6,027.469	89.31			14.16	H	353.1	1.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,887.000	56.45	88.20	31.75	14.07	V	359.1	1.00
1	6,027.470	101.18			14.16	V	5.5	1.00



Test Report No.: RF260714B018

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,901.047	41.61	68.20	26.59	14.09	V	217.9	1.00
1	6,067.672	87.15			14.55	V	4.8	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Emission level – Limit value.
2. 6025MHz: Fundamental frequency.

Test Report No.: RF260714B018

CHANNEL	TX Channel 207	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	6,977.000	97.35			14.70	H	355.7	2.00
2	7,142.000	60.91	88.20	27.29	15.62	H	355.7	2.00




Test Report No.: RF260714B018

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	6,993.000	86.73			14.74	H	300.4	1.00
2	7,130.000	46.14	68.20	22.06	15.55	H	300.4	1.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	6,953.000	99.47			14.90	V	355.2	2.00
2	7,144.000	61.52	88.20	26.68	15.63	V	3.8	2.00



Test Report No.: RF260714B018

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	6,978.500	87.51			14.71	V	16	1.00
2	7,156.000	46.20	68.20	22.00	15.72	V	16	1.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Emission level – Limit value.
- 6985MHz: Fundamental frequency.




Test Report No.: RF260714B018
802.11be (320MHz)

CHANNEL	TX Channel 31	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,848.734	72.30	88.20	15.90	13.80	H	4.8	1.00
1	6,256.580	103.15			14.95	H	357.7	1.00



Test Report No.: RF260714B018


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,889.906	58.42	68.20	9.78	14.08	H	283.8	1.00
1	6,254.641	88.71			14.94	H	359	1.00



Test Report No.: RF260714B018

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,860.844	71.36	88.20	16.84	13.89	V	359	2.00
1	6,150.500	100.39			14.59	V	4.9	1.00



Test Report No.: RF260714B018

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,829.359	55.62	68.20	12.58	13.65	V	284.3	2.00
1	6,254.156	87.08			14.94	V	238.3	1.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Emission level – Limit value.
- 6025MHz: Fundamental frequency.

Test Report No.: RF260714B018

CHANNEL	TX Channel 191	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	6,773.000	98.50			14.79	H	1	1.00
2	7,222.000	64.39	88.20	23.81	15.99	H	359.1	1.00



Test Report No.: RF260714B018

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	6,753.000	83.59			14.65	H	359	1.00
2	7,210.000	48.33	68.20	19.87	16.04	H	1	1.00

