










Test Report No.: RF260714B018




Test Report No.: RF260714B018






Test Report No.: RF260714B018





Test Report No.: RF260714B018




BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com




Test Report No.: RF260714B018







Test Report No.: RF260714B018




NTNV-11BE160MIMO-Ant6-6185-996+484 OFDMA-1





NTNV-11BE160MIMO-Ant7-6185-996+484 OFDMA-1



NTNV-11BE160MIMO-Ant6-6345-996+484 OFDMA-1




NTNV-11BE160MIMO-Ant7-6345-996+484 OFDMA-1






Test Report No.: RF260714B018




Test Report No.: RF260714B018






Test Report No.: RF260714B018





Test Report No.: RF260714B018




BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA


Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260714B018



Test Report No.: RF260714B018





Test Report No.: RF260714B018

MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

Test Mode	Antenna	Channel	Ru Size	Ru Index	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE20MIMO	Ant6	5955	52+26_OFDMA	1	-1.68	≤22.83	1.17	-0.51	≤24.00	PASS
11BE20MIMO	Ant7	5955	52+26_OFDMA	1	-1.70	≤23.35	0.65	-1.05	≤24.00	PASS
11BE20MIMO	total	5955	52+26_OFDMA	1	1.32	≤22.83	1.17	2.49	≤24.00	PASS
11BE20MIMO	Ant6	5955	106+26_OFDMA	1	0.10	≤22.83	1.17	1.27	≤24.00	PASS
11BE20MIMO	Ant7	5955	106+26_OFDMA	1	-0.25	≤23.35	0.65	0.40	≤24.00	PASS
11BE20MIMO	total	5955	106+26_OFDMA	1	2.94	≤22.83	1.17	4.11	≤24.00	PASS
11BE20MIMO	Ant6	6175	52+26_OFDMA	1	-1.00	≤22.83	1.17	0.17	≤24.00	PASS
11BE20MIMO	Ant7	6175	52+26_OFDMA	1	-2.96	≤23.35	0.65	-2.31	≤24.00	PASS
11BE20MIMO	total	6175	52+26_OFDMA	1	1.14	≤22.83	1.17	2.31	≤24.00	PASS
11BE20MIMO	Ant6	6175	106+26_OFDMA	1	0.45	≤22.83	1.17	1.62	≤24.00	PASS
11BE20MIMO	Ant7	6175	106+26_OFDMA	1	-1.84	≤23.35	0.65	-1.19	≤24.00	PASS
11BE20MIMO	total	6175	106+26_OFDMA	1	2.46	≤22.83	1.17	3.63	≤24.00	PASS
11BE20MIMO	Ant6	6415	52+26_OFDMA	1	-1.50	≤22.83	1.17	-0.33	≤24.00	PASS
11BE20MIMO	Ant7	6415	52+26_OFDMA	1	-1.78	≤23.35	0.65	-1.13	≤24.00	PASS
11BE20MIMO	total	6415	52+26_OFDMA	1	1.37	≤22.83	1.17	2.54	≤24.00	PASS
11BE20MIMO	Ant6	6415	106+26_OFDMA	1	-0.16	≤22.83	1.17	1.01	≤24.00	PASS
11BE20MIMO	Ant7	6415	106+26_OFDMA	1	-0.81	≤23.35	0.65	-0.16	≤24.00	PASS
11BE20MIMO	total	6415	106+26_OFDMA	1	2.54	≤22.83	1.17	3.71	≤24.00	PASS
11BE20MIMO	Ant6	6435	52+26_OFDMA	1	-1.18	≤23.64	0.36	-0.82	≤24.00	PASS
11BE20MIMO	Ant7	6435	52+26_OFDMA	1	-1.25	≤25.06	-1.06	-2.31	≤24.00	PASS
11BE20MIMO	total	6435	52+26_OFDMA	1	1.80	≤23.64	0.36	2.16	≤24.00	PASS
11BE20MIMO	Ant6	6435	106+26_OFDMA	1	0.58	≤23.64	0.36	0.94	≤24.00	PASS
11BE20MIMO	Ant7	6435	106+26_OFDMA	1	0.49	≤25.06	-1.06	-0.57	≤24.00	PASS
11BE20MIMO	total	6435	106+26_OFDMA	1	3.55	≤23.64	0.36	3.91	≤24.00	PASS
11BE20MIMO	Ant6	6475	52+26_OFDMA	1	-0.06	≤23.64	0.36	0.30	≤24.00	PASS
11BE20MIMO	Ant7	6475	52+26_OFDMA	1	-1.36	≤25.06	-1.06	-2.42	≤24.00	PASS
11BE20MIMO	total	6475	52+26_OFDMA	1	2.35	≤23.64	0.36	2.71	≤24.00	PASS
11BE20MIMO	Ant6	6475	106+26_OFDMA	1	1.59	≤23.64	0.36	1.95	≤24.00	PASS
11BE20MIMO	Ant7	6475	106+26_OFDMA	1	0.26	≤25.06	-1.06	-0.80	≤24.00	PASS
11BE20MIMO	total	6475	106+26_OFDMA	1	3.99	≤23.64	0.36	4.35	≤24.00	PASS
11BE20MIMO	Ant6	6515	52+26_OFDMA	1	-0.17	≤23.64	0.36	0.19	≤24.00	PASS
11BE20MIMO	Ant7	6515	52+26_OFDMA	1	-0.97	≤25.06	-1.06	-2.03	≤24.00	PASS
11BE20MIMO	total	6515	52+26_OFDMA	1	2.46	≤23.64	0.36	2.82	≤24.00	PASS
11BE20MIMO	Ant6	6515	106+26_OFDMA	1	1.53	≤23.64	0.36	1.89	≤24.00	PASS
11BE20MIMO	Ant7	6515	106+26_OFDMA	1	0.62	≤25.06	-1.06	-0.44	≤24.00	PASS
11BE20MIMO	total	6515	106+26_OFDMA	1	4.11	≤23.64	0.36	4.47	≤24.00	PASS
11BE20MIMO	Ant6	6535	52+26_OFDMA	1	-0.90	≤22.85	1.15	0.25	≤24.00	PASS
11BE20MIMO	Ant7	6535	52+26_OFDMA	1	-1.59	≤26.08	-2.08	-3.67	≤24.00	PASS
11BE20MIMO	total	6535	52+26_OFDMA	1	1.78	≤22.85	1.15	2.93	≤24.00	PASS
11BE20MIMO	Ant6	6535	106+26_OFDMA	1	0.54	≤22.85	1.15	1.69	≤24.00	PASS
11BE20MIMO	Ant7	6535	106+26_OFDMA	1	-0.29	≤26.08	-2.08	-2.37	≤24.00	PASS
11BE20MIMO	total	6535	106+26_OFDMA	1	3.16	≤22.85	1.15	4.31	≤24.00	PASS
11BE20MIMO	Ant6	6695	52+26_OFDMA	1	-2.32	≤22.85	1.15	-1.17	≤24.00	PASS
11BE20MIMO	Ant7	6695	52+26_OFDMA	1	-1.50	≤26.08	-2.08	-3.58	≤24.00	PASS
11BE20MIMO	total	6695	52+26_OFDMA	1	1.12	≤22.85	1.15	2.27	≤24.00	PASS
11BE20MIMO	Ant6	6695	106+26_OFDMA	1	-0.60	≤22.85	1.15	0.55	≤24.00	PASS
11BE20MIMO	Ant7	6695	106+26_OFDMA	1	-0.13	≤26.08	-2.08	-2.21	≤24.00	PASS
11BE20MIMO	total	6695	106+26_OFDMA	1	2.65	≤22.85	1.15	3.80	≤24.00	PASS

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260714B018

11BE20MIMO	Ant6	6855	52+26_OFDMA	1	-1.94	≤22.85	1.15	-0.79	≤24.00	PASS
11BE20MIMO	Ant7	6855	52+26_OFDMA	1	-1.08	≤26.08	-2.08	-3.16	≤24.00	PASS
11BE20MIMO	total	6855	52+26_OFDMA	1	1.52	≤22.85	1.15	2.67	≤24.00	PASS
11BE20MIMO	Ant6	6855	106+26_OFDMA	1	0.18	≤22.85	1.15	1.33	≤24.00	PASS
11BE20MIMO	Ant7	6855	106+26_OFDMA	1	1.06	≤26.08	-2.08	-1.02	≤24.00	PASS
11BE20MIMO	total	6855	106+26_OFDMA	1	3.65	≤22.85	1.15	4.80	≤24.00	PASS
11BE20MIMO	Ant6	6875	52+26_OFDMA	1	-1.84	≤22.85	1.15	-0.69	≤24.00	PASS
11BE20MIMO	Ant7	6875	52+26_OFDMA	1	-1.10	≤26.08	-2.08	-3.18	≤24.00	PASS
11BE20MIMO	total	6875	52+26_OFDMA	1	1.56	≤22.85	1.15	2.71	≤24.00	PASS
11BE20MIMO	Ant6	6875	106+26_OFDMA	1	-0.12	≤22.85	1.15	1.03	≤24.00	PASS
11BE20MIMO	Ant7	6875	106+26_OFDMA	1	0.54	≤26.08	-2.08	-1.54	≤24.00	PASS
11BE20MIMO	total	6875	106+26_OFDMA	1	3.23	≤22.85	1.15	4.38	≤24.00	PASS
11BE20MIMO	Ant6	6895	52+26_OFDMA	1	-3.36	≤21.29	2.71	-0.65	≤24.00	PASS
11BE20MIMO	Ant7	6895	52+26_OFDMA	1	-2.50	≤24.78	-0.78	-3.28	≤24.00	PASS
11BE20MIMO	total	6895	52+26_OFDMA	1	0.10	≤21.29	2.71	2.81	≤24.00	PASS
11BE20MIMO	Ant6	6895	106+26_OFDMA	1	-1.08	≤21.29	2.71	1.63	≤24.00	PASS
11BE20MIMO	Ant7	6895	106+26_OFDMA	1	-0.80	≤24.78	-0.78	-1.58	≤24.00	PASS
11BE20MIMO	total	6895	106+26_OFDMA	1	2.07	≤21.29	2.71	4.78	≤24.00	PASS
11BE20MIMO	Ant6	6995	52+26_OFDMA	1	-3.93	≤21.29	2.71	-1.22	≤24.00	PASS
11BE20MIMO	Ant7	6995	52+26_OFDMA	1	-3.02	≤24.78	-0.78	-3.80	≤24.00	PASS
11BE20MIMO	total	6995	52+26_OFDMA	1	-0.44	≤21.29	2.71	2.27	≤24.00	PASS
11BE20MIMO	Ant6	6995	106+26_OFDMA	1	-2.37	≤21.29	2.71	0.34	≤24.00	PASS
11BE20MIMO	Ant7	6995	106+26_OFDMA	1	-1.45	≤24.78	-0.78	-2.23	≤24.00	PASS
11BE20MIMO	total	6995	106+26_OFDMA	1	1.12	≤21.29	2.71	3.83	≤24.00	PASS
11BE20MIMO	Ant6	7115	52+26_OFDMA	1	-4.02	≤21.29	2.71	-1.31	≤24.00	PASS
11BE20MIMO	Ant7	7115	52+26_OFDMA	1	-3.37	≤24.78	-0.78	-4.15	≤24.00	PASS
11BE20MIMO	total	7115	52+26_OFDMA	1	-0.67	≤21.29	2.71	2.04	≤24.00	PASS
11BE20MIMO	Ant6	7115	106+26_OFDMA	1	-2.40	≤21.29	2.71	0.31	≤24.00	PASS
11BE20MIMO	Ant7	7115	106+26_OFDMA	1	-1.70	≤24.78	-0.78	-2.48	≤24.00	PASS
11BE20MIMO	total	7115	106+26_OFDMA	1	0.97	≤21.29	2.71	3.68	≤24.00	PASS
11BE80MIMO	Ant6	5985	484+242_OFDMA	1	7.08	≤22.83	1.17	8.25	≤24.00	PASS
11BE80MIMO	Ant7	5985	484+242_OFDMA	1	8.13	≤23.35	0.65	8.78	≤24.00	PASS
11BE80MIMO	total	5985	484+242_OFDMA	1	10.65	≤22.83	1.17	11.82	≤24.00	PASS
11BE80MIMO	Ant6	6145	484+242_OFDMA	1	8.08	≤22.83	1.17	9.25	≤24.00	PASS
11BE80MIMO	Ant7	6145	484+242_OFDMA	1	7.29	≤23.35	0.65	7.94	≤24.00	PASS
11BE80MIMO	total	6145	484+242_OFDMA	1	10.71	≤22.83	1.17	11.88	≤24.00	PASS
11BE80MIMO	Ant6	6385	484+242_OFDMA	1	7.29	≤22.83	1.17	8.46	≤24.00	PASS
11BE80MIMO	Ant7	6385	484+242_OFDMA	1	8.12	≤23.35	0.65	8.77	≤24.00	PASS
11BE80MIMO	total	6385	484+242_OFDMA	1	10.74	≤22.83	1.17	11.91	≤24.00	PASS
11BE80MIMO	Ant6	6465	484+242_OFDMA	1	7.78	≤23.64	0.36	8.14	≤24.00	PASS
11BE80MIMO	Ant7	6465	484+242_OFDMA	1	8.52	≤25.06	-1.06	7.46	≤24.00	PASS
11BE80MIMO	total	6465	484+242_OFDMA	1	11.18	≤23.64	0.36	11.54	≤24.00	PASS
11BE80MIMO	Ant6	6545	484+242_OFDMA	1	7.16	≤22.85	1.15	8.31	≤24.00	PASS
11BE80MIMO	Ant7	6545	484+242_OFDMA	1	8.11	≤26.08	-2.08	6.03	≤24.00	PASS
11BE80MIMO	total	6545	484+242_OFDMA	1	10.67	≤22.85	1.15	11.82	≤24.00	PASS
11BE80MIMO	Ant6	6625	484+242_OFDMA	1	7.38	≤22.85	1.15	8.53	≤24.00	PASS
11BE80MIMO	Ant7	6625	484+242_OFDMA	1	8.40	≤26.08	-2.08	6.32	≤24.00	PASS
11BE80MIMO	total	6625	484+242_OFDMA	1	10.93	≤22.85	1.15	12.08	≤24.00	PASS
11BE80MIMO	Ant6	6705	484+242_OFDMA	1	6.97	≤22.85	1.15	8.12	≤24.00	PASS
11BE80MIMO	Ant7	6705	484+242_OFDMA	1	8.13	≤26.08	-2.08	6.05	≤24.00	PASS
11BE80MIMO	total	6705	484+242_OFDMA	1	10.60	≤22.85	1.15	11.75	≤24.00	PASS
11BE80MIMO	Ant6	6785	484+242_OFDMA	1	7.41	≤22.85	1.15	8.56	≤24.00	PASS
11BE80MIMO	Ant7	6785	484+242_OFDMA	1	8.18	≤26.08	-2.08	6.10	≤24.00	PASS
11BE80MIMO	total	6785	484+242_OFDMA	1	10.82	≤22.85	1.15	11.97	≤24.00	PASS

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260714B018

11BE80MIMO	Ant6	6865	484+242_OFDMA	1	7.47	≤22.85	1.15	8.62	≤24.00	PASS
11BE80MIMO	Ant7	6865	484+242_OFDMA	1	8.22	≤26.08	-2.08	6.14	≤24.00	PASS
11BE80MIMO	total	6865	484+242_OFDMA	1	10.87	≤22.85	1.15	12.02	≤24.00	PASS
11BE80MIMO	Ant6	6945	484+242_OFDMA	1	5.02	≤21.29	2.71	7.73	≤24.00	PASS
11BE80MIMO	Ant7	6945	484+242_OFDMA	1	5.80	≤24.78	-0.78	5.02	≤24.00	PASS
11BE80MIMO	total	6945	484+242_OFDMA	1	8.44	≤21.29	2.71	11.15	≤24.00	PASS
11BE80MIMO	Ant6	7025	484+242_OFDMA	1	5.96	≤21.29	2.71	8.67	≤24.00	PASS
11BE80MIMO	Ant7	7025	484+242_OFDMA	1	6.37	≤24.78	-0.78	5.59	≤24.00	PASS
11BE80MIMO	total	7025	484+242_OFDMA	1	9.18	≤21.29	2.71	11.89	≤24.00	PASS
11BE160MIMO	Ant6	6025	996+484_OFDMA	1	10.28	≤22.83	1.17	11.45	≤24.00	PASS
11BE160MIMO	Ant7	6025	996+484_OFDMA	1	10.60	≤23.35	0.65	11.25	≤24.00	PASS
11BE160MIMO	total	6025	996+484_OFDMA	1	13.45	≤22.83	1.17	14.62	≤24.00	PASS
11BE160MIMO	Ant6	6185	996+484_OFDMA	1	10.17	≤22.83	1.17	11.34	≤24.00	PASS
11BE160MIMO	Ant7	6185	996+484_OFDMA	1	10.46	≤23.35	0.65	11.11	≤24.00	PASS
11BE160MIMO	total	6185	996+484_OFDMA	1	13.33	≤22.83	1.17	14.50	≤24.00	PASS
11BE160MIMO	Ant6	6345	996+484_OFDMA	1	9.87	≤22.83	1.17	11.04	≤24.00	PASS
11BE160MIMO	Ant7	6345	996+484_OFDMA	1	10.33	≤23.35	0.65	10.98	≤24.00	PASS
11BE160MIMO	total	6345	996+484_OFDMA	1	13.12	≤22.83	1.17	14.29	≤24.00	PASS
11BE160MIMO	Ant6	6505	996+484_OFDMA	1	10.45	≤23.64	0.36	10.81	≤24.00	PASS
11BE160MIMO	Ant7	6505	996+484_OFDMA	1	11.28	≤25.06	-1.06	10.22	≤24.00	PASS
11BE160MIMO	total	6505	996+484_OFDMA	1	13.90	≤23.64	0.36	14.26	≤24.00	PASS
11BE160MIMO	Ant6	6665	996+484_OFDMA	1	9.77	≤22.85	1.15	10.92	≤24.00	PASS
11BE160MIMO	Ant7	6665	996+484_OFDMA	1	10.59	≤26.08	-2.08	8.51	≤24.00	PASS
11BE160MIMO	total	6665	996+484_OFDMA	1	13.21	≤22.85	1.15	14.36	≤24.00	PASS
11BE160MIMO	Ant6	6825	996+484_OFDMA	1	10.08	≤22.85	1.15	11.23	≤24.00	PASS
11BE160MIMO	Ant7	6825	996+484_OFDMA	1	10.96	≤26.08	-2.08	8.88	≤24.00	PASS
11BE160MIMO	total	6825	996+484_OFDMA	1	13.55	≤22.85	1.15	14.70	≤24.00	PASS
11BE160MIMO	Ant6	6985	996+484_OFDMA	1	8.37	≤21.29	2.71	11.08	≤24.00	PASS
11BE160MIMO	Ant7	6985	996+484_OFDMA	1	9.28	≤24.78	-0.78	8.50	≤24.00	PASS
11BE160MIMO	total	6985	996+484_OFDMA	1	11.86	≤21.29	2.71	14.57	≤24.00	PASS
11BE320MIMO	Ant6	6105	3*996_OFDMA	1	18.86	≤25.64	-1.64	17.22	≤24.00	PASS
11BE320MIMO	Ant7	6105	3*996_OFDMA	1	17.38	≤24.55	-0.55	16.83	≤24.00	PASS
11BE320MIMO	total	6105	3*996_OFDMA	1	21.19	≤24.55	-0.55	20.64	≤24.00	PASS
11BE320MIMO	Ant6	6105	3*996+484_OFDMA	1	13.83	≤22.83	1.17	15.00	≤24.00	PASS
11BE320MIMO	Ant7	6105	3*996+484_OFDMA	1	14.35	≤23.35	0.65	15.00	≤24.00	PASS
11BE320MIMO	total	6105	3*996+484_OFDMA	1	17.11	≤22.83	1.17	18.28	≤24.00	PASS
11BE320MIMO	Ant6	6105	2*996+484_OFDMA	1	14.11	≤22.83	1.17	15.28	≤24.00	PASS
11BE320MIMO	Ant7	6105	2*996+484_OFDMA	1	14.45	≤23.35	0.65	15.10	≤24.00	PASS
11BE320MIMO	total	6105	2*996+484_OFDMA	1	17.29	≤22.83	1.17	18.46	≤24.00	PASS
11BE320MIMO	Ant6	6265	3*996+484_OFDMA	1	13.76	≤22.83	1.17	14.93	≤24.00	PASS
11BE320MIMO	Ant7	6265	3*996+484_OFDMA	1	13.93	≤23.35	0.65	14.58	≤24.00	PASS
11BE320MIMO	total	6265	3*996+484_OFDMA	1	16.86	≤22.83	1.17	18.03	≤24.00	PASS
11BE320MIMO	Ant6	6265	2*996+484_OFDMA	1	13.83	≤22.83	1.17	15.00	≤24.00	PASS
11BE320MIMO	Ant7	6265	2*996+484_OFDMA	1	14.28	≤23.35	0.65	14.93	≤24.00	PASS
11BE320MIMO	total	6265	2*996+484_OFDMA	1	17.07	≤22.83	1.17	18.24	≤24.00	PASS
11BE320MIMO	Ant6	6585	3*996+484_OFDMA	1	14.09	≤22.85	1.15	15.24	≤24.00	PASS
11BE320MIMO	Ant7	6585	3*996+484_OFDMA	1	14.73	≤26.08	-2.08	12.65	≤24.00	PASS
11BE320MIMO	total	6585	3*996+484_OFDMA	1	17.43	≤22.85	1.15	18.58	≤24.00	PASS
11BE320MIMO	Ant6	6585	2*996+484_OFDMA	1	14.12	≤22.85	1.15	15.27	≤24.00	PASS
11BE320MIMO	Ant7	6585	2*996+484_OFDMA	1	14.78	≤26.08	-2.08	12.70	≤24.00	PASS
11BE320MIMO	total	6585	2*996+484_OFDMA	1	17.47	≤22.85	1.15	18.62	≤24.00	PASS
11BE320MIMO	Ant6	6745	3*996+484_OFDMA	1	13.96	≤22.85	1.15	15.11	≤24.00	PASS
11BE320MIMO	Ant7	6745	3*996+484_OFDMA	1	14.55	≤26.08	-2.08	12.47	≤24.00	PASS
11BE320MIMO	total	6745	3*996+484_OFDMA	1	17.28	≤22.85	1.15	18.43	≤24.00	PASS

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260714B018

11BE320MIMO	Ant6	6745	2*996+484 OFDMA	1	14.02	≤22.85	1.15	15.17	≤24.00	PASS
11BE320MIMO	Ant7	6745	2*996+484 OFDMA	1	14.56	≤26.08	-2.08	12.48	≤24.00	PASS
11BE320MIMO	total	6745	2*996+484 OFDMA	1	17.31	≤22.85	1.15	18.46	≤24.00	PASS
11BE320MIMO	Ant6	6905	3*996+484 OFDMA	1	12.22	≤21.29	2.71	14.93	≤24.00	PASS
11BE320MIMO	Ant7	6905	3*996+484 OFDMA	1	12.68	≤24.78	-0.78	11.90	≤24.00	PASS
11BE320MIMO	total	6905	3*996+484 OFDMA	1	15.47	≤21.29	2.71	18.18	≤24.00	PASS
11BE320MIMO	Ant6	6905	2*996+484 OFDMA	1	12.46	≤21.29	2.71	15.17	≤24.00	PASS
11BE320MIMO	Ant7	6905	2*996+484 OFDMA	1	13.12	≤24.78	-0.78	12.34	≤24.00	PASS
11BE320MIMO	total	6905	2*996+484 OFDMA	1	15.81	≤21.29	2.71	18.52	≤24.00	PASS

Note: 1. The Result with duty cycle factor.
2. The EIRP = Result + Ant Gain.



Test Report No.: RF260714B018

MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

Test Mode	Antenna	Channel	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE20MIMO	Ant6	5955	52+26_OFDMA	1	-8.59	≤-2.17	1.17	-7.42	≤-1.00	PASS
11BE20MIMO	Ant7	5955	52+26_OFDMA	1	-8.76	≤-1.65	0.65	-8.11	≤-1.00	PASS
11BE20MIMO	total	5955	52+26_OFDMA	1	-5.66	≤-5.18	4.18	-1.48	≤-1.00	PASS
11BE20MIMO	Ant6	5955	106+26_OFDMA	1	-8.64	≤-2.17	1.17	-7.47	≤-1.00	PASS
11BE20MIMO	Ant7	5955	106+26_OFDMA	1	-9.14	≤-1.65	0.65	-8.49	≤-1.00	PASS
11BE20MIMO	total	5955	106+26_OFDMA	1	-5.87	≤-5.18	4.18	-1.69	≤-1.00	PASS
11BE20MIMO	Ant6	6175	52+26_OFDMA	1	-7.79	≤-2.17	1.17	-6.62	≤-1.00	PASS
11BE20MIMO	Ant7	6175	52+26_OFDMA	1	-9.81	≤-1.65	0.65	-9.16	≤-1.00	PASS
11BE20MIMO	total	6175	52+26_OFDMA	1	-5.67	≤-5.18	4.18	-1.49	≤-1.00	PASS
11BE20MIMO	Ant6	6175	106+26_OFDMA	1	-9.06	≤-2.17	1.17	-7.89	≤-1.00	PASS
11BE20MIMO	Ant7	6175	106+26_OFDMA	1	-10.92	≤-1.65	0.65	-10.27	≤-1.00	PASS
11BE20MIMO	total	6175	106+26_OFDMA	1	-6.88	≤-5.18	4.18	-2.70	≤-1.00	PASS
11BE20MIMO	Ant6	6415	52+26_OFDMA	1	-8.63	≤-2.17	1.17	-7.46	≤-1.00	PASS
11BE20MIMO	Ant7	6415	52+26_OFDMA	1	-8.77	≤-1.65	0.65	-8.12	≤-1.00	PASS
11BE20MIMO	total	6415	52+26_OFDMA	1	-5.69	≤-5.18	4.18	-1.51	≤-1.00	PASS
11BE20MIMO	Ant6	6415	106+26_OFDMA	1	-9.10	≤-2.17	1.17	-7.93	≤-1.00	PASS
11BE20MIMO	Ant7	6415	106+26_OFDMA	1	-9.97	≤-1.65	0.65	-9.32	≤-1.00	PASS
11BE20MIMO	total	6415	106+26_OFDMA	1	-6.50	≤-5.18	4.18	-2.32	≤-1.00	PASS
11BE20MIMO	Ant6	6435	52+26_OFDMA	1	-8.20	≤-1.36	0.36	-7.84	≤-1.00	PASS
11BE20MIMO	Ant7	6435	52+26_OFDMA	1	-8.21	≤0.06	1.06	-9.27	≤-1.00	PASS
11BE20MIMO	total	6435	52+26_OFDMA	1	-5.19	≤-4.37	3.37	-1.82	≤-1.00	PASS
11BE20MIMO	Ant6	6435	106+26_OFDMA	1	-8.30	≤-1.36	0.36	-7.94	≤-1.00	PASS
11BE20MIMO	Ant7	6435	106+26_OFDMA	1	-8.63	≤0.06	-	-9.69	≤-	PASS

Test Report No.: RF260714B018

O							1.0 6		1.00	
11BE20MIM O	total	6435	106+26_OFDMA	1	-5.45	≤-4.37	3.3 7	-2.08	≤- 1.00	PASS
11BE20MIM O	Ant6	6475	52+26_OFDMA	1	-7.28	≤-1.36	0.3 6	-6.92	≤- 1.00	PASS
11BE20MIM O	Ant7	6475	52+26_OFDMA	1	-8.50	≤0.06	- 1.0 6	-9.56	≤- 1.00	PASS
11BE20MIM O	total	6475	52+26_OFDMA	1	-4.84	≤-4.37	3.3 7	-1.47	≤- 1.00	PASS
11BE20MIM O	Ant6	6475	106+26_OFDMA	1	-7.26	≤-1.36	0.3 6	-6.90	≤- 1.00	PASS
11BE20MIM O	Ant7	6475	106+26_OFDMA	1	-8.92	≤0.06	- 1.0 6	-9.98	≤- 1.00	PASS
11BE20MIM O	total	6475	106+26_OFDMA	1	-5.00	≤-4.37	3.3 7	-1.63	≤- 1.00	PASS
11BE20MIM O	Ant6	6515	52+26_OFDMA	1	-6.94	≤-1.36	0.3 6	-6.58	≤- 1.00	PASS
11BE20MIM O	Ant7	6515	52+26_OFDMA	1	-7.98	≤0.06	- 1.0 6	-9.04	≤- 1.00	PASS
11BE20MIM O	total	6515	52+26_OFDMA	1	-4.42	≤-4.37	3.3 7	-1.05	≤- 1.00	PASS
11BE20MIM O	Ant6	6515	106+26_OFDMA	1	-7.30	≤-1.36	0.3 6	-6.94	≤- 1.00	PASS
11BE20MIM O	Ant7	6515	106+26_OFDMA	1	-8.48	≤0.06	- 1.0 6	-9.54	≤- 1.00	PASS
11BE20MIM O	total	6515	106+26_OFDMA	1	-4.84	≤-4.37	3.3 7	-1.47	≤- 1.00	PASS
11BE20MIM O	Ant6	6535	52+26_OFDMA	1	-7.87	≤-2.15	1.1 5	-6.72	≤- 1.00	PASS
11BE20MIM O	Ant7	6535	52+26_OFDMA	1	-8.68	≤1.08	- 2.0 8	- 10.7 6	≤- 1.00	PASS
11BE20MIM O	total	6535	52+26_OFDMA	1	-5.25	≤-5.16	4.1 6	-1.09	≤- 1.00	PASS
11BE20MIM O	Ant6	6535	106+26_OFDMA	1	-8.31	≤-2.15	1.1 5	-7.16	≤- 1.00	PASS
11BE20MIM O	Ant7	6535	106+26_OFDMA	1	-9.49	≤1.08	- 2.0 8	- 11.5 7	≤- 1.00	PASS
11BE20MIM O	total	6535	106+26_OFDMA	1	-5.85	≤-5.16	4.1 6	-1.69	≤- 1.00	PASS
11BE20MIM O	Ant6	6695	52+26_OFDMA	1	-9.27	≤-2.15	1.1 5	-8.12	≤- 1.00	PASS
11BE20MIM O	Ant7	6695	52+26_OFDMA	1	-8.32	≤1.08	- 2.0 8	- 10.4 0	≤- 1.00	PASS
11BE20MIM O	total	6695	52+26_OFDMA	1	-5.76	≤-5.16	4.1 6	-1.60	≤- 1.00	PASS
11BE20MIM O	Ant6	6695	106+26_OFDMA	1	-9.64	≤-2.15	1.1 5	-8.49	≤- 1.00	PASS



Test Report No.: RF260714B018

11BE20MIM O	Ant7	6695	106+26_OFDMA	1	-9.12	≤1.08	- 2.0 8	- 11.2 0	≤- 1.00	PASS
11BE20MIM O	total	6695	106+26_OFDMA	1	-6.36	≤-5.16	4.1 6	-2.20	≤- 1.00	PASS
11BE20MIM O	Ant6	6855	52+26_OFDMA	1	-8.75	≤-2.15	1.1 5	-7.60	≤- 1.00	PASS
11BE20MIM O	Ant7	6855	52+26_OFDMA	1	-8.03	≤1.08	- 2.0 8	- 10.1 1	≤- 1.00	PASS
11BE20MIM O	total	6855	52+26_OFDMA	1	-5.36	≤-5.16	4.1 6	-1.20	≤- 1.00	PASS
11BE20MIM O	Ant6	6855	106+26_OFDMA	1	-8.55	≤-2.15	1.1 5	-7.40	≤- 1.00	PASS
11BE20MIM O	Ant7	6855	106+26_OFDMA	1	-7.96	≤1.08	- 2.0 8	- 10.0 4	≤- 1.00	PASS
11BE20MIM O	total	6855	106+26_OFDMA	1	-5.23	≤-5.16	4.1 6	-1.07	≤- 1.00	PASS
11BE20MIM O	Ant6	6875	52+26_OFDMA	1	-8.84	≤-2.15	1.1 5	-7.69	≤- 1.00	PASS
11BE20MIM O	Ant7	6875	52+26_OFDMA	1	-7.91	≤1.08	- 2.0 8	-9.99	≤- 1.00	PASS
11BE20MIM O	total	6875	52+26_OFDMA	1	-5.34	≤-5.16	4.1 6	-1.18	≤- 1.00	PASS
11BE20MIM O	Ant6	6875	106+26_OFDMA	1	-9.19	≤-2.15	1.1 5	-8.04	≤- 1.00	PASS
11BE20MIM O	Ant7	6875	106+26_OFDMA	1	-8.69	≤1.08	- 2.0 8	- 10.7 7	≤- 1.00	PASS
11BE20MIM O	total	6875	106+26_OFDMA	1	-5.92	≤-5.16	4.1 6	-1.76	≤- 1.00	PASS
11BE20MIM O	Ant6	6895	52+26_OFDMA	1	-10.36	≤-3.71	2.7 1	-7.65	≤- 1.00	PASS
11BE20MIM O	Ant7	6895	52+26_OFDMA	1	-9.50	≤-0.22	- 0.7 8	- 10.2 8	≤- 1.00	PASS
11BE20MIM O	total	6895	52+26_OFDMA	1	-6.90	≤-6.72	5.7 2	-1.18	≤- 1.00	PASS
11BE20MIM O	Ant6	6895	106+26_OFDMA	1	-10.20	≤-3.71	2.7 1	-7.49	≤- 1.00	PASS
11BE20MIM O	Ant7	6895	106+26_OFDMA	1	-9.70	≤-0.22	- 0.7 8	- 10.4 8	≤- 1.00	PASS
11BE20MIM O	total	6895	106+26_OFDMA	1	-6.93	≤-6.72	5.7 2	-1.21	≤- 1.00	PASS
11BE20MIM O	Ant6	6995	52+26_OFDMA	1	-11.01	≤-3.71	2.7 1	-8.30	≤- 1.00	PASS
11BE20MIM O	Ant7	6995	52+26_OFDMA	1	-9.90	≤-0.22	- 0.7 8	- 10.6 8	≤- 1.00	PASS
11BE20MIM O	total	6995	52+26_OFDMA	1	-7.41	≤-6.72	5.7 2	-1.69	≤- 1.00	PASS
11BE20MIM	Ant6	6995	106+26_OFDMA	1	-11.29	≤-3.71	2.7	-8.58	≤-	PASS

Test Report No.: RF260714B018

O							1		1.00	
11BE20MIM O	Ant7	6995	106+26_OFDMA	1	-10.44	≤-0.22	- 0.7 8	- 11.2 2	≤- 1.00	PASS
11BE20MIM O	total	6995	106+26_OFDMA	1	-7.83	≤-6.72	5.7 2	-2.11	≤- 1.00	PASS
11BE20MIM O	Ant6	7115	52+26_OFDMA	1	-10.78	≤-3.71	2.7 1	-8.07	≤- 1.00	PASS
11BE20MIM O	Ant7	7115	52+26_OFDMA	1	-10.35	≤-0.22	- 0.7 8	- 11.1 3	≤- 1.00	PASS
11BE20MIM O	total	7115	52+26_OFDMA	1	-7.55	≤-6.72	5.7 2	-1.83	≤- 1.00	PASS
11BE20MIM O	Ant7	7115	106+26_OFDMA	1	-10.71	≤-0.22	- 0.7 8	- 11.4 9	≤- 1.00	PASS
11BE20MIM O	Ant6	7115	106+26_OFDMA	1	-11.49	≤-3.71	2.7 1	-8.78	≤- 1.00	PASS
11BE20MIM O	total	7115	106+26_OFDMA	1	-8.07	≤-6.72	5.7 2	-2.35	≤- 1.00	PASS
11BE80MIM O	Ant6	5985	484+242_OFDM A	1	-9.04	≤-2.17	1.1 7	-7.87	≤- 1.00	PASS
11BE80MIM O	Ant7	5985	484+242_OFDM A	1	-8.06	≤-1.65	0.6 5	-7.41	≤- 1.00	PASS
11BE80MIM O	total	5985	484+242_OFDM A	1	-5.51	≤-5.18	4.1 8	-1.33	≤- 1.00	PASS
11BE80MIM O	Ant6	6145	484+242_OFDM A	1	-8.21	≤-2.17	1.1 7	-7.04	≤- 1.00	PASS
11BE80MIM O	Ant7	6145	484+242_OFDM A	1	-9.08	≤-1.65	0.6 5	-8.43	≤- 1.00	PASS
11BE80MIM O	total	6145	484+242_OFDM A	1	-5.61	≤-5.18	4.1 8	-1.43	≤- 1.00	PASS
11BE80MIM O	Ant6	6385	484+242_OFDM A	1	-8.97	≤-2.17	1.1 7	-7.80	≤- 1.00	PASS
11BE80MIM O	Ant7	6385	484+242_OFDM A	1	-8.12	≤-1.65	0.6 5	-7.47	≤- 1.00	PASS
11BE80MIM O	total	6385	484+242_OFDM A	1	-5.51	≤-5.18	4.1 8	-1.33	≤- 1.00	PASS
11BE80MIM O	Ant6	6465	484+242_OFDM A	1	-8.26	≤-1.36	0.3 6	-7.90	≤- 1.00	PASS
11BE80MIM O	Ant7	6465	484+242_OFDM A	1	-7.73	≤0.06	- 1.0 6	-8.79	≤- 1.00	PASS
11BE80MIM O	total	6465	484+242_OFDM A	1	-4.98	≤-4.37	3.3 7	-1.61	≤- 1.00	PASS
11BE80MIM O	Ant6	6545	484+242_OFDM A	1	-9.02	≤-2.15	1.1 5	-7.87	≤- 1.00	PASS
11BE80MIM O	Ant7	6545	484+242_OFDM A	1	-8.25	≤1.08	- 2.0 8	- 10.3 3	≤- 1.00	PASS
11BE80MIM O	total	6545	484+242_OFDM A	1	-5.61	≤-5.16	4.1 6	-1.45	≤- 1.00	PASS
11BE80MIM O	Ant6	6625	484+242_OFDM A	1	-9.05	≤-2.15	1.1 5	-7.90	≤- 1.00	PASS
11BE80MIM	Ant7	6625	484+242_OFDM	1	-8.02	≤1.08	-	-	≤-	PASS

Test Report No.: RF260714B018

O			A				2.0 8	10.1 0	1.00	
11BE80MIM O	total	6625	484+242_OFDM A	1	-5.49	≤-5.16	4.1 6	-1.33	≤- 1.00	PASS
11BE80MIM O	Ant6	6705	484+242_OFDM A	1	-9.34	≤-2.15	1.1 5	-8.19	≤- 1.00	PASS
11BE80MIM O	Ant7	6705	484+242_OFDM A	1	-8.03	≤1.08	- 2.0 8	- 10.1 1	≤- 1.00	PASS
11BE80MIM O	total	6705	484+242_OFDM A	1	-5.63	≤-5.16	4.1 6	-1.47	≤- 1.00	PASS
11BE80MIM O	Ant6	6785	484+242_OFDM A	1	-8.95	≤-2.15	1.1 5	-7.80	≤- 1.00	PASS
11BE80MIM O	Ant7	6785	484+242_OFDM A	1	-8.23	≤1.08	- 2.0 8	- 10.3 1	≤- 1.00	PASS
11BE80MIM O	total	6785	484+242_OFDM A	1	-5.56	≤-5.16	4.1 6	-1.40	≤- 1.00	PASS
11BE80MIM O	Ant6	6865	484+242_OFDM A	1	-8.59	≤-2.15	1.1 5	-7.44	≤- 1.00	PASS
11BE80MIM O	Ant7	6865	484+242_OFDM A	1	-8.05	≤1.08	- 2.0 8	- 10.1 3	≤- 1.00	PASS
11BE80MIM O	total	6865	484+242_OFDM A	1	-5.30	≤-5.16	4.1 6	-1.14	≤- 1.00	PASS
11BE80MIM O	Ant6	6945	484+242_OFDM A	1	-10.87	≤-3.71	2.7 1	-8.16	≤- 1.00	PASS
11BE80MIM O	Ant7	6945	484+242_OFDM A	1	-10.13	≤-0.22	- 0.7 8	- 10.9 1	≤- 1.00	PASS
11BE80MIM O	total	6945	484+242_OFDM A	1	-7.47	≤-6.72	5.7 2	-1.75	≤- 1.00	PASS
11BE80MIM O	Ant6	7025	484+242_OFDM A	1	-10.34	≤-3.71	2.7 1	-7.63	≤- 1.00	PASS
11BE80MIM O	Ant7	7025	484+242_OFDM A	1	-10.01	≤-0.22	- 0.7 8	- 10.7 9	≤- 1.00	PASS
11BE80MIM O	total	7025	484+242_OFDM A	1	-7.16	≤-6.72	5.7 2	-1.44	≤- 1.00	PASS
11BE160MI MO	Ant6	6025	996+484_OFDM A	1	-9.02	≤-2.17	1.1 7	-7.85	≤- 1.00	PASS
11BE160MI MO	Ant7	6025	996+484_OFDM A	1	-8.03	≤-1.65	0.6 5	-7.38	≤- 1.00	PASS
11BE160MI MO	total	6025	996+484_OFDM A	1	-5.49	≤-5.18	4.1 8	-1.31	≤- 1.00	PASS
11BE160MI MO	Ant6	6185	996+484_OFDM A	1	-8.75	≤-2.17	1.1 7	-7.58	≤- 1.00	PASS
11BE160MI MO	Ant7	6185	996+484_OFDM A	1	-8.56	≤-1.65	0.6 5	-7.91	≤- 1.00	PASS
11BE160MI MO	total	6185	996+484_OFDM A	1	-5.64	≤-5.18	4.1 8	-1.46	≤- 1.00	PASS
11BE160MI MO	Ant6	6345	996+484_OFDM A	1	-9.31	≤-2.17	1.1 7	-8.14	≤- 1.00	PASS
11BE160MI MO	Ant7	6345	996+484_OFDM A	1	-8.75	≤-1.65	0.6 5	-8.10	≤- 1.00	PASS

Test Report No.: RF260714B018

11BE160MI MO	total	6345	996+484_OFDM A	1	-6.01	≤-5.18	4.1 8	-1.83	≤- 1.00	PASS
11BE160MI MO	Ant6	6505	996+484_OFDM A	1	-8.18	≤-1.36	0.3 6	-7.82	≤- 1.00	PASS
11BE160MI MO	Ant7	6505	996+484_OFDM A	1	-7.48	≤0.06	- 1.0 6	-8.54	≤- 1.00	PASS
11BE160MI MO	total	6505	996+484_OFDM A	1	-4.81	≤-4.37	3.3 7	-1.44	≤- 1.00	PASS
11BE160MI MO	Ant6	6665	996+484_OFDM A	1	-9.10	≤-2.15	1.1 5	-7.95	≤- 1.00	PASS
11BE160MI MO	Ant7	6665	996+484_OFDM A	1	-7.65	≤1.08	- 2.0 8	-9.73	≤- 1.00	PASS
11BE160MI MO	total	6665	996+484_OFDM A	1	-5.30	≤-5.16	4.1 6	-1.14	≤- 1.00	PASS
11BE160MI MO	Ant6	6825	996+484_OFDM A	1	-8.50	≤-2.15	1.1 5	-7.35	≤- 1.00	PASS
11BE160MI MO	Ant7	6825	996+484_OFDM A	1	-8.02	≤1.08	- 2.0 8	-10.1 0	≤- 1.00	PASS
11BE160MI MO	total	6825	996+484_OFDM A	1	-5.24	≤-5.16	4.1 6	-1.08	≤- 1.00	PASS
11BE160MI MO	Ant6	6985	996+484_OFDM A	1	-10.71	≤-3.71	2.7 1	-8.00	≤- 1.00	PASS
11BE160MI MO	Ant7	6985	996+484_OFDM A	1	-10.02	≤-0.22	- 0.7 8	-10.8 0	≤- 1.00	PASS
11BE160MI MO	total	6985	996+484_OFDM A	1	-7.34	≤-6.72	5.7 2	-1.62	≤- 1.00	PASS
11BE320MI MO	Ant6	6105	3*996_OFDMA	1	-4.16	≤0.64	- 1.6 4	-5.80	≤- 1.00	PASS
11BE320MI MO	Ant7	6105	3*996_OFDMA	1	-5.53	≤-0.45	- 0.5 5	-6.08	≤- 1.00	PASS
11BE320MI MO	total	6105	3*996_OFDMA	1	-1.78	≤-0.45	- 0.5 5	-2.33	≤- 1.00	PASS
11BE320MI MO	Ant6	6105	3*996+484_OFDM A	1	-8.49	≤-2.17	1.1 7	-7.32	≤- 1.00	PASS
11BE320MI MO	Ant7	6105	3*996+484_OFDM A	1	-8.32	≤-1.65	0.6 5	-7.67	≤- 1.00	PASS
11BE320MI MO	total	6105	3*996+484_OFDM A	1	-5.39	≤-5.18	4.1 8	-1.21	≤- 1.00	PASS
11BE320MI MO	Ant6	6105	2*996+484_OFDM A	1	-8.69	≤-2.17	1.1 7	-7.52	≤- 1.00	PASS
11BE320MI MO	Ant7	6105	2*996+484_OFDM A	1	-8.10	≤-1.65	0.6 5	-7.45	≤- 1.00	PASS
11BE320MI MO	total	6105	2*996+484_OFDM A	1	-5.37	≤-5.18	4.1 8	-1.19	≤- 1.00	PASS
11BE320MI MO	Ant6	6265	3*996+484_OFDM A	1	-8.46	≤-2.17	1.1 7	-7.29	≤- 1.00	PASS
11BE320MI MO	Ant7	6265	3*996+484_OFDM A	1	-8.95	≤-1.65	0.6 5	-8.30	≤- 1.00	PASS

Test Report No.: RF260714B018


11BE320MI MO	total	6265	3*996+484_OFDM MA	1	-5.69	≤-5.18	4.1 8	-1.51	≤- 1.00	PASS
11BE320MI MO	Ant6	6265	2*996+484_OFDM MA	1	-8.29	≤-2.17	1.1 7	-7.12	≤- 1.00	PASS
11BE320MI MO	Ant7	6265	2*996+484_OFDM MA	1	-8.60	≤-1.65	0.6 5	-7.95	≤- 1.00	PASS
11BE320MI MO	total	6265	2*996+484_OFDM MA	1	-5.43	≤-5.18	4.1 8	-1.25	≤- 1.00	PASS
11BE320MI MO	Ant6	6585	3*996+484_OFDM MA	1	-8.71	≤-2.15	1.1 5	-7.56	≤- 1.00	PASS
11BE320MI MO	Ant7	6585	3*996+484_OFDM MA	1	-8.49	≤1.08	- 2.0 8	- 10.5 7	≤- 1.00	PASS
11BE320MI MO	total	6585	3*996+484_OFDM MA	1	-5.59	≤-5.16	4.1 6	-1.43	≤- 1.00	PASS
11BE320MI MO	Ant6	6585	2*996+484_OFDM MA	1	-8.36	≤-2.15	1.1 5	-7.21	≤- 1.00	PASS
11BE320MI MO	Ant7	6585	2*996+484_OFDM MA	1	-8.30	≤1.08	- 2.0 8	- 10.3 8	≤- 1.00	PASS
11BE320MI MO	total	6585	2*996+484_OFDM MA	1	-5.32	≤-5.16	4.1 6	-1.16	≤- 1.00	PASS
11BE320MI MO	Ant6	6745	3*996+484_OFDM MA	1	-8.39	≤-2.15	1.1 5	-7.24	≤- 1.00	PASS
11BE320MI MO	Ant7	6745	3*996+484_OFDM MA	1	-8.41	≤1.08	- 2.0 8	- 10.4 9	≤- 1.00	PASS
11BE320MI MO	total	6745	3*996+484_OFDM MA	1	-5.39	≤-5.16	4.1 6	-1.23	≤- 1.00	PASS
11BE320MI MO	Ant6	6745	2*996+484_OFDM MA	1	-8.72	≤-2.15	1.1 5	-7.57	≤- 1.00	PASS
11BE320MI MO	Ant7	6745	2*996+484_OFDM MA	1	-8.19	≤1.08	- 2.0 8	- 10.2 7	≤- 1.00	PASS
11BE320MI MO	total	6745	2*996+484_OFDM MA	1	-5.44	≤-5.16	4.1 6	-1.28	≤- 1.00	PASS
11BE320MI MO	Ant6	6905	3*996+484_OFDM MA	1	-10.30	≤-3.71	2.7 1	-7.59	≤- 1.00	PASS
11BE320MI MO	Ant7	6905	3*996+484_OFDM MA	1	-9.67	≤-0.22	- 0.7 8	- 10.4 5	≤- 1.00	PASS
11BE320MI MO	total	6905	3*996+484_OFDM MA	1	-6.96	≤-6.72	5.7 2	-1.24	≤- 1.00	PASS
11BE320MI MO	Ant6	6905	2*996+484_OFDM MA	1	-10.23	≤-3.71	2.7 1	-7.52	≤- 1.00	PASS
11BE320MI MO	Ant7	6905	2*996+484_OFDM MA	1	-9.35	≤-0.22	- 0.7 8	- 10.1 3	≤- 1.00	PASS
11BE320MI MO	total	6905	2*996+484_OFDM MA	1	-6.76	≤-6.72	5.7 2	-1.04	≤- 1.00	PASS

Note: 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.

TEST GRAPHS


11BE20MIMO-Ant6-5955-52+26_OFDMA-1-PASS	11BE20MIMO-Ant7-5955-52+26_OFDMA-1-PASS
---	---

Test Report No.: RF260714B018





Test Report No.: RF260714B018



Test Report No.: RF260714B018

