



CHANNEL BANDWIDTH	15MHz / QPSK	MODE	TX channel 132322
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	AC 120V 60HZ	TESTED BY	Carl Xie

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,450.76	-45.83	-13.00	32.83	27.43	H	1	2.00
4	5,250.214	-41.91	-13.00	28.91	31.83	H	1	2.00



Test Report No.: RF260714B009




Test Report No.: RF260714B009

CHANNEL BANDWIDTH	20MHz / QPSK	MODE	TX channel 132072
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	AC 120V 60HZ	TESTED BY	Carl Xie

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-47.63	-13.00	34.63	27.03	H	1	1.00
4	5,133.000	-41.60	-13.00	28.60	31.06	H	0.9	2.00



BOOMWAVE TEST (SHENZHEN)
CO., LTD.


Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com

CHANNEL BANDWIDTH	20MHz / QPSK	MODE	TX channel 132072
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	AC 120V 60HZ	TESTED BY	Carl Xie

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-48.15	-13.00	35.15	26.83	V	1	1.00
4	5,133.000	-38.22	-13.00	25.22	30.93	V	359.1	1.00




Test Report No.: RF260714B009

CHANNEL BANDWIDTH	20MHz / QPSK	MODE	TX channel 132322
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	AC 120V 60HZ	TESTED BY	Carl Xie

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,400.72	-45.63	-13.00	32.63	27.42	H	0.9	2.00
4	5,500.500	-41.48	-13.00	28.48	31.93	H	359.1	1.00 208



CHANNEL BANDWIDTH	20MHz / QPSK	MODE	TX channel 132322
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	AC 120V 60HZ	TESTED BY	Carl Xie

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,400.000	-45.93	-13.00	32.93	27.12	V	294.7	1.00
4	5,500.000	-38.04	-13.00	25.04	31.85	V	1	1.00




Test Report No.: RF260714B009

CHANNEL BANDWIDTH	20MHz / QPSK	MODE	TX channel 132572
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	AC 120V 60HZ	TESTED BY	Carl Xie

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,200.000	-48.34	-13.00	35.34	26.27	H	98.8	2.00
4	5,200.000	-40.51	-13.00	27.51	31.90	H	359	2.00




BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com




Test Report No.: RF260714B009




CHANNEL BANDWIDTH	10MHz / QPSK	MODE	TX channel 132322
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	AC 120V 60HZ	TESTED BY	Carl Xie

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,400.000	-47.11	-13.00	34.11	27.09	V	114.3	2.00
4	5,000.000	-43.05	-13.00	30.05	31.60	V	359	2.00




Test Report No.: RF260714B009



CHANNEL BANDWIDTH	1.4MHz / QPSK	MODE	TX channel 134299
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	AC 120V 60HZ	TESTED BY	Carl Xie

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,792.140	-50.23	-13.00	37.23	21.15	V	276.9	2.00
3	2,688.210	-45.87	-13.00	32.87	24.88	V	1	1.00



CHANNEL BANDWIDTH	1.4MHz / QPSK	MODE	TX channel 134322
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	AC 120V 60HZ	TESTED BY	Carl Xie

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,795.740	-48.88	-13.00	35.88	21.12	H	273.2	2.00
3	2,693.610	-48.59	-13.00	35.59	24.84	H	1	2.00



CHANNEL BANDWIDTH	1.4MHz / QPSK	MODE	TX channel 134332
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	AC 120V 60HZ	TESTED BY	Carl Xie

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,795.740	-49.28	-13.00	36.28	21.18	V	0.9	2.00
3	2,693.610	-48.05	-13.00	35.05	24.65	V	359	2.00




Test Report No.: RF260714B009

CHANNEL BANDWIDTH	1.4MHz / QPSK	MODE	TX channel 134335
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	AC 120V 60HZ	TESTED BY	Carl Xie

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,799.340	-49.14	-13.00	36.14	21.08	H	272.1	2.00
3	2,699.010	-48.60	-13.00	35.60	24.52	H	194.4	2.00



BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA


Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com

Test Report No.: RF260714B009

CHANNEL BANDWIDTH	1.4MHz / QPSK	MODE	TX channel 134335
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	AC 120V 60HZ	TESTED BY	Carl Xie

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,799.340	-48.60	-13.00	35.60	21.21	V	85.6	1.00
3	2,699.010	-48.84	-13.00	35.84	24.33	V	359.1	1.00



BOOMWAVE TEST (SHENZHEN)
CO., LTD.


Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com

CHANNEL BANDWIDTH	3MHz / QPSK	MODE	TX channel 134322
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	AC 120V 60HZ	TESTED BY	Carl Xie

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,795.300	-49.72	-13.00	36.72	21.12	H	359.1	1.00
3	2,692.950	-48.44	-13.00	35.44	24.87	H	359.1	1.00




Test Report No.: RF260714B009

CHANNEL BANDWIDTH	3MHz / QPSK	MODE	TX channel 134322
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	AC 120V 60HZ	TESTED BY	Carl Xie

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,795.300	-49.48	-13.00	36.48	21.18	V	279.2	2.00
3	2,692.950	-48.28	-13.00	35.28	24.68	V	201.5	2.00




3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.

3.7.4 TEST RESULTS

Please Refer to Appendix Of this test report.

4 PHOTOGRAPHS OF THE TEST CONFIGURATION

Please refer to the attached file (Test Setup Photo).

5 INFORMATION ON THE TESTING LABORATORIES

We, BOOMWAVE TEST (SHENZHEN) CO., LTD., were founded in 2025 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

BOOMWAVE TEST (SHENZHEN) CO., LTD.

Lab Address:

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan 4th Road, Chiwan Community, Zhaoshang Street, Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Accredited Test Lab Cert 7607.01

Shenzhen EMC/RF Lab:

Mobile: +86 15118052731

Email: shimin.wang@boomwavelab.com

6 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.

7 Appendix

LTE BAND 41(INCLUDING LTE BAND 38)

PEAK-TO-AVERAGE RATIO(CCDF)

Test Result

Bandwidth	Modulation	Channel	RB Configuration	Result (dB)	Limit (dB)	Verdict
5MHz	QPSK	39675	1RB Low	3.12	13	PASS
5MHz	QPSK	39675	Full RB	3.84	13	PASS
5MHz	16QAM	39675	1RB Low	4.42	13	PASS
5MHz	16QAM	39675	Full RB	4.84	13	PASS
5MHz	64QAM	39675	1RB Low	4.62	13	PASS
5MHz	64QAM	39675	Full RB	5.70	13	PASS
5MHz	256QAM	39675	1RB Low	4.60	13	PASS
5MHz	256QAM	39675	Full RB	7.02	13	PASS
5MHz	QPSK	40620	1RB Low	2.74	13	PASS
5MHz	QPSK	40620	Full RB	3.62	13	PASS
5MHz	16QAM	40620	1RB Low	2.84	13	PASS
5MHz	16QAM	40620	Full RB	4.60	13	PASS
5MHz	64QAM	40620	1RB Low	2.54	13	PASS
5MHz	64QAM	40620	Full RB	5.04	13	PASS
5MHz	256QAM	40620	1RB Low	3.02	13	PASS
5MHz	256QAM	40620	Full RB	6.46	13	PASS
5MHz	QPSK	41565	1RB Low	3.30	13	PASS
5MHz	QPSK	41565	Full RB	3.90	13	PASS
5MHz	16QAM	41565	1RB Low	4.22	13	PASS
5MHz	16QAM	41565	Full RB	4.48	13	PASS
5MHz	64QAM	41565	1RB Low	4.06	13	PASS
5MHz	64QAM	41565	Full RB	5.80	13	PASS
5MHz	256QAM	41565	1RB Low	4.24	13	PASS
5MHz	256QAM	41565	Full RB	6.46	13	PASS
10MHz	QPSK	39700	1RB Low	3.40	13	PASS
10MHz	QPSK	39700	Full RB	4.84	13	PASS
10MHz	16QAM	39700	1RB Low	3.12	13	PASS
10MHz	16QAM	39700	Full RB	5.04	13	PASS
10MHz	64QAM	39700	1RB Low	3.38	13	PASS
10MHz	64QAM	39700	Full RB	5.90	13	PASS
10MHz	256QAM	39700	1RB Low	4.30	13	PASS
10MHz	256QAM	39700	Full RB	6.46	13	PASS
10MHz	QPSK	40620	1RB Low	3.12	13	PASS
10MHz	QPSK	40620	Full RB	4.66	13	PASS
10MHz	16QAM	40620	1RB Low	3.40	13	PASS
10MHz	16QAM	40620	Full RB	5.14	13	PASS
10MHz	64QAM	40620	1RB Low	4.04	13	PASS
10MHz	64QAM	40620	Full RB	5.22	13	PASS
10MHz	256QAM	40620	1RB Low	3.86	13	PASS
10MHz	256QAM	40620	Full RB	6.38	13	PASS
10MHz	QPSK	41540	1RB Low	2.82	13	PASS
10MHz	QPSK	41540	Full RB	7.20	13	PASS


Test Report No.: RF260714B009


10MHz	16QAM	41540	1RB Low	2.54	13	PASS
10MHz	16QAM	41540	Full RB	5.42	13	PASS
10MHz	64QAM	41540	1RB Low	5.54	13	PASS
10MHz	64QAM	41540	Full RB	6.08	13	PASS
10MHz	256QAM	41540	1RB Low	4.02	13	PASS
10MHz	256QAM	41540	Full RB	6.36	13	PASS
15MHz	QPSK	39725	1RB Low	2.74	13	PASS
15MHz	QPSK	39725	Full RB	3.74	13	PASS
15MHz	16QAM	39725	1RB Low	5.66	13	PASS
15MHz	16QAM	39725	Full RB	4.50	13	PASS
15MHz	64QAM	39725	1RB Low	5.08	13	PASS
15MHz	64QAM	39725	Full RB	5.70	13	PASS
15MHz	256QAM	39725	1RB Low	4.80	13	PASS
15MHz	256QAM	39725	Full RB	6.92	13	PASS
15MHz	QPSK	40620	1RB Low	3.08	13	PASS
15MHz	QPSK	40620	Full RB	4.28	13	PASS
15MHz	16QAM	40620	1RB Low	2.18	13	PASS
15MHz	16QAM	40620	Full RB	5.22	13	PASS
15MHz	64QAM	40620	1RB Low	3.24	13	PASS
15MHz	64QAM	40620	Full RB	6.54	13	PASS
15MHz	256QAM	40620	1RB Low	3.86	13	PASS
15MHz	256QAM	40620	Full RB	6.08	13	PASS
15MHz	QPSK	41515	1RB Low	2.78	13	PASS
15MHz	QPSK	41515	Full RB	4.38	13	PASS
15MHz	16QAM	41515	1RB Low	3.68	13	PASS
15MHz	16QAM	41515	Full RB	5.04	13	PASS
15MHz	64QAM	41515	1RB Low	4.72	13	PASS
15MHz	64QAM	41515	Full RB	5.8	13	PASS
15MHz	256QAM	41515	1RB Low	2.16	13	PASS
15MHz	256QAM	41515	Full RB	6.26	13	PASS
20MHz	QPSK	39750	1RB Low	3.86	13	PASS
20MHz	QPSK	39750	Full RB	3.72	13	PASS
20MHz	16QAM	39750	1RB Low	4.06	13	PASS
20MHz	16QAM	39750	Full RB	4.76	13	PASS
20MHz	64QAM	39750	1RB Low	4.80	13	PASS
20MHz	64QAM	39750	Full RB	6.36	13	PASS
20MHz	256QAM	39750	1RB Low	4.14	13	PASS
20MHz	256QAM	39750	Full RB	7.02	13	PASS
20MHz	QPSK	40620	1RB Low	2.26	13	PASS
20MHz	QPSK	40620	Full RB	6.16	13	PASS
20MHz	16QAM	40620	1RB Low	4.04	13	PASS
20MHz	16QAM	40620	Full RB	5.32	13	PASS
20MHz	64QAM	40620	1RB Low	2.18	13	PASS
20MHz	64QAM	40620	Full RB	6.08	13	PASS
20MHz	256QAM	40620	1RB Low	4.14	13	PASS
20MHz	256QAM	40620	Full RB	6.26	13	PASS
20MHz	QPSK	41490	1RB Low	1.98	13	PASS
20MHz	QPSK	41490	Full RB	4.38	13	PASS
20MHz	16QAM	41490	1RB Low	3.74	13	PASS
20MHz	16QAM	41490	Full RB	5.32	13	PASS
20MHz	64QAM	41490	1RB Low	4.14	13	PASS
20MHz	64QAM	41490	Full RB	5.42	13	PASS
20MHz	256QAM	41490	1RB Low	3.30	13	PASS

Test Report No.: RF260714B009


20MHz	256QAM	41490	Full RB	5.42	13	PASS
-------	--------	-------	---------	------	----	------

Test Graphs







Band 41-5M-LOW-16QAM-Full RB




Band 41-5M-LOW-64QAM-1RB Low




Band 41-5M-LOW-64QAM-Full RB



Band 41-5M-LOW-256QAM-1RB Low




Band 41-5M-LOW-256QAM-Full RB




Band 41-5M-MID-QPSK-1RB Low


Test Report No.: RF260714B009



Band 41-5M-MID-QPSK-Full RB



Band 41-5M-MID-16QAM-1RB Low




Band 41-5M-MID-16QAM-Full RB


BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA


Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Band 41-5M-MID-64QAM-1RB Low




Band 41-5M-MID-64QAM-Full RB




Band 41-5M-MID-256QAM-1RB Low


Test Report No.: RF260714B009



Band 41-5M-MID-256QAM-Full RB



Band 41-5M-HIGH-QPSK-1RB Low




Band 41-5M-HIGH-QPSK-Full RB

BOOMWAVE TEST (SHENZHEN)
CO., LTD.


Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com


Test Report No.: RF260714B009



Band 41-5M-HIGH-16QAM-1RB Low



Band 41-5M-HIGH-16QAM-Full RB




Band 41-5M-HIGH-64QAM-1RB Low

BOOMWAVE TEST (SHENZHEN)
CO., LTD.


Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com


Test Report No.: RF260714B009



Band 41-5M-HIGH-64QAM-Full RB



Band 41-5M-HIGH-256QAM-1RB Low




Band 41-5M-HIGH-256QAM-Full RB

BOOMWAVE TEST (SHENZHEN)
CO., LTD.


Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com


Test Report No.: RF260714B009



Band 41-10M-LOW-QPSK-1RB Low



Band 41-10M-LOW-QPSK-Full RB




Band 41-10M-LOW-16QAM-1RB Low

BOOMWAVE TEST (SHENZHEN)
CO., LTD.


Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com


Test Report No.: RF260714B009



Band 41-10M-LOW-16QAM-Full RB



Band 41-10M-LOW-64QAM-1RB Low




Band 41-10M-LOW-64QAM-Full RB


BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA


Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com




Band 41-10M-LOW-256QAM-1RB Low




Band 41-10M-LOW-256QAM-Full RB




Band 41-10M-MID-QPSK-1RB Low



Band 41-10M-MID-QPSK-Full RB



Band 41-10M-MID-16QAM-1RB Low



Band 41-10M-MID-16QAM-Full RB