





11AX40MIMO_Ant8_5795



11AX80MIMO_Ant6_5775



DUTY CYCLE TEST RESULT

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A-CDD	Ant6	5180	2.10	2.12	99.06
	Ant8	5180	2.09	2.11	99.05
	Ant6	5260	2.10	2.11	99.53
	Ant8	5260	2.09	2.11	99.05
	Ant6	5500	2.09	2.11	99.05
	Ant8	5500	2.10	2.12	99.06
	Ant6	5745	2.09	2.11	99.05
	Ant8	5745	2.10	2.12	99.06
11N20MIMO	Ant6	5180	5.43	5.45	99.63
	Ant8	5180	5.43	5.45	99.63
	Ant6	5260	5.43	5.45	99.63
	Ant8	5260	5.42	5.44	99.63
	Ant6	5500	5.42	5.44	99.63
	Ant8	5500	5.43	5.45	99.63
	Ant6	5745	5.43	5.45	99.63
	Ant8	5745	5.43	5.45	99.63
11N40MIMO	Ant6	5190	5.42	5.44	99.63
	Ant8	5190	5.42	5.44	99.63
	Ant6	5270	5.43	5.45	99.63
	Ant8	5270	5.43	5.45	99.63
	Ant6	5510	5.43	5.44	99.82
	Ant8	5510	5.43	5.45	99.63
	Ant6	5755	5.43	5.44	99.82
	Ant8	5755	5.43	5.45	99.63
11AC80MIMO	Ant6	5210	5.43	5.44	99.82
	Ant8	5210	5.42	5.44	99.63
	Ant6	5290	5.42	5.44	99.63
	Ant8	5290	5.43	5.45	99.63
	Ant6	5530	5.43	5.44	99.82
	Ant8	5530	5.43	5.45	99.63
	Ant6	5775	5.42	5.44	99.63
	Ant8	5775	5.42	5.44	99.63
11AC160MIMO	Ant6	5250	5.43	5.45	99.63
	Ant8	5250	5.43	5.44	99.82
	Ant6	5570	5.43	5.45	99.63
	Ant8	5570	5.43	5.45	99.63
11AX20MIMO	Ant6	5180	5.44	5.46	99.63
	Ant8	5180	5.45	5.46	99.82
	Ant6	5260	5.44	5.46	99.63
	Ant8	5260	5.45	5.47	99.63
	Ant6	5500	5.45	5.46	99.82
	Ant8	5500	5.45	5.47	99.63
	Ant6	5745	5.45	5.46	99.82
	Ant8	5745	5.45	5.46	99.82




**BUREAU
VERITAS**

Reference No.: W7L-231218W001RF03

11AX40MIMO	Ant6	5190	5.45	5.47	99.63
	Ant8	5190	5.45	5.47	99.63
	Ant6	5270	5.44	5.46	99.63
	Ant8	5270	5.44	5.46	99.63
	Ant6	5510	5.44	5.46	99.63
	Ant8	5510	5.44	5.46	99.63
	Ant6	5755	5.44	5.46	99.63
	Ant8	5755	5.45	5.47	99.63
11AX80MIMO	Ant6	5210	5.45	5.47	99.63
	Ant8	5210	5.44	5.46	99.63
	Ant6	5290	5.45	5.46	99.82
	Ant8	5290	5.44	5.46	99.63
	Ant6	5530	5.45	5.46	99.82
	Ant8	5530	5.45	5.46	99.82
	Ant6	5775	5.44	5.46	99.63
	Ant8	5775	5.44	5.46	99.63
11AX160MIMO	Ant6	5250	5.44	5.46	99.63
	Ant8	5250	5.45	5.47	99.63
	Ant6	5570	5.45	5.46	99.82
	Ant8	5570	5.44	5.46	99.63


TEST GRAPHS






BUREAU
VERITAS

Reference No.: W7L-231218W001RF03



11A-CDD Ant8 5500




11A-CDD Ant6 5745




BUREAU
VERITAS


Reference No.: W7L-231218W001RF03



11A-CDD Ant8 5745




11N20MIMO Ant6 5180






BUREAU
VERITAS

Reference No.: W7L-231218W001RF03



11N20MIMO Ant8 5260




11N20MIMO Ant6 5500




BUREAU
VERITAS


Reference No.: W7L-231218W001RF03



11N20MIMO Ant8 5500




11N20MIMO Ant6 5745






BUREAU
VERITAS

Reference No.: W7L-231218W001RF03



11N40MIMO Ant8 5190




11N40MIMO Ant6 5270




BUREAU
VERITAS

Reference No.: W7L-231218W001RF03




11N40MIMO Ant8 5270




11N40MIMO Ant6 5510




Reference No.: W7L-231218W001RF03



11N40MIMO Ant8 5510




11N40MIMO Ant6 5755






BUREAU
VERITAS

Reference No.: W7L-231218W001RF03



11AC80MIMO_Ant8_5210




11AC80MIMO_Ant6_5290




BUREAU
VERITAS

Reference No.: W7L-231218W001RF03




11AC80MIMO_Ant8_5290



11AC80MIMO_Ant6_5530




Reference No.: W7L-231218W001RF03






BUREAU
VERITAS

Reference No.: W7L-231218W001RF03




11AC80MIMO_Ant8_5775




11AC160MIMO_Ant6_5250



Reference No.: W7L-231218W001RF03




11AC160MIMO Ant8 5250



11AC160MIMO Ant6 5570




Reference No.: W7L-231218W001RF03






BUREAU
VERITAS

Reference No.: W7L-231218W001RF03



11AX20MIMO_Ant8_5260




11AX20MIMO_Ant6_5500




BUREAU
VERITAS

Reference No.: W7L-231218W001RF03



11AX20MIMO_Ant8_5500




11AX20MIMO_Ant6_5745




BUREAU
VERITAS

Reference No.: W7L-231218W001RF03




11AX20MIMO_Ant8_5745




11AX40MIMO_Ant6_5190



Reference No.: W7L-231218W001RF03



11AX40MIMO_Ant8_5190




11AX40MIMO_Ant6_5270




BUREAU
VERITAS

Reference No.: W7L-231218W001RF03



11AX40MIMO_Ant8_5270




11AX40MIMO_Ant6_5510




BUREAU
VERITAS

Reference No.: W7L-231218W001RF03



11AX40MIMO_Ant8_5510




11AX40MIMO_Ant6_5755




BUREAU
VERITAS

Reference No.: W7L-231218W001RF03




11AX40MIMO_Ant8_5755




11AX80MIMO_Ant6_5210



Reference No.: W7L-231218W001RF03



11AX80MIMO_Ant8_5210




11AX80MIMO_Ant6_5290




BUREAU
VERITAS

Reference No.: W7L-231218W001RF03



11AX80MIMO_Ant8_5290




11AX80MIMO_Ant6_5530




BUREAU
VERITAS

Reference No.: W7L-231218W001RF03




11AX80MIMO_Ant8_5530



11AX80MIMO_Ant6_5775




Reference No.: W7L-231218W001RF03






Reference No.: W7L-231218W001RF03




11AX160MIMO_Ant8_5250



11AX160MIMO_Ant6_5570



Reference No.: W7L-231218W001RF03



MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

BV Power Table For U-NII-1										
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5180	Ant6	12.84	≤24.00	----	14.87	≤22.15	Pass	12.5
			Ant8	12.18	≤24.00	----	14.21	≤22.15	Pass	12.5
			Total	15.53	≤24.00	----	17.56	≤22.15	Pass	12.5
		5200	Ant6	13.02	≤24.00	----	15.05	≤22.15	Pass	12.5
			Ant8	11.98	≤24.00	----	14.01	≤22.15	Pass	12.5
			Total	15.54	≤24.00	----	17.57	≤22.15	Pass	12.5
		5240	Ant6	12.74	≤24.00	----	14.77	≤22.15	Pass	12.5
			Ant8	12.01	≤24.00	----	14.04	≤22.15	Pass	12.5
			Total	15.40	≤24.00	----	17.43	≤22.15	Pass	12.5
11N20	MIMO	5180	Ant6	14.99	≤24.00	----	17.02	≤22.46	Pass	14.5
			Ant8	13.63	≤24.00	----	15.66	≤22.46	Pass	14.5
			Total	17.35	≤24.00	----	19.38	≤22.46	Pass	14.5
		5200	Ant6	14.40	≤24.00	----	16.43	≤22.46	Pass	14.5
			Ant8	13.97	≤24.00	----	16.00	≤22.46	Pass	14.5
			Total	17.18	≤24.00	----	19.21	≤22.46	Pass	14.5
		5240	Ant6	14.23	≤24.00	----	16.26	≤22.46	Pass	14.5
			Ant8	13.90	≤24.00	----	15.93	≤22.46	Pass	14.5
			Total	17.06	≤24.00	----	19.09	≤22.46	Pass	14.5
11N40	MIMO	5190	Ant6	12.19	≤24.00	----	14.22	≤23.01	Pass	11.5
			Ant8	12.02	≤24.00	----	14.05	≤23.01	Pass	11.5
			Total	15.10	≤24.00	----	17.13	≤23.01	Pass	11.5
		5230	Ant6	12.30	≤24.00	----	14.33	≤23.01	Pass	14
			Ant8	11.60	≤24.00	----	13.63	≤23.01	Pass	14
			Total	14.96	≤24.00	----	16.99	≤23.01	Pass	14
11AC20	MIMO	5180	Ant6	14.53	≤24.00	----	16.56	≤22.46	Pass	14.5
			Ant8	13.60	≤24.00	----	15.63	≤22.46	Pass	14.5
			Total	17.08	≤24.00	----	19.11	≤22.46	Pass	14.5
		5200	Ant6	14.40	≤24.00	----	16.43	≤22.46	Pass	14.5
			Ant8	14.06	≤24.00	----	16.09	≤22.46	Pass	14.5
			Total	17.23	≤24.00	----	19.26	≤22.46	Pass	14.5
		5240	Ant6	14.27	≤24.00	----	16.30	≤22.46	Pass	14.5

			Ant8	13.97	≤24.00	----	16.00	≤22.46	Pass	14.5
			Total	17.11	≤24.00	----	19.14	≤22.46	Pass	14.5
11AC40	MIMO	5190	Ant6	12.32	≤24.00	----	14.35	≤23.01	Pass	12
			Ant8	11.88	≤24.00	----	13.91	≤23.01	Pass	12
			Total	15.10	≤24.00	----	17.13	≤23.01	Pass	12
		5230	Ant6	12.35	≤24.00	----	14.38	≤23.01	Pass	12
			Ant8	11.84	≤24.00	----	13.87	≤23.01	Pass	12
			Total	15.10	≤24.00	----	17.13	≤23.01	Pass	12
11AC80	MIMO	5210	Ant6	10.22	≤24.00	----	12.25	≤23.01	Pass	9.5
			Ant8	9.73	≤24.00	----	11.76	≤23.01	Pass	9.5
			Total	12.98	≤24.00	----	15.01	≤23.01	Pass	9.5
11AC160	MIMO	5250	Ant6	8.39	≤24.00	----	10.42	≤23.01	Pass	8
			Ant8	7.68	≤24.00	----	9.71	≤23.01	Pass	8
			Total	11.05	≤24.00	----	13.08	≤23.01	Pass	8
11AX20	MIMO	5180	Ant6	13.10	≤24.00	----	15.13	≤22.77	Pass	13
			Ant8	13.14	≤24.00	----	15.17	≤22.77	Pass	13
			Total	16.11	≤24.00	----	18.14	≤22.77	Pass	13
		5200	Ant6	13.19	≤24.00	----	15.22	≤22.76	Pass	13
			Ant8	13.02	≤24.00	----	15.05	≤22.76	Pass	13
			Total	16.10	≤24.00	----	18.13	≤22.76	Pass	13
		5240	Ant6	13.07	≤24.00	----	15.10	≤22.76	Pass	13
			Ant8	12.75	≤24.00	----	14.78	≤22.76	Pass	13
			Total	15.91	≤24.00	----	17.94	≤22.76	Pass	13
11AX40	MIMO	5190	Ant6	11.97	≤24.00	----	14.00	≤23.01	Pass	12
			Ant8	11.73	≤24.00	----	13.76	≤23.01	Pass	12
			Total	14.84	≤24.00	----	16.87	≤23.01	Pass	12
		5230	Ant6	14.14	≤24.00	----	16.17	≤23.01	Pass	14
			Ant8	13.88	≤24.00	----	15.91	≤23.01	Pass	14
			Total	17.00	≤24.00	----	19.03	≤23.01	Pass	14
11AX80	MIMO	5210	Ant6	10.20	≤24.00	----	12.23	≤23.01	Pass	9.5
			Ant8	9.72	≤24.00	----	11.75	≤23.01	Pass	9.5
			Total	12.96	≤24.00	----	14.99	≤23.01	Pass	9.5
11AX160	MIMO	5250	Ant6	8.43	≤24.00	----	10.46	≤23.01	Pass	8
			Ant8	7.74	≤24.00	----	9.77	≤23.01	Pass	8
			Total	11.10	≤24.00	----	13.13	≤23.01	Pass	8
Note:The Maximum Conducted Power with duty cycle factor.										

BV Power Table For U-NII-2A											
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5260	Ant6	12.64	≤24.00	≤23.16	14.25	≤30.00	≤29.15	Pass	12.5
			Ant8	12.16	≤24.00	≤23.16	13.77	≤30.00	≤29.15	Pass	12.5
			Total	15.42	≤24.00	≤23.16	17.03	≤30.00	≤29.15	Pass	12.5
		5300	Ant6	12.62	≤24.00	≤23.19	14.23	≤30.00	≤29.15	Pass	12.5
			Ant8	12.37	≤24.00	≤23.19	13.98	≤30.00	≤29.15	Pass	12.5
			Total	15.51	≤24.00	≤23.19	17.12	≤30.00	≤29.15	Pass	12.5
		5320	Ant6	12.74	≤24.00	≤23.15	14.35	≤30.00	≤29.15	Pass	12.5
			Ant8	12.45	≤24.00	≤23.15	14.06	≤30.00	≤29.15	Pass	12.5
			Total	15.61	≤24.00	≤23.15	17.22	≤30.00	≤29.15	Pass	12.5
11N20	MIMO	5260	Ant6	14.14	≤24.00	≤23.46	15.75	≤30.00	≤29.46	Pass	14.5
			Ant8	13.89	≤24.00	≤23.46	15.50	≤30.00	≤29.46	Pass	14.5
			Total	17.01	≤24.00	≤23.46	18.62	≤30.00	≤29.46	Pass	14.5
		5300	Ant6	13.94	≤24.00	≤23.46	15.55	≤30.00	≤29.46	Pass	14.5
			Ant8	13.87	≤24.00	≤23.46	15.48	≤30.00	≤29.46	Pass	14.5
			Total	16.90	≤24.00	≤23.46	18.51	≤30.00	≤29.46	Pass	14.5
		5320	Ant6	14.25	≤24.00	≤23.46	15.86	≤30.00	≤29.46	Pass	14.5
			Ant8	14.07	≤24.00	≤23.46	15.68	≤30.00	≤29.46	Pass	14.5
			Total	17.15	≤24.00	≤23.46	18.76	≤30.00	≤29.46	Pass	14.5
11N40	MIMO	5270	Ant6	12.26	≤24.00	≤24.00	13.87	≤30.00	≤30.00	Pass	12
			Ant8	11.59	≤24.00	≤24.00	13.20	≤30.00	≤30.00	Pass	12
			Total	14.93	≤24.00	≤24.00	16.54	≤30.00	≤30.00	Pass	12
		5310	Ant6	12.29	≤24.00	≤24.00	13.90	≤30.00	≤30.00	Pass	12
			Ant8	11.98	≤24.00	≤24.00	13.59	≤30.00	≤30.00	Pass	12
			Total	15.13	≤24.00	≤24.00	16.74	≤30.00	≤30.00	Pass	12
11AC20	MIMO	5260	Ant6	14.08	≤24.00	≤23.46	15.69	≤30.00	≤29.46	Pass	14.5
			Ant8	13.88	≤24.00	≤23.46	15.49	≤30.00	≤29.46	Pass	14.5
			Total	16.97	≤24.00	≤23.46	18.58	≤30.00	≤29.46	Pass	14.5
		5300	Ant6	14.23	≤24.00	≤23.46	15.84	≤30.00	≤29.46	Pass	14.5
			Ant8	13.96	≤24.00	≤23.46	15.57	≤30.00	≤29.46	Pass	14.5
			Total	17.09	≤24.00	≤23.46	18.70	≤30.00	≤29.46	Pass	14.5
		5320	Ant6	14.28	≤24.00	≤23.46	15.89	≤30.00	≤29.46	Pass	14.5
			Ant8	14.05	≤24.00	≤23.46	15.66	≤30.00	≤29.46	Pass	14.5
			Total	17.16	≤24.00	≤23.46	18.77	≤30.00	≤29.46	Pass	14.5
11AC40	MIMO	5270	Ant6	12.36	≤24.00	≤24.00	13.97	≤30.00	≤30.00	Pass	12



**BUREAU
VERITAS**

Reference No.: W7L-231218W001RF03

		5310	Ant8	11.83	≤24.00	≤24.00	13.44	≤30.00	≤30.00	Pass	12
			Total	15.10	≤24.00	≤24.00	16.71	≤30.00	≤30.00	Pass	12
			Ant6	12.47	≤24.00	≤24.00	14.08	≤30.00	≤30.00	Pass	12
			Ant8	12.18	≤24.00	≤24.00	13.79	≤30.00	≤30.00	Pass	12
			Total	15.32	≤24.00	≤24.00	16.93	≤30.00	≤30.00	Pass	12
11AC80	MIMO	5290	Ant6	10.31	≤24.00	≤24.00	11.92	≤30.00	≤30.00	Pass	9.5
			Ant8	9.87	≤24.00	≤24.00	11.48	≤30.00	≤30.00	Pass	9.5
			Total	13.10	≤24.00	≤24.00	14.71	≤30.00	≤30.00	Pass	9.5
11AX20	MIMO	5260	Ant6	14.32	≤24.00	≤23.77	15.93	≤30.00	≤29.77	Pass	14.5
			Ant8	14.04	≤24.00	≤23.77	15.65	≤30.00	≤29.77	Pass	14.5
			Total	17.17	≤24.00	≤23.77	18.78	≤30.00	≤29.77	Pass	14.5
		5300	Ant6	14.14	≤24.00	≤23.76	15.75	≤30.00	≤29.76	Pass	14.5
			Ant8	14.00	≤24.00	≤23.76	15.61	≤30.00	≤29.76	Pass	14.5
			Total	17.06	≤24.00	≤23.76	18.67	≤30.00	≤29.76	Pass	14.5
		5320	Ant6	14.44	≤24.00	≤23.77	16.05	≤30.00	≤29.77	Pass	14.5
			Ant8	14.01	≤24.00	≤23.77	15.62	≤30.00	≤29.77	Pass	14.5
			Total	17.22	≤24.00	≤23.77	18.83	≤30.00	≤29.77	Pass	14.5
11AX40	MIMO	5270	Ant6	13.86	≤24.00	≤24.00	15.47	≤30.00	≤30.00	Pass	14
			Ant8	13.55	≤24.00	≤24.00	15.16	≤30.00	≤30.00	Pass	14
			Total	16.70	≤24.00	≤24.00	18.31	≤30.00	≤30.00	Pass	14
		5310	Ant6	12.98	≤24.00	≤24.00	14.59	≤30.00	≤30.00	Pass	12.5
			Ant8	13.06	≤24.00	≤24.00	14.67	≤30.00	≤30.00	Pass	12.5
			Total	16.01	≤24.00	≤24.00	17.62	≤30.00	≤30.00	Pass	12.5
11AX80	MIMO	5290	Ant6	10.19	≤24.00	≤24.00	11.80	≤30.00	≤30.00	Pass	9.5
			Ant8	9.72	≤24.00	≤24.00	11.33	≤30.00	≤30.00	Pass	9.5
			Total	12.96	≤24.00	≤24.00	14.57	≤30.00	≤30.00	Pass	9.5
Note:The Maximum Conducted Power with duty cycle factor.											

BV Power Table For U-NII-2C											
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5500	Ant6	11.72	≤24.00	≤23.16	14.46	≤30.00	≤29.16	Pass	12
			Ant8	12.34	≤24.00	≤23.16	15.08	≤30.00	≤29.16	Pass	12
			Total	15.05	≤24.00	≤23.16	17.79	≤30.00	≤29.16	Pass	12
		5580	Ant6	11.81	≤24.00	≤23.19	14.55	≤30.00	≤29.16	Pass	12
			Ant8	12.95	≤24.00	≤23.19	15.69	≤30.00	≤29.16	Pass	12
			Total	15.43	≤24.00	≤23.19	18.17	≤30.00	≤29.16	Pass	12
		5700	Ant6	11.68	≤24.00	≤23.16	14.42	≤30.00	≤29.16	Pass	12
			Ant8	12.86	≤24.00	≤23.16	15.60	≤30.00	≤29.16	Pass	12
			Total	15.32	≤24.00	≤23.16	18.06	≤30.00	≤29.16	Pass	12
		5720	Ant6	11.71	≤24.00	≤23.16	14.45	≤30.00	≤29.16	Pass	12
			Ant8	12.81	≤24.00	≤23.16	15.55	≤30.00	≤29.16	Pass	12
			Total	15.31	≤24.00	≤23.16	18.05	≤30.00	≤29.16	Pass	12
11N20	MIMO	5500	Ant6	13.00	≤24.00	≤23.44	15.74	≤30.00	≤29.44	Pass	14
			Ant8	14.91	≤24.00	≤23.44	17.65	≤30.00	≤29.44	Pass	14
			Total	17.05	≤24.00	≤23.44	19.79	≤30.00	≤29.44	Pass	14
		5580	Ant6	13.00	≤24.00	≤23.44	15.74	≤30.00	≤29.44	Pass	14
			Ant8	14.28	≤24.00	≤23.44	17.02	≤30.00	≤29.44	Pass	14
			Total	16.68	≤24.00	≤23.44	19.42	≤30.00	≤29.44	Pass	14
		5700	Ant6	13.42	≤24.00	≤23.45	16.16	≤30.00	≤29.45	Pass	14.5
			Ant8	14.61	≤24.00	≤23.45	17.35	≤30.00	≤29.45	Pass	14.5
			Total	17.05	≤24.00	≤23.45	19.79	≤30.00	≤29.45	Pass	14.5
		5720	Ant6	13.47	≤24.00	≤23.45	16.21	≤30.00	≤29.45	Pass	14.5
			Ant8	14.55	≤24.00	≤23.45	17.29	≤30.00	≤29.45	Pass	14.5
			Total	17.04	≤24.00	≤23.45	19.78	≤30.00	≤29.45	Pass	14.5
11N40	MIMO	5510	Ant6	11.94	≤24.00	≤24.00	14.68	≤30.00	≤30.00	Pass	12
			Ant8	12.84	≤24.00	≤24.00	15.58	≤30.00	≤30.00	Pass	12
			Total	15.41	≤24.00	≤24.00	18.15	≤30.00	≤30.00	Pass	12
		5550	Ant6	11.62	≤24.00	≤24.00	14.36	≤30.00	≤30.00	Pass	11.5
			Ant8	12.57	≤24.00	≤24.00	15.31	≤30.00	≤30.00	Pass	11.5
			Total	15.11	≤24.00	≤24.00	17.85	≤30.00	≤30.00	Pass	11.5
		5670	Ant6	11.69	≤24.00	≤24.00	14.43	≤30.00	≤30.00	Pass	11.5
			Ant8	12.32	≤24.00	≤24.00	15.06	≤30.00	≤30.00	Pass	11.5
			Total	15.01	≤24.00	≤24.00	17.75	≤30.00	≤30.00	Pass	11.5



**BUREAU
VERITAS**

Reference No.: W7L-231218W001RF03

		5710	Ant6	11.44	≤24.00	≤24.00	14.18	≤30.00	≤30.00	Pass	11.5
			Ant8	12.55	≤24.00	≤24.00	15.29	≤30.00	≤30.00	Pass	11.5
			Total	15.02	≤24.00	≤24.00	17.76	≤30.00	≤30.00	Pass	11.5
11AC20	MIMO	5500	Ant6	12.97	≤24.00	≤23.44	15.71	≤30.00	≤29.44	Pass	14
			Ant8	14.81	≤24.00	≤23.44	17.55	≤30.00	≤29.44	Pass	14
			Total	16.98	≤24.00	≤23.44	19.72	≤30.00	≤29.44	Pass	14
		5580	Ant6	12.92	≤24.00	≤23.44	15.66	≤30.00	≤29.44	Pass	14
			Ant8	14.24	≤24.00	≤23.44	16.98	≤30.00	≤29.44	Pass	14
			Total	16.62	≤24.00	≤23.44	19.36	≤30.00	≤29.44	Pass	14
		5700	Ant6	13.56	≤24.00	≤23.45	16.30	≤30.00	≤29.45	Pass	14.5
			Ant8	14.68	≤24.00	≤23.45	17.42	≤30.00	≤29.45	Pass	14.5
			Total	17.15	≤24.00	≤23.45	19.89	≤30.00	≤29.45	Pass	14.5
		5720	Ant6	13.57	≤24.00	≤23.45	16.31	≤30.00	≤29.45	Pass	14.5
			Ant8	14.65	≤24.00	≤23.45	17.39	≤30.00	≤29.45	Pass	14.5
			Total	17.14	≤24.00	≤23.45	19.88	≤30.00	≤29.45	Pass	14.5
11AC40	MIMO	5510	Ant6	11.55	≤24.00	≤24.00	14.29	≤30.00	≤30.00	Pass	11.5
			Ant8	12.25	≤24.00	≤24.00	14.99	≤30.00	≤30.00	Pass	11.5
			Total	14.91	≤24.00	≤24.00	17.65	≤30.00	≤30.00	Pass	11.5
		5550	Ant6	11.66	≤24.00	≤24.00	14.40	≤30.00	≤30.00	Pass	11.5
			Ant8	12.50	≤24.00	≤24.00	15.24	≤30.00	≤30.00	Pass	11.5
			Total	15.09	≤24.00	≤24.00	17.83	≤30.00	≤30.00	Pass	11.5
		5670	Ant6	11.70	≤24.00	≤24.00	14.44	≤30.00	≤30.00	Pass	11.5
			Ant8	12.36	≤24.00	≤24.00	15.10	≤30.00	≤30.00	Pass	11.5
			Total	15.04	≤24.00	≤24.00	17.78	≤30.00	≤30.00	Pass	11.5
		5710	Ant6	11.52	≤24.00	≤24.00	14.26	≤30.00	≤30.00	Pass	11.5
			Ant8	12.56	≤24.00	≤24.00	15.30	≤30.00	≤30.00	Pass	11.5
			Total	15.06	≤24.00	≤24.00	17.80	≤30.00	≤30.00	Pass	11.5
11AC80	MIMO	5530	Ant6	9.73	≤24.00	≤24.00	12.47	≤30.00	≤30.00	Pass	9
			Ant8	10.14	≤24.00	≤24.00	12.88	≤30.00	≤30.00	Pass	9
			Total	12.94	≤24.00	≤24.00	15.68	≤30.00	≤30.00	Pass	9
	MIMO	5690	Ant6	9.80	≤24.00	≤24.00	12.54	≤30.00	≤30.00	Pass	9
			Ant8	10.46	≤24.00	≤24.00	13.20	≤30.00	≤30.00	Pass	9
			Total	13.14	≤24.00	≤24.00	15.88	≤30.00	≤30.00	Pass	9
11AC160	MIMO	5570	Ant6	7.85	≤24.00	≤24.00	10.59	≤30.00	≤30.00	Pass	7.5
			Ant8	8.16	≤24.00	≤24.00	10.90	≤30.00	≤30.00	Pass	7.5
			Total	11.01	≤24.00	≤24.00	13.75	≤30.00	≤30.00	Pass	7.5
11AX20	MIMO	5500	Ant6	13.12	≤24.00	≤23.74	15.86	≤30.00	≤29.74	Pass	14
			Ant8	14.70	≤24.00	≤23.74	17.44	≤30.00	≤29.74	Pass	14
			Total	16.97	≤24.00	≤23.74	19.71	≤30.00	≤29.74	Pass	14
		5580	Ant6	13.14	≤24.00	≤23.75	15.88	≤30.00	≤29.75	Pass	14
			Ant8	14.48	≤24.00	≤23.75	17.22	≤30.00	≤29.75	Pass	14
			Total	16.85	≤24.00	≤23.75	19.59	≤30.00	≤29.75	Pass	14

		5700	Ant6	12.82	≤24.00	≤23.75	15.56	≤30.00	≤29.75	Pass	13.5
			Ant8	14.04	≤24.00	≤23.75	16.78	≤30.00	≤29.75	Pass	13.5
			Total	16.46	≤24.00	≤23.75	19.20	≤30.00	≤29.75	Pass	13.5
		5720	Ant6	13.72	≤24.00	≤23.75	16.46	≤30.00	≤29.75	Pass	14.5
			Ant8	14.61	≤24.00	≤23.75	17.35	≤30.00	≤29.75	Pass	14.5
			Total	17.18	≤24.00	≤23.75	19.92	≤30.00	≤29.75	Pass	14.5
11AX40	MIMO	5510	Ant6	12.93	≤24.00	≤24.00	15.67	≤30.00	≤30.00	Pass	13
			Ant8	14.17	≤24.00	≤24.00	16.91	≤30.00	≤30.00	Pass	13
			Total	16.59	≤24.00	≤24.00	19.33	≤30.00	≤30.00	Pass	13
		5550	Ant6	13.47	≤24.00	≤24.00	16.21	≤30.00	≤30.00	Pass	14
			Ant8	14.99	≤24.00	≤24.00	17.73	≤30.00	≤30.00	Pass	14
			Total	17.29	≤24.00	≤24.00	20.03	≤30.00	≤30.00	Pass	14
		5670	Ant6	13.64	≤24.00	≤24.00	16.38	≤30.00	≤30.00	Pass	14
			Ant8	14.41	≤24.00	≤24.00	17.15	≤30.00	≤30.00	Pass	14
			Total	17.16	≤24.00	≤24.00	19.90	≤30.00	≤30.00	Pass	14
		5710	Ant6	13.38	≤24.00	≤24.00	16.12	≤30.00	≤30.00	Pass	14
			Ant8	14.83	≤24.00	≤24.00	17.57	≤30.00	≤30.00	Pass	14
			Total	17.16	≤24.00	≤24.00	19.90	≤30.00	≤30.00	Pass	9
11AX80	MIMO	5530	Ant6	9.56	≤24.00	≤24.00	12.30	≤30.00	≤30.00	Pass	9
			Ant8	10.12	≤24.00	≤24.00	12.86	≤30.00	≤30.00	Pass	9
			Total	12.84	≤24.00	≤24.00	15.58	≤30.00	≤30.00	Pass	9
	MIMO	5690	Ant6	9.77	≤24.00	≤24.00	12.51	≤30.00	≤30.00	Pass	9
			Ant8	10.47	≤24.00	≤24.00	13.21	≤30.00	≤30.00	Pass	9
			Total	13.13	≤24.00	≤24.00	15.87	≤30.00	≤30.00	Pass	9
11AX160	MIMO	5570	Ant6	7.84	≤24.00	≤24.00	10.58	≤30.00	≤30.00	Pass	7.5
			Ant8	8.28	≤24.00	≤24.00	11.02	≤30.00	≤30.00	Pass	7.5
			Total	11.06	≤24.00	≤24.00	13.80	≤30.00	≤30.00	Pass	7.5
Note:The Maximum Conducted Power with duty cycle factor.											