



For 26dB Bandwidth:


802.11a/20MHz/6M/5180MHz/Ch36




802.11a/20MHz/6M/5220MHz/Ch44




802.11a/20MHz/6M/5240MHz/Ch48




802.11a/20MHz/6M/5260MHz/Ch52




802.11a/20MHz/6M/5300MHz/Ch60




802.11a/20MHz/6M/5320MHz/Ch64




802.11a/20MHz/6M/5500MHz/Ch100




802.11a/20MHz/6M/5580MHz/Ch116




802.11a/20MHz/6M/5700MHz/Ch140




802.11ac/20MHz/MCS0/5180MHz/Ch36




802.11ac/20MHz/MCS0/5220MHz/Ch44




802.11ac/20MHz/MCS0/5240MHz/Ch48




802.11ac/20MHz/MCS0/5260MHz/Ch52




802.11ac/20MHz/MCS0/5300MHz/Ch60




802.11ac/20MHz/MCS0/5320MHz/Ch64




802.11ac/20MHz/MCS0/5500MHz/Ch100




802.11ac/20MHz/MCS0/5580MHz/Ch116




802.11ac/20MHz/MCS0/5700MHz/Ch140




802.11ac/40MHz/MCS0/5190MHz/Ch38




802.11ac/40MHz/MCS0/5230MHz/Ch46




802.11ac/40MHz/MCS0/5270MHz/Ch54




802.11ac/40MHz/MCS0/5310MHz/Ch62




802.11ac/40MHz/MCS0/5510MHz/Ch102




802.11ac/40MHz/MCS0/5550MHz/Ch110




802.11ac/40MHz/MCS0/5670MHz/Ch134




802.11ac/80MHz/MCS0/5210MHz/Ch42




802.11ac/80MHz/MCS0/5290MHz/Ch58




802.11ac/80MHz/MCS0/5530MHz/Ch106




802.11ac/80MHz/MCS0/5610MHz/Ch122




802.11ac/160MHz/MCS0/5570MHz/Ch114







802.11ax/20MHz/MCS0/5500MHz/Ch100




802.11ax/20MHz/MCS0/5580MHz/Ch116




802.11ax/20MHz/MCS0/5700MHz/Ch140




802.11ax/40MHz/MCS0/5190MHz/Ch38




802.11ax/40MHz/MCS0/5230MHz/Ch46




802.11ax/40MHz/MCS0/5270MHz/Ch54




802.11ax/40MHz/MCS0/5310MHz/Ch62




802.11ax/40MHz/MCS0/5510MHz/Ch102




802.11ax/40MHz/MCS0/5550MHz/Ch110




802.11ax/40MHz/MCS0/5670MHz/Ch134




802.11ax/80MHz/MCS0/5210MHz/Ch42




802.11ax/80MHz/MCS0/5290MHz/Ch58






For DTS Bandwidth:


802.11a/20MHz/6M/5745MHz/Ch149




802.11a/20MHz/6M/5785MHz/Ch157




802.11a/20MHz/6M/5825MHz/Ch165




802.11ac/20MHz/MCS0/5745MHz/Ch149




802.11ac/20MHz/MCS0/5785MHz/Ch157




802.11ac/20MHz/MCS0/5825MHz/Ch165




802.11ac/40MHz/MCS0/5755MHz/Ch151




802.11ac/40MHz/MCS0/5795MHz/Ch159




802.11ac/80MHz/MCS0/5775MHz/Ch155




802.11ax/20MHz/MCS0/5745MHz/Ch149




802.11ax/20MHz/MCS0/5785MHz/Ch157



802.11ax/20MHz/MCS0/5825MHz/Ch165





Appendix C. Test Result of Maximum Conducted Output Power

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)			Limit (dBm)	Result
		Ant. 1	Ant. 2	Total		
802.11a (20MHz)	5180	11.14	12.23	14.73	24.00	Pass
	5220	10.97	12.65	14.90	24.00	Pass
	5240	10.86	12.78	14.94	24.00	Pass
	5260	11.02	12.56	14.87	24.00	Pass
	5300	10.85	12.64	14.85	24.00	Pass
	5320	10.87	12.76	14.93	24.00	Pass
	5500	11.56	12.12	14.86	24.00	Pass
	5580	11.85	12.05	14.96	24.00	Pass
	5700	12.44	11.38	14.95	24.00	Pass
	5745	12.44	11.26	14.90	30.00	Pass
	5785	12.42	10.86	14.72	30.00	Pass
	5825	12.12	11.18	14.69	30.00	Pass
802.11ac (20MHz)	5180	11.11	12.20	14.70	24.00	Pass
	5220	10.87	12.72	14.90	24.00	Pass
	5240	10.76	12.70	14.85	24.00	Pass
	5260	11.04	12.42	14.79	24.00	Pass
	5300	10.80	12.47	14.73	24.00	Pass
	5320	10.81	12.66	14.84	24.00	Pass
	5500	11.38	12.01	14.72	24.00	Pass
	5580	11.72	12.01	14.88	24.00	Pass
	5700	12.21	11.37	14.82	24.00	Pass
	5745	12.34	11.23	14.83	30.00	Pass
	5785	12.30	10.87	14.65	30.00	Pass
	5825	12.08	11.19	14.67	30.00	Pass
802.11ac (40MHz)	5190	11.03	12.28	14.71	24.00	Pass
	5230	10.78	12.64	14.82	24.00	Pass
	5270	10.91	12.51	14.79	24.00	Pass
	5310	10.66	12.69	14.80	24.00	Pass
	5510	11.42	12.05	14.76	24.00	Pass
	5550	11.68	12.06	14.88	24.00	Pass
	5670	12.20	11.24	14.76	24.00	Pass
	5755	12.16	11.09	14.67	30.00	Pass
	5795	12.42	11.24	14.88	30.00	Pass
802.11ac (80MHz)	5210	10.90	12.38	14.71	24.00	Pass

	5290	10.76	12.36	14.64	24.00	Pass
	5530	11.50	12.12	14.83	24.00	Pass
	5610	11.63	11.80	14.73	24.00	Pass
	5775	12.35	11.30	14.87	30.00	Pass
802.11ac (160MHz)	5570	11.56	11.72	14.65	24.00	Pass
802.11ax (20MHz)	5180	11.21	12.26	14.78	24.00	Pass
	5220	10.92	12.78	14.96	24.00	Pass
	5240	10.84	12.75	14.91	24.00	Pass
	5260	11.12	12.52	14.89	24.00	Pass
	5300	10.86	12.56	14.80	24.00	Pass
	5320	10.91	12.72	14.92	24.00	Pass
	5500	11.46	12.11	14.81	24.00	Pass
	5580	11.81	12.06	14.95	24.00	Pass
	5700	12.28	11.42	14.88	24.00	Pass
	5745	12.41	11.29	14.90	30.00	Pass
	5785	12.35	10.92	14.70	30.00	Pass
	5825	12.14	11.26	14.73	30.00	Pass
802.11ax (40MHz)	5190	11.12	12.36	14.79	24.00	Pass
	5230	10.86	12.71	14.89	24.00	Pass
	5270	10.96	12.61	14.87	24.00	Pass
	5310	10.76	12.77	14.89	24.00	Pass
	5510	11.51	12.13	14.84	24.00	Pass
	5550	11.74	12.12	14.94	24.00	Pass
	5670	12.26	11.32	14.83	24.00	Pass
	5755	12.26	11.16	14.76	30.00	Pass
	5795	12.51	11.34	14.97	30.00	Pass
802.11ax (80MHz)	5210	10.95	12.46	14.78	24.00	Pass
	5290	10.82	12.45	14.72	24.00	Pass
	5530	11.56	12.21	14.91	24.00	Pass
	5610	11.68	11.85	14.78	24.00	Pass
	5775	12.45	11.37	14.95	30.00	Pass
802.11ax (160MHz)	5570	11.68	11.78	14.74	24.00	Pass

Appendix D. Test Result of Maximum Power Spectral Density

Modulation	Frequency (MHz)	Maximum Power Spectral Density (dBm/MHz)			Limit (dBm/MHz)	Result
		Ant. 1	Ant. 2	Total		
802.11a (20MHz)	5180	1.91	3.68	5.52	9.74	Pass
	5220	1.99	4.81	6.63	9.74	Pass
	5240	1.70	4.74	6.26	9.74	Pass
	5260	2.24	4.91	6.83	10.09	Pass
	5300	1.68	4.81	6.38	10.09	Pass
	5320	2.09	5.78	7.13	10.09	Pass
	5500	3.16	4.54	6.79	9.73	Pass
	5580	3.02	5.35	7.30	9.73	Pass
	5700	4.14	3.87	7.02	9.73	Pass
802.11ac (20MHz)	5180	1.64	4.20	5.60	9.74	Pass
	5220	1.80	3.99	5.97	9.74	Pass
	5240	1.14	4.58	6.09	9.74	Pass
	5260	2.15	4.85	6.66	10.09	Pass
	5300	2.38	5.09	6.82	10.09	Pass
	5320	2.01	4.63	6.30	10.09	Pass
	5500	2.55	3.84	6.23	9.73	Pass
	5580	2.99	4.39	6.53	9.73	Pass
	5700	3.54	3.91	6.60	9.73	Pass
802.11ac (40MHz)	5190	-0.51	1.49	3.27	9.74	Pass
	5230	-0.87	1.58	3.52	9.74	Pass
	5270	-0.66	1.97	3.57	10.09	Pass
	5310	-0.39	2.27	3.69	10.09	Pass
	5510	0.09	1.64	3.58	9.73	Pass
	5550	0.20	1.39	3.73	9.73	Pass
	5670	1.39	1.00	3.86	9.73	Pass
802.11ac (80MHz)	5210	-3.48	-1.56	0.10	9.74	Pass
	5290	-3.59	-0.67	0.99	10.09	Pass
	5530	-3.24	-1.52	0.67	9.73	Pass
	5610	-2.38	-1.32	1.10	9.73	Pass
802.11ac (160MHz)	5570	-5.54	-4.02	-2.10	9.73	Pass
802.11ax (20MHz)	5180	1.73	3.48	5.54	9.74	Pass
	5220	1.39	4.10	5.57	9.74	Pass
	5240	1.34	4.11	5.91	9.74	Pass
	5260	2.14	4.56	6.36	10.09	Pass

	5300	2.60	4.53	6.04	10.09	Pass
	5320	1.24	4.89	6.30	10.09	Pass
	5500	2.05	4.10	5.86	9.73	Pass
	5580	2.62	4.53	6.67	9.73	Pass
	5700	3.48	4.12	6.57	9.73	Pass
802.11ax (40MHz)	5190	-1.10	1.38	3.05	9.74	Pass
	5230	-1.58	1.42	2.87	9.74	Pass
	5270	-0.78	2.18	3.66	10.09	Pass
	5310	-1.21	1.39	3.28	10.09	Pass
	5510	-0.69	1.22	3.10	9.73	Pass
	5550	-0.80	0.86	2.91	9.73	Pass
	5670	0.50	0.55	3.23	9.73	Pass
802.11ax (80MHz)	5210	-3.72	-1.72	-0.09	9.74	Pass
	5290	-3.57	-0.83	0.89	10.09	Pass
	5530	-2.83	-1.72	0.52	9.73	Pass
	5610	-2.46	-0.84	1.16	9.73	Pass
802.11ax (160MHz)	5570	-5.89	-4.27	-2.05	9.73	Pass

Note: Trace bin-by-bin of each transmits port summing can be performed maximum power density.

Modulation	Frequency (MHz)	Maximum Power Spectral Density (dBm/500kHz)			Limit (dBm/500kHz)	Result
		Ant. 1	Ant. 2	Total		
802.11a (20MHz)	5745	1.65	0.92	4.14	28.54	Pass
	5785	0.52	0.77	3.68	28.54	Pass
	5825	1.00	0.77	3.99	28.54	Pass
802.11ac (20MHz)	5745	1.43	0.58	3.71	28.54	Pass
	5785	0.29	-0.01	2.98	28.54	Pass
	5825	0.50	0.44	3.22	28.54	Pass
802.11ac (40MHz)	5755	-1.89	-2.63	0.53	28.54	Pass
	5795	-2.46	-2.55	0.19	28.54	Pass
802.11ac (80MHz)	5775	-5.16	-5.57	-2.65	28.54	Pass
802.11ax (20MHz)	5745	0.74	0.18	3.41	28.54	Pass
	5785	-0.17	0.26	2.84	28.54	Pass
	5825	0.42	0.08	3.00	28.54	Pass
802.11ax (40MHz)	5755	-2.07	-2.25	0.62	28.54	Pass
	5795	-2.72	-2.64	0.11	28.54	Pass
802.11ax (80MHz)	5775	-5.53	-5.32	-2.74	28.54	Pass

Note: Trace bin-by-bin of each transmits port summing can be performed maximum power density.