

1. Duty Cycle

1.1 Test Result

1.1.1 Ant1

Ant1									
Mode	Tx Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5180	/	/	1.978	2.085	94.87	0.23	0.07
		5200	/	/	1.978	2.084	94.91	0.23	0.03
		5240	/	/	1.977	2.084	94.87	0.23	0.04
		5260	/	/	1.977	2.084	94.87	0.23	0.07
		5300	/	/	1.977	2.084	94.87	0.23	0.00
		5320	/	/	1.977	2.083	94.91	0.23	0.00
		5500	/	/	1.977	2.084	94.87	0.23	0.07
		5600	/	/	1.977	2.084	94.87	0.23	0.04
		5700	/	/	1.977	2.084	94.87	0.23	0.04
		5745	/	/	1.977	2.084	94.87	0.23	0.04
		5785	/	/	1.978	2.085	94.87	0.23	0.07
		5825	/	/	1.977	2.084	94.87	0.23	0.07
802.11n (HT20)	SISO	5180	/	/	5.370	5.632	95.35	0.21	0.00
		5200	/	/	5.368	5.632	95.31	0.21	0.00
		5240	/	/	5.370	5.630	95.38	0.21	0.00
		5260	/	/	5.368	5.630	95.35	0.21	0.00
		5300	/	/	5.370	5.630	95.38	0.21	0.00
		5320	/	/	5.370	5.630	95.38	0.21	0.00
		5500	/	/	5.370	5.630	95.38	0.21	0.00
		5600	/	/	5.370	5.634	95.31	0.21	0.07
		5700	/	/	5.370	5.630	95.38	0.21	0.00
		5745	/	/	5.370	5.632	95.35	0.21	0.03
		5785	/	/	5.370	5.630	95.38	0.21	0.00
		5825	/	/	5.368	5.630	95.35	0.21	0.04
802.11n (HT40)	SISO	5190	/	/	5.394	5.520	97.72	0.10	0.00
		5230	/	/	5.394	5.520	97.72	0.10	0.00
		5270	/	/	5.392	5.520	97.68	0.10	0.04
		5310	/	/	5.393	5.520	97.70	0.10	0.00
		5510	/	/	5.392	5.520	97.68	0.10	0.00
		5590	/	/	5.392	5.520	97.68	0.10	0.04
		5670	/	/	5.392	5.520	97.68	0.10	0.00
		5755	/	/	5.394	5.520	97.72	0.10	0.00
		5795	/	/	5.394	5.520	97.72	0.10	0.00
802.11n (HT20)	MIMO	5180	/	/	5.370	5.630	95.38	0.21	0.00
		5200	/	/	5.370	5.630	95.38	0.21	0.03
		5240	/	/	5.370	5.630	95.38	0.21	0.04
		5260	/	/	5.370	5.630	95.38	0.21	0.00
		5300	/	/	5.370	5.630	95.38	0.21	0.00
		5320	/	/	5.370	5.630	95.38	0.21	0.00
		5500	/	/	5.370	5.630	95.38	0.21	0.00
		5600	/	/	5.370	5.632	95.35	0.21	0.00
		5700	/	/	5.370	5.630	95.38	0.21	0.04
		5745	/	/	5.370	5.630	95.38	0.21	0.00
		5785	/	/	5.370	5.630	95.38	0.21	0.00
		5825	/	/	5.370	5.630	95.38	0.21	0.00
802.11n (HT40)	MIMO	5190	/	/	5.392	5.520	97.68	0.10	0.00
		5230	/	/	5.392	5.520	97.68	0.10	0.00
		5270	/	/	5.394	5.520	97.72	0.10	0.00
		5310	/	/	5.392	5.520	97.68	0.10	0.00
		5510	/	/	5.394	5.520	97.72	0.10	0.00
		5590	/	/	5.392	5.520	97.68	0.10	0.04

		5670	/	/	5.392	5.520	97.68	0.10	0.00
		5755	/	/	5.392	5.520	97.68	0.10	0.04
		5795	/	/	5.394	5.520	97.72	0.10	0.00
802.11ac (VHT20)	SISO	5180	/	/	5.374	5.636	95.35	0.21	0.03
		5200	/	/	5.372	5.634	95.35	0.21	0.04
		5240	/	/	5.372	5.634	95.35	0.21	0.04
		5260	/	/	5.371	5.634	95.33	0.21	0.04
		5300	/	/	5.372	5.634	95.35	0.21	0.00
		5320	/	/	5.372	5.634	95.35	0.21	0.04
		5500	/	/	5.374	5.634	95.39	0.21	0.00
		5600	/	/	5.372	5.636	95.32	0.21	0.04
		5700	/	/	5.374	5.634	95.39	0.21	0.00
		5745	/	/	5.372	5.634	95.35	0.21	0.04
		5785	/	/	5.372	5.634	95.35	0.21	0.00
		5825	/	/	5.374	5.391	99.68	0.01	0.03
802.11ac (VHT40)	SISO	5190	/	/	5.396	5.524	97.68	0.10	0.00
		5230	/	/	5.398	5.524	97.72	0.10	0.00
		5270	/	/	5.397	5.524	97.70	0.10	0.03
		5310	/	/	5.398	5.524	97.72	0.10	0.00
		5510	/	/	5.396	5.524	97.68	0.10	0.00
		5590	/	/	5.396	5.524	97.68	0.10	0.04
		5670	/	/	5.398	5.524	97.72	0.10	0.00
		5755	/	/	5.396	5.524	97.68	0.10	0.00
		5795	/	/	5.396	5.523	97.70	0.10	0.03
802.11ac (VHT80)	SISO	5210	/	/	3.120	3.180	98.11	0.08	0.04
		5290	/	/	3.120	3.180	98.11	0.08	0.00
		5530	/	/	3.120	3.181	98.08	0.08	0.03
		5610	/	/	3.120	3.180	98.11	0.08	0.00
		5775	/	/	3.120	3.180	98.11	0.08	0.04
802.11ac (VHT160)	SISO	5570	/	/	2.205	2.220	99.32	0.03	0.04
		5250	/	/	2.205	2.220	99.32	0.03	0.04
802.11ac (VHT20)	MIMO	5180	/	/	5.373	5.634	95.37	0.21	0.04
		5200	/	/	5.374	5.634	95.39	0.21	0.00
		5240	/	/	5.372	5.634	95.35	0.21	0.03
		5260	/	/	5.374	5.634	95.39	0.21	0.00
		5300	/	/	5.372	5.634	95.35	0.21	0.04
		5320	/	/	5.374	5.636	95.35	0.21	0.03
		5500	/	/	5.374	5.634	95.39	0.21	0.00
		5600	/	/	5.372	5.636	95.32	0.21	0.04
		5700	/	/	5.372	5.634	95.35	0.21	0.04
		5745	/	/	5.374	5.634	95.39	0.21	0.00
		5785	/	/	5.374	5.634	95.39	0.21	0.04
		5825	/	/	5.374	5.636	95.35	0.21	0.00
802.11ac (VHT40)	MIMO	5190	/	/	5.398	5.524	97.72	0.10	0.00
		5230	/	/	5.398	5.524	97.72	0.10	0.00
		5270	/	/	5.396	5.528	97.61	0.10	0.00
		5310	/	/	5.396	5.524	97.68	0.10	0.00
		5510	/	/	5.396	5.524	97.68	0.10	0.00
		5590	/	/	5.396	5.524	97.68	0.10	0.00
		5670	/	/	5.398	5.526	97.68	0.10	0.04
		5755	/	/	5.396	5.524	97.68	0.10	0.00
		5795	/	/	5.396	5.524	97.68	0.10	0.00
802.11ac (VHT80)	MIMO	5210	/	/	3.120	3.180	98.11	0.08	0.00
		5290	/	/	3.120	3.180	98.11	0.08	0.00
		5530	/	/	3.120	3.180	98.11	0.08	0.00
		5610	/	/	3.120	3.180	98.11	0.08	0.00
		5775	/	/	3.120	3.180	98.11	0.08	0.00
802.11ac (VHT160)	MIMO	5570	/	/	2.205	2.220	99.32	0.03	0.04
		5250	/	/	2.205	2.220	99.32	0.03	0.04

802.11ax (HEW20)	SISO	5180	SU	/	5.360	5.560	96.40	0.16	0.03
		5200	SU	/	5.360	5.560	96.40	0.16	0.03
		5240	SU	/	5.360	5.560	96.40	0.16	0.03
		5260	SU	/	5.358	5.558	96.40	0.16	0.00
		5300	SU	/	5.360	5.560	96.40	0.16	0.03
		5320	SU	/	5.358	5.558	96.40	0.16	0.04
		5500	SU	/	5.360	5.560	96.40	0.16	0.03
		5600	SU	/	5.360	5.560	96.40	0.16	0.00
		5700	SU	/	5.360	5.560	96.40	0.16	0.03
		5745	SU	/	5.358	5.558	96.40	0.16	0.04
		5785	SU	/	5.360	5.560	96.40	0.16	0.03
		5825	SU	/	5.360	5.560	96.40	0.16	0.03
802.11ax (HEW40)	SISO	5190	SU	/	4.818	4.920	97.93	0.09	0.03
		5230	SU	/	4.819	4.922	97.91	0.09	0.04
		5270	SU	/	4.819	4.921	97.93	0.09	0.04
		5310	SU	/	4.819	4.922	97.91	0.09	0.04
		5510	SU	/	4.818	4.921	97.91	0.09	0.04
		5590	SU	/	4.818	4.920	97.93	0.09	0.03
		5670	SU	/	4.819	4.921	97.93	0.09	0.04
		5755	SU	/	4.819	4.920	97.95	0.09	0.03
802.11ax (HEW80)	SISO	5210	SU	/	2.558	2.608	98.08	0.08	0.04
		5290	SU	/	2.557	2.608	98.04	0.09	0.03
		5530	SU	/	2.558	2.608	98.08	0.08	0.03
		5610	SU	/	2.557	2.608	98.04	0.09	0.04
		5775	SU	/	2.558	2.608	98.08	0.08	0.07
802.11ax (HEW160)	SISO	5570	SU	/	2.156	2.189	98.49	0.07	0.00
		5250	SU	/	2.156	2.189	98.49	0.07	0.00
802.11ax (HEW20)	MIMO	5180	SU	/	5.360	5.560	96.40	0.16	0.03
		5200	SU	/	5.358	5.558	96.40	0.16	0.04
		5240	SU	/	5.360	5.560	96.40	0.16	0.03
		5260	SU	/	5.358	5.558	96.40	0.16	0.00
		5300	SU	/	5.360	5.560	96.40	0.16	0.03
		5320	SU	/	5.360	5.560	96.40	0.16	0.03
		5500	SU	/	5.360	5.560	96.40	0.16	0.03
		5600	SU	/	5.360	5.560	96.40	0.16	0.00
		5700	SU	/	5.360	5.560	96.40	0.16	0.03
		5745	SU	/	5.358	5.558	96.40	0.16	0.00
		5785	SU	/	5.360	5.560	96.40	0.16	0.03
		5825	SU	/	5.358	5.558	96.40	0.16	0.04
802.11ax (HEW40)	MIMO	5190	SU	/	4.819	4.921	97.93	0.09	0.04
		5230	SU	/	4.818	4.920	97.93	0.09	0.03
		5270	SU	/	4.819	4.922	97.91	0.09	0.04
		5310	SU	/	4.818	4.921	97.91	0.09	0.04
		5510	SU	/	4.818	4.920	97.93	0.09	0.00
		5590	SU	/	4.819	4.920	97.95	0.09	0.03
		5670	SU	/	4.818	4.920	97.93	0.09	0.03
		5755	SU	/	4.818	4.921	97.91	0.09	0.04
802.11ax (HEW80)	MIMO	5795	SU	/	4.818	4.920	97.93	0.09	0.03
		5210	SU	/	2.557	2.608	98.04	0.09	0.03
		5290	SU	/	2.558	2.608	98.08	0.08	0.04
		5530	SU	/	2.558	2.608	98.08	0.08	0.04
		5610	SU	/	2.557	2.607	98.08	0.08	0.03
802.11ax (HEW160)	MIMO	5775	SU	/	2.558	2.608	98.08	0.08	0.03
		5570	SU	/	2.156	2.189	98.49	0.07	0.00
		5250	SU	/	2.155	2.189	98.45	0.07	0.00

1.1.2 Ant2

Ant2									
Mode	Tx Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5180	/	/	1.978	2.084	94.91	0.23	0.04
		5200	/	/	1.978	2.085	94.87	0.23	0.04
		5240	/	/	1.978	2.085	94.87	0.23	0.04
		5260	/	/	1.978	2.084	94.91	0.23	0.04
		5300	/	/	1.978	2.084	94.91	0.23	0.04
		5320	/	/	1.978	2.084	94.91	0.23	0.04
		5500	/	/	1.978	2.084	94.91	0.23	0.04
		5600	/	/	1.978	2.084	94.91	0.23	0.04
		5700	/	/	1.978	2.085	94.87	0.23	0.04
		5745	/	/	1.978	2.084	94.91	0.23	0.04
		5785	/	/	1.978	2.084	94.91	0.23	0.04
		5825	/	/	1.978	2.084	94.91	0.23	0.04
802.11n (HT20)	SISO	5180	/	/	5.368	5.628	95.38	0.21	0.00
		5200	/	/	5.370	5.630	95.38	0.21	0.00
		5240	/	/	5.370	5.630	95.38	0.21	0.00
		5260	/	/	5.368	5.630	95.35	0.21	0.03
		5300	/	/	5.370	5.630	95.38	0.21	0.00
		5320	/	/	5.370	5.630	95.38	0.21	0.00
		5500	/	/	5.370	5.630	95.38	0.21	0.00
		5600	/	/	5.370	5.632	95.35	0.21	0.00
		5700	/	/	5.370	5.630	95.38	0.21	0.04
		5745	/	/	5.370	5.630	95.38	0.21	0.00
		5785	/	/	5.370	5.630	95.38	0.21	0.00
		5825	/	/	5.370	5.630	95.38	0.21	0.00
802.11n (HT40)	SISO	5190	/	/	5.392	5.519	97.70	0.10	0.03
		5230	/	/	5.392	5.520	97.68	0.10	0.00
		5270	/	/	5.394	5.520	97.72	0.10	0.00
		5310	/	/	5.394	5.520	97.72	0.10	0.00
		5510	/	/	5.394	5.520	97.72	0.10	0.00
		5590	/	/	5.392	5.520	97.68	0.10	0.04
		5670	/	/	5.393	5.520	97.70	0.10	0.03
		5755	/	/	5.394	5.520	97.72	0.10	0.00
		5795	/	/	5.394	5.520	97.72	0.10	0.00
802.11n (HT20)	MIMO	5180	/	/	5.370	5.630	95.38	0.21	0.04
		5200	/	/	5.370	5.630	95.38	0.21	0.00
		5240	/	/	5.370	5.630	95.38	0.21	0.04
		5260	/	/	5.370	5.630	95.38	0.21	0.00
		5300	/	/	5.370	5.630	95.38	0.21	0.00
		5320	/	/	5.368	5.630	95.35	0.21	0.00
		5500	/	/	5.370	5.630	95.38	0.21	0.00
		5600	/	/	5.370	5.632	95.35	0.21	0.00
		5700	/	/	5.370	5.630	95.38	0.21	0.00
		5745	/	/	5.370	5.630	95.38	0.21	0.00
		5785	/	/	5.370	5.630	95.38	0.21	0.00
		5825	/	/	5.370	5.630	95.38	0.21	0.00
802.11n (HT40)	MIMO	5190	/	/	5.394	5.520	97.72	0.10	0.00
		5230	/	/	5.392	5.520	97.68	0.10	0.00
		5270	/	/	5.394	5.522	97.68	0.10	0.04
		5310	/	/	5.394	5.520	97.72	0.10	0.00
		5510	/	/	5.394	5.520	97.72	0.10	0.00
		5590	/	/	5.394	5.522	97.68	0.10	0.04
		5670	/	/	5.392	5.520	97.68	0.10	0.00
		5755	/	/	5.393	5.520	97.70	0.10	0.03
		5795	/	/	5.392	5.520	97.68	0.10	0.00
802.11ac	SISO	5180	/	/	5.373	5.634	95.37	0.21	0.00


(VHT20)		5200	/	/	5.374	5.634	95.39	0.21	0.00
		5240	/	/	5.372	5.634	95.35	0.21	0.00
		5260	/	/	5.374	5.634	95.39	0.21	0.00
		5300	/	/	5.374	5.634	95.39	0.21	0.00
		5320	/	/	5.374	5.634	95.39	0.21	0.00
		5500	/	/	5.374	5.634	95.39	0.21	0.00
		5600	/	/	5.374	5.636	95.35	0.21	0.00
		5700	/	/	5.374	5.634	95.39	0.21	0.00
		5745	/	/	5.374	5.634	95.39	0.21	0.00
		5785	/	/	5.374	5.634	95.39	0.21	0.00
		5825	/	/	5.374	5.634	95.39	0.21	0.00
802.11ac (VHT40)	SISO	5190	/	/	5.396	5.524	97.68	0.10	0.00
		5230	/	/	5.397	5.524	97.70	0.10	0.03
		5270	/	/	5.398	5.524	97.72	0.10	0.00
		5310	/	/	5.397	5.524	97.70	0.10	0.03
		5510	/	/	5.396	5.524	97.68	0.10	0.00
		5590	/	/	5.396	5.524	97.68	0.10	0.00
		5670	/	/	5.398	5.524	97.72	0.10	0.00
		5755	/	/	5.396	5.524	97.68	0.10	0.00
802.11ac (VHT80)	SISO	5210	/	/	3.120	3.180	98.11	0.08	0.04
		5290	/	/	3.120	3.180	98.11	0.08	0.00
		5530	/	/	3.120	3.181	98.08	0.08	0.03
		5610	/	/	3.120	3.180	98.11	0.08	0.04
		5775	/	/	3.120	3.180	98.11	0.08	0.00
802.11ac (VHT160)	SISO	5570	/	/	2.204	2.220	99.28	0.03	0.04
		5250	/	/	2.204	2.220	99.28	0.03	0.04
802.11ac (VHT20)	MIMO	5180	/	/	5.374	5.634	95.39	0.21	0.00
		5200	/	/	5.374	5.634	95.39	0.21	0.00
		5240	/	/	5.374	5.634	95.39	0.21	0.00
		5260	/	/	5.374	5.634	95.39	0.21	0.00
		5300	/	/	5.374	5.634	95.39	0.21	0.00
		5320	/	/	5.374	5.634	95.39	0.21	0.04
		5500	/	/	5.372	5.634	95.35	0.21	0.00
		5600	/	/	5.374	5.636	95.35	0.21	0.00
		5700	/	/	5.374	5.634	95.39	0.21	0.04
		5745	/	/	5.374	5.634	95.39	0.21	0.03
		5785	/	/	5.374	5.634	95.39	0.21	0.00
		5825	/	/	5.372	5.636	95.32	0.21	0.03
802.11ac (VHT40)	MIMO	5190	/	/	5.398	5.524	97.72	0.10	0.00
		5230	/	/	5.396	5.524	97.68	0.10	0.04
		5270	/	/	5.396	5.528	97.61	0.10	0.00
		5310	/	/	5.396	5.524	97.68	0.10	0.00
		5510	/	/	5.398	5.526	97.68	0.10	0.04
		5590	/	/	5.396	5.524	97.68	0.10	0.00
		5670	/	/	5.398	5.526	97.68	0.10	0.04
		5755	/	/	5.398	5.526	97.68	0.10	0.04
802.11ac (VHT80)	MIMO	5795	/	/	5.398	5.526	97.68	0.10	0.04
		5210	/	/	3.120	3.181	98.08	0.08	0.04
		5290	/	/	3.121	3.182	98.08	0.08	0.03
		5530	/	/	3.120	3.180	98.11	0.08	0.04
		5610	/	/	3.120	3.180	98.11	0.08	0.04
802.11ac (VHT160)	MIMO	5775	/	/	3.120	3.180	98.11	0.08	0.04
		5570	/	/	2.205	2.220	99.32	0.03	0.04
802.11ax (HEW20)	SISO	5250	/	/	2.205	2.220	99.32	0.03	0.04
		5180	SU	/	5.358	5.558	96.40	0.16	0.00
		5200	SU	/	5.360	5.560	96.40	0.16	0.03
		5240	SU	/	5.360	5.560	96.40	0.16	0.03
		5260	SU	/	5.360	5.560	96.40	0.16	0.03

		5300	SU	/	5.360	5.560	96.40	0.16	0.03
		5320	SU	/	5.358	5.558	96.40	0.16	0.00
		5500	SU	/	5.358	5.558	96.40	0.16	0.04
		5600	SU	/	5.360	5.560	96.40	0.16	0.00
		5700	SU	/	5.360	5.560	96.40	0.16	0.03
		5745	SU	/	5.360	5.560	96.40	0.16	0.03
		5785	SU	/	5.360	5.560	96.40	0.16	0.03
		5825	SU	/	5.360	5.560	96.40	0.16	0.03
802.11ax (HEW40)	SISO	5190	SU	/	4.819	4.921	97.93	0.09	0.04
		5230	SU	/	4.819	4.920	97.95	0.09	0.03
		5270	SU	/	4.820	4.925	97.87	0.09	0.00
		5310	SU	/	4.819	4.920	97.95	0.09	0.03
		5510	SU	/	4.818	4.920	97.93	0.09	0.03
		5590	SU	/	4.818	4.921	97.91	0.09	0.04
		5670	SU	/	4.819	4.925	97.85	0.09	0.04
		5755	SU	/	4.819	4.921	97.93	0.09	0.04
802.11ax (HEW80)	SISO	5795	SU	/	4.818	4.920	97.93	0.09	0.03
		5210	SU	/	2.558	2.608	98.08	0.08	0.04
		5290	SU	/	2.558	2.608	98.08	0.08	0.03
		5530	SU	/	2.557	2.608	98.04	0.09	0.04
		5610	SU	/	2.557	2.608	98.04	0.09	0.04
802.11ax (HEW160)	SISO	5775	SU	/	2.557	2.607	98.08	0.08	0.04
		5570	SU	/	2.155	2.189	98.45	0.07	0.04
802.11ax (HEW20)	MIMO	5250	SU	/	2.156	2.189	98.49	0.07	0.00
		5180	SU	/	5.358	5.558	96.40	0.16	0.00
		5200	SU	/	5.360	5.560	96.40	0.16	0.03
		5240	SU	/	5.358	5.558	96.40	0.16	0.00
		5260	SU	/	5.360	5.560	96.40	0.16	0.03
		5300	SU	/	5.358	5.558	96.40	0.16	0.04
		5320	SU	/	5.358	5.558	96.40	0.16	0.04
		5500	SU	/	5.360	5.560	96.40	0.16	0.03
		5600	SU	/	5.358	5.560	96.37	0.16	0.00
		5700	SU	/	5.358	5.558	96.40	0.16	0.00
		5745	SU	/	5.358	5.558	96.40	0.16	0.04
		5785	SU	/	5.358	5.558	96.40	0.16	0.04
802.11ax (HEW40)	MIMO	5825	SU	/	5.360	5.560	96.40	0.16	0.03
		5190	SU	/	4.818	4.920	97.93	0.09	0.03
		5230	SU	/	4.819	4.922	97.91	0.09	0.04
		5270	SU	/	4.818	4.921	97.91	0.09	0.04
		5310	SU	/	4.819	4.921	97.93	0.09	0.04
		5510	SU	/	4.818	4.921	97.91	0.09	0.04
		5590	SU	/	4.818	4.920	97.93	0.09	0.03
		5670	SU	/	4.818	4.921	97.91	0.09	0.04
802.11ax (HEW80)	MIMO	5755	SU	/	4.818	4.920	97.93	0.09	0.00
		5795	SU	/	4.818	4.921	97.91	0.09	0.04
		5210	SU	/	2.557	2.608	98.04	0.09	0.04
		5290	SU	/	2.557	2.607	98.08	0.08	0.04
		5530	SU	/	2.559	2.609	98.08	0.08	0.04
802.11ax (HEW160)	MIMO	5610	SU	/	2.558	2.608	98.08	0.08	0.04
		5775	SU	/	2.557	2.608	98.04	0.09	0.04
		5570	SU	/	2.156	2.189	98.49	0.07	0.00
		5250	SU	/	2.155	2.189	98.45	0.07	0.03


1.2 Test Graph

1.2.1 Ant1


802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a LCH 5260MHz Ant1 NTV




802.11a MCH 5300MHz Ant1 NTV




802.11a HCH 5320MHz Ant1 NTV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5600MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20) LCH 5180MHz Ant1 NTN




802.11n(HT20) MCH 5200MHz Ant1 NTN




802.11n(HT20) HCH 5240MHz Ant1 NTN




802.11n(HT20) LCH 5260MHz Ant1 NTN




802.11n(HT20) MCH 5300MHz Ant1 NTN




802.11n(HT20) HCH 5320MHz Ant1 NTN




802.11n(HT20) LCH 5500MHz Ant1_NTNV




802.11n(HT20) MCH 5600MHz Ant1_NTNV




802.11n(HT20) HCH 5700MHz Ant1_NTNV




802.11n(HT20) LCH_5745MHz_Ant1_NTNV




802.11n(HT20) MCH_5785MHz_Ant1_NTNV




802.11n(HT20) HCH_5825MHz_Ant1_NTNV




802.11n(HT40) LCH 5190MHz Ant1 NTN




802.11n(HT40) HCH 5230MHz Ant1 NTN




802.11n(HT40) LCH 5270MHz Ant1 NTN




802.11n(HT40) HCH 5310MHz Ant1 NTN




802.11n(HT40) LCH 5510MHz Ant1 NTN




802.11n(HT40) MCH 5590MHz Ant1 NTN




802.11n(HT40) HCH 5670MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) HCH 5795MHz Ant1 NTN




802.11n(HT20) LCH 5180MHz Ant1 NTN




802.11n(HT20) MCH 5200MHz Ant1 NTN




802.11n(HT20) HCH 5240MHz Ant1 NTN




802.11n(HT20) LCH 5260MHz Ant1_NTNV




802.11n(HT20) MCH 5300MHz Ant1_NTNV




802.11n(HT20) HCH 5320MHz Ant1_NTNV




802.11n(HT20) LCH 5500MHz Ant1_NTNV




802.11n(HT20) MCH 5600MHz Ant1_NTNV




802.11n(HT20) HCH 5700MHz Ant1_NTNV




802.11n(HT20) LCH_5745MHz_Ant1_NTNV




802.11n(HT20) MCH_5785MHz_Ant1_NTNV




802.11n(HT20) HCH_5825MHz_Ant1_NTNV




802.11n(HT40) LCH 5190MHz Ant1 NTN




802.11n(HT40) HCH 5230MHz Ant1 NTN




802.11n(HT40) LCH 5270MHz Ant1 NTN




802.11n(HT40) HCH 5310MHz Ant1 NTN




802.11n(HT40) LCH 5510MHz Ant1 NTN




802.11n(HT40) MCH 5590MHz Ant1 NTN




802.11n(HT40) HCH 5670MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT20) LCH 5180MHz Ant1_NTNV




802.11ac(VHT20) MCH 5200MHz Ant1_NTNV




802.11ac(VHT20) HCH 5240MHz Ant1_NTNV



802.11ac(VHT20) LCH 5260MHz Ant1 NTN



802.11ac(VHT20) MCH 5300MHz Ant1 NTN



802.11ac(VHT20) HCH 5320MHz Ant1 NTN

