

Measurement Results

No.1-3977/22-03-19_Annex_MR_A1

Test logging

This document is electronically signed and valid without handwritten signature.
For verification of the electronic signatures, the public keys can be requested at the testing laboratory.

Document authorized:



cn=Andreas Luckenbill, o=CTC
advanced GmbH,
ou=LUC-180217,
email=andreas.luckenbill@ctcadv
anced.com, c=DE
2023.01.19 10:02:53 +01'00'

Andreas Luckenbill
Head of Department
Radio Communications

Table of Content

EUT Information	5
FCC, ISSED # Bandwidth 99PCT and 26dB ~ NR Band_66 Ant-1 SCS-15	6
Test at BW [MHz]: 5	6
Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK	6
Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK	8
Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM	10
Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM	12
Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM	14
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: BPSK	16
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: QPSK	18
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM	20
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM	22
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM	24
Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK	26
Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK	28
Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM	30
Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM	32
Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM	34
Test at BW [MHz]: 10	36
Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK	36
Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK	38
Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM	40
Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM	42
Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM	44
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK	46
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK	48
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM	50
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM	52
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM	54
Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK	56
Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK	58
Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM	60
Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM	62
Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM	64
Test at BW [MHz]: 15	66
Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK	66
Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK	68
Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM	70
Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM	72
Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM	74
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: BPSK	76

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: QPSK	78
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM	80
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM	82
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM	84
Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK	86
Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK	88
Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM	90
Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM	92
Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM	94
Test at BW [MHz]: 20	96
Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: BPSK	96
Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: QPSK	98
Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM	100
Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM	102
Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM	104
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: BPSK	106
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: QPSK	108
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM	110
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM	112
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM	114
Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: BPSK	116
Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: QPSK	118
Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM	120
Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM	122
Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM	124
Test at BW [MHz]: 30	126
Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: BPSK	126
Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: QPSK	128
Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: 16QAM	130
Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: 64QAM	132
Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: 256QAM	134
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: BPSK	136
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: QPSK	138
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: 16QAM	140
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: 64QAM	142
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: 256QAM	144
Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: BPSK	146
Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: QPSK	148
Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: 16QAM	150
Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: 64QAM	152
Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: 256QAM	154
Test at BW [MHz]: 40	156
Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: BPSK	156
Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: QPSK	158

Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM	160
Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM	162
Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM	164
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: BPSK	166
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: QPSK	168
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM	170
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM	172
Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM	174
Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: BPSK	176
Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: QPSK	178
Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM	180
Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM	182
Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM	184
FCC, ISED # TX Emissions conducted ~ NR Band_66 Ant-1 SCS-15	187
FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15	278

EUT Information

EUT DEFINITION

Manufacturer	Sagemcom Broadband SAS
Type	Fast 5688W
Serial Number	IMEI: 359509840061128
Setup Number	1.0
Version SW	SG520TMDAR02A02M4G_01.001.01.001_V01
Version FW	SG520TMDAR02A02M4G_01.001.01.001_V01
Version HW	1.2
Comment 1	
Comment 2	
Temperature [°C] Min	-30
Temperature [°C] Nom	20
Temperature [°C] Max	55
Voltage [V] Min	102
Voltage [V] Nom	120
Voltage [V] Max	138

FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_66 Ant-1 SCS-15

Test References

TC Start	12.12.2022 15:50:14
Ambit Temp [°C] Humidity [rel%]	25.5 23
System Version	3.3.3.0
Test Specification	FCC, ISED -
Test Method	
TC Version	0.0.1
My Description	FCC/ISED Bandwidths 99PCT and 26dB - NR Band_66
Add. Information	12.12.2022

Test Parameter

Technology to test	NR
Band	Band_66
SCS [kHz]	15
Waveform	DFTOFDM
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	True
Frequency mid to test	True
Frequency high to test	True
Auto Control enabled Power Supply Climatic Box	No No
Additional Path Loss [dB]	0
Switched Path	None

Test Equipment


Signal analyzer,Rohde&Schwarz,FSV-40,1321.3008K40/101353,3.70

Test at BW [MHz]: 5

Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.08 0 35
Start [MHz] Stop [MHz]	1706.250 1718.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.162	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.08 0 35
Start [MHz] Stop [MHz]	1706.250 1718.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.52	MHz	INFO

Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.60 0 35
Start [MHz] Stop [MHz]	1706.250 1718.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.25	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.60 0 35
Start [MHz] Stop [MHz]	1706.250 1718.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.52	MHz	INFO

Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.00 0 35
Start [MHz] Stop [MHz]	1706.250 1718.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.138	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.00 0 35
Start [MHz] Stop [MHz]	1706.250 1718.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.496	MHz	INFO

Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.03 0 35
Start [MHz] Stop [MHz]	1706.250 1718.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.075	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.03 0 35
Start [MHz] Stop [MHz]	1706.250 1718.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.496	MHz	INFO

Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.92 0 35
Start [MHz] Stop [MHz]	1706.250 1718.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.92 0 35
Start [MHz] Stop [MHz]	1706.250 1718.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.508	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.28 0 35
Start [MHz] Stop [MHz]	1738.750 1751.250
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.188	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.28 0 35
Start [MHz] Stop [MHz]	1738.750 1751.250
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.52	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.02 0 35
Start [MHz] Stop [MHz]	1738.750 1751.250
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.225	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.02 0 35
Start [MHz] Stop [MHz]	1738.750 1751.250
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.52	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.17 0 35
Start [MHz] Stop [MHz]	1738.750 1751.250
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.125	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.17 0 35
Start [MHz] Stop [MHz]	1738.750 1751.250
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.496	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.41 0 35
Start [MHz] Stop [MHz]	1738.750 1751.250
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.112	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.41 0 35
Start [MHz] Stop [MHz]	1738.750 1751.250
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.508	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.07 0 35
Start [MHz] Stop [MHz]	1738.750 1751.250
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.188	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.07 0 35
Start [MHz] Stop [MHz]	1738.750 1751.250
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.508	MHz	INFO

Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.27 0 35
Start [MHz] Stop [MHz]	1771.250 1783.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.27 0 35
Start [MHz] Stop [MHz]	1771.250 1783.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.508	MHz	INFO

Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.80 0 35
Start [MHz] Stop [MHz]	1771.250 1783.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.25	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.80 0 35
Start [MHz] Stop [MHz]	1771.250 1783.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.52	MHz	INFO

Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.16 0 35
Start [MHz] Stop [MHz]	1771.250 1783.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.125	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.16 0 35
Start [MHz] Stop [MHz]	1771.250 1783.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.496	MHz	INFO

Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.22 0 35
Start [MHz] Stop [MHz]	1771.250 1783.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.112	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.22 0 35
Start [MHz] Stop [MHz]	1771.250 1783.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.508	MHz	INFO

Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.03 0 35
Start [MHz] Stop [MHz]	1771.250 1783.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.188	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.03 0 35
Start [MHz] Stop [MHz]	1771.250 1783.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 99%


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.508	MHz	INFO

Test at BW [MHz]: 10

Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.94 0 35
Start [MHz] Stop [MHz]	1702.500 1727.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.75	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.94 0 35
Start [MHz] Stop [MHz]	1702.500 1727.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.991	MHz	INFO

Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.27 0 35
Start [MHz] Stop [MHz]	1702.500 1727.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.875	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.27 0 35
Start [MHz] Stop [MHz]	1702.500 1727.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO

Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.63 0 35
Start [MHz] Stop [MHz]	1702.500 1727.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.8	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.63 0 35
Start [MHz] Stop [MHz]	1702.500 1727.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.991	MHz	INFO

Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.52 0 35
Start [MHz] Stop [MHz]	1702.500 1727.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.9	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.52 0 35
Start [MHz] Stop [MHz]	1702.500 1727.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO

Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.53 0 30
Start [MHz] Stop [MHz]	1702.500 1727.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.975	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.53 0 30
Start [MHz] Stop [MHz]	1702.500 1727.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.87 0 35
Start [MHz] Stop [MHz]	1732.500 1757.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.825	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.87 0 35
Start [MHz] Stop [MHz]	1732.500 1757.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.991	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.34 0 35
Start [MHz] Stop [MHz]	1732.500 1757.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.875	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.34 0 35
Start [MHz] Stop [MHz]	1732.500 1757.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.041	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.95 0 35
Start [MHz] Stop [MHz]	1732.500 1757.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.875	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.95 0 35
Start [MHz] Stop [MHz]	1732.500 1757.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.65 0 35
Start [MHz] Stop [MHz]	1732.500 1757.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.8	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.65 0 35
Start [MHz] Stop [MHz]	1732.500 1757.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.991	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.68 0 30
Start [MHz] Stop [MHz]	1732.500 1757.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.775	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.68 0 30
Start [MHz] Stop [MHz]	1732.500 1757.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.991	MHz	INFO

Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.96 0 35
Start [MHz] Stop [MHz]	1762.500 1787.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.85	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.96 0 35
Start [MHz] Stop [MHz]	1762.500 1787.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.966	MHz	INFO

Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.25 0 35
Start [MHz] Stop [MHz]	1762.500 1787.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.775	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.25 0 35
Start [MHz] Stop [MHz]	1762.500 1787.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO

Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.75 0 35
Start [MHz] Stop [MHz]	1762.500 1787.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.9	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.75 0 35
Start [MHz] Stop [MHz]	1762.500 1787.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.991	MHz	INFO

Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.55 0 35
Start [MHz] Stop [MHz]	1762.500 1787.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.975	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.55 0 35
Start [MHz] Stop [MHz]	1762.500 1787.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO

Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.84 0 30
Start [MHz] Stop [MHz]	1762.500 1787.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.9	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.84 0 30
Start [MHz] Stop [MHz]	1762.500 1787.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 99%


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.991	MHz	INFO

Test at BW [MHz]: 15

Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.76 0 35
Start [MHz] Stop [MHz]	1698.750 1736.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.438	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.76 0 35
Start [MHz] Stop [MHz]	1698.750 1736.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO

Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.71 0 35
Start [MHz] Stop [MHz]	1698.750 1736.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.588	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.71 0 35
Start [MHz] Stop [MHz]	1698.750 1736.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO

Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.34 0 30
Start [MHz] Stop [MHz]	1698.750 1736.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.588	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.34 0 30
Start [MHz] Stop [MHz]	1698.750 1736.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.524	MHz	INFO

Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.65 0 30
Start [MHz] Stop [MHz]	1698.750 1736.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.55	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.65 0 30
Start [MHz] Stop [MHz]	1698.750 1736.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO

Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.27 0 30
Start [MHz] Stop [MHz]	1698.750 1736.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.513	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.27 0 30
Start [MHz] Stop [MHz]	1698.750 1736.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.46 0 35
Start [MHz] Stop [MHz]	1726.250 1763.750
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.55	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.46 0 35
Start [MHz] Stop [MHz]	1726.250 1763.750
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.47 0 35
Start [MHz] Stop [MHz]	1726.250 1763.750
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.513	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.47 0 35
Start [MHz] Stop [MHz]	1726.250 1763.750
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.63 0 30
Start [MHz] Stop [MHz]	1726.250 1763.750
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.625	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.63 0 30
Start [MHz] Stop [MHz]	1726.250 1763.750
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.25 0 35
Start [MHz] Stop [MHz]	1726.250 1763.750
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.438	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.25 0 35
Start [MHz] Stop [MHz]	1726.250 1763.750
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.85 0 30
Start [MHz] Stop [MHz]	1726.250 1763.750
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.475	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.85 0 30
Start [MHz] Stop [MHz]	1726.250 1763.750
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO

Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.54 0 35
Start [MHz] Stop [MHz]	1753.750 1791.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.55	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.54 0 35
Start [MHz] Stop [MHz]	1753.750 1791.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO

Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.48 0 35
Start [MHz] Stop [MHz]	1753.750 1791.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.587	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.48 0 35
Start [MHz] Stop [MHz]	1753.750 1791.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO

Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.63 0 30
Start [MHz] Stop [MHz]	1753.750 1791.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.625	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.63 0 30
Start [MHz] Stop [MHz]	1753.750 1791.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.524	MHz	INFO

Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.59 0 30
Start [MHz] Stop [MHz]	1753.750 1791.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.513	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.59 0 30
Start [MHz] Stop [MHz]	1753.750 1791.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO

Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.97 0 30
Start [MHz] Stop [MHz]	1753.750 1791.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.55	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.97 0 30
Start [MHz] Stop [MHz]	1753.750 1791.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 99%


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO

Test at BW [MHz]: 20

Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.51 0 35
Start [MHz] Stop [MHz]	1695.000 1745.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.35	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.51 0 35
Start [MHz] Stop [MHz]	1695.000 1745.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	18.032	MHz	INFO

Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.35 0 35
Start [MHz] Stop [MHz]	1695.000 1745.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.4	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.35 0 35
Start [MHz] Stop [MHz]	1695.000 1745.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	18.032	MHz	INFO

Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.03 0 30
Start [MHz] Stop [MHz]	1695.000 1745.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.5	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.03 0 30
Start [MHz] Stop [MHz]	1695.000 1745.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	18.032	MHz	INFO

Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.67 0 30
Start [MHz] Stop [MHz]	1695.000 1745.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.35	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.67 0 30
Start [MHz] Stop [MHz]	1695.000 1745.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	18.032	MHz	INFO

Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.28 0 30
Start [MHz] Stop [MHz]	1695.000 1745.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.25	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.28 0 30
Start [MHz] Stop [MHz]	1695.000 1745.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	17.982	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.28 0 35
Start [MHz] Stop [MHz]	1720.000 1770.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.45	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.28 0 35
Start [MHz] Stop [MHz]	1720.000 1770.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	18.032	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.70 0 30
Start [MHz] Stop [MHz]	1720.000 1770.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.45	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.70 0 30
Start [MHz] Stop [MHz]	1720.000 1770.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	18.032	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.46 0 30
Start [MHz] Stop [MHz]	1720.000 1770.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.45	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.46 0 30
Start [MHz] Stop [MHz]	1720.000 1770.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	18.082	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.72 0 30
Start [MHz] Stop [MHz]	1720.000 1770.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.45	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.72 0 30
Start [MHz] Stop [MHz]	1720.000 1770.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	18.032	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.44 0 30
Start [MHz] Stop [MHz]	1720.000 1770.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.44 0 30
Start [MHz] Stop [MHz]	1720.000 1770.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	18.032	MHz	INFO

Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.36 0 35
Start [MHz] Stop [MHz]	1745.000 1795.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.3	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.36 0 35
Start [MHz] Stop [MHz]	1745.000 1795.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	17.982	MHz	INFO

Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.89 0 30
Start [MHz] Stop [MHz]	1745.000 1795.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.35	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.89 0 30
Start [MHz] Stop [MHz]	1745.000 1795.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	18.032	MHz	INFO

Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.51 0 30
Start [MHz] Stop [MHz]	1745.000 1795.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.45	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.51 0 30
Start [MHz] Stop [MHz]	1745.000 1795.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	18.082	MHz	INFO

Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.45 0 30
Start [MHz] Stop [MHz]	1745.000 1795.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.5	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.45 0 30
Start [MHz] Stop [MHz]	1745.000 1795.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	18.032	MHz	INFO

Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.32 0 30
Start [MHz] Stop [MHz]	1745.000 1795.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.25	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.32 0 30
Start [MHz] Stop [MHz]	1745.000 1795.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 99%


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	17.982	MHz	INFO

Test at BW [MHz]: 30

Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.75 0 30
Start [MHz] Stop [MHz]	1687.500 1762.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30.075	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.75 0 30
Start [MHz] Stop [MHz]	1687.500 1762.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.696	MHz	INFO

Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.22 0 30
Start [MHz] Stop [MHz]	1687.500 1762.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30.225	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.22 0 30
Start [MHz] Stop [MHz]	1687.500 1762.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.696	MHz	INFO

Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.54 0 30
Start [MHz] Stop [MHz]	1687.500 1762.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30.075	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.54 0 30
Start [MHz] Stop [MHz]	1687.500 1762.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.696	MHz	INFO

Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.07 0 30
Start [MHz] Stop [MHz]	1687.500 1762.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30.15	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.07 0 30
Start [MHz] Stop [MHz]	1687.500 1762.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.696	MHz	INFO

Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	11.29 0 30
Start [MHz] Stop [MHz]	1687.500 1762.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30.225	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	11.29 0 30
Start [MHz] Stop [MHz]	1687.500 1762.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.696	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.79 0 30
Start [MHz] Stop [MHz]	1707.500 1782.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30.075	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.79 0 30
Start [MHz] Stop [MHz]	1707.500 1782.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.546	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.83 0 30
Start [MHz] Stop [MHz]	1707.500 1782.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30.15	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.83 0 30
Start [MHz] Stop [MHz]	1707.500 1782.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.696	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.23 0 30
Start [MHz] Stop [MHz]	1707.500 1782.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30.075	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.23 0 30
Start [MHz] Stop [MHz]	1707.500 1782.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.621	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.50 0 30
Start [MHz] Stop [MHz]	1707.500 1782.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30.075	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.50 0 30
Start [MHz] Stop [MHz]	1707.500 1782.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.621	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	10.71 0 25
Start [MHz] Stop [MHz]	1707.500 1782.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30.15	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	10.71 0 25
Start [MHz] Stop [MHz]	1707.500 1782.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.546	MHz	INFO

Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.91 0 30
Start [MHz] Stop [MHz]	1727.500 1802.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30.075	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.91 0 30
Start [MHz] Stop [MHz]	1727.500 1802.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.621	MHz	INFO

Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.50 0 30
Start [MHz] Stop [MHz]	1727.500 1802.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30.15	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.50 0 30
Start [MHz] Stop [MHz]	1727.500 1802.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.696	MHz	INFO

Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.38 0 30
Start [MHz] Stop [MHz]	1727.500 1802.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.38 0 30
Start [MHz] Stop [MHz]	1727.500 1802.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.696	MHz	INFO

Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.18 0 30
Start [MHz] Stop [MHz]	1727.500 1802.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30.15	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.18 0 30
Start [MHz] Stop [MHz]	1727.500 1802.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.621	MHz	INFO

Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	11.37 0 30
Start [MHz] Stop [MHz]	1727.500 1802.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	30.15	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	11.37 0 30
Start [MHz] Stop [MHz]	1727.500 1802.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 99%


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	28.621	MHz	INFO

Test at BW [MHz]: 40

Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.22 0 30
Start [MHz] Stop [MHz]	1680.000 1780.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.22 0 30
Start [MHz] Stop [MHz]	1680.000 1780.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.761	MHz	INFO

Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.51 0 30
Start [MHz] Stop [MHz]	1680.000 1780.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.51 0 30
Start [MHz] Stop [MHz]	1680.000 1780.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.961	MHz	INFO

Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.57 0 30
Start [MHz] Stop [MHz]	1680.000 1780.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.57 0 30
Start [MHz] Stop [MHz]	1680.000 1780.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	39.061	MHz	INFO

Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.17 0 30
Start [MHz] Stop [MHz]	1680.000 1780.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.17 0 30
Start [MHz] Stop [MHz]	1680.000 1780.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.861	MHz	INFO

Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	10.13 0 25
Start [MHz] Stop [MHz]	1680.000 1780.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	10.13 0 25
Start [MHz] Stop [MHz]	1680.000 1780.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.961	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.14 0 30
Start [MHz] Stop [MHz]	1695.000 1795.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.14 0 30
Start [MHz] Stop [MHz]	1695.000 1795.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.661	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.81 0 30
Start [MHz] Stop [MHz]	1695.000 1795.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.81 0 30
Start [MHz] Stop [MHz]	1695.000 1795.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.761	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.13 0 30
Start [MHz] Stop [MHz]	1695.000 1795.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.13 0 30
Start [MHz] Stop [MHz]	1695.000 1795.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.861	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	11.95 0 30
Start [MHz] Stop [MHz]	1695.000 1795.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.1	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	11.95 0 30
Start [MHz] Stop [MHz]	1695.000 1795.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.661	MHz	INFO

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	10.24 0 25
Start [MHz] Stop [MHz]	1695.000 1795.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	10.24 0 25
Start [MHz] Stop [MHz]	1695.000 1795.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.761	MHz	INFO

Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.79 0 30
Start [MHz] Stop [MHz]	1710.000 1810.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.1	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.79 0 30
Start [MHz] Stop [MHz]	1710.000 1810.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.661	MHz	INFO

Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.18 0 30
Start [MHz] Stop [MHz]	1710.000 1810.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.18 0 30
Start [MHz] Stop [MHz]	1710.000 1810.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.761	MHz	INFO

Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.25 0 30
Start [MHz] Stop [MHz]	1710.000 1810.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.1	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.25 0 30
Start [MHz] Stop [MHz]	1710.000 1810.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.761	MHz	INFO

Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	11.71 0 30
Start [MHz] Stop [MHz]	1710.000 1810.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	11.71 0 30
Start [MHz] Stop [MHz]	1710.000 1810.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.561	MHz	INFO

Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	9.85 0 25
Start [MHz] Stop [MHz]	1710.000 1810.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE




RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	9.85 0 25
Start [MHz] Stop [MHz]	1710.000 1810.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE



RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.761	MHz	INFO

FCC, ISED # TX Emissions conducted ~ NR Band_66 Ant-1 SCS-15

Test References

TC Start	05.10.2022 09:45:21
Ambit Temp [°C] Humidity [rel%]	26.2 38
System Version	3.3.1.3
Test Specification	FCC, ISED -
Test Method	
TC Version	0.0.1
My Description	FCC/ISED MobileRadio TX Emissions conducted - NR Band_66
Add. Information	

Test Parameter

Technology to test	NR
Band	Band_66
SCS [kHz]	15
Waveform	DFTOFDM
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	True
Frequency mid to test	True
Frequency high to test	True
Auto Control enabled Power Supply Climatic Box	No No
Additional Path Loss [dB]	0
Switched Path	None

Test Equipment

Signal analyzer,Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.70

Test at BW [MHz]: 5


Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	11.15 0 30
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_66 Ant-1 SCS-15 1712.5 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_66 Ant-1 SCS-15 1712.5


Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	10.68 0 30
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_66 Ant-1 SCS-15 1712.5 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_66 Ant-1 SCS-15 1712.5

Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM


READ SA SETTINGS:

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	11.18 0 30
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_66 Ant-1 SCS-15 1712.5 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_66 Ant-1 SCS-15 1712.5

Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	11.01 0 30
--	----------------

READ SA SETTINGS:


Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_66 Ant-1 SCS-15 1712.5 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_66 Ant-1 SCS-15 1712.5

Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	8.68 0 25
Start [MHz] Stop [MHz]	1.000 401.000

READ SA SETTINGS:


RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_66 Ant-1 SCS-15 1712.5 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_66 Ant-1 SCS-15 1712.5

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	11.17 0 30
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000

READ SA SETTINGS:


Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_66 Ant-1 SCS-15 1745 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_66 Ant-1 SCS-15 1745

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	10.61 0 30
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH