

1

2

3

4


5

6


Remark	Description	Editor	Date

1. 以下内容作为标识标贴由供应商印刷

2. 以下内容由工厂在供应商印刷的基础上打印



Arial Bold 6pt



Arial 5pt

S/N: N7YYDDMMXXXXXX
N7:固定(code attributed to T&W)
YY:YEAR,eg:13-2013
DDD:DATE,指一年中的某天,eg:001、002、360、365
MM:5W(Model code,different model use difderent code, distribute by TW)
XXXXXX:000001-999999 流水号 (Product Serial No.)
MAC:XXXXXXXXXXXX 见生产信息发布流程


Wi-Fi Name: MESH-XXXXXX 位数及内容由产测软件生成(=WIFI_SSID1)
Wi-Fi Password: XXXXXXXXXXXX 位数及内容由产测软件生成(=Wifi_Key1)
Web Access Key: YYYYYYYYYYYY 内容由产测软件生成(=INFO4)

条码高度5mm
BARCODE: CODE 39
600点5.0mil

NOTES(技术要求):

- 黑色印刷, 无边框, R1.0
(Black printing,no frame,R1.0)
- 材料:50#亮白PET,背胶
(Material:50# bright white PET, adhesive)
- 原材料及后处理工艺均能满足我司《环保技术标准》要求.
(Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards)

DIM		TOL±		△		T&W 同维			
						SHENZHEN GONGJIN ELECTRONICS CO., LTD.			
RANGE		C1	C2	C3	C4	TITLE:		对应标识标贴料号:	
0~6		0.1	0.1	0.15	0.2	盒底标贴		611000016104	
6~30		0.2	0.3	0.4	0.5				
30~80		0.25	0.5	0.9	1.2				
80~180		0.3	0.8	1.2	1.5				
180~315		0.5	1.3	1.8	3				
315~500		0.7	1.5	2.5	4	SCALE		1:1	
500~800		0.9	1.8	3	5				
ANG.TOL±		0°~30°/0.1°		30°~60°/0.3°		60°~90°/0.5°			



NOTES(技术要求):

1. 黑色印刷, 无边框, R1.0
(Black printing,no frame,R1.0)
2. 材料:50#亮白PET,背胶
(Material:50# bright white PET, adhesive)
3. 原材料及后处理工艺均能满足我司《环保技术标准》要求.
(Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards)

TOL±		△				T&W 同维			
DIM						SHENZHEN GONGJIN ELECTRONICS CO., LTD.			
RANGE	C1	C2	C3	C4		TITLE:		对应标识贴料号:	
0~6	0.1	0.1	0.15	0.2		警告标贴		611000016104XX	
6~30	0.2	0.3	0.4	0.5					
30~80	0.25	0.5	0.9	1.2					
80~180	0.3	0.8	1.2	1.5					
180~315	0.5	1.3	1.8	3					
315~500	0.7	1.5	2.5	4		SCALE		1:1	UNIT'S
500~800	0.9	1.8	3	5					mm
ANG.TOL±	0°~30°/0.1°	30°~60°/0.3°	60°~90°/0.5°						



Label location