


## 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5550MHz\_TX



EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4318G      | 60.67             | 74.00             | -13.33         | 54.56         | 3           | Horizontal | 116            | 1.55          | -       | 34.43      | 6.65       | 34.97      |
| PK   | 5.47G        | 62.23             | 68.20             | -5.97          | 56.04         | 3           | Horizontal | 116            | 1.55          | -       | 34.47      | 6.71       | 34.99      |
| AV   | 5.4576G      | 48.26             | 54.00             | -5.74          | 42.09         | 3           | Horizontal | 116            | 1.55          | -       | 34.46      | 6.69       | 34.98      |
| PK   | 5.5686G      | 121.61            | Inf               | -Inf           | 115.31        | 3           | Horizontal | 116            | 1.55          | -       | 34.43      | 6.86       | 34.99      |
| AV   | 5.568G       | 110.86            | Inf               | -Inf           | 104.56        | 3           | Horizontal | 116            | 1.55          | -       | 34.43      | 6.86       | 34.99      |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5550MHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.0797G     | 54.95             | 74.00             | -19.05         | 41.41         | 3           | Vertical  | 61             | 1.57          | -       | 38.56      | 9.58       | 34.60      |
| AV   | 11.1015G     | 41.91             | 54.00             | -12.09         | 28.37         | 3           | Vertical  | 61             | 1.57          | -       | 38.57      | 9.58       | 34.61      |
| PK   | 16.6468G     | 59.59             | 68.20             | -8.61          | 44.42         | 3           | Vertical  | 163            | 2.54          | -       | 39.05      | 10.96      | 34.84      |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5550MHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.0863G     | 55.48             | 74.00             | -18.52         | 41.95         | 3           | Horizontal | 61             | 1.28          | -       | 38.56      | 9.58       | 34.61      |
| AV   | 11.1001G     | 41.93             | 54.00             | -12.07         | 28.39         | 3           | Horizontal | 61             | 1.28          | -       | 38.57      | 9.58       | 34.61      |
| PK   | 16.6556G     | 61.93             | 68.20             | -6.27          | 46.72         | 3           | Horizontal | 219            | 1.53          | -       | 39.07      | 10.97      | 34.83      |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5670MHz\_TX




EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.668G       | 119.07            | Inf               | -Inf           | 112.83        | 3           | Vertical  | 200            | 1.40          | -       | 34.33      | 6.87       | 34.96      |
| AV   | 5.6672G      | 105.60            | Inf               | -Inf           | 99.36         | 3           | Vertical  | 200            | 1.40          | -       | 34.33      | 6.87       | 34.96      |
| PK   | 5.7256G      | 67.93             | 68.20             | -0.27          | 61.73         | 3           | Vertical  | 200            | 1.40          | -       | 34.30      | 6.84       | 34.94      |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5670MHz\_TX




EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.668G       | 118.47            | Inf               | -Inf           | 112.23        | 3           | Horizontal | 169            | 2.71          | -       | 34.33      | 6.87       | 34.96      |
| AV   | 5.664G       | 105.36            | Inf               | -Inf           | 99.12         | 3           | Horizontal | 169            | 2.71          | -       | 34.33      | 6.87       | 34.96      |
| PK   | 5.7292G      | 67.06             | 68.20             | -1.14          | 60.86         | 3           | Horizontal | 169            | 2.71          | -       | 34.30      | 6.84       | 34.94      |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5670MHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.3556G     | 54.55             | 74.00             | -19.45         | 40.80         | 3           | Vertical  | 248            | 1.78          | -       | 38.75      | 9.65       | 34.65      |
| AV   | 11.3648G     | 41.65             | 54.00             | -12.35         | 27.90         | 3           | Vertical  | 248            | 1.78          | -       | 38.76      | 9.65       | 34.66      |
| PK   | 17.0316G     | 61.61             | 68.20             | -6.59          | 44.79         | 3           | Vertical  | 21             | 1.62          | -       | 40.06      | 11.35      | 34.59      |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5670MHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.3645G     | 54.94             | 74.00             | -19.06         | 41.19         | 3           | Horizontal | 306            | 1.99          | -       | 38.76      | 9.65       | 34.66      |
| AV   | 11.3626G     | 42.02             | 54.00             | -11.98         | 28.28         | 3           | Horizontal | 306            | 1.99          | -       | 38.75      | 9.65       | 34.66      |
| PK   | 17.0008G     | 61.17             | 68.20             | -7.03          | 44.54         | 3           | Horizontal | 279            | 1.66          | -       | 39.90      | 11.32      | 34.59      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5710MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4388G      | 57.02             | 74.00             | -16.98         | 52.23         | 3           | Vertical  | 0              | 1.96          | -       | 33.62      | 4.74       | 33.57      |
| PK   | 5.4688G      | 56.29             | 68.20             | -11.91         | 51.39         | 3           | Vertical  | 0              | 1.96          | -       | 33.71      | 4.77       | 33.58      |
| AV   | 5.4568G      | 45.22             | 54.00             | -8.78          | 40.37         | 3           | Vertical  | 0              | 1.96          | -       | 33.67      | 4.76       | 33.58      |
| PK   | 5.71G        | 119.83            | Inf               | -Inf           | 114.39        | 3           | Vertical  | 0              | 1.96          | -       | 34.12      | 4.95       | 33.63      |
| AV   | 5.7076G      | 107.92            | Inf               | -Inf           | 102.48        | 3           | Vertical  | 0              | 1.96          | -       | 34.12      | 4.95       | 33.63      |
| PK   | 5.866G       | 59.04             | 68.20             | -9.16          | 53.08         | 3           | Vertical  | 0              | 1.96          | -       | 34.70      | 4.93       | 33.67      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5710MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.452G       | 57.68             | 74.00             | -16.32         | 52.85         | 3           | Horizontal | 4              | 1.77          | -       | 33.66      | 4.75       | 33.58      |
| AV   | 5.416G       | 45.99             | 54.00             | -8.01          | 41.29         | 3           | Horizontal | 4              | 1.77          | -       | 33.55      | 4.72       | 33.57      |
| PK   | 5.46G        | 56.97             | 68.20             | -11.23         | 52.11         | 3           | Horizontal | 4              | 1.77          | -       | 33.68      | 4.76       | 33.58      |
| PK   | 5.7148G      | 119.60            | Inf               | -Inf           | 114.16        | 3           | Horizontal | 4              | 1.77          | -       | 34.13      | 4.94       | 33.63      |
| AV   | 5.7172G      | 107.63            | Inf               | -Inf           | 102.20        | 3           | Horizontal | 4              | 1.77          | -       | 34.13      | 4.94       | 33.64      |
| PK   | 5.9248G      | 59.91             | 68.20             | -8.29          | 53.64         | 3           | Horizontal | 4              | 1.77          | -       | 35.00      | 4.96       | 33.69      |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.42G       | 56.65             | 74.00             | -17.35         | 44.94         | 3           | Vertical  | 109            | 1.43          | -       | 39.19      | 7.24       | 34.72      |
| AV   | 11.42002G    | 40.56             | 54.00             | -13.44         | 28.85         | 3           | Vertical  | 109            | 1.43          | -       | 39.19      | 7.24       | 34.72      |
| PK   | 17.142G      | 63.10             | 68.20             | -5.10          | 47.83         | 3           | Vertical  | 260            | 1.66          | -       | 40.93      | 9.86       | 35.52      |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.43504G    | 54.85             | 74.00             | -19.15         | 43.16         | 3           | Horizontal | 41             | 3.00          | -       | 39.18      | 7.24       | 34.73      |
| AV   | 11.40512G    | 42.70             | 54.00             | -11.30         | 30.97         | 3           | Horizontal | 41             | 3.00          | -       | 39.20      | 7.24       | 34.71      |
| PK   | 17.13976G    | 67.95             | 68.20             | -0.25          | 52.68         | 3           | Horizontal | 222            | 1.53          | -       | 40.93      | 9.86       | 35.52      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5290MHz\_TX



EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.144G       | 59.11             | 74.00             | -14.89         | 53.24         | 3           | Vertical  | 198            | 1.80          | -       | 34.04      | 6.60       | 34.77      |
| AV   | 5.147G       | 47.17             | 54.00             | -6.83          | 41.29         | 3           | Vertical  | 198            | 1.80          | -       | 34.05      | 6.60       | 34.77      |
| PK   | 5.284G       | 108.01            | Inf               | -Inf           | 101.95        | 3           | Vertical  | 198            | 1.80          | -       | 34.27      | 6.66       | 34.87      |
| AV   | 5.293G       | 95.84             | Inf               | -Inf           | 89.78         | 3           | Vertical  | 198            | 1.80          | -       | 34.29      | 6.65       | 34.88      |
| PK   | 5.354G       | 72.26             | 74.00             | -1.74          | 66.21         | 3           | Vertical  | 198            | 1.80          | -       | 34.35      | 6.62       | 34.92      |
| AV   | 5.368G       | 53.81             | 54.00             | -0.19          | 47.75         | 3           | Vertical  | 198            | 1.80          | -       | 34.37      | 6.62       | 34.93      |
| PK   | 5.492G       | 59.32             | 68.20             | -8.88          | 53.09         | 3           | Vertical  | 198            | 1.80          | -       | 34.49      | 6.75       | 35.01      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5290MHz\_TX



EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.124G       | 59.28             | 74.00             | -14.72         | 53.46         | 3           | Horizontal | 176            | 2.31          | -       | 34.02      | 6.56       | 34.76      |
| AV   | 5.144G       | 46.88             | 54.00             | -7.12          | 41.01         | 3           | Horizontal | 176            | 2.31          | -       | 34.04      | 6.60       | 34.77      |
| PK   | 5.292G       | 111.30            | Inf               | -Inf           | 105.24        | 3           | Horizontal | 176            | 2.31          | -       | 34.28      | 6.65       | 34.87      |
| AV   | 5.28G        | 98.77             | Inf               | -Inf           | 92.72         | 3           | Horizontal | 176            | 2.31          | -       | 34.26      | 6.66       | 34.87      |
| PK   | 5.354G       | 62.02             | 74.00             | -11.98         | 55.97         | 3           | Horizontal | 176            | 2.31          | -       | 34.35      | 6.62       | 34.92      |
| AV   | 5.354G       | 49.00             | 54.00             | -5.00          | 42.95         | 3           | Horizontal | 176            | 2.31          | -       | 34.35      | 6.62       | 34.92      |
| PK   | 5.501G       | 59.59             | 68.20             | -8.61          | 53.34         | 3           | Horizontal | 176            | 2.31          | -       | 34.50      | 6.76       | 35.01      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5290MHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.8662G     | 57.84             | 74.00             | -16.16         | 44.77         | 3           | Vertical  | 187            | 1.80          | -       | 37.90      | 10.32      | 35.15      |
| AV   | 15.8314G     | 44.38             | 54.00             | -9.62          | 31.17         | 3           | Vertical  | 187            | 1.80          | -       | 38.01      | 10.32      | 35.12      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5290MHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.873G      | 58.00             | 74.00             | -16.00         | 44.96         | 3           | Horizontal | 178            | 1.80          | -       | 37.88      | 10.32      | 35.16      |
| AV   | 15.8334G     | 44.34             | 54.00             | -9.66          | 31.14         | 3           | Horizontal | 178            | 1.80          | -       | 38.00      | 10.32      | 35.12      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5530MHz\_TX




EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.457G       | 66.62             | 74.00             | -7.38          | 60.45         | 3           | Vertical  | 191            | 1.79          | -       | 34.46      | 6.69       | 34.98      |
| AV   | 5.458G       | 50.54             | 54.00             | -3.46          | 44.37         | 3           | Vertical  | 191            | 1.79          | -       | 34.46      | 6.69       | 34.98      |
| PK   | 5.469G       | 68.10             | 68.20             | -0.10          | 61.91         | 3           | Vertical  | 191            | 1.79          | -       | 34.47      | 6.71       | 34.99      |
| PK   | 5.539G       | 111.55            | Inf               | -Inf           | 105.28        | 3           | Vertical  | 191            | 1.79          | -       | 34.46      | 6.81       | 35.00      |
| AV   | 5.544G       | 98.70             | Inf               | -Inf           | 92.42         | 3           | Vertical  | 191            | 1.79          | -       | 34.46      | 6.82       | 35.00      |
| PK   | 5.768G       | 59.98             | 68.20             | -8.22          | 53.80         | 3           | Vertical  | 191            | 1.79          | -       | 34.30      | 6.82       | 34.94      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5530MHz\_TX




EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.458G       | 63.59             | 74.00             | -10.41         | 57.42         | 3           | Horizontal | 128            | 1.76          | -       | 34.46      | 6.69       | 34.98      |
| AV   | 5.442G       | 48.26             | 54.00             | -5.74          | 42.13         | 3           | Horizontal | 128            | 1.76          | -       | 34.44      | 6.67       | 34.98      |
| PK   | 5.47G        | 65.01             | 68.20             | -3.19          | 58.82         | 3           | Horizontal | 128            | 1.76          | -       | 34.47      | 6.71       | 34.99      |
| PK   | 5.52G        | 112.07            | Inf               | -Inf           | 105.80        | 3           | Horizontal | 128            | 1.76          | -       | 34.48      | 6.79       | 35.00      |
| AV   | 5.519G       | 100.19            | Inf               | -Inf           | 93.92         | 3           | Horizontal | 128            | 1.76          | -       | 34.48      | 6.79       | 35.00      |
| PK   | 5.746G       | 59.06             | 68.20             | -9.14          | 52.87         | 3           | Horizontal | 128            | 1.76          | -       | 34.30      | 6.83       | 34.94      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5530MHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.0198G     | 55.41             | 74.00             | -18.59         | 41.93         | 3           | Vertical  | 34             | 1.34          | -       | 38.51      | 9.56       | 34.59      |
| AV   | 11.11G       | 41.88             | 54.00             | -12.12         | 28.32         | 3           | Vertical  | 34             | 1.34          | -       | 38.58      | 9.59       | 34.61      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5530MHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.0314G     | 54.98             | 74.00             | -19.02         | 41.49         | 3           | Horizontal | 141            | 2.52          | -       | 38.52      | 9.57       | 34.60      |
| AV   | 11.06G       | 42.10             | 54.00             | -11.90         | 28.59         | 3           | Horizontal | 141            | 2.52          | -       | 38.54      | 9.57       | 34.60      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5610MHz\_TX




EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3316G      | 57.46             | 68.20             | -10.74         | 53.07         | 3           | Vertical  | 232            | 1.73          | -       | 33.29      | 4.67       | 33.57      |
| PK   | 5.4588G      | 62.35             | 74.00             | -11.65         | 57.49         | 3           | Vertical  | 232            | 1.73          | -       | 33.68      | 4.76       | 33.58      |
| AV   | 5.4588G      | 49.44             | 54.00             | -4.56          | 44.58         | 3           | Vertical  | 232            | 1.73          | -       | 33.68      | 4.76       | 33.58      |
| PK   | 5.4684G      | 62.80             | 68.20             | -5.40          | 57.90         | 3           | Vertical  | 232            | 1.73          | -       | 33.71      | 4.77       | 33.58      |
| PK   | 5.6172G      | 115.05            | Inf               | -Inf           | 109.65        | 3           | Vertical  | 232            | 1.73          | -       | 34.02      | 4.99       | 33.61      |
| AV   | 5.6256G      | 103.34            | Inf               | -Inf           | 97.94         | 3           | Vertical  | 232            | 1.73          | -       | 34.03      | 4.99       | 33.62      |
| PK   | 5.7276G      | 67.86             | 68.20             | -0.34          | 62.40         | 3           | Vertical  | 232            | 1.73          | -       | 34.16      | 4.94       | 33.64      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5610MHz\_TX



EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3148G      | 58.04             | 68.20             | -10.16         | 53.71         | 3           | Horizontal | 175            | 1.80          | -       | 33.24      | 4.66       | 33.57      |
| PK   | 5.4372G      | 64.50             | 74.00             | -9.50          | 59.72         | 3           | Horizontal | 175            | 1.80          | -       | 33.61      | 4.74       | 33.57      |
| PK   | 5.466G       | 64.53             | 68.20             | -3.67          | 59.64         | 3           | Horizontal | 175            | 1.80          | -       | 33.70      | 4.77       | 33.58      |
| AV   | 5.4588G      | 49.26             | 54.00             | -4.74          | 44.40         | 3           | Horizontal | 175            | 1.80          | -       | 33.68      | 4.76       | 33.58      |
| PK   | 5.5992G      | 118.59            | Inf               | -Inf           | 113.20        | 3           | Horizontal | 175            | 1.80          | -       | 34.00      | 5.00       | 33.61      |
| AV   | 5.598G       | 107.47            | Inf               | -Inf           | 102.08        | 3           | Horizontal | 175            | 1.80          | -       | 34.00      | 5.00       | 33.61      |
| PK   | 5.7252G      | 64.51             | 68.20             | -3.69          | 59.06         | 3           | Horizontal | 175            | 1.80          | -       | 34.15      | 4.94       | 33.64      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5610MHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.22015G    | 53.74             | 74.00             | -20.26         | 41.80         | 3           | Vertical  | 57             | 1.46          | -       | 39.29      | 7.22       | 34.57      |
| AV   | 11.21986G    | 40.48             | 54.00             | -13.52         | 28.54         | 3           | Vertical  | 57             | 1.46          | -       | 39.29      | 7.22       | 34.57      |
| PK   | 16.8244G     | 59.79             | 68.20             | -8.41          | 45.17         | 3           | Vertical  | 259            | 2.89          | -       | 40.41      | 9.76       | 35.55      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5610MHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.21797G    | 53.83             | 74.00             | -20.17         | 41.89         | 3           | Horizontal | 89             | 2.20          | -       | 39.29      | 7.22       | 34.57      |
| AV   | 11.21912G    | 40.35             | 54.00             | -13.65         | 28.41         | 3           | Horizontal | 89             | 2.20          | -       | 39.29      | 7.22       | 34.57      |
| PK   | 16.83848G    | 62.32             | 68.20             | -5.88          | 47.66         | 3           | Horizontal | 225            | 2.15          | -       | 40.44      | 9.77       | 35.55      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4476G      | 61.16             | 74.00             | -12.84         | 56.34         | 3           | Vertical  | 0              | 1.92          | -       | 33.64      | 4.75       | 33.57      |
| PK   | 5.4656G      | 61.07             | 68.20             | -7.13          | 56.18         | 3           | Vertical  | 0              | 1.92          | -       | 33.70      | 4.77       | 33.58      |
| AV   | 5.4584G      | 48.48             | 54.00             | -5.52          | 43.62         | 3           | Vertical  | 0              | 1.92          | -       | 33.68      | 4.76       | 33.58      |
| PK   | 5.6936G      | 115.88            | Inf               | -Inf           | 110.47        | 3           | Vertical  | 0              | 1.92          | -       | 34.09      | 4.95       | 33.63      |
| AV   | 5.6792G      | 104.37            | Inf               | -Inf           | 98.96         | 3           | Vertical  | 0              | 1.92          | -       | 34.08      | 4.96       | 33.63      |
| PK   | 5.852G       | 67.90             | 68.20             | -0.30          | 62.03         | 3           | Vertical  | 0              | 1.92          | -       | 34.61      | 4.93       | 33.67      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5690MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4476G      | 59.37             | 74.00             | -14.63         | 54.55         | 3           | Horizontal | 7              | 1.45          | -       | 33.64      | 4.75       | 33.57      |
| PK   | 5.462G       | 59.80             | 68.20             | -8.40          | 54.93         | 3           | Horizontal | 7              | 1.45          | -       | 33.69      | 4.76       | 33.58      |
| AV   | 5.4584G      | 47.28             | 54.00             | -6.72          | 42.42         | 3           | Horizontal | 7              | 1.45          | -       | 33.68      | 4.76       | 33.58      |
| PK   | 5.6756G      | 117.31            | Inf               | -Inf           | 111.90        | 3           | Horizontal | 7              | 1.45          | -       | 34.08      | 4.96       | 33.63      |
| AV   | 5.6696G      | 105.01            | Inf               | -Inf           | 99.59         | 3           | Horizontal | 7              | 1.45          | -       | 34.07      | 4.97       | 33.62      |
| PK   | 5.85G        | 65.44             | 68.20             | -2.76          | 59.58         | 3           | Horizontal | 7              | 1.45          | -       | 34.60      | 4.93       | 33.67      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.37986G    | 53.76             | 74.00             | -20.24         | 42.00         | 3           | Vertical  | 299            | 1.54          | -       | 39.21      | 7.24       | 34.69      |
| AV   | 11.38002G    | 39.80             | 54.00             | -14.20         | 28.04         | 3           | Vertical  | 299            | 1.54          | -       | 39.21      | 7.24       | 34.69      |
| PK   | 17.0746G     | 60.54             | 68.20             | -7.66          | 45.37         | 3           | Vertical  | 257            | 1.80          | -       | 40.87      | 9.83       | 35.53      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.376G      | 54.69             | 74.00             | -19.31         | 42.93         | 3           | Horizontal | 42             | 2.02          | -       | 39.21      | 7.24       | 34.69      |
| AV   | 11.37758G    | 40.98             | 54.00             | -13.02         | 29.22         | 3           | Horizontal | 42             | 2.02          | -       | 39.21      | 7.24       | 34.69      |
| PK   | 17.02008G    | 63.40             | 68.20             | -4.80          | 48.32         | 3           | Horizontal | 222            | 1.37          | -       | 40.82      | 9.81       | 35.55      |

# 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1028G      | 63.59             | 74.00             | -10.41         | 59.46         | 3           | Vertical  | 298            | 1.60          | -       | 33.00      | 4.69       | 33.56      |
| AV   | 5.1252G      | 51.42             | 54.00             | -2.58          | 47.28         | 3           | Vertical  | 298            | 1.60          | -       | 33.03      | 4.67       | 33.56      |
| PK   | 5.2404G      | 106.17            | Inf               | -Inf           | 101.97        | 3           | Vertical  | 298            | 1.60          | -       | 33.14      | 4.62       | 33.56      |
| AV   | 5.2372G      | 94.13             | Inf               | -Inf           | 89.93         | 3           | Vertical  | 298            | 1.60          | -       | 33.14      | 4.62       | 33.56      |
| PK   | 5.378G       | 67.41             | 74.00             | -6.59          | 62.86         | 3           | Vertical  | 298            | 1.60          | -       | 33.43      | 4.69       | 33.57      |
| PK   | 5.6404G      | 57.44             | 68.20             | -10.76         | 52.04         | 3           | Vertical  | 298            | 1.60          | -       | 34.04      | 4.98       | 33.62      |
| AV   | 5.3668G      | 53.93             | 54.00             | -0.07          | 49.42         | 3           | Vertical  | 298            | 1.60          | -       | 33.40      | 4.68       | 33.57      |

# 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1236G      | 61.20             | 74.00             | -12.80         | 57.07         | 3           | Horizontal | 179            | 2.99          | -       | 33.02      | 4.67       | 33.56      |
| AV   | 5.1236G      | 49.29             | 54.00             | -4.71          | 45.16         | 3           | Horizontal | 179            | 2.99          | -       | 33.02      | 4.67       | 33.56      |
| PK   | 5.2548G      | 108.25            | Inf               | -Inf           | 104.04        | 3           | Horizontal | 179            | 2.99          | -       | 33.15      | 4.63       | 33.57      |
| AV   | 5.314G       | 96.62             | Inf               | -Inf           | 92.29         | 3           | Horizontal | 179            | 2.99          | -       | 33.24      | 4.66       | 33.57      |
| PK   | 5.3764G      | 62.29             | 74.00             | -11.71         | 57.74         | 3           | Horizontal | 179            | 2.99          | -       | 33.43      | 4.69       | 33.57      |
| AV   | 5.3652G      | 49.25             | 54.00             | -4.75          | 44.74         | 3           | Horizontal | 179            | 2.99          | -       | 33.40      | 4.68       | 33.57      |
| PK   | 5.5044G      | 58.01             | 68.20             | -10.19         | 52.97         | 3           | Horizontal | 179            | 2.99          | -       | 33.81      | 4.81       | 33.58      |

# 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.75044G    | 56.33             | 74.00             | -17.67         | 43.54         | 3           | Vertical  | 9              | 2.08          | -       | 38.87      | 9.40       | 35.48      |
| AV   | 15.75211G    | 43.80             | 54.00             | -10.20         | 31.01         | 3           | Vertical  | 9              | 2.08          | -       | 38.87      | 9.40       | 35.48      |

# 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.75208G    | 57.31             | 74.00             | -16.69         | 44.52         | 3           | Horizontal | 102            | 2.29          | -       | 38.87      | 9.40       | 35.48      |
| AV   | 15.75126G    | 43.30             | 54.00             | -10.70         | 30.51         | 3           | Horizontal | 102            | 2.29          | -       | 38.87      | 9.40       | 35.48      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5570MHz\_TX



EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3252G      | 57.71             | 68.20             | -10.49         | 53.34         | 3           | Vertical  | 317            | 2.37          | -       | 33.28      | 4.66       | 33.57      |
| PK   | 5.45G        | 68.21             | 74.00             | -5.79          | 63.39         | 3           | Vertical  | 317            | 2.37          | -       | 33.65      | 4.75       | 33.58      |
| AV   | 5.4276G      | 50.45             | 54.00             | -3.55          | 45.71         | 3           | Vertical  | 317            | 2.37          | -       | 33.58      | 4.73       | 33.57      |
| PK   | 5.4692G      | 63.47             | 68.20             | -4.73          | 58.57         | 3           | Vertical  | 317            | 2.37          | -       | 33.71      | 4.77       | 33.58      |
| PK   | 5.5748G      | 110.35            | Inf               | -Inf           | 105.05        | 3           | Vertical  | 317            | 2.37          | -       | 33.95      | 4.95       | 33.60      |
| AV   | 5.5732G      | 97.45             | Inf               | -Inf           | 92.15         | 3           | Vertical  | 317            | 2.37          | -       | 33.95      | 4.95       | 33.60      |
| PK   | 5.7348G      | 64.83             | 68.20             | -3.37          | 59.37         | 3           | Vertical  | 317            | 2.37          | -       | 34.17      | 4.93       | 33.64      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5570MHz\_TX



EUT Y\_4TX  
04-F-A-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.338G       | 58.40             | 68.20             | -9.80          | 53.99         | 3           | Horizontal | 359            | 1.72          | -       | 33.31      | 4.67       | 33.57      |
| PK   | 5.4516G      | 69.67             | 74.00             | -4.33          | 64.85         | 3           | Horizontal | 359            | 1.72          | -       | 33.65      | 4.75       | 33.58      |
| AV   | 5.4468G      | 49.98             | 54.00             | -4.02          | 45.16         | 3           | Horizontal | 359            | 1.72          | -       | 33.64      | 4.75       | 33.57      |
| PK   | 5.4676G      | 67.84             | 68.20             | -0.36          | 62.95         | 3           | Horizontal | 359            | 1.72          | -       | 33.70      | 4.77       | 33.58      |
| PK   | 5.5636G      | 111.68            | Inf               | -Inf           | 106.42        | 3           | Horizontal | 359            | 1.72          | -       | 33.93      | 4.93       | 33.60      |
| AV   | 5.5604G      | 98.62             | Inf               | -Inf           | 93.38         | 3           | Horizontal | 359            | 1.72          | -       | 33.92      | 4.92       | 33.60      |
| PK   | 5.7732G      | 65.14             | 68.20             | -3.06          | 59.63         | 3           | Horizontal | 359            | 1.72          | -       | 34.25      | 4.91       | 33.65      |

# 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5570MHz\_TX




EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.14161G    | 53.95             | 74.00             | -20.05         | 41.92         | 3           | Vertical  | 7              | 1.59          | -       | 39.33      | 7.21       | 34.51      |
| AV   | 11.1412G     | 40.51             | 54.00             | -13.49         | 28.48         | 3           | Vertical  | 7              | 1.59          | -       | 39.33      | 7.21       | 34.51      |

# 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2019

## 5570MHz\_TX



EUT Y\_4TX  
04-F-A-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.14198G    | 54.57             | 74.00             | -19.43         | 42.55         | 3           | Horizontal | 134            | 2.82          | -       | 39.33      | 7.21       | 34.52      |
| AV   | 11.13998G    | 40.77             | 54.00             | -13.23         | 28.74         | 3           | Horizontal | 134            | 2.82          | -       | 39.33      | 7.21       | 34.51      |