


## 5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6175MHz\_TX




EUT Y\_4TX  
Setting 40  
06-H-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.36242G    | 54.73             | 74.00             | -19.27         | 41.57         | 3           | Horizontal | 200            | 1.73          | -       | 38.74      | 9.11       | 34.69      |
| AV   | 12.35783G    | 44.13             | 54.00             | -9.87          | 30.97         | 3           | Horizontal | 200            | 1.73          | -       | 38.74      | 9.11       | 34.69      |

## 5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6175MHz\_TX




EUT Y\_4TX  
Setting 40  
06-H-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.51102G    | 52.41             | 83.54             | -31.13         | 63.63         | 1           | Vertical  | 349            | 2.18          | -       | 37.60      | 14.58      | 63.40      |
| AV   | 18.51012G    | 48.79             | 63.54             | -14.75         | 60.01         | 1           | Vertical  | 349            | 2.18          | -       | 37.60      | 14.58      | 63.40      |

## 5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6175MHz\_TX




EUT Y\_4TX  
Setting 40  
06-H-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.51564G    | 60.53             | 83.54             | -23.01         | 71.74         | 1           | Horizontal | 117            | 1.33          | -       | 37.61      | 14.58      | 63.40      |
| AV   | 18.51426G    | 58.13             | 63.54             | -5.41          | 69.34         | 1           | Horizontal | 117            | 1.33          | -       | 37.61      | 14.58      | 63.40      |

## 5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9182G      | 59.56             | 88.20             | -28.64         | 52.58         | 3           | Vertical  | 147            | 2.85          | -       | 34.67      | 7.26       | 34.95      |
| RMS  | 5.925G       | 49.23             | 68.20             | -18.97         | 42.22         | 3           | Vertical  | 147            | 2.85          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.415G       | 109.30            | Inf               | -Inf           | 101.87        | 3           | Vertical  | 147            | 2.85          | -       | 34.84      | 7.61       | 35.02      |
| RMS  | 6.4198G      | 98.51             | Inf               | -Inf           | 91.10         | 3           | Vertical  | 147            | 2.85          | -       | 34.82      | 7.61       | 35.02      |

## 5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8774G      | 59.67             | 88.20             | -28.53         | 52.91         | 3           | Horizontal | 158            | 1.80          | -       | 34.46      | 7.24       | 34.94      |
| RMS  | 5.925G       | 49.16             | 68.20             | -19.04         | 42.15         | 3           | Horizontal | 158            | 1.80          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.4198G      | 109.20            | Inf               | -Inf           | 101.79        | 3           | Horizontal | 158            | 1.80          | -       | 34.82      | 7.61       | 35.02      |
| RMS  | 6.4198G      | 97.48             | Inf               | -Inf           | 90.07         | 3           | Horizontal | 158            | 1.80          | -       | 34.82      | 7.61       | 35.02      |

## 5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.8435G     | 59.15             | 88.20             | -29.05         | 48.67         | 3           | Vertical  | 319            | 1.80          | -       | 39.34      | 13.77      | 42.63      |
| RMS  | 12.8438G     | 44.69             | 68.20             | -23.51         | 34.19         | 3           | Vertical  | 319            | 1.80          | -       | 39.34      | 13.78      | 42.62      |

## 5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.82346G    | 58.39             | 88.20             | -29.81         | 47.94         | 3           | Horizontal | 85             | 2.11          | -       | 39.32      | 13.76      | 42.63      |
| RMS  | 12.84476G    | 44.73             | 68.20             | -23.47         | 34.23         | 3           | Horizontal | 85             | 2.11          | -       | 39.34      | 13.78      | 42.62      |

## 5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.24464G | 52.93    | 83.54    | -30.61 | 63.79  | 1    | Vertical  | 88      | 1.47   | -       | 37.60 | 14.84 | 63.30 |
| AV   | 19.24476G | 49.84    | 63.54    | -13.70 | 60.70  | 1    | Vertical  | 88      | 1.47   | -       | 37.60 | 14.84 | 63.30 |

## 5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.2447G     | 59.20             | 83.54             | -24.34         | 70.06         | 1           | Horizontal | 122            | 1.53          | -       | 37.60      | 14.84      | 63.30      |
| AV   | 19.24476G    | 57.84             | 63.54             | -5.70          | 68.70         | 1           | Horizontal | 122            | 1.53          | -       | 37.60      | 14.84      | 63.30      |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9098G      | 60.16             | 88.20             | -28.04         | 53.22         | 3           | Vertical  | 159            | 2.71          | -       | 34.64      | 7.25       | 34.95      |
| RMS  | 5.9228G      | 49.13             | 68.20             | -19.07         | 42.13         | 3           | Vertical  | 159            | 2.71          | -       | 34.69      | 7.26       | 34.95      |
| PK   | 6.4376G      | 108.61            | Inf               | -Inf           | 101.26        | 3           | Vertical  | 159            | 2.71          | -       | 34.75      | 7.62       | 35.02      |
| RMS  | 6.4298G      | 97.90             | Inf               | -Inf           | 90.53         | 3           | Vertical  | 159            | 2.71          | -       | 34.78      | 7.61       | 35.02      |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9046G      | 60.15             | 88.20             | -28.05         | 53.23         | 3           | Horizontal | 152            | 1.77          | -       | 34.62      | 7.25       | 34.95      |
| RMS  | 5.925G       | 49.12             | 68.20             | -19.08         | 42.11         | 3           | Horizontal | 152            | 1.77          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.4298G      | 108.71            | Inf               | -Inf           | 101.34        | 3           | Horizontal | 152            | 1.77          | -       | 34.78      | 7.61       | 35.02      |
| RMS  | 6.4298G      | 97.76             | Inf               | -Inf           | 90.39         | 3           | Horizontal | 152            | 1.77          | -       | 34.78      | 7.61       | 35.02      |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.87972G    | 60.01             | 88.20             | -28.19         | 49.45         | 3           | Vertical  | 329            | 1.80          | -       | 39.38      | 13.80      | 42.62      |
| RMS  | 12.86628G    | 45.25             | 68.20             | -22.95         | 34.71         | 3           | Vertical  | 329            | 1.80          | -       | 39.37      | 13.79      | 42.62      |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.87018G    | 59.36             | 88.20             | -28.84         | 48.81         | 3           | Horizontal | 210            | 2.38          | -       | 39.37      | 13.80      | 42.62      |
| RMS  | 12.86982G    | 46.07             | 68.20             | -22.13         | 35.52         | 3           | Horizontal | 210            | 2.38          | -       | 39.37      | 13.80      | 42.62      |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.30482G | 56.33    | 83.54    | -27.21 | 67.11  | 1    | Vertical  | 178     | 1.54   | -       | 37.62 | 14.86 | 63.26 |
| AV   | 19.30476G | 53.83    | 63.54    | -9.71  | 64.61  | 1    | Vertical  | 178     | 1.54   | -       | 37.62 | 14.86 | 63.26 |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.3047G  | 60.53    | 83.54    | -23.01 | 71.31  | 1    | Horizontal | 122     | 1.54   | -       | 37.62 | 14.86 | 63.26 |
| AV   | 19.30476G | 59.14    | 63.54    | -4.40  | 69.92  | 1    | Horizontal | 122     | 1.54   | -       | 37.62 | 14.86 | 63.26 |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6475MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7918G      | 58.99             | 88.20             | -29.21         | 52.51         | 3           | Vertical  | 131            | 2.94          | -       | 34.20      | 7.20       | 34.92      |
| RMS  | 5.925G       | 49.07             | 68.20             | -19.13         | 42.06         | 3           | Vertical  | 131            | 2.94          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.4694G      | 108.20            | Inf               | -Inf           | 100.90        | 3           | Vertical  | 131            | 2.94          | -       | 34.70      | 7.63       | 35.03      |
| RMS  | 6.4694G      | 98.54             | Inf               | -Inf           | 91.24         | 3           | Vertical  | 131            | 2.94          | -       | 34.70      | 7.63       | 35.03      |
| PK   | 7.1414G      | 62.06             | 88.20             | -26.14         | 52.50         | 3           | Vertical  | 131            | 2.94          | -       | 36.05      | 8.58       | 35.07      |
| RMS  | 7.1694G      | 52.24             | 68.20             | -15.96         | 42.46         | 3           | Vertical  | 131            | 2.94          | -       | 36.22      | 8.64       | 35.08      |

# 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 6475MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8674G      | 59.55             | 88.20             | -28.65         | 52.86         | 3           | Horizontal | 156            | 1.99          | -       | 34.40      | 7.23       | 34.94      |
| RMS  | 5.9234G      | 49.03             | 68.20             | -19.17         | 42.03         | 3           | Horizontal | 156            | 1.99          | -       | 34.69      | 7.26       | 34.95      |
| PK   | 6.475G       | 107.09            | Inf               | -Inf           | 99.78         | 3           | Horizontal | 156            | 1.99          | -       | 34.70      | 7.64       | 35.03      |
| RMS  | 6.475G       | 96.85             | Inf               | -Inf           | 89.54         | 3           | Horizontal | 156            | 1.99          | -       | 34.70      | 7.64       | 35.03      |
| PK   | 7.1694G      | 62.56             | 88.20             | -25.64         | 52.78         | 3           | Horizontal | 156            | 1.99          | -       | 36.22      | 8.64       | 35.08      |
| RMS  | 7.1694G      | 52.21             | 68.20             | -15.99         | 42.43         | 3           | Horizontal | 156            | 1.99          | -       | 36.22      | 8.64       | 35.08      |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6475MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.95588G    | 59.98             | 88.20             | -28.22         | 49.27         | 3           | Vertical  | 85             | 1.80          | -       | 39.46      | 13.86      | 42.61      |
| RMS  | 12.93944G    | 45.65             | 68.20             | -22.55         | 34.97         | 3           | Vertical  | 85             | 1.80          | -       | 39.44      | 13.85      | 42.61      |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6475MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.9374G     | 59.69             | 88.20             | -28.51         | 49.01         | 3           | Horizontal | 224            | 1.87          | -       | 39.44      | 13.85      | 42.61      |
| RMS  | 12.94988G    | 46.84             | 68.20             | -21.36         | 36.14         | 3           | Horizontal | 224            | 1.87          | -       | 39.45      | 13.86      | 42.61      |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6475MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.42488G    | 55.12             | 83.54             | -28.42         | 65.71         | 1           | Vertical  | 170            | 1.43          | -       | 37.67      | 14.90      | 63.16      |
| AV   | 19.42476G    | 52.55             | 63.54             | -10.99         | 63.14         | 1           | Vertical  | 170            | 1.43          | -       | 37.67      | 14.90      | 63.16      |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6475MHz\_TX




EUT Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.42476G    | 61.72             | 83.54             | -21.82         | 72.31         | 1           | Horizontal | 123            | 1.54          | -       | 37.67      | 14.90      | 63.16      |
| AV   | 19.42476G    | 59.42             | 63.54             | -4.12          | 70.01         | 1           | Horizontal | 123            | 1.54          | -       | 37.67      | 14.90      | 63.16      |

# 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 6515MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9242G      | 59.11             | 88.20             | -29.09         | 52.10         | 3           | Vertical  | 133            | 3.00          | -       | 34.70      | 7.26       | 34.95      |
| RMS  | 5.9214G      | 49.05             | 68.20             | -19.15         | 42.05         | 3           | Vertical  | 133            | 3.00          | -       | 34.69      | 7.26       | 34.95      |
| PK   | 6.5094G      | 110.80            | Inf               | -Inf           | 103.44        | 3           | Vertical  | 133            | 3.00          | -       | 34.74      | 7.65       | 35.03      |
| RMS  | 6.5122G      | 98.56             | Inf               | -Inf           | 91.18         | 3           | Vertical  | 133            | 3.00          | -       | 34.75      | 7.66       | 35.03      |
| PK   | 7.1702G      | 62.98             | 88.20             | -25.22         | 53.20         | 3           | Vertical  | 133            | 3.00          | -       | 36.22      | 8.64       | 35.08      |
| RMS  | 7.215G       | 52.45             | 68.20             | -15.75         | 42.36         | 3           | Vertical  | 133            | 3.00          | -       | 36.49      | 8.70       | 35.10      |

# 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 6515MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8822G      | 59.05             | 88.20             | -29.15         | 52.26         | 3           | Horizontal | 137            | 1.76          | -       | 34.49      | 7.24       | 34.94      |
| RMS  | 5.9242G      | 49.08             | 68.20             | -19.12         | 42.07         | 3           | Horizontal | 137            | 1.76          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.5094G      | 109.45            | Inf               | -Inf           | 102.09        | 3           | Horizontal | 137            | 1.76          | -       | 34.74      | 7.65       | 35.03      |
| RMS  | 6.5178G      | 97.81             | Inf               | -Inf           | 90.41         | 3           | Horizontal | 137            | 1.76          | -       | 34.77      | 7.66       | 35.03      |
| PK   | 7.1898G      | 62.81             | 88.20             | -25.39         | 52.88         | 3           | Horizontal | 137            | 1.76          | -       | 36.34      | 8.68       | 35.09      |
| RMS  | 7.2122G      | 52.44             | 68.20             | -15.76         | 42.37         | 3           | Horizontal | 137            | 1.76          | -       | 36.47      | 8.70       | 35.10      |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6515MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.03912G    | 60.33             | 88.20             | -27.87         | 49.37         | 3           | Vertical  | 72             | 2.55          | -       | 39.62      | 13.93      | 42.59      |
| RMS  | 13.0423G     | 46.08             | 68.20             | -22.12         | 35.11         | 3           | Vertical  | 72             | 2.55          | -       | 39.63      | 13.93      | 42.59      |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6515MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.03294G    | 59.82             | 88.20             | -28.38         | 48.88         | 3           | Horizontal | 229            | 1.80          | -       | 39.60      | 13.93      | 42.59      |
| RMS  | 13.02988G    | 47.31             | 68.20             | -20.89         | 36.39         | 3           | Horizontal | 229            | 1.80          | -       | 39.59      | 13.92      | 42.59      |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6515MHz\_TX




EUT Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.54476G    | 55.91             | 83.54             | -27.63         | 66.37         | 1           | Vertical  | 170            | 1.43          | -       | 37.68      | 14.94      | 63.08      |
| AV   | 19.54476G    | 53.80             | 63.54             | -9.74          | 64.26         | 1           | Vertical  | 170            | 1.43          | -       | 37.68      | 14.94      | 63.08      |

## 6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6515MHz\_TX




EUT Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.54488G    | 59.72             | 83.54             | -23.82         | 70.18         | 1           | Horizontal | 123            | 1.54          | -       | 37.68      | 14.94      | 63.08      |
| AV   | 19.54476G    | 56.80             | 63.54             | -6.74          | 67.26         | 1           | Horizontal | 123            | 1.54          | -       | 37.68      | 14.94      | 63.08      |

# 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 6535MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9134G      | 59.62             | 88.20             | -28.58         | 52.66         | 3           | Vertical  | 134            | 3.00          | -       | 34.65      | 7.26       | 34.95      |
| RMS  | 5.9246G      | 49.12             | 68.20             | -19.08         | 42.11         | 3           | Vertical  | 134            | 3.00          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.5378G      | 107.68            | Inf               | -Inf           | 100.19        | 3           | Vertical  | 134            | 3.00          | -       | 34.85      | 7.67       | 35.03      |
| RMS  | 6.5294G      | 98.59             | Inf               | -Inf           | 91.14         | 3           | Vertical  | 134            | 3.00          | -       | 34.82      | 7.66       | 35.03      |
| PK   | 7.2182G      | 63.83             | 88.20             | -24.37         | 53.72         | 3           | Vertical  | 134            | 3.00          | -       | 36.51      | 8.70       | 35.10      |
| RMS  | 7.235G       | 52.75             | 68.20             | -15.45         | 42.55         | 3           | Vertical  | 134            | 3.00          | -       | 36.61      | 8.70       | 35.11      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6535MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.877G       | 59.02             | 88.20             | -29.18         | 52.26         | 3           | Horizontal | 136            | 1.73          | -       | 34.46      | 7.24       | 34.94      |
| RMS  | 5.9246G      | 49.04             | 68.20             | -19.16         | 42.03         | 3           | Horizontal | 136            | 1.73          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.5322G      | 109.41            | Inf               | -Inf           | 101.94        | 3           | Horizontal | 136            | 1.73          | -       | 34.83      | 7.67       | 35.03      |
| RMS  | 6.5378G      | 97.81             | Inf               | -Inf           | 90.32         | 3           | Horizontal | 136            | 1.73          | -       | 34.85      | 7.67       | 35.03      |
| PK   | 7.221G       | 62.56             | 88.20             | -25.64         | 52.43         | 3           | Horizontal | 136            | 1.73          | -       | 36.53      | 8.70       | 35.10      |
| RMS  | 7.235G       | 52.76             | 68.20             | -15.44         | 42.56         | 3           | Horizontal | 136            | 1.73          | -       | 36.61      | 8.70       | 35.11      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6535MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.07312G    | 60.80             | 88.20             | -27.40         | 49.70         | 3           | Vertical  | 17             | 1.80          | -       | 39.72      | 13.96      | 42.58      |
| RMS  | 13.06376G    | 46.14             | 68.20             | -22.06         | 35.08         | 3           | Vertical  | 17             | 1.80          | -       | 39.69      | 13.95      | 42.58      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6535MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.06736G    | 60.30             | 88.20             | -27.90         | 49.23         | 3           | Horizontal | 228            | 1.88          | -       | 39.70      | 13.95      | 42.58      |
| RMS  | 13.06982G    | 47.67             | 68.20             | -20.53         | 36.58         | 3           | Horizontal | 228            | 1.88          | -       | 39.71      | 13.96      | 42.58      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6535MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.60482G    | 56.17             | 83.54             | -27.37         | 66.61         | 1           | Vertical  | 170            | 1.40          | -       | 37.66      | 14.96      | 63.06      |
| AV   | 19.60476G    | 53.90             | 63.54             | -9.64          | 64.34         | 1           | Vertical  | 170            | 1.40          | -       | 37.66      | 14.96      | 63.06      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6535MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.60476G    | 60.11             | 83.54             | -23.43         | 70.55         | 1           | Horizontal | 124            | 1.53          | -       | 37.66      | 14.96      | 63.06      |
| AV   | 19.60476G    | 57.78             | 63.54             | -5.76          | 68.22         | 1           | Horizontal | 124            | 1.53          | -       | 37.66      | 14.96      | 63.06      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.6972G      | 104.56            | Inf               | -Inf           | 96.39         | 3           | Vertical  | 68             | 1.69          | -       | 35.39      | 7.80       | 35.02      |
| RMS  | 6.6972G      | 94.94             | Inf               | -Inf           | 86.77         | 3           | Vertical  | 68             | 1.69          | -       | 35.39      | 7.80       | 35.02      |
| PK   | 7.2208G      | 63.79             | 88.20             | -24.41         | 53.67         | 3           | Vertical  | 68             | 1.69          | -       | 36.52      | 8.70       | 35.10      |
| RMS  | 7.2428G      | 52.87             | 68.20             | -15.33         | 42.62         | 3           | Vertical  | 68             | 1.69          | -       | 36.66      | 8.70       | 35.11      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.6994G      | 111.40            | Inf               | -Inf           | 103.22        | 3           | Horizontal | 131            | 2.04          | -       | 35.40      | 7.80       | 35.02      |
| RMS  | 6.7038G      | 98.29             | Inf               | -Inf           | 90.09         | 3           | Horizontal | 131            | 2.04          | -       | 35.42      | 7.80       | 35.02      |
| PK   | 7.234G       | 64.19             | 88.20             | -24.01         | 54.00         | 3           | Horizontal | 131            | 2.04          | -       | 36.60      | 8.70       | 35.11      |
| RMS  | 7.245G       | 52.82             | 68.20             | -15.38         | 42.56         | 3           | Horizontal | 131            | 2.04          | -       | 36.67      | 8.70       | 35.11      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3881G     | 60.24             | 74.00             | -13.76         | 48.25         | 3           | Vertical  | 104            | 1.74          | -       | 40.28      | 14.21      | 42.50      |
| AV   | 13.39184G    | 46.19             | 54.00             | -7.81          | 34.20         | 3           | Vertical  | 104            | 1.74          | -       | 40.28      | 14.21      | 42.50      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3898G     | 61.23             | 74.00             | -12.77         | 49.24         | 3           | Horizontal | 240            | 1.80          | -       | 40.28      | 14.21      | 42.50      |
| AV   | 13.38988G    | 46.81             | 54.00             | -7.19          | 34.82         | 3           | Horizontal | 240            | 1.80          | -       | 40.28      | 14.21      | 42.50      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




EUT Y\_4TX  
Setting 40  
06-E-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.08482G    | 63.78             | 83.54             | -19.76         | 74.01         | 1           | Vertical  | 152            | 1.54          | -       | 37.47      | 15.12      | 62.82      |
| AV   | 20.08475G    | 55.93             | 63.54             | -7.61          | 66.16         | 1           | Vertical  | 152            | 1.54          | -       | 37.47      | 15.12      | 62.82      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




EUT Y\_4TX  
Setting 40  
06-E-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.08474G    | 66.92             | 83.54             | -16.62         | 77.15         | 1           | Horizontal | 195            | 1.56          | -       | 37.47      | 15.12      | 62.82      |
| AV   | 20.08477G    | 63.53             | 63.54             | -0.01          | 73.76         | 1           | Horizontal | 195            | 1.56          | -       | 37.47      | 15.12      | 62.82      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6855MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8564G      | 109.48            | Inf               | -Inf           | 100.79        | 3           | Vertical  | 134            | 2.98          | -       | 35.69      | 8.01       | 35.01      |
| RMS  | 6.8564G      | 97.93             | Inf               | -Inf           | 89.24         | 3           | Vertical  | 134            | 2.98          | -       | 35.69      | 8.01       | 35.01      |
| PK   | 7.1854G      | 63.79             | 88.20             | -24.41         | 53.90         | 3           | Vertical  | 134            | 2.98          | -       | 36.31      | 8.67       | 35.09      |
| RMS  | 7.2008G      | 52.51             | 68.20             | -15.69         | 42.50         | 3           | Vertical  | 134            | 2.98          | -       | 36.40      | 8.70       | 35.09      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6855MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.848G       | 107.66            | Inf               | -Inf           | 98.97         | 3           | Horizontal | 106            | 1.68          | -       | 35.70      | 8.00       | 35.01      |
| RMS  | 6.8578G      | 99.27             | Inf               | -Inf           | 90.58         | 3           | Horizontal | 106            | 1.68          | -       | 35.68      | 8.02       | 35.01      |
| PK   | 7.1686G      | 63.84             | 88.20             | -24.36         | 54.07         | 3           | Horizontal | 106            | 1.68          | -       | 36.21      | 8.64       | 35.08      |
| RMS  | 7.2036G      | 52.53             | 68.20             | -15.67         | 42.50         | 3           | Horizontal | 106            | 1.68          | -       | 36.42      | 8.70       | 35.09      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6855MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.70684G    | 61.05             | 88.20             | -27.15         | 48.39         | 3           | Vertical  | 288            | 2.76          | -       | 40.61      | 14.47      | 42.42      |
| RMS  | 13.70978G    | 47.90             | 68.20             | -20.30         | 35.23         | 3           | Vertical  | 288            | 2.76          | -       | 40.62      | 14.47      | 42.42      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6855MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.70943G    | 61.46             | 88.20             | -26.74         | 48.79         | 3           | Horizontal | 220            | 2.79          | -       | 40.62      | 14.47      | 42.42      |
| RMS  | 13.70984G    | 47.90             | 68.20             | -20.30         | 35.23         | 3           | Horizontal | 220            | 2.79          | -       | 40.62      | 14.47      | 42.42      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6855MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.56464G    | 52.75             | 83.54             | -30.79         | 62.12         | 1           | Vertical  | 89             | 1.65          | -       | 37.73      | 15.24      | 62.34      |
| AV   | 20.56476G    | 48.82             | 63.54             | -14.72         | 58.19         | 1           | Vertical  | 89             | 1.65          | -       | 37.73      | 15.24      | 62.34      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6855MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.56476G    | 58.67             | 83.54             | -24.87         | 68.04         | 1           | Horizontal | 209            | 1.52          | -       | 37.73      | 15.24      | 62.34      |
| AV   | 20.56476G    | 56.94             | 63.54             | -6.60          | 66.31         | 1           | Horizontal | 209            | 1.52          | -       | 37.73      | 15.24      | 62.34      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8762G      | 109.33            | Inf               | -Inf           | 100.64        | 3           | Vertical  | 134            | 2.96          | -       | 35.65      | 8.05       | 35.01      |
| RMS  | 6.8762G      | 98.38             | Inf               | -Inf           | 89.69         | 3           | Vertical  | 134            | 2.96          | -       | 35.65      | 8.05       | 35.01      |
| PK   | 7.1558G      | 62.87             | 88.20             | -25.33         | 53.20         | 3           | Vertical  | 134            | 2.96          | -       | 36.13      | 8.61       | 35.07      |
| RMS  | 7.1702G      | 52.24             | 68.20             | -15.96         | 42.46         | 3           | Vertical  | 134            | 2.96          | -       | 36.22      | 8.64       | 35.08      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8678G      | 108.60            | Inf               | -Inf           | 99.91         | 3           | Horizontal | 108            | 1.83          | -       | 35.66      | 8.04       | 35.01      |
| RMS  | 6.8726G      | 99.08             | Inf               | -Inf           | 90.39         | 3           | Horizontal | 108            | 1.83          | -       | 35.65      | 8.05       | 35.01      |
| PK   | 7.1486G      | 62.64             | 88.20             | -25.56         | 53.02         | 3           | Horizontal | 108            | 1.83          | -       | 36.09      | 8.60       | 35.07      |
| RMS  | 7.1726G      | 52.23             | 68.20             | -15.97         | 42.42         | 3           | Horizontal | 108            | 1.83          | -       | 36.24      | 8.65       | 35.08      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.75162G    | 60.81             | 88.20             | -27.39         | 48.02         | 3           | Vertical  | 260            | 1.80          | -       | 40.70      | 14.50      | 42.41      |
| RMS  | 13.73506G    | 46.91             | 68.20             | -21.29         | 34.17         | 3           | Vertical  | 260            | 1.80          | -       | 40.67      | 14.49      | 42.42      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.75418G    | 61.06             | 88.20             | -27.14         | 48.26         | 3           | Horizontal | 203            | 1.80          | -       | 40.71      | 14.50      | 42.41      |
| RMS  | 13.74986G    | 46.97             | 68.20             | -21.23         | 34.19         | 3           | Horizontal | 203            | 1.80          | -       | 40.70      | 14.50      | 42.42      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.62494G    | 51.64             | 83.54             | -31.90         | 60.91         | 1           | Vertical  | 89             | 1.65          | -       | 37.75      | 15.26      | 62.28      |
| AV   | 20.62476G    | 46.87             | 63.54             | -16.67         | 56.14         | 1           | Vertical  | 89             | 1.65          | -       | 37.75      | 15.26      | 62.28      |

## 6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.62476G    | 60.10             | 83.54             | -23.44         | 69.37         | 1           | Horizontal | 209            | 1.52          | -       | 37.75      | 15.26      | 62.28      |
| AV   | 20.62476G    | 58.56             | 63.54             | -4.98          | 67.83         | 1           | Horizontal | 209            | 1.52          | -       | 37.75      | 15.26      | 62.28      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6895MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.901G       | 107.43            | Inf               | -Inf           | 98.74         | 3           | Vertical  | 135            | 2.96          | -       | 35.60      | 8.10       | 35.01      |
| RMS  | 6.8914G      | 98.01             | Inf               | -Inf           | 89.32         | 3           | Vertical  | 135            | 2.96          | -       | 35.62      | 8.08       | 35.01      |
| PK   | 7.1926G      | 62.56             | 88.20             | -25.64         | 52.60         | 3           | Vertical  | 135            | 2.96          | -       | 36.36      | 8.69       | 35.09      |
| RMS  | 7.1926G      | 52.39             | 68.20             | -15.81         | 42.43         | 3           | Vertical  | 135            | 2.96          | -       | 36.36      | 8.69       | 35.09      |

# 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 6895MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8974G      | 108.44            | Inf               | -Inf           | 99.75         | 3           | Horizontal | 107            | 1.80          | -       | 35.61      | 8.09       | 35.01      |
| RMS  | 6.8926G      | 99.14             | Inf               | -Inf           | 90.45         | 3           | Horizontal | 107            | 1.80          | -       | 35.61      | 8.09       | 35.01      |
| PK   | 7.183G       | 63.76             | 88.20             | -24.44         | 53.87         | 3           | Horizontal | 107            | 1.80          | -       | 36.30      | 8.67       | 35.08      |
| RMS  | 7.195G       | 52.39             | 68.20             | -15.81         | 42.42         | 3           | Horizontal | 107            | 1.80          | -       | 36.37      | 8.69       | 35.09      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6895MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.79912G    | 60.14             | 88.20             | -28.06         | 47.20         | 3           | Vertical  | 52             | 2.22          | -       | 40.80      | 14.54      | 42.40      |
| RMS  | 13.77752G    | 46.75             | 68.20             | -21.45         | 33.88         | 3           | Vertical  | 52             | 2.22          | -       | 40.76      | 14.52      | 42.41      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6895MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.78514G    | 61.53             | 88.20             | -26.67         | 48.64         | 3           | Horizontal | 108            | 1.64          | -       | 40.77      | 14.53      | 42.41      |
| RMS  | 13.78778G    | 46.63             | 68.20             | -21.57         | 33.73         | 3           | Horizontal | 108            | 1.64          | -       | 40.78      | 14.53      | 42.41      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6895MHz\_TX




EUT Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.68476G    | 55.23             | 83.54             | -28.31         | 64.41         | 1           | Vertical  | 222            | 1.42          | -       | 37.77      | 15.27      | 62.22      |
| AV   | 20.68482G    | 52.61             | 63.54             | -10.93         | 61.79         | 1           | Vertical  | 222            | 1.42          | -       | 37.77      | 15.27      | 62.22      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6895MHz\_TX




EUT Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.68476G    | 60.61             | 83.54             | -22.93         | 69.79         | 1           | Horizontal | 208            | 1.52          | -       | 37.77      | 15.27      | 62.22      |
| AV   | 20.68482G    | 59.33             | 63.54             | -4.21          | 68.51         | 1           | Horizontal | 208            | 1.52          | -       | 37.77      | 15.27      | 62.22      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6995MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.999G       | 108.20            | Inf               | -Inf           | 99.20         | 3           | Vertical  | 118            | 1.74          | -       | 35.70      | 8.30       | 35.00      |
| RMS  | 6.9942G      | 98.98             | Inf               | -Inf           | 89.99         | 3           | Vertical  | 118            | 1.74          | -       | 35.70      | 8.29       | 35.00      |
| PK   | 7.1318G      | 63.05             | 88.20             | -25.15         | 53.56         | 3           | Vertical  | 118            | 1.74          | -       | 35.99      | 8.56       | 35.06      |
| RMS  | 7.1942G      | 52.40             | 68.20             | -15.80         | 42.43         | 3           | Vertical  | 118            | 1.74          | -       | 36.37      | 8.69       | 35.09      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6995MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.987G       | 111.54            | Inf               | -Inf           | 102.57        | 3           | Horizontal | 113            | 1.65          | -       | 35.70      | 8.27       | 35.00      |
| RMS  | 6.9974G      | 101.40            | Inf               | -Inf           | 92.41         | 3           | Horizontal | 113            | 1.65          | -       | 35.70      | 8.29       | 35.00      |
| PK   | 7.187G       | 63.43             | 88.20             | -24.77         | 53.53         | 3           | Horizontal | 113            | 1.65          | -       | 36.32      | 8.67       | 35.09      |
| RMS  | 7.1902G      | 52.38             | 68.20             | -15.82         | 42.45         | 3           | Horizontal | 113            | 1.65          | -       | 36.34      | 8.68       | 35.09      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6995MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.99384G    | 62.32             | 88.20             | -25.88         | 48.79         | 3           | Vertical  | 126            | 1.80          | -       | 41.19      | 14.70      | 42.36      |
| RMS  | 13.9996G     | 47.81             | 68.20             | -20.39         | 34.27         | 3           | Vertical  | 126            | 1.80          | -       | 41.20      | 14.70      | 42.36      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6995MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.98574G    | 62.87             | 88.20             | -25.33         | 49.37         | 3           | Horizontal | 217            | 2.79          | -       | 41.17      | 14.69      | 42.36      |
| RMS  | 13.98984G    | 49.44             | 68.20             | -18.76         | 35.93         | 3           | Horizontal | 217            | 2.79          | -       | 41.18      | 14.69      | 42.36      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6995MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.98476G    | 53.93             | 83.54             | -29.61         | 62.23         | 1           | Vertical  | 78             | 1.50          | -       | 38.27      | 15.35      | 61.92      |
| AV   | 20.98476G    | 50.59             | 63.54             | -12.95         | 58.89         | 1           | Vertical  | 78             | 1.50          | -       | 38.27      | 15.35      | 61.92      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 6995MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.9847G     | 57.50             | 83.54             | -26.04         | 65.80         | 1           | Horizontal | 124            | 1.52          | -       | 38.27      | 15.35      | 61.92      |
| AV   | 20.98476G    | 55.47             | 63.54             | -8.07          | 63.77         | 1           | Horizontal | 124            | 1.52          | -       | 38.27      | 15.35      | 61.92      |

# 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 7095MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0918G      | 107.48            | Inf               | -Inf           | 98.26         | 3           | Vertical  | 119            | 1.80          | -       | 35.78      | 8.48       | 35.04      |
| RMS  | 7.0942G      | 98.32             | Inf               | -Inf           | 89.08         | 3           | Vertical  | 119            | 1.80          | -       | 35.79      | 8.49       | 35.04      |
| PK   | 7.1906G      | 63.64             | 88.20             | -24.56         | 53.71         | 3           | Vertical  | 119            | 1.80          | -       | 36.34      | 8.68       | 35.09      |
| RMS  | 7.1946G      | 52.40             | 68.20             | -15.80         | 42.43         | 3           | Vertical  | 119            | 1.80          | -       | 36.37      | 8.69       | 35.09      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 7095MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.1018G      | 111.23            | Inf               | -Inf           | 101.97        | 3           | Horizontal | 123            | 1.44          | -       | 35.81      | 8.50       | 35.05      |
| RMS  | 7.0966G      | 100.78            | Inf               | -Inf           | 91.54         | 3           | Horizontal | 123            | 1.44          | -       | 35.79      | 8.49       | 35.04      |
| PK   | 7.1622G      | 63.32             | 88.20             | -24.88         | 53.60         | 3           | Horizontal | 123            | 1.44          | -       | 36.17      | 8.62       | 35.07      |
| RMS  | 7.195G       | 52.45             | 68.20             | -15.75         | 42.48         | 3           | Horizontal | 123            | 1.44          | -       | 36.37      | 8.69       | 35.09      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 7095MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.1939G     | 62.32             | 88.20             | -25.88         | 48.14         | 3           | Vertical  | 82             | 2.05          | -       | 41.59      | 14.89      | 42.30      |
| RMS  | 14.19108G    | 48.56             | 68.20             | -19.64         | 34.38         | 3           | Vertical  | 82             | 2.05          | -       | 41.59      | 14.89      | 42.30      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 7095MHz\_TX




EUT Y\_4TX  
Setting 40  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.19138G    | 63.22             | 88.20             | -24.98         | 49.04         | 3           | Horizontal | 140            | 1.80          | -       | 41.59      | 14.89      | 42.30      |
| RMS  | 14.18976G    | 48.58             | 68.20             | -19.62         | 34.40         | 3           | Horizontal | 140            | 1.80          | -       | 41.59      | 14.89      | 42.30      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 7095MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.28482G    | 55.51             | 83.54             | -28.03         | 63.58         | 1           | Vertical  | 97             | 1.63          | -       | 38.07      | 15.42      | 61.56      |
| AV   | 21.28476G    | 52.99             | 63.54             | -10.55         | 61.06         | 1           | Vertical  | 97             | 1.63          | -       | 38.07      | 15.42      | 61.56      |

## 6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 7095MHz\_TX




EUT\_Y\_4TX  
Setting 40  
03-K-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.28488G    | 57.08             | 83.54             | -26.46         | 65.15         | 1           | Horizontal | 212            | 1.65          | -       | 38.07      | 15.42      | 61.56      |
| AV   | 21.28476G    | 54.82             | 63.54             | -8.72          | 62.89         | 1           | Horizontal | 212            | 1.65          | -       | 38.07      | 15.42      | 61.56      |

## 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5965MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9246G      | 62.07             | 88.20             | -26.13         | 55.06         | 3           | Vertical  | 146            | 2.84          | -       | 34.70      | 7.26       | 34.95      |
| RMS  | 5.9238G      | 50.20             | 68.20             | -18.00         | 43.19         | 3           | Vertical  | 146            | 2.84          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 5.9706G      | 109.67            | Inf               | -Inf           | 102.54        | 3           | Vertical  | 146            | 2.84          | -       | 34.80      | 7.29       | 34.96      |
| RMS  | 5.971G       | 100.29            | Inf               | -Inf           | 93.16         | 3           | Vertical  | 146            | 2.84          | -       | 34.80      | 7.29       | 34.96      |

# 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5965MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.921G       | 60.37             | 88.20             | -27.83         | 53.38         | 3           | Horizontal | 136            | 1.62          | -       | 34.68      | 7.26       | 34.95      |
| RMS  | 5.925G       | 49.94             | 68.20             | -18.26         | 42.93         | 3           | Horizontal | 136            | 1.62          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 5.9702G      | 111.09            | Inf               | -Inf           | 103.96        | 3           | Horizontal | 136            | 1.62          | -       | 34.80      | 7.29       | 34.96      |
| RMS  | 5.9706G      | 101.01            | Inf               | -Inf           | 93.88         | 3           | Horizontal | 136            | 1.62          | -       | 34.80      | 7.29       | 34.96      |

## 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5965MHz\_TX




EUT Y\_4TX  
Setting 50  
02-P-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.93366G    | 53.74             | 74.00             | -20.26         | 48.15         | 3           | Vertical  | 299            | 1.80          | -       | 39.37      | 8.98       | 42.76      |
| AV   | 11.91746G    | 41.66             | 54.00             | -12.34         | 36.07         | 3           | Vertical  | 299            | 1.80          | -       | 39.38      | 8.97       | 42.76      |
| PK   | 17.88318G    | 62.19             | 74.00             | -11.81         | 46.35         | 3           | Vertical  | 164            | 1.80          | -       | 46.57      | 11.16      | 41.89      |
| AV   | 17.89998G    | 49.96             | 54.00             | -4.04          | 34.09         | 3           | Vertical  | 164            | 1.80          | -       | 46.60      | 11.16      | 41.89      |

## 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5965MHz\_TX




EUT Y\_4TX  
Setting 50  
02-P-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.93006G    | 54.28             | 74.00             | -19.72         | 48.69         | 3           | Horizontal | 129            | 1.80          | -       | 39.37      | 8.98       | 42.76      |
| AV   | 11.92994G    | 43.64             | 54.00             | -10.36         | 38.05         | 3           | Horizontal | 129            | 1.80          | -       | 39.37      | 8.98       | 42.76      |
| PK   | 17.90658G    | 62.83             | 74.00             | -11.17         | 46.96         | 3           | Horizontal | 12             | 2.98          | -       | 46.59      | 11.17      | 41.89      |
| AV   | 17.88564G    | 50.22             | 54.00             | -3.78          | 34.38         | 3           | Horizontal | 12             | 2.98          | -       | 46.57      | 11.16      | 41.89      |

## 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6165MHz\_TX




EUT Y\_4TX  
Setting 50  
06-H-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8843G      | 59.76             | 88.20             | -28.44         | 53.57         | 3           | Vertical  | 153            | 2.50          | -       | 32.51      | 6.06       | 32.38      |
| RMS  | 5.8976G      | 49.02             | 68.20             | -19.18         | 42.75         | 3           | Vertical  | 153            | 2.50          | -       | 32.59      | 6.05       | 32.37      |
| PK   | 6.1706G      | 107.69            | Inf               | -Inf           | 101.33        | 3           | Vertical  | 153            | 2.50          | -       | 32.78      | 6.17       | 32.59      |
| RMS  | 6.1776G      | 97.44             | Inf               | -Inf           | 91.05         | 3           | Vertical  | 153            | 2.50          | -       | 32.81      | 6.18       | 32.60      |

# 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6165MHz\_TX




EUT Y\_4TX  
Setting 50  
06-H-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.871G       | 60.10             | 88.20             | -28.10         | 53.99         | 3           | Horizontal | 160            | 1.60          | -       | 32.43      | 6.06       | 32.38      |
| RMS  | 5.8892G      | 49.00             | 68.20             | -19.20         | 42.78         | 3           | Horizontal | 160            | 1.60          | -       | 32.54      | 6.06       | 32.38      |
| PK   | 6.1636G      | 107.50            | Inf               | -Inf           | 101.17        | 3           | Horizontal | 160            | 1.60          | -       | 32.75      | 6.16       | 32.58      |
| RMS  | 6.1538G      | 96.97             | Inf               | -Inf           | 90.66         | 3           | Horizontal | 160            | 1.60          | -       | 32.72      | 6.15       | 32.56      |

## 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6165MHz\_TX




EUT Y\_4TX  
Setting 50  
06-H-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.34176G    | 54.44             | 74.00             | -19.56         | 41.27         | 3           | Vertical  | 212            | 2.23          | -       | 38.76      | 9.10       | 34.69      |
| AV   | 12.32124G    | 44.00             | 54.00             | -10.00         | 30.81         | 3           | Vertical  | 212            | 2.23          | -       | 38.78      | 9.10       | 34.69      |

## 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6165MHz\_TX




EUT Y\_4TX  
Setting 50  
06-H-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.327G      | 55.09             | 74.00             | -18.91         | 41.91         | 3           | Horizontal | 196            | 1.93          | -       | 38.77      | 9.10       | 34.69      |
| AV   | 12.32481G    | 43.81             | 54.00             | -10.19         | 30.62         | 3           | Horizontal | 196            | 1.93          | -       | 38.78      | 9.10       | 34.69      |

## 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6165MHz\_TX




EUT Y\_4TX  
Setting 50  
06-H-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.49032G    | 52.20             | 83.54             | -31.34         | 63.42         | 1           | Vertical  | 146            | 1.43          | -       | 37.60      | 14.57      | 63.39      |
| AV   | 18.49122G    | 48.85             | 63.54             | -14.69         | 60.07         | 1           | Vertical  | 146            | 1.43          | -       | 37.60      | 14.57      | 63.39      |

## 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6165MHz\_TX




EUT Y\_4TX  
Setting 50  
06-H-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.49056G    | 60.67             | 83.54             | -22.87         | 71.89         | 1           | Horizontal | 252            | 1.15          | -       | 37.60      | 14.57      | 63.39      |
| AV   | 18.49752G    | 58.00             | 63.54             | -5.54          | 69.23         | 1           | Horizontal | 252            | 1.15          | -       | 37.60      | 14.57      | 63.40      |

# 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6405MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8434G      | 59.80             | 88.20             | -28.40         | 53.23         | 3           | Vertical  | 144            | 3.00          | -       | 34.29      | 7.22       | 34.94      |
| RMS  | 5.9226G      | 49.19             | 68.20             | -19.01         | 42.19         | 3           | Vertical  | 144            | 3.00          | -       | 34.69      | 7.26       | 34.95      |
| PK   | 6.4026G      | 109.19            | Inf               | -Inf           | 101.72        | 3           | Vertical  | 144            | 3.00          | -       | 34.89      | 7.60       | 35.02      |
| RMS  | 6.4002G      | 98.30             | Inf               | -Inf           | 90.82         | 3           | Vertical  | 144            | 3.00          | -       | 34.90      | 7.60       | 35.02      |

# 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6405MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9106G      | 59.64             | 88.20             | -28.56         | 52.69         | 3           | Horizontal | 153            | 1.77          | -       | 34.64      | 7.26       | 34.95      |
| RMS  | 5.925G       | 49.11             | 68.20             | -19.09         | 42.10         | 3           | Horizontal | 153            | 1.77          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.4194G      | 107.96            | Inf               | -Inf           | 100.55        | 3           | Horizontal | 153            | 1.77          | -       | 34.82      | 7.61       | 35.02      |
| RMS  | 6.4146G      | 96.85             | Inf               | -Inf           | 89.42         | 3           | Horizontal | 153            | 1.77          | -       | 34.84      | 7.61       | 35.02      |

## 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6405MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.79668G    | 59.74             | 88.20             | -28.46         | 40.84         | 3           | Vertical  | 62             | 2.88          | -       | 39.29      | 13.74      | 34.13      |
| RMS  | 12.82092G    | 47.31             | 68.20             | -20.89         | 28.32         | 3           | Vertical  | 62             | 2.88          | -       | 39.32      | 13.76      | 34.09      |

## 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6405MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.81138G    | 59.41             | 88.20             | -28.79         | 40.45         | 3           | Horizontal | 258            | 2.62          | -       | 39.31      | 13.75      | 34.10      |
| RMS  | 12.8244G     | 47.20             | 68.20             | -21.00         | 28.20         | 3           | Horizontal | 258            | 2.62          | -       | 39.32      | 13.76      | 34.08      |

## 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6405MHz\_TX




EUT Y\_4TX  
Setting 50  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.21478G    | 55.50             | 83.54             | -28.04         | 66.41         | 1           | Vertical  | 179            | 1.54          | -       | 37.59      | 14.83      | 63.33      |
| AV   | 19.2148G     | 53.24             | 63.54             | -10.30         | 64.15         | 1           | Vertical  | 179            | 1.54          | -       | 37.59      | 14.83      | 63.33      |

## 5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6405MHz\_TX




EUT Y\_4TX  
Setting 50  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.21482G    | 59.79             | 83.54             | -23.75         | 70.70         | 1           | Horizontal | 121            | 1.53          | -       | 37.59      | 14.83      | 63.33      |
| AV   | 19.2148G     | 58.22             | 63.54             | -5.32          | 69.13         | 1           | Horizontal | 121            | 1.53          | -       | 37.59      | 14.83      | 63.33      |

# 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6445MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9042G      | 59.54             | 88.20             | -28.66         | 52.62         | 3           | Vertical  | 218            | 1.80          | -       | 34.62      | 7.25       | 34.95      |
| RMS  | 5.9224G      | 49.13             | 68.20             | -19.07         | 42.13         | 3           | Vertical  | 218            | 1.80          | -       | 34.69      | 7.26       | 34.95      |
| PK   | 6.4424G      | 105.14            | Inf               | -Inf           | 97.81         | 3           | Vertical  | 218            | 1.80          | -       | 34.73      | 7.62       | 35.02      |
| RMS  | 6.4346G      | 93.63             | Inf               | -Inf           | 86.27         | 3           | Vertical  | 218            | 1.80          | -       | 34.76      | 7.62       | 35.02      |

# 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6445MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8912G      | 58.98             | 88.20             | -29.22         | 52.13         | 3           | Horizontal | 153            | 1.80          | -       | 34.55      | 7.25       | 34.95      |
| RMS  | 5.9224G      | 49.10             | 68.20             | -19.10         | 42.10         | 3           | Horizontal | 153            | 1.80          | -       | 34.69      | 7.26       | 34.95      |
| PK   | 6.445G       | 107.54            | Inf               | -Inf           | 100.22        | 3           | Horizontal | 153            | 1.80          | -       | 34.72      | 7.62       | 35.02      |
| RMS  | 6.4346G      | 96.09             | Inf               | -Inf           | 88.73         | 3           | Horizontal | 153            | 1.80          | -       | 34.76      | 7.62       | 35.02      |

## 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6445MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.87962G    | 61.41             | 88.20             | -26.79         | 42.22         | 3           | Vertical  | 17             | 1.80          | -       | 39.38      | 13.80      | 33.99      |
| RMS  | 12.89486G    | 48.61             | 68.20             | -19.59         | 29.36         | 3           | Vertical  | 17             | 1.80          | -       | 39.39      | 13.82      | 33.96      |

## 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6445MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.9011G     | 61.21             | 88.20             | -26.99         | 41.94         | 3           | Horizontal | 51             | 2.34          | -       | 39.40      | 13.82      | 33.95      |
| RMS  | 12.90164G    | 48.80             | 68.20             | -19.40         | 29.53         | 3           | Horizontal | 51             | 2.34          | -       | 39.40      | 13.82      | 33.95      |

## 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6445MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.33478G    | 55.34             | 83.54             | -28.20         | 66.07         | 1           | Vertical  | 179            | 1.54          | -       | 37.63      | 14.87      | 63.23      |
| AV   | 19.33482G    | 53.03             | 63.54             | -10.51         | 63.76         | 1           | Vertical  | 179            | 1.54          | -       | 37.63      | 14.87      | 63.23      |

## 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6445MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.33476G    | 61.23             | 83.54             | -22.31         | 71.96         | 1           | Horizontal | 122            | 1.53          | -       | 37.63      | 14.87      | 63.23      |
| AV   | 19.33478G    | 59.92             | 63.54             | -3.62          | 70.65         | 1           | Horizontal | 122            | 1.53          | -       | 37.63      | 14.87      | 63.23      |

# 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6485MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9194G      | 58.96             | 88.20             | -29.24         | 51.97         | 3           | Vertical  | 132            | 2.88          | -       | 34.68      | 7.26       | 34.95      |
| RMS  | 5.925G       | 49.11             | 68.20             | -19.09         | 42.10         | 3           | Vertical  | 132            | 2.88          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.4878G      | 108.57            | Inf               | -Inf           | 101.26        | 3           | Vertical  | 132            | 2.88          | -       | 34.70      | 7.64       | 35.03      |
| RMS  | 6.4878G      | 97.52             | Inf               | -Inf           | 90.21         | 3           | Vertical  | 132            | 2.88          | -       | 34.70      | 7.64       | 35.03      |
| PK   | 7.1654G      | 63.14             | 88.20             | -25.06         | 53.40         | 3           | Vertical  | 132            | 2.88          | -       | 36.19      | 8.63       | 35.08      |
| RMS  | 7.1822G      | 52.32             | 68.20             | -15.88         | 42.45         | 3           | Vertical  | 132            | 2.88          | -       | 36.29      | 8.66       | 35.08      |

# 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6485MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8998G      | 59.30             | 88.20             | -28.90         | 52.40         | 3           | Horizontal | 153            | 1.90          | -       | 34.60      | 7.25       | 34.95      |
| RMS  | 5.9222G      | 49.04             | 68.20             | -19.16         | 42.04         | 3           | Horizontal | 153            | 1.90          | -       | 34.69      | 7.26       | 34.95      |
| PK   | 6.485G       | 108.23            | Inf               | -Inf           | 100.92        | 3           | Horizontal | 153            | 1.90          | -       | 34.70      | 7.64       | 35.03      |
| RMS  | 6.485G       | 96.22             | Inf               | -Inf           | 88.91         | 3           | Horizontal | 153            | 1.90          | -       | 34.70      | 7.64       | 35.03      |
| PK   | 7.1486G      | 62.16             | 88.20             | -26.04         | 52.54         | 3           | Horizontal | 153            | 1.90          | -       | 36.09      | 8.60       | 35.07      |
| RMS  | 7.1822G      | 52.37             | 68.20             | -15.83         | 42.50         | 3           | Horizontal | 153            | 1.90          | -       | 36.29      | 8.66       | 35.08      |

## 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6485MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.95542G    | 62.73             | 88.20             | -25.47         | 43.27         | 3           | Vertical  | 109            | 2.00          | -       | 39.46      | 13.86      | 33.86      |
| RMS  | 12.98296G    | 48.87             | 68.20             | -19.33         | 29.32         | 3           | Vertical  | 109            | 2.00          | -       | 39.48      | 13.89      | 33.82      |

## 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6485MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.95662G    | 61.79             | 88.20             | -26.41         | 42.32         | 3           | Horizontal | 79             | 1.99          | -       | 39.46      | 13.87      | 33.86      |
| RMS  | 12.97618G    | 49.10             | 68.20             | -19.10         | 29.57         | 3           | Horizontal | 79             | 1.99          | -       | 39.48      | 13.88      | 33.83      |

## 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6485MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.45478G    | 55.00             | 83.54             | -28.54         | 65.55         | 1           | Vertical  | 166            | 1.45          | -       | 37.68      | 14.91      | 63.14      |
| AV   | 19.45478G    | 52.37             | 63.54             | -11.17         | 62.92         | 1           | Vertical  | 166            | 1.45          | -       | 37.68      | 14.91      | 63.14      |

## 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6485MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.45478G    | 61.01             | 83.54             | -22.53         | 71.56         | 1           | Horizontal | 123            | 1.54          | -       | 37.68      | 14.91      | 63.14      |
| AV   | 19.45478G    | 59.21             | 63.54             | -4.33          | 69.76         | 1           | Horizontal | 123            | 1.54          | -       | 37.68      | 14.91      | 63.14      |

# 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6525MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9174G      | 59.13             | 88.20             | -29.07         | 52.15         | 3           | Vertical  | 147            | 2.91          | -       | 34.67      | 7.26       | 34.95      |
| RMS  | 5.925G       | 49.15             | 68.20             | -19.05         | 42.14         | 3           | Vertical  | 147            | 2.91          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.511G       | 108.01            | Inf               | -Inf           | 100.64        | 3           | Vertical  | 147            | 2.91          | -       | 34.74      | 7.66       | 35.03      |
| RMS  | 6.5194G      | 97.71             | Inf               | -Inf           | 90.30         | 3           | Vertical  | 147            | 2.91          | -       | 34.78      | 7.66       | 35.03      |
| PK   | 7.1438G      | 62.95             | 88.20             | -25.25         | 53.37         | 3           | Vertical  | 147            | 2.91          | -       | 36.06      | 8.59       | 35.07      |
| RMS  | 7.225G       | 52.75             | 68.20             | -15.45         | 42.60         | 3           | Vertical  | 147            | 2.91          | -       | 36.55      | 8.70       | 35.10      |

# 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6525MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.895G       | 59.15             | 88.20             | -29.05         | 52.28         | 3           | Horizontal | 156            | 1.99          | -       | 34.57      | 7.25       | 34.95      |
| RMS  | 5.9146G      | 49.03             | 68.20             | -19.17         | 42.06         | 3           | Horizontal | 156            | 1.99          | -       | 34.66      | 7.26       | 34.95      |
| PK   | 6.525G       | 108.31            | Inf               | -Inf           | 100.88        | 3           | Horizontal | 156            | 1.99          | -       | 34.80      | 7.66       | 35.03      |
| RMS  | 6.5194G      | 97.03             | Inf               | -Inf           | 89.62         | 3           | Horizontal | 156            | 1.99          | -       | 34.78      | 7.66       | 35.03      |
| PK   | 7.1718G      | 63.97             | 88.20             | -24.23         | 54.18         | 3           | Horizontal | 156            | 1.99          | -       | 36.23      | 8.64       | 35.08      |
| RMS  | 7.2222G      | 52.72             | 68.20             | -15.48         | 42.59         | 3           | Horizontal | 156            | 1.99          | -       | 36.53      | 8.70       | 35.10      |

## 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6525MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.04262G    | 61.68             | 88.20             | -26.52         | 41.87         | 3           | Vertical  | 188            | 1.34          | -       | 39.63      | 13.93      | 33.75      |
| RMS  | 13.05486G    | 49.19             | 68.20             | -19.01         | 29.32         | 3           | Vertical  | 188            | 1.34          | -       | 39.66      | 13.94      | 33.73      |

## 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6525MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.03818G    | 61.60             | 88.20             | -26.60         | 41.81         | 3           | Horizontal | 218            | 1.80          | -       | 39.61      | 13.93      | 33.75      |
| RMS  | 13.0497G     | 49.25             | 68.20             | -18.95         | 29.40         | 3           | Horizontal | 218            | 1.80          | -       | 39.65      | 13.94      | 33.74      |

## 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6525MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.57476G    | 56.74             | 83.54             | -26.80         | 67.19         | 1           | Vertical  | 169            | 1.43          | -       | 37.67      | 14.95      | 63.07      |
| AV   | 19.57476G    | 54.38             | 63.54             | -9.16          | 64.83         | 1           | Vertical  | 169            | 1.43          | -       | 37.67      | 14.95      | 63.07      |

## 6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6525MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.57476G    | 60.00             | 83.54             | -23.54         | 70.45         | 1           | Horizontal | 125            | 1.53          | -       | 37.67      | 14.95      | 63.07      |
| AV   | 19.57484G    | 57.97             | 63.54             | -5.57          | 68.42         | 1           | Horizontal | 125            | 1.53          | -       | 37.67      | 14.95      | 63.07      |

# 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6565MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.5698G      | 108.62            | Inf               | -Inf           | 100.99        | 3           | Vertical  | 149            | 3.00          | -       | 34.98      | 7.68       | 35.03      |
| RMS  | 6.5602G      | 97.95             | Inf               | -Inf           | 90.36         | 3           | Vertical  | 149            | 3.00          | -       | 34.94      | 7.68       | 35.03      |
| PK   | 7.1602G      | 63.14             | 88.20             | -25.06         | 53.43         | 3           | Vertical  | 149            | 3.00          | -       | 36.16      | 8.62       | 35.07      |
| RMS  | 7.1434G      | 52.24             | 68.20             | -15.96         | 42.66         | 3           | Vertical  | 149            | 3.00          | -       | 36.06      | 8.59       | 35.07      |

# 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6565MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.553G       | 107.45            | Inf               | -Inf           | 99.89         | 3           | Horizontal | 165            | 1.80          | -       | 34.91      | 7.68       | 35.03      |
| RMS  | 6.5578G      | 96.28             | Inf               | -Inf           | 88.70         | 3           | Horizontal | 165            | 1.80          | -       | 34.93      | 7.68       | 35.03      |
| PK   | 7.165G       | 63.31             | 88.20             | -24.89         | 53.57         | 3           | Horizontal | 165            | 1.80          | -       | 36.19      | 8.63       | 35.08      |
| RMS  | 7.1578G      | 52.32             | 68.20             | -15.88         | 42.62         | 3           | Horizontal | 165            | 1.80          | -       | 36.15      | 8.62       | 35.07      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6565MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.13306G    | 62.75             | 88.20             | -25.45         | 42.56         | 3           | Vertical  | 287            | 1.51          | -       | 39.83      | 14.01      | 33.65      |
| RMS  | 13.11818G    | 49.86             | 68.20             | -18.34         | 29.72         | 3           | Vertical  | 287            | 1.51          | -       | 39.82      | 13.99      | 33.67      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6565MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.14092G    | 62.22             | 88.20             | -25.98         | 42.01         | 3           | Horizontal | 84             | 2.02          | -       | 39.84      | 14.01      | 33.64      |
| RMS  | 13.12382G    | 50.04             | 68.20             | -18.16         | 29.88         | 3           | Horizontal | 84             | 2.02          | -       | 39.82      | 14.00      | 33.66      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6565MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.69484G    | 57.16             | 83.54             | -26.38         | 67.57         | 1           | Vertical  | 189            | 1.48          | -       | 37.62      | 14.99      | 63.02      |
| AV   | 19.69478G    | 55.18             | 63.54             | -8.36          | 65.59         | 1           | Vertical  | 189            | 1.48          | -       | 37.62      | 14.99      | 63.02      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6565MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.69476G    | 61.31             | 83.54             | -22.23         | 71.72         | 1           | Horizontal | 126            | 1.52          | -       | 37.62      | 14.99      | 63.02      |
| AV   | 19.69478G    | 60.05             | 63.54             | -3.49          | 70.46         | 1           | Horizontal | 126            | 1.52          | -       | 37.62      | 14.99      | 63.02      |

# 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6685MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.681G       | 103.42            | Inf               | -Inf           | 95.30         | 3           | Vertical  | 321            | 2.23          | -       | 35.36      | 7.78       | 35.02      |
| RMS  | 6.691G       | 94.37             | Inf               | -Inf           | 86.22         | 3           | Vertical  | 321            | 2.23          | -       | 35.38      | 7.79       | 35.02      |
| PK   | 7.175G       | 62.60             | 88.20             | -25.60         | 52.78         | 3           | Vertical  | 321            | 2.23          | -       | 36.25      | 8.65       | 35.08      |
| RMS  | 7.185G       | 52.38             | 68.20             | -15.82         | 42.49         | 3           | Vertical  | 321            | 2.23          | -       | 36.31      | 8.67       | 35.09      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6685MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.683G       | 108.11            | Inf               | -Inf           | 99.98         | 3           | Horizontal | 130            | 1.89          | -       | 35.37      | 7.78       | 35.02      |
| RMS  | 6.679G       | 96.96             | Inf               | -Inf           | 88.84         | 3           | Horizontal | 130            | 1.89          | -       | 35.36      | 7.78       | 35.02      |
| PK   | 7.173G       | 62.80             | 88.20             | -25.40         | 52.99         | 3           | Horizontal | 130            | 1.89          | -       | 36.24      | 8.65       | 35.08      |
| RMS  | 7.185G       | 52.41             | 68.20             | -15.79         | 42.52         | 3           | Horizontal | 130            | 1.89          | -       | 36.31      | 8.67       | 35.09      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6685MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.38386G    | 61.39             | 74.00             | -12.61         | 40.30         | 3           | Vertical  | 113            | 1.73          | -       | 40.27      | 14.21      | 33.39      |
| AV   | 13.35722G    | 49.70             | 54.00             | -4.30          | 28.72         | 3           | Vertical  | 113            | 1.73          | -       | 40.21      | 14.19      | 33.42      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6685MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.38296G    | 61.68             | 74.00             | -12.32         | 40.59         | 3           | Horizontal | 151            | 1.80          | -       | 40.27      | 14.21      | 33.39      |
| AV   | 13.37858G    | 49.71             | 54.00             | -4.29          | 28.65         | 3           | Horizontal | 151            | 1.80          | -       | 40.26      | 14.20      | 33.40      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6685MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.05474G    | 55.16             | 83.54             | -28.38         | 65.46         | 1           | Vertical  | 178            | 1.56          | -       | 37.44      | 15.11      | 62.85      |
| AV   | 20.05476G    | 52.71             | 63.54             | -10.83         | 63.01         | 1           | Vertical  | 178            | 1.56          | -       | 37.44      | 15.11      | 62.85      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6685MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.05478G    | 61.65             | 83.54             | -21.89         | 71.95         | 1           | Horizontal | 198            | 1.52          | -       | 37.44      | 15.11      | 62.85      |
| AV   | 20.05478G    | 60.22             | 63.54             | -3.32          | 70.52         | 1           | Horizontal | 198            | 1.52          | -       | 37.44      | 15.11      | 62.85      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6845MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8514G      | 106.26            | Inf               | -Inf           | 97.57         | 3           | Vertical  | 135            | 3.00          | -       | 35.70      | 8.00       | 35.01      |
| RMS  | 6.8514G      | 97.00             | Inf               | -Inf           | 88.31         | 3           | Vertical  | 135            | 3.00          | -       | 35.70      | 8.00       | 35.01      |
| PK   | 7.2034G      | 63.19             | 88.20             | -25.01         | 53.16         | 3           | Vertical  | 135            | 3.00          | -       | 36.42      | 8.70       | 35.09      |
| RMS  | 7.2434G      | 52.88             | 68.20             | -15.32         | 42.63         | 3           | Vertical  | 135            | 3.00          | -       | 36.66      | 8.70       | 35.11      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6845MHz\_TX




EUT\_Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.853G       | 107.89            | Inf               | -Inf           | 99.20         | 3           | Horizontal | 110            | 1.60          | -       | 35.69      | 8.01       | 35.01      |
| RMS  | 6.8578G      | 97.74             | Inf               | -Inf           | 89.05         | 3           | Horizontal | 110            | 1.60          | -       | 35.68      | 8.02       | 35.01      |
| PK   | 7.2274G      | 64.12             | 88.20             | -24.08         | 53.96         | 3           | Horizontal | 110            | 1.60          | -       | 36.56      | 8.70       | 35.10      |
| RMS  | 7.245G       | 52.88             | 68.20             | -15.32         | 42.62         | 3           | Horizontal | 110            | 1.60          | -       | 36.67      | 8.70       | 35.11      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6845MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.68742G    | 64.77             | 88.20             | -23.43         | 42.80         | 3           | Vertical  | 333            | 1.77          | -       | 40.59      | 14.45      | 33.07      |
| RMS  | 13.68946G    | 52.68             | 68.20             | -15.52         | 30.71         | 3           | Vertical  | 333            | 1.77          | -       | 40.59      | 14.45      | 33.07      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6845MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.70242G    | 65.36             | 88.20             | -22.84         | 43.36         | 3           | Horizontal | 215            | 1.49          | -       | 40.60      | 14.46      | 33.06      |
| RMS  | 13.69132G    | 53.16             | 68.20             | -15.04         | 31.19         | 3           | Horizontal | 215            | 1.49          | -       | 40.59      | 14.45      | 33.07      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6845MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.53474G    | 53.94             | 83.54             | -29.60         | 63.37         | 1           | Vertical  | 88             | 1.65          | -       | 37.71      | 15.23      | 62.37      |
| AV   | 20.5348G     | 50.72             | 63.54             | -12.82         | 60.15         | 1           | Vertical  | 88             | 1.65          | -       | 37.71      | 15.23      | 62.37      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6845MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.53478G    | 58.68             | 83.54             | -24.86         | 68.11         | 1           | Horizontal | 209            | 1.51          | -       | 37.71      | 15.23      | 62.37      |
| AV   | 20.53476G    | 56.87             | 63.54             | -6.67          | 66.30         | 1           | Horizontal | 209            | 1.51          | -       | 37.71      | 15.23      | 62.37      |

# 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6885MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8822G      | 107.45            | Inf               | -Inf           | 98.76         | 3           | Vertical  | 133            | 2.95          | -       | 35.64      | 8.06       | 35.01      |
| RMS  | 6.8864G      | 96.79             | Inf               | -Inf           | 88.10         | 3           | Vertical  | 133            | 2.95          | -       | 35.63      | 8.07       | 35.01      |
| PK   | 7.144G       | 63.40             | 88.20             | -24.80         | 53.82         | 3           | Vertical  | 133            | 2.95          | -       | 36.06      | 8.59       | 35.07      |
| RMS  | 7.235G       | 52.85             | 68.20             | -15.35         | 42.65         | 3           | Vertical  | 133            | 2.95          | -       | 36.61      | 8.70       | 35.11      |

# 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8976G      | 107.89            | Inf               | -Inf           | 99.20         | 3           | Horizontal | 113            | 1.79          | -       | 35.60      | 8.10       | 35.01      |
| RMS  | 6.8822G      | 98.51             | Inf               | -Inf           | 89.82         | 3           | Horizontal | 113            | 1.79          | -       | 35.64      | 8.06       | 35.01      |
| PK   | 7.2112G      | 63.54             | 88.20             | -24.66         | 53.47         | 3           | Horizontal | 113            | 1.79          | -       | 36.47      | 8.70       | 35.10      |
| RMS  | 7.235G       | 52.88             | 68.20             | -15.32         | 42.68         | 3           | Horizontal | 113            | 1.79          | -       | 36.61      | 8.70       | 35.11      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6885MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.77084G    | 65.49             | 88.20             | -22.71         | 43.21         | 3           | Vertical  | 303            | 1.65          | -       | 40.74      | 14.52      | 32.98      |
| RMS  | 13.7751G     | 53.03             | 68.20             | -15.17         | 30.74         | 3           | Vertical  | 303            | 1.65          | -       | 40.75      | 14.52      | 32.98      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6885MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.78452G    | 65.81             | 88.20             | -22.39         | 43.48         | 3           | Horizontal | 3              | 2.94          | -       | 40.77      | 14.53      | 32.97      |
| RMS  | 13.77468G    | 53.25             | 68.20             | -14.95         | 30.96         | 3           | Horizontal | 3              | 2.94          | -       | 40.75      | 14.52      | 32.98      |

## 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6885MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.65474G    | 53.10             | 83.54             | -30.44         | 62.33         | 1           | Vertical  | 87             | 1.65          | -       | 37.76      | 15.26      | 62.25      |
| AV   | 20.65472G    | 49.39             | 63.54             | -14.15         | 58.62         | 1           | Vertical  | 87             | 1.65          | -       | 37.76      | 15.26      | 62.25      |

# 6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6885MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.65476G    | 60.80             | 83.54             | -22.74         | 70.03         | 1           | Horizontal | 209            | 1.52          | -       | 37.76      | 15.26      | 62.25      |
| AV   | 20.65476G    | 59.52             | 63.54             | -4.02          | 68.75         | 1           | Horizontal | 209            | 1.52          | -       | 37.76      | 15.26      | 62.25      |

# 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6925MHz\_TX




EUT\_Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9238G      | 106.25            | Inf               | -Inf           | 97.45         | 3           | Vertical  | 123            | 1.62          | -       | 35.65      | 8.15       | 35.00      |
| RMS  | 6.9286G      | 96.45             | Inf               | -Inf           | 87.63         | 3           | Vertical  | 123            | 1.62          | -       | 35.66      | 8.16       | 35.00      |
| PK   | 7.1362G      | 63.31             | 88.20             | -24.89         | 53.78         | 3           | Vertical  | 123            | 1.62          | -       | 36.02      | 8.57       | 35.06      |
| RMS  | 7.2118G      | 52.75             | 68.20             | -15.45         | 42.68         | 3           | Vertical  | 123            | 1.62          | -       | 36.47      | 8.70       | 35.10      |

# 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 6925MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.913G       | 111.14            | Inf               | -Inf           | 102.39        | 3           | Horizontal | 112            | 1.58          | -       | 35.63      | 8.13       | 35.01      |
| RMS  | 6.9322G      | 99.84             | Inf               | -Inf           | 91.02         | 3           | Horizontal | 112            | 1.58          | -       | 35.66      | 8.16       | 35.00      |
| PK   | 7.1842G      | 63.54             | 88.20             | -24.66         | 53.64         | 3           | Horizontal | 112            | 1.58          | -       | 36.31      | 8.67       | 35.08      |
| RMS  | 7.225G       | 52.72             | 68.20             | -15.48         | 42.57         | 3           | Horizontal | 112            | 1.58          | -       | 36.55      | 8.70       | 35.10      |

## 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6925MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.86308G    | 65.99             | 88.20             | -22.21         | 43.36         | 3           | Vertical  | 52             | 1.74          | -       | 40.93      | 14.59      | 32.89      |
| RMS  | 13.85654G    | 53.39             | 68.20             | -14.81         | 30.78         | 3           | Vertical  | 52             | 1.74          | -       | 40.91      | 14.59      | 32.89      |

## 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6925MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.84394G    | 65.85             | 88.20             | -22.35         | 43.29         | 3           | Horizontal | 360            | 2.62          | -       | 40.89      | 14.58      | 32.91      |
| RMS  | 13.8608G     | 53.58             | 68.20             | -14.62         | 30.96         | 3           | Horizontal | 360            | 2.62          | -       | 40.92      | 14.59      | 32.89      |

## 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6925MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.7748G     | 55.08             | 83.54             | -28.46         | 64.07         | 1           | Vertical  | 221            | 1.52          | -       | 37.85      | 15.29      | 62.13      |
| AV   | 20.77478G    | 52.59             | 63.54             | -10.95         | 61.58         | 1           | Vertical  | 221            | 1.52          | -       | 37.85      | 15.29      | 62.13      |

## 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 6925MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.77474G    | 61.49             | 83.54             | -22.05         | 70.48         | 1           | Horizontal | 232            | 1.52          | -       | 37.85      | 15.29      | 62.13      |
| AV   | 20.77476G    | 60.32             | 63.54             | -3.22          | 69.31         | 1           | Horizontal | 232            | 1.52          | -       | 37.85      | 15.29      | 62.13      |

## 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 7005MHz\_TX




EUT\_Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0042G      | 108.96            | Inf               | -Inf           | 99.95         | 3           | Vertical  | 119            | 1.80          | -       | 35.70      | 8.31       | 35.00      |
| RMS  | 7.0042G      | 98.36             | Inf               | -Inf           | 89.35         | 3           | Vertical  | 119            | 1.80          | -       | 35.70      | 8.31       | 35.00      |
| PK   | 7.1298G      | 63.09             | 88.20             | -25.11         | 53.61         | 3           | Vertical  | 119            | 1.80          | -       | 35.98      | 8.56       | 35.06      |
| RMS  | 7.2034G      | 52.65             | 68.20             | -15.55         | 42.62         | 3           | Vertical  | 119            | 1.80          | -       | 36.42      | 8.70       | 35.09      |

# 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 7005MHz\_TX




EUT\_Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9922G      | 111.28            | Inf               | -Inf           | 102.30        | 3           | Horizontal | 113            | 1.66          | -       | 35.70      | 8.28       | 35.00      |
| RMS  | 7.0074G      | 101.00            | Inf               | -Inf           | 91.99         | 3           | Horizontal | 113            | 1.66          | -       | 35.70      | 8.31       | 35.00      |
| PK   | 7.165G       | 62.90             | 88.20             | -25.30         | 53.16         | 3           | Horizontal | 113            | 1.66          | -       | 36.19      | 8.63       | 35.08      |
| RMS  | 7.2002G      | 52.64             | 68.20             | -15.56         | 42.63         | 3           | Horizontal | 113            | 1.66          | -       | 36.40      | 8.70       | 35.09      |

## 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 7005MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.02386G    | 66.09             | 88.20             | -22.11         | 42.87         | 3           | Vertical  | 198            | 1.11          | -       | 41.27      | 14.72      | 32.77      |
| RMS  | 14.02464G    | 54.02             | 68.20             | -14.18         | 30.80         | 3           | Vertical  | 198            | 1.11          | -       | 41.27      | 14.72      | 32.77      |

## 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 7005MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.9959G     | 66.13             | 88.20             | -22.07         | 42.98         | 3           | Horizontal | 201            | 1.03          | -       | 41.19      | 14.70      | 32.74      |
| RMS  | 14.0217G     | 54.22             | 68.20             | -13.98         | 31.00         | 3           | Horizontal | 201            | 1.03          | -       | 41.27      | 14.72      | 32.77      |

## 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 7005MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.01484G    | 52.63             | 83.54             | -30.91         | 60.87         | 1           | Vertical  | 76             | 1.65          | -       | 38.29      | 15.35      | 61.88      |
| AV   | 21.01478G    | 49.26             | 63.54             | -14.28         | 57.50         | 1           | Vertical  | 76             | 1.65          | -       | 38.29      | 15.35      | 61.88      |

## 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 7005MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.01478G    | 59.11             | 83.54             | -24.43         | 67.35         | 1           | Horizontal | 230            | 1.62          | -       | 38.29      | 15.35      | 61.88      |
| AV   | 21.01474G    | 57.66             | 63.54             | -5.88          | 65.90         | 1           | Horizontal | 230            | 1.62          | -       | 38.29      | 15.35      | 61.88      |

# 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 7085MHz\_TX




EUT\_Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0742G      | 107.19            | Inf               | -Inf           | 98.02         | 3           | Vertical  | 121            | 1.95          | -       | 35.75      | 8.45       | 35.03      |
| RMS  | 7.0794G      | 97.89             | Inf               | -Inf           | 88.71         | 3           | Vertical  | 121            | 1.95          | -       | 35.76      | 8.46       | 35.04      |
| PK   | 7.1314G      | 64.07             | 88.20             | -24.13         | 54.58         | 3           | Vertical  | 121            | 1.95          | -       | 35.99      | 8.56       | 35.06      |
| RMS  | 7.1294G      | 52.58             | 68.20             | -15.62         | 43.10         | 3           | Vertical  | 121            | 1.95          | -       | 35.98      | 8.56       | 35.06      |

## 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 7085MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0722G      | 110.97            | Inf               | -Inf           | 101.82        | 3           | Horizontal | 114            | 1.62          | -       | 35.74      | 8.44       | 35.03      |
| RMS  | 7.0722G      | 100.50            | Inf               | -Inf           | 91.35         | 3           | Horizontal | 114            | 1.62          | -       | 35.74      | 8.44       | 35.03      |
| PK   | 7.1254G      | 63.70             | 88.20             | -24.50         | 54.26         | 3           | Horizontal | 114            | 1.62          | -       | 35.95      | 8.55       | 35.06      |
| RMS  | 7.125G       | 52.95             | 68.20             | -15.25         | 43.51         | 3           | Horizontal | 114            | 1.62          | -       | 35.95      | 8.55       | 35.06      |

## 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 7085MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.17426G    | 66.57             | 88.20             | -21.63         | 43.08         | 3           | Vertical  | 71             | 1.41          | -       | 41.57      | 14.87      | 32.95      |
| RMS  | 14.18104G    | 54.38             | 68.20             | -13.82         | 30.88         | 3           | Vertical  | 71             | 1.41          | -       | 41.58      | 14.88      | 32.96      |

## 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 7085MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.17228G    | 67.08             | 88.20             | -21.12         | 43.59         | 3           | Horizontal | 317            | 1.00          | -       | 41.57      | 14.87      | 32.95      |
| RMS  | 14.16064G    | 54.47             | 68.20             | -13.73         | 30.98         | 3           | Horizontal | 317            | 1.00          | -       | 41.56      | 14.86      | 32.93      |

## 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 7085MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.25486G    | 54.99             | 83.54             | -28.55         | 63.07         | 1           | Vertical  | 96             | 1.64          | -       | 38.10      | 15.41      | 61.59      |
| AV   | 21.2548G     | 52.30             | 63.54             | -11.24         | 60.38         | 1           | Vertical  | 96             | 1.64          | -       | 38.10      | 15.41      | 61.59      |

## 6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 7085MHz\_TX




EUT Y\_4TX  
Setting 50  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.25486G    | 61.22             | 74.00             | -12.78         | 69.30         | 1           | Horizontal | 216            | 1.63          | -       | 38.10      | 15.41      | 61.59      |
| AV   | 21.25476G    | 59.95             | 63.54             | -3.59          | 68.03         | 1           | Horizontal | 216            | 1.63          | -       | 38.10      | 15.41      | 61.59      |

## 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5985MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9226G      | 66.87             | 88.20             | -21.33         | 59.87         | 3           | Vertical  | 158            | 1.80          | -       | 34.69      | 7.26       | 34.95      |
| RMS  | 5.9234G      | 54.11             | 68.20             | -14.09         | 47.11         | 3           | Vertical  | 158            | 1.80          | -       | 34.69      | 7.26       | 34.95      |
| PK   | 5.9962G      | 110.14            | Inf               | -Inf           | 103.01        | 3           | Vertical  | 158            | 1.80          | -       | 34.80      | 7.30       | 34.97      |
| RMS  | 5.9962G      | 99.05             | Inf               | -Inf           | 91.92         | 3           | Vertical  | 158            | 1.80          | -       | 34.80      | 7.30       | 34.97      |

## 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5985MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9202G      | 69.61             | 88.20             | -18.59         | 62.62         | 3           | Horizontal | 137            | 1.69          | -       | 34.68      | 7.26       | 34.95      |
| RMS  | 5.921G       | 55.46             | 68.20             | -12.74         | 48.47         | 3           | Horizontal | 137            | 1.69          | -       | 34.68      | 7.26       | 34.95      |
| PK   | 5.9658G      | 111.26            | Inf               | -Inf           | 104.14        | 3           | Horizontal | 137            | 1.69          | -       | 34.80      | 7.28       | 34.96      |
| RMS  | 5.9706G      | 101.16            | Inf               | -Inf           | 94.03         | 3           | Horizontal | 137            | 1.69          | -       | 34.80      | 7.29       | 34.96      |

## 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5985MHz\_TX




EUT Y\_4TX  
Setting 65  
02-P-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.96598G    | 53.66             | 74.00             | -20.34         | 48.10         | 3           | Vertical  | 348            | 1.80          | -       | 39.33      | 8.99       | 42.76      |
| AV   | 11.97954G    | 40.99             | 54.00             | -13.01         | 35.44         | 3           | Vertical  | 348            | 1.80          | -       | 39.32      | 8.99       | 42.76      |
| PK   | 17.94078G    | 61.97             | 74.00             | -12.03         | 46.12         | 3           | Vertical  | 180            | 1.80          | -       | 46.56      | 11.18      | 41.89      |
| AV   | 17.96802G    | 50.21             | 54.00             | -3.79          | 34.38         | 3           | Vertical  | 180            | 1.80          | -       | 46.53      | 11.19      | 41.89      |

## 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5985MHz\_TX




EUT Y\_4TX  
Setting 65  
02-P-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.9697G     | 54.36             | 74.00             | -19.64         | 48.80         | 3           | Horizontal | 128            | 1.80          | -       | 39.33      | 8.99       | 42.76      |
| AV   | 11.96988G    | 43.21             | 54.00             | -10.79         | 37.65         | 3           | Horizontal | 128            | 1.80          | -       | 39.33      | 8.99       | 42.76      |
| PK   | 17.96886G    | 62.17             | 74.00             | -11.83         | 46.34         | 3           | Horizontal | 128            | 2.62          | -       | 46.53      | 11.19      | 41.89      |
| AV   | 17.96712G    | 50.17             | 54.00             | -3.83          | 34.34         | 3           | Horizontal | 128            | 2.62          | -       | 46.53      | 11.19      | 41.89      |

# 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 6145MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9158G      | 59.74             | 88.20             | -28.46         | 52.77         | 3           | Vertical  | 152            | 2.89          | -       | 34.66      | 7.26       | 34.95      |
| RMS  | 5.9242G      | 49.72             | 68.20             | -18.48         | 42.71         | 3           | Vertical  | 152            | 2.89          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.1366G      | 110.47            | Inf               | -Inf           | 102.96        | 3           | Vertical  | 152            | 2.89          | -       | 35.00      | 7.50       | 34.99      |
| RMS  | 6.1162G      | 99.57             | Inf               | -Inf           | 92.08         | 3           | Vertical  | 152            | 2.89          | -       | 35.00      | 7.47       | 34.98      |

# 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 6145MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8894G      | 60.18             | 88.20             | -28.02         | 53.35         | 3           | Horizontal | 155            | 1.65          | -       | 34.54      | 7.24       | 34.95      |
| RMS  | 5.923G       | 49.43             | 68.20             | -18.77         | 42.43         | 3           | Horizontal | 155            | 1.65          | -       | 34.69      | 7.26       | 34.95      |
| PK   | 6.1438G      | 108.29            | Inf               | -Inf           | 100.76        | 3           | Horizontal | 155            | 1.65          | -       | 35.00      | 7.52       | 34.99      |
| RMS  | 6.1342G      | 99.15             | Inf               | -Inf           | 91.64         | 3           | Horizontal | 155            | 1.65          | -       | 35.00      | 7.50       | 34.99      |

## 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6145MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.29168G    | 58.98             | 74.00             | -15.02         | 41.67         | 3           | Vertical  | 114            | 1.80          | -       | 38.80      | 13.33      | 34.82      |
| AV   | 12.29132G    | 46.61             | 54.00             | -7.39          | 29.30         | 3           | Vertical  | 114            | 1.80          | -       | 38.80      | 13.33      | 34.82      |

## 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6145MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.2765G     | 59.33             | 74.00             | -14.67         | 42.05         | 3           | Horizontal | 132            | 1.80          | -       | 38.80      | 13.32      | 34.84      |
| AV   | 12.28982G    | 46.54             | 54.00             | -7.46          | 29.24         | 3           | Horizontal | 132            | 1.80          | -       | 38.80      | 13.33      | 34.83      |

## 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6145MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.43476G    | 50.85             | 83.54             | -32.69         | 62.09         | 1           | Vertical  | 270            | 1.46          | -       | 37.57      | 14.55      | 63.36      |
| AV   | 18.43482G    | 45.94             | 63.54             | -17.60         | 57.18         | 1           | Vertical  | 270            | 1.46          | -       | 37.57      | 14.55      | 63.36      |

## 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6145MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.43478G    | 60.92             | 83.54             | -22.62         | 72.16         | 1           | Horizontal | 232            | 1.56          | -       | 37.57      | 14.55      | 63.36      |
| AV   | 18.4348G     | 58.44             | 63.54             | -5.10          | 69.68         | 1           | Horizontal | 232            | 1.56          | -       | 37.57      | 14.55      | 63.36      |

# 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 6385MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9002G      | 60.22             | 88.20             | -27.98         | 53.32         | 3           | Vertical  | 147            | 3.00          | -       | 34.60      | 7.25       | 34.95      |
| RMS  | 5.9242G      | 49.43             | 68.20             | -18.77         | 42.42         | 3           | Vertical  | 147            | 3.00          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.4018G      | 109.50            | Inf               | -Inf           | 102.03        | 3           | Vertical  | 147            | 3.00          | -       | 34.89      | 7.60       | 35.02      |
| RMS  | 6.3706G      | 98.80             | Inf               | -Inf           | 91.31         | 3           | Vertical  | 147            | 3.00          | -       | 34.90      | 7.60       | 35.01      |

## 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6385MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.917G       | 59.48             | 88.20             | -28.72         | 52.50         | 3           | Horizontal | 155            | 1.79          | -       | 34.67      | 7.26       | 34.95      |
| RMS  | 5.9242G      | 49.27             | 68.20             | -18.93         | 42.26         | 3           | Horizontal | 155            | 1.79          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.409G       | 108.57            | Inf               | -Inf           | 101.13        | 3           | Horizontal | 155            | 1.79          | -       | 34.86      | 7.60       | 35.02      |
| RMS  | 6.3994G      | 97.45             | Inf               | -Inf           | 89.97         | 3           | Horizontal | 155            | 1.79          | -       | 34.90      | 7.60       | 35.02      |

## 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6385MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.7595G     | 60.29             | 88.20             | -27.91         | 41.55         | 3           | Vertical  | 317            | 1.80          | -       | 39.22      | 13.71      | 34.19      |
| RMS  | 12.77708G    | 48.06             | 68.20             | -20.14         | 29.25         | 3           | Vertical  | 317            | 1.80          | -       | 39.25      | 13.72      | 34.16      |

## 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6385MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.77342G    | 60.54             | 88.20             | -27.66         | 41.74         | 3           | Horizontal | 162            | 1.25          | -       | 39.25      | 13.72      | 34.17      |
| RMS  | 12.77828G    | 47.76             | 68.20             | -20.44         | 28.94         | 3           | Horizontal | 162            | 1.25          | -       | 39.26      | 13.72      | 34.16      |

## 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6385MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.15474G    | 56.59             | 83.54             | -26.95         | 67.61         | 1           | Vertical  | 178            | 1.54          | -       | 37.56      | 14.80      | 63.38      |
| AV   | 19.15478G    | 54.46             | 63.54             | -9.08          | 65.48         | 1           | Vertical  | 178            | 1.54          | -       | 37.56      | 14.80      | 63.38      |

## 5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6385MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.15482G    | 58.84             | 83.54             | -24.70         | 69.86         | 1           | Horizontal | 121            | 1.53          | -       | 37.56      | 14.80      | 63.38      |
| AV   | 19.15476G    | 57.34             | 63.54             | -6.20          | 68.36         | 1           | Horizontal | 121            | 1.53          | -       | 37.56      | 14.80      | 63.38      |

## 6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6465MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9242G      | 60.58             | 88.20             | -27.62         | 53.57         | 3           | Vertical  | 215            | 1.91          | -       | 34.70      | 7.26       | 34.95      |
| RMS  | 5.919G       | 49.19             | 68.20             | -19.01         | 42.20         | 3           | Vertical  | 215            | 1.91          | -       | 34.68      | 7.26       | 34.95      |
| PK   | 6.4754G      | 104.44            | Inf               | -Inf           | 97.13         | 3           | Vertical  | 215            | 1.91          | -       | 34.70      | 7.64       | 35.03      |
| RMS  | 6.4598G      | 94.02             | Inf               | -Inf           | 86.72         | 3           | Vertical  | 215            | 1.91          | -       | 34.70      | 7.63       | 35.03      |

# 6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 6465MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9034G      | 59.73             | 88.20             | -28.47         | 52.82         | 3           | Horizontal | 153            | 1.74          | -       | 34.61      | 7.25       | 34.95      |
| RMS  | 5.9216G      | 49.23             | 68.20             | -18.97         | 42.23         | 3           | Horizontal | 153            | 1.74          | -       | 34.69      | 7.26       | 34.95      |
| PK   | 6.465G       | 108.31            | Inf               | -Inf           | 101.01        | 3           | Horizontal | 153            | 1.74          | -       | 34.70      | 7.63       | 35.03      |
| RMS  | 6.4546G      | 97.08             | Inf               | -Inf           | 89.77         | 3           | Horizontal | 153            | 1.74          | -       | 34.70      | 7.63       | 35.02      |

## 6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6465MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.93612G    | 61.89             | 88.20             | -26.31         | 42.50         | 3           | Vertical  | 356            | 2.93          | -       | 39.44      | 13.85      | 33.90      |
| RMS  | 12.9264G     | 48.84             | 68.20             | -19.36         | 29.48         | 3           | Vertical  | 356            | 2.93          | -       | 39.43      | 13.84      | 33.91      |

## 6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6465MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.93012G    | 60.76             | 88.20             | -27.44         | 41.40         | 3           | Horizontal | 39             | 1.96          | -       | 39.43      | 13.84      | 33.91      |
| RMS  | 12.93612G    | 48.63             | 68.20             | -19.57         | 29.24         | 3           | Horizontal | 39             | 1.96          | -       | 39.44      | 13.85      | 33.90      |

## 6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6465MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.39474G    | 54.79             | 83.54             | -28.75         | 65.42         | 1           | Vertical  | 170            | 1.44          | -       | 37.66      | 14.89      | 63.18      |
| AV   | 19.3948G     | 52.15             | 63.54             | -11.39         | 62.78         | 1           | Vertical  | 170            | 1.44          | -       | 37.66      | 14.89      | 63.18      |

## 6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6465MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.39482G    | 61.54             | 83.54             | -22.00         | 72.17         | 1           | Horizontal | 121            | 1.54          | -       | 37.66      | 14.89      | 63.18      |
| AV   | 19.39478G    | 59.81             | 63.54             | -3.73          | 70.44         | 1           | Horizontal | 121            | 1.54          | -       | 37.66      | 14.89      | 63.18      |

# 6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 6545MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8842G      | 60.04             | 88.20             | -28.16         | 53.23         | 3           | Vertical  | 140            | 3.00          | -       | 34.51      | 7.24       | 34.94      |
| RMS  | 5.9234G      | 49.45             | 68.20             | -18.75         | 42.45         | 3           | Vertical  | 140            | 3.00          | -       | 34.69      | 7.26       | 34.95      |
| PK   | 6.5366G      | 109.47            | Inf               | -Inf           | 101.98        | 3           | Vertical  | 140            | 3.00          | -       | 34.85      | 7.67       | 35.03      |
| RMS  | 6.531G       | 98.48             | Inf               | -Inf           | 91.02         | 3           | Vertical  | 140            | 3.00          | -       | 34.82      | 7.67       | 35.03      |
| PK   | 7.2226G      | 64.39             | 88.20             | -23.81         | 54.25         | 3           | Vertical  | 140            | 3.00          | -       | 36.54      | 8.70       | 35.10      |
| RMS  | 7.245G       | 53.12             | 68.20             | -15.08         | 42.86         | 3           | Vertical  | 140            | 3.00          | -       | 36.67      | 8.70       | 35.11      |

# 6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 6545MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.915G       | 59.74             | 88.20             | -28.46         | 52.77         | 3           | Horizontal | 153            | 1.80          | -       | 34.66      | 7.26       | 34.95      |
| RMS  | 5.9206G      | 49.29             | 68.20             | -18.91         | 42.30         | 3           | Horizontal | 153            | 1.80          | -       | 34.68      | 7.26       | 34.95      |
| PK   | 6.545G       | 108.13            | Inf               | -Inf           | 100.61        | 3           | Horizontal | 153            | 1.80          | -       | 34.88      | 7.67       | 35.03      |
| RMS  | 6.5338G      | 97.44             | Inf               | -Inf           | 89.96         | 3           | Horizontal | 153            | 1.80          | -       | 34.84      | 7.67       | 35.03      |
| PK   | 7.2058G      | 63.66             | 88.20             | -24.54         | 53.62         | 3           | Horizontal | 153            | 1.80          | -       | 36.43      | 8.70       | 35.09      |
| RMS  | 7.2282G      | 53.02             | 68.20             | -15.18         | 42.85         | 3           | Horizontal | 153            | 1.80          | -       | 36.57      | 8.70       | 35.10      |

## 6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6545MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.07644G    | 63.03             | 88.20             | -25.17         | 43.05         | 3           | Vertical  | 319            | 1.83          | -       | 39.73      | 13.96      | 33.71      |
| RMS  | 13.08646G    | 49.77             | 68.20             | -18.43         | 29.74         | 3           | Vertical  | 319            | 1.83          | -       | 39.76      | 13.97      | 33.70      |

## 6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6545MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.09876G    | 62.20             | 88.20             | -26.00         | 42.11         | 3           | Horizontal | 210            | 2.55          | -       | 39.80      | 13.98      | 33.69      |
| RMS  | 13.09552G    | 49.99             | 68.20             | -18.21         | 29.91         | 3           | Horizontal | 210            | 2.55          | -       | 39.79      | 13.98      | 33.69      |

## 6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.63474G    | 56.41             | 83.54             | -27.13         | 66.84         | 1           | Vertical  | 186            | 1.57          | -       | 37.65      | 14.97      | 63.05      |
| AV   | 19.63476G    | 54.32             | 63.54             | -9.22          | 64.75         | 1           | Vertical  | 186            | 1.57          | -       | 37.65      | 14.97      | 63.05      |

## 6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6545MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.63476G    | 60.29             | 83.54             | -23.25         | 70.72         | 1           | Horizontal | 122            | 1.52          | -       | 37.65      | 14.97      | 63.05      |
| AV   | 19.6348G     | 58.59             | 63.54             | -4.95          | 69.02         | 1           | Horizontal | 122            | 1.52          | -       | 37.65      | 14.97      | 63.05      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6625MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.637G       | 105.81            | Inf               | -Inf           | 97.84         | 3           | Vertical  | 321            | 2.19          | -       | 35.25      | 7.74       | 35.02      |
| RMS  | 6.637G       | 94.27             | Inf               | -Inf           | 86.30         | 3           | Vertical  | 321            | 2.19          | -       | 35.25      | 7.74       | 35.02      |
| PK   | 7.1746G      | 62.89             | 88.20             | -25.31         | 53.07         | 3           | Vertical  | 321            | 2.19          | -       | 36.25      | 8.65       | 35.08      |
| RMS  | 7.2202G      | 52.95             | 68.20             | -15.25         | 42.83         | 3           | Vertical  | 321            | 2.19          | -       | 36.52      | 8.70       | 35.10      |

# 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 6625MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.6274G      | 108.65            | Inf               | -Inf           | 100.73        | 3           | Horizontal | 129            | 1.80          | -       | 35.21      | 7.73       | 35.02      |
| RMS  | 6.5986G      | 97.14             | Inf               | -Inf           | 89.37         | 3           | Horizontal | 129            | 1.80          | -       | 35.09      | 7.70       | 35.02      |
| PK   | 7.1626G      | 63.48             | 88.20             | -24.72         | 53.74         | 3           | Horizontal | 129            | 1.80          | -       | 36.18      | 8.63       | 35.07      |
| RMS  | 7.2226G      | 52.99             | 68.20             | -15.21         | 42.85         | 3           | Horizontal | 129            | 1.80          | -       | 36.54      | 8.70       | 35.10      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6625MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.25168G    | 62.72             | 74.00             | -11.28         | 42.15         | 3           | Vertical  | 22             | 2.26          | -       | 40.00      | 14.10      | 33.53      |
| AV   | 13.25412G    | 49.97             | 54.00             | -4.03          | 29.39         | 3           | Vertical  | 22             | 2.26          | -       | 40.01      | 14.10      | 33.53      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6625MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.2563G     | 62.11             | 74.00             | -11.89         | 41.51         | 3           | Horizontal | 243            | 1.80          | -       | 40.01      | 14.11      | 33.52      |
| AV   | 13.25216G    | 49.79             | 54.00             | -4.21          | 29.22         | 3           | Horizontal | 243            | 1.80          | -       | 40.00      | 14.10      | 33.53      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6625MHz\_TX




EUT Y\_4TX  
Setting 65  
06-E-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.8748G     | 62.42             | 83.54             | -21.12         | 72.81         | 1           | Vertical  | 181            | 1.43          | -       | 37.50      | 15.06      | 62.95      |
| AV   | 19.87477G    | 57.59             | 63.54             | -5.95          | 67.98         | 1           | Vertical  | 181            | 1.43          | -       | 37.50      | 15.06      | 62.95      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6625MHz\_TX




EUT Y\_4TX  
Setting 65  
06-E-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.87481G    | 63.88             | 83.54             | -19.66         | 74.27         | 1           | Horizontal | 127            | 1.61          | -       | 37.50      | 15.06      | 62.95      |
| AV   | 19.87476G    | 59.20             | 63.54             | -4.34          | 69.59         | 1           | Horizontal | 127            | 1.61          | -       | 37.50      | 15.06      | 62.95      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6705MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.717G       | 106.98            | Inf               | -Inf           | 98.71         | 3           | Vertical  | 321            | 2.22          | -       | 35.47      | 7.82       | 35.02      |
| RMS  | 6.711G       | 94.67             | Inf               | -Inf           | 86.44         | 3           | Vertical  | 321            | 2.22          | -       | 35.44      | 7.81       | 35.02      |
| PK   | 7.187G       | 63.00             | 88.20             | -25.20         | 53.10         | 3           | Vertical  | 321            | 2.22          | -       | 36.32      | 8.67       | 35.09      |
| RMS  | 7.205G       | 52.78             | 68.20             | -15.42         | 42.74         | 3           | Vertical  | 321            | 2.22          | -       | 36.43      | 8.70       | 35.09      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6705MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.709G       | 109.52            | Inf               | -Inf           | 101.29        | 3           | Horizontal | 129            | 1.91          | -       | 35.44      | 7.81       | 35.02      |
| RMS  | 6.719G       | 97.62             | Inf               | -Inf           | 89.34         | 3           | Horizontal | 129            | 1.91          | -       | 35.48      | 7.82       | 35.02      |
| PK   | 7.173G       | 63.94             | 88.20             | -24.26         | 54.13         | 3           | Horizontal | 129            | 1.91          | -       | 36.24      | 8.65       | 35.08      |
| RMS  | 7.205G       | 52.76             | 68.20             | -15.44         | 42.72         | 3           | Horizontal | 129            | 1.91          | -       | 36.43      | 8.70       | 35.09      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6705MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.41104G    | 62.07             | 88.20             | -26.13         | 40.89         | 3           | Vertical  | 357            | 1.80          | -       | 40.31      | 14.23      | 33.36      |
| RMS  | 13.40658G    | 49.38             | 68.20             | -18.82         | 28.21         | 3           | Vertical  | 357            | 1.80          | -       | 40.31      | 14.23      | 33.37      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6705MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.40966G    | 61.38             | 88.20             | -26.82         | 40.20         | 3           | Horizontal | 130            | 2.34          | -       | 40.31      | 14.23      | 33.36      |
| RMS  | 13.40916G    | 49.30             | 68.20             | -18.90         | 28.12         | 3           | Horizontal | 130            | 2.34          | -       | 40.31      | 14.23      | 33.36      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6705MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.11476G    | 55.11             | 83.54             | -28.43         | 65.28         | 1           | Vertical  | 357            | 1.45          | -       | 37.49      | 15.13      | 62.79      |
| AV   | 20.11476G    | 52.30             | 63.54             | -11.24         | 62.47         | 1           | Vertical  | 357            | 1.45          | -       | 37.49      | 15.13      | 62.79      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6705MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.11478G    | 61.82             | 83.54             | -21.72         | 71.99         | 1           | Horizontal | 200            | 1.52          | -       | 37.49      | 15.13      | 62.79      |
| AV   | 20.1148G     | 60.61             | 63.54             | -2.93          | 70.78         | 1           | Horizontal | 200            | 1.52          | -       | 37.49      | 15.13      | 62.79      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6785MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.817G       | 105.64            | Inf               | -Inf           | 96.95         | 3           | Vertical  | 321            | 2.23          | -       | 35.77      | 7.93       | 35.01      |
| RMS  | 6.7962G      | 95.72             | Inf               | -Inf           | 87.05         | 3           | Vertical  | 321            | 2.23          | -       | 35.78      | 7.90       | 35.01      |
| PK   | 7.1674G      | 63.34             | 88.20             | -24.86         | 53.59         | 3           | Vertical  | 321            | 2.23          | -       | 36.20      | 8.63       | 35.08      |
| RMS  | 7.185G       | 52.64             | 68.20             | -15.56         | 42.75         | 3           | Vertical  | 321            | 2.23          | -       | 36.31      | 8.67       | 35.09      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6785MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.7882G      | 109.07            | Inf               | -Inf           | 100.44        | 3           | Horizontal | 105            | 1.80          | -       | 35.75      | 7.89       | 35.01      |
| RMS  | 6.793G       | 97.70             | Inf               | -Inf           | 89.05         | 3           | Horizontal | 105            | 1.80          | -       | 35.77      | 7.89       | 35.01      |
| PK   | 7.1274G      | 62.55             | 88.20             | -25.65         | 53.10         | 3           | Horizontal | 105            | 1.80          | -       | 35.96      | 8.55       | 35.06      |
| RMS  | 7.185G       | 52.65             | 68.20             | -15.55         | 42.76         | 3           | Horizontal | 105            | 1.80          | -       | 36.31      | 8.67       | 35.09      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6785MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.56758G    | 62.22             | 88.20             | -25.98         | 40.60         | 3           | Vertical  | 67             | 2.98          | -       | 40.47      | 14.35      | 33.20      |
| RMS  | 13.57494G    | 50.29             | 68.20             | -17.91         | 28.65         | 3           | Vertical  | 67             | 2.98          | -       | 40.47      | 14.36      | 33.19      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6785MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.57194G    | 64.18             | 88.20             | -24.02         | 42.54         | 3           | Horizontal | 338            | 2.49          | -       | 40.47      | 14.36      | 33.19      |
| RMS  | 13.56576G    | 49.94             | 68.20             | -18.26         | 28.32         | 3           | Horizontal | 338            | 2.49          | -       | 40.47      | 14.35      | 33.20      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6785MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.35484G    | 56.50             | 83.54             | -27.04         | 66.22         | 1           | Vertical  | 88             | 1.63          | -       | 37.64      | 15.19      | 62.55      |
| AV   | 20.35476G    | 54.32             | 63.54             | -9.22          | 64.04         | 1           | Vertical  | 88             | 1.63          | -       | 37.64      | 15.19      | 62.55      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6785MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.35486G    | 57.62             | 83.54             | -25.92         | 67.34         | 1           | Horizontal | 148            | 1.50          | -       | 37.64      | 15.19      | 62.55      |
| AV   | 20.35474G    | 55.43             | 63.54             | -8.11          | 65.15         | 1           | Horizontal | 148            | 1.50          | -       | 37.64      | 15.19      | 62.55      |

# 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 6865MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8758G      | 109.48            | Inf               | -Inf           | 100.79        | 3           | Vertical  | 136            | 2.97          | -       | 35.65      | 8.05       | 35.01      |
| RMS  | 6.8506G      | 97.95             | Inf               | -Inf           | 89.26         | 3           | Vertical  | 136            | 2.97          | -       | 35.70      | 8.00       | 35.01      |
| PK   | 7.1422G      | 63.94             | 88.20             | -24.26         | 54.38         | 3           | Vertical  | 136            | 2.97          | -       | 36.05      | 8.58       | 35.07      |
| RMS  | 7.1578G      | 52.52             | 68.20             | -15.68         | 42.82         | 3           | Vertical  | 136            | 2.97          | -       | 36.15      | 8.62       | 35.07      |

# 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 6865MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.847G       | 110.75            | Inf               | -Inf           | 102.06        | 3           | Horizontal | 111            | 1.59          | -       | 35.71      | 7.99       | 35.01      |
| RMS  | 6.8926G      | 99.50             | Inf               | -Inf           | 90.81         | 3           | Horizontal | 111            | 1.59          | -       | 35.61      | 8.09       | 35.01      |
| PK   | 7.1302G      | 64.00             | 88.20             | -24.20         | 54.52         | 3           | Horizontal | 111            | 1.59          | -       | 35.98      | 8.56       | 35.06      |
| RMS  | 7.1554G      | 52.58             | 68.20             | -15.62         | 42.91         | 3           | Horizontal | 111            | 1.59          | -       | 36.13      | 8.61       | 35.07      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.72766G    | 66.19             | 88.20             | -22.01         | 44.08         | 3           | Vertical  | 360            | 2.94          | -       | 40.66      | 14.48      | 33.03      |
| RMS  | 13.74368G    | 52.94             | 68.20             | -15.26         | 30.77         | 3           | Vertical  | 360            | 2.94          | -       | 40.69      | 14.49      | 33.01      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6865MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.71662G    | 65.23             | 88.20             | -22.97         | 43.17         | 3           | Horizontal | 59             | 2.10          | -       | 40.63      | 14.47      | 33.04      |
| RMS  | 13.73174G    | 52.74             | 68.20             | -15.46         | 30.61         | 3           | Horizontal | 59             | 2.10          | -       | 40.66      | 14.49      | 33.02      |

## 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.59468G    | 54.42             | 83.54             | -29.12         | 63.74         | 1           | Vertical  | 87             | 1.63          | -       | 37.74      | 15.25      | 62.31      |
| AV   | 20.59478G    | 51.69             | 63.54             | -11.85         | 61.01         | 1           | Vertical  | 87             | 1.63          | -       | 37.74      | 15.25      | 62.31      |

# 6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.59476G    | 60.44             | 83.54             | -23.10         | 69.76         | 1           | Horizontal | 209            | 1.52          | -       | 37.74      | 15.25      | 62.31      |
| AV   | 20.59478G    | 59.06             | 63.54             | -4.48          | 68.38         | 1           | Horizontal | 209            | 1.52          | -       | 37.74      | 15.25      | 62.31      |

# 6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 6945MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.909G       | 107.00            | Inf               | -Inf           | 98.27         | 3           | Vertical  | 119            | 1.77          | -       | 35.62      | 8.12       | 35.01      |
| RMS  | 6.9342G      | 97.35             | Inf               | -Inf           | 88.51         | 3           | Vertical  | 119            | 1.77          | -       | 35.67      | 8.17       | 35.00      |
| PK   | 7.185G       | 63.49             | 88.20             | -24.71         | 53.60         | 3           | Vertical  | 119            | 1.77          | -       | 36.31      | 8.67       | 35.09      |
| RMS  | 7.2414G      | 53.11             | 68.20             | -15.09         | 42.87         | 3           | Vertical  | 119            | 1.77          | -       | 36.65      | 8.70       | 35.11      |

# 6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 6945MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.927G       | 110.70            | Inf               | -Inf           | 101.90        | 3           | Horizontal | 108            | 1.72          | -       | 35.65      | 8.15       | 35.00      |
| RMS  | 6.9474G      | 99.75             | Inf               | -Inf           | 90.87         | 3           | Horizontal | 108            | 1.72          | -       | 35.69      | 8.19       | 35.00      |
| PK   | 7.2066G      | 63.81             | 88.20             | -24.39         | 53.77         | 3           | Horizontal | 108            | 1.72          | -       | 36.44      | 8.70       | 35.10      |
| RMS  | 7.2378G      | 53.16             | 68.20             | -15.04         | 42.94         | 3           | Horizontal | 108            | 1.72          | -       | 36.63      | 8.70       | 35.11      |

## 6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6945MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.88028G    | 65.93             | 88.20             | -22.27         | 43.24         | 3           | Vertical  | 358            | 2.65          | -       | 40.96      | 14.60      | 32.87      |
| RMS  | 13.89678G    | 53.51             | 68.20             | -14.69         | 30.75         | 3           | Vertical  | 358            | 2.65          | -       | 40.99      | 14.62      | 32.85      |

## 6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6945MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.8969G     | 65.61             | 88.20             | -22.59         | 42.85         | 3           | Horizontal | 70             | 2.04          | -       | 40.99      | 14.62      | 32.85      |
| RMS  | 13.89402G    | 53.78             | 68.20             | -14.42         | 31.02         | 3           | Horizontal | 70             | 2.04          | -       | 40.99      | 14.62      | 32.85      |

## 6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6945MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.83468G    | 54.01             | 83.54             | -29.53         | 62.80         | 1           | Vertical  | 76             | 1.40          | -       | 37.97      | 15.31      | 62.07      |
| AV   | 20.83476G    | 50.99             | 63.54             | -12.55         | 59.78         | 1           | Vertical  | 76             | 1.40          | -       | 37.97      | 15.31      | 62.07      |

## 6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 6945MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.83474G    | 61.52             | 83.54             | -22.02         | 70.31         | 1           | Horizontal | 232            | 1.52          | -       | 37.97      | 15.31      | 62.07      |
| AV   | 20.83478G    | 60.03             | 63.54             | -3.51          | 68.82         | 1           | Horizontal | 232            | 1.52          | -       | 37.97      | 15.31      | 62.07      |

# 6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 7025MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0242G      | 108.38            | Inf               | -Inf           | 99.34         | 3           | Vertical  | 121            | 1.99          | -       | 35.70      | 8.35       | 35.01      |
| RMS  | 7.0394G      | 98.55             | Inf               | -Inf           | 89.49         | 3           | Vertical  | 121            | 1.99          | -       | 35.70      | 8.38       | 35.02      |
| PK   | 7.1738G      | 63.53             | 88.20             | -24.67         | 53.72         | 3           | Vertical  | 121            | 1.99          | -       | 36.24      | 8.65       | 35.08      |
| RMS  | 7.2194G      | 53.00             | 68.20             | -15.20         | 42.88         | 3           | Vertical  | 121            | 1.99          | -       | 36.52      | 8.70       | 35.10      |

## 6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 7025MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0226G      | 111.54            | Inf               | -Inf           | 102.50        | 3           | Horizontal | 119            | 1.57          | -       | 35.70      | 8.35       | 35.01      |
| RMS  | 7.037G       | 101.61            | Inf               | -Inf           | 92.56         | 3           | Horizontal | 119            | 1.57          | -       | 35.70      | 8.37       | 35.02      |
| PK   | 7.1474G      | 64.13             | 88.20             | -24.07         | 54.53         | 3           | Horizontal | 119            | 1.57          | -       | 36.08      | 8.59       | 35.07      |
| RMS  | 7.1274G      | 53.29             | 68.20             | -14.91         | 43.84         | 3           | Horizontal | 119            | 1.57          | -       | 35.96      | 8.55       | 35.06      |

## 6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 7025MHz\_TX




EUT Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.04034G    | 67.38             | 88.20             | -20.82         | 44.11         | 3           | Vertical  | 14             | 2.93          | -       | 41.32      | 14.74      | 32.79      |
| RMS  | 14.05978G    | 54.47             | 68.20             | -13.73         | 31.14         | 3           | Vertical  | 14             | 2.93          | -       | 41.38      | 14.76      | 32.81      |

## 6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 7025MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.04094G    | 66.66             | 88.20             | -21.54         | 43.39         | 3           | Horizontal | 315            | 2.60          | -       | 41.32      | 14.74      | 32.79      |
| RMS  | 14.0551G     | 54.47             | 68.20             | -13.73         | 31.15         | 3           | Horizontal | 315            | 2.60          | -       | 41.37      | 14.76      | 32.81      |

## 6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 7025MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.07484G | 54.08    | 83.54    | -29.46 | 62.28  | 1    | Vertical  | 76      | 1.64   | -       | 38.24 | 15.37 | 61.81 |
| AV   | 21.07476G | 50.71    | 63.54    | -12.83 | 58.91  | 1    | Vertical  | 76      | 1.64   | -       | 38.24 | 15.37 | 61.81 |

## 6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 7025MHz\_TX




EUT\_Y\_4TX  
Setting 65  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.07478G    | 59.89             | 83.54             | -23.65         | 68.09         | 1           | Horizontal | 237            | 1.63          | -       | 38.24      | 15.37      | 61.81      |
| AV   | 21.07474G    | 58.25             | 63.54             | -5.29          | 66.45         | 1           | Horizontal | 237            | 1.63          | -       | 38.24      | 15.37      | 61.81      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6025MHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.911G       | 77.12             | 88.20             | -11.08         | 70.17         | 3           | Vertical  | 158            | 1.80          | -       | 34.64      | 7.26       | 34.95      |
| RMS  | 5.911G       | 60.98             | 68.20             | -7.22          | 54.03         | 3           | Vertical  | 158            | 1.80          | -       | 34.64      | 7.26       | 34.95      |
| PK   | 6.001G       | 108.08            | Inf               | -Inf           | 100.95        | 3           | Vertical  | 158            | 1.80          | -       | 34.80      | 7.30       | 34.97      |
| RMS  | 6.031G       | 98.80             | Inf               | -Inf           | 91.56         | 3           | Vertical  | 158            | 1.80          | -       | 34.86      | 7.35       | 34.97      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6025MHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.905G       | 77.64             | 88.20             | -10.56         | 70.72         | 3           | Horizontal | 135            | 1.78          | -       | 34.62      | 7.25       | 34.95      |
| RMS  | 5.925G       | 63.17             | 68.20             | -5.03          | 56.16         | 3           | Horizontal | 135            | 1.78          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.031G       | 109.81            | Inf               | -Inf           | 102.57        | 3           | Horizontal | 135            | 1.78          | -       | 34.86      | 7.35       | 34.97      |
| RMS  | 6.036G       | 99.72             | Inf               | -Inf           | 92.47         | 3           | Horizontal | 135            | 1.78          | -       | 34.87      | 7.35       | 34.97      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6025MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.05444G    | 59.35             | 74.00             | -14.65         | 42.18         | 3           | Vertical  | 355            | 1.80          | -       | 39.09      | 13.14      | 35.06      |
| AV   | 12.05132G    | 49.06             | 54.00             | -4.94          | 31.88         | 3           | Vertical  | 355            | 1.80          | -       | 39.10      | 13.14      | 35.06      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6025MHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.03884G    | 60.57             | 74.00             | -13.43         | 43.39         | 3           | Horizontal | 125            | 1.77          | -       | 39.12      | 13.13      | 35.07      |
| AV   | 12.04982G    | 48.99             | 54.00             | -5.01          | 31.81         | 3           | Horizontal | 125            | 1.77          | -       | 39.10      | 13.14      | 35.06      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6025MHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.07488G    | 51.56             | 83.54             | -31.98         | 62.77         | 1           | Vertical  | 133            | 1.56          | -       | 37.50      | 14.43      | 63.14      |
| AV   | 18.07478G    | 46.73             | 63.54             | -16.81         | 57.94         | 1           | Vertical  | 133            | 1.56          | -       | 37.50      | 14.43      | 63.14      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6025MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.07478G    | 57.75             | 83.54             | -25.79         | 68.96         | 1           | Horizontal | 199            | 1.53          | -       | 37.50      | 14.43      | 63.14      |
| AV   | 18.0748G     | 54.54             | 63.54             | -9.00          | 65.75         | 1           | Horizontal | 199            | 1.53          | -       | 37.50      | 14.43      | 63.14      |

# 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

## 6185MHz\_TX




EUTY\_4TX  
Setting 75  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9242G      | 60.98             | 88.20             | -27.22         | 53.97         | 3           | Vertical  | 152            | 2.55          | -       | 34.70      | 7.26       | 34.95      |
| RMS  | 5.9242G      | 51.56             | 68.20             | -16.64         | 44.55         | 3           | Vertical  | 152            | 2.55          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.209G       | 109.01            | Inf               | -Inf           | 101.25        | 3           | Vertical  | 152            | 2.55          | -       | 35.16      | 7.60       | 35.00      |
| RMS  | 6.1882G      | 99.86             | Inf               | -Inf           | 92.12         | 3           | Vertical  | 152            | 2.55          | -       | 35.15      | 7.58       | 34.99      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6185MHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9162G      | 60.01             | 88.20             | -28.19         | 53.04         | 3           | Horizontal | 152            | 1.57          | -       | 34.66      | 7.26       | 34.95      |
| RMS  | 5.9242G      | 50.36             | 68.20             | -17.84         | 43.35         | 3           | Horizontal | 152            | 1.57          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.153G       | 108.30            | Inf               | -Inf           | 100.75        | 3           | Horizontal | 152            | 1.57          | -       | 35.01      | 7.53       | 34.99      |
| RMS  | 6.1738G      | 97.73             | Inf               | -Inf           | 90.06         | 3           | Horizontal | 152            | 1.57          | -       | 35.10      | 7.56       | 34.99      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6185MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.36814G    | 59.90             | 74.00             | -14.10         | 42.39         | 3           | Vertical  | 8              | 1.11          | -       | 38.87      | 13.39      | 34.75      |
| AV   | 12.38356G    | 49.25             | 54.00             | -4.75          | 31.69         | 3           | Vertical  | 8              | 1.11          | -       | 38.88      | 13.41      | 34.73      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6185MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.36988G    | 60.09             | 74.00             | -13.91         | 42.57         | 3           | Horizontal | 231            | 1.80          | -       | 38.87      | 13.40      | 34.75      |
| AV   | 12.35896G    | 48.78             | 54.00             | -5.22          | 31.29         | 3           | Horizontal | 231            | 1.80          | -       | 38.86      | 13.39      | 34.76      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6185MHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.55476G    | 53.77             | 83.54             | -29.77         | 64.97         | 1           | Vertical  | 214            | 1.59          | -       | 37.62      | 14.59      | 63.41      |
| AV   | 18.55482G    | 51.49             | 63.54             | -12.05         | 62.69         | 1           | Vertical  | 214            | 1.59          | -       | 37.62      | 14.59      | 63.41      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6185MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.55482G    | 61.51             | 83.54             | -22.03         | 72.71         | 1           | Horizontal | 204            | 1.55          | -       | 37.62      | 14.59      | 63.41      |
| AV   | 18.5548G     | 60.44             | 63.54             | -3.10          | 71.64         | 1           | Horizontal | 204            | 1.55          | -       | 37.62      | 14.59      | 63.41      |

# 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

## 6345MHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.897G       | 60.15             | 88.20             | -28.05         | 53.27         | 3           | Vertical  | 141            | 2.43          | -       | 34.58      | 7.25       | 34.95      |
| RMS  | 5.925G       | 49.91             | 68.20             | -18.29         | 42.90         | 3           | Vertical  | 141            | 2.43          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.363G       | 109.98            | Inf               | -Inf           | 102.49        | 3           | Vertical  | 141            | 2.43          | -       | 34.90      | 7.60       | 35.01      |
| RMS  | 6.319G       | 99.30             | Inf               | -Inf           | 91.75         | 3           | Vertical  | 141            | 2.43          | -       | 34.96      | 7.60       | 35.01      |

# 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

## 6345MHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.875G       | 59.30             | 88.20             | -28.90         | 52.55         | 3           | Horizontal | 155            | 1.73          | -       | 34.45      | 7.24       | 34.94      |
| RMS  | 5.925G       | 49.64             | 68.20             | -18.56         | 42.63         | 3           | Horizontal | 155            | 1.73          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.329G       | 108.39            | Inf               | -Inf           | 100.86        | 3           | Horizontal | 155            | 1.73          | -       | 34.94      | 7.60       | 35.01      |
| RMS  | 6.319G       | 97.56             | Inf               | -Inf           | 90.01         | 3           | Horizontal | 155            | 1.73          | -       | 34.96      | 7.60       | 35.01      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6345MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.69144G    | 60.65             | 74.00             | -13.35         | 42.23         | 3           | Vertical  | 339            | 1.25          | -       | 39.07      | 13.65      | 34.30      |
| AV   | 12.68352G    | 49.19             | 54.00             | -4.81          | 30.81         | 3           | Vertical  | 339            | 1.25          | -       | 39.05      | 13.65      | 34.32      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6345MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.69278G    | 60.10             | 74.00             | -13.90         | 41.67         | 3           | Horizontal | 202            | 1.86          | -       | 39.08      | 13.65      | 34.30      |
| AV   | 12.6899G     | 49.87             | 54.00             | -4.13          | 31.45         | 3           | Horizontal | 202            | 1.86          | -       | 39.07      | 13.65      | 34.30      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6345MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.03478G    | 54.83             | 83.54             | -28.71         | 66.03         | 1           | Vertical  | 178            | 1.54          | -       | 37.51      | 14.76      | 63.47      |
| AV   | 19.03476G    | 52.69             | 63.54             | -10.85         | 63.89         | 1           | Vertical  | 178            | 1.54          | -       | 37.51      | 14.76      | 63.47      |

## 5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6345MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.03482G    | 60.88             | 83.54             | -22.66         | 72.08         | 1           | Horizontal | 137            | 1.65          | -       | 37.51      | 14.76      | 63.47      |
| AV   | 19.03478G    | 59.53             | 63.54             | -4.01          | 70.73         | 1           | Horizontal | 137            | 1.65          | -       | 37.51      | 14.76      | 63.47      |

# 6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

## 6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.917G       | 59.69             | 88.20             | -28.51         | 52.71         | 3           | Vertical  | 133            | 3.00          | -       | 34.67      | 7.26       | 34.95      |
| RMS  | 5.925G       | 49.67             | 68.20             | -18.53         | 42.66         | 3           | Vertical  | 133            | 3.00          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.4742G      | 108.87            | Inf               | -Inf           | 101.56        | 3           | Vertical  | 133            | 3.00          | -       | 34.70      | 7.64       | 35.03      |
| RMS  | 6.5106G      | 98.12             | Inf               | -Inf           | 90.75         | 3           | Vertical  | 133            | 3.00          | -       | 34.74      | 7.66       | 35.03      |
| PK   | 7.191G       | 63.28             | 88.20             | -24.92         | 53.34         | 3           | Vertical  | 133            | 3.00          | -       | 36.35      | 8.68       | 35.09      |
| RMS  | 7.1966G      | 52.87             | 68.20             | -15.33         | 42.89         | 3           | Vertical  | 133            | 3.00          | -       | 36.38      | 8.69       | 35.09      |

# 6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

## 6505MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9226G      | 60.15             | 88.20             | -28.05         | 53.15         | 3           | Horizontal | 154            | 1.80          | -       | 34.69      | 7.26       | 34.95      |
| RMS  | 5.925G       | 49.61             | 68.20             | -18.59         | 42.60         | 3           | Horizontal | 154            | 1.80          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.533G       | 109.61            | Inf               | -Inf           | 102.14        | 3           | Horizontal | 154            | 1.80          | -       | 34.83      | 7.67       | 35.03      |
| RMS  | 6.519G       | 96.67             | Inf               | -Inf           | 89.26         | 3           | Horizontal | 154            | 1.80          | -       | 34.78      | 7.66       | 35.03      |
| PK   | 7.191G       | 62.46             | 88.20             | -25.74         | 52.52         | 3           | Horizontal | 154            | 1.80          | -       | 36.35      | 8.68       | 35.09      |
| RMS  | 7.191G       | 52.84             | 68.20             | -15.36         | 42.90         | 3           | Horizontal | 154            | 1.80          | -       | 36.35      | 8.68       | 35.09      |

## 6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6505MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.01588G    | 61.75             | 88.20             | -26.45         | 42.06         | 3           | Vertical  | 329            | 1.77          | -       | 39.55      | 13.91      | 33.77      |
| RMS  | 13.02362G    | 50.97             | 68.20             | -17.23         | 31.25         | 3           | Vertical  | 329            | 1.77          | -       | 39.57      | 13.92      | 33.77      |

## 6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6505MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.99602G    | 62.02             | 88.20             | -26.18         | 42.42         | 3           | Horizontal | 191            | 2.65          | -       | 39.50      | 13.90      | 33.80      |
| RMS  | 13.00934G    | 50.74             | 68.20             | -17.46         | 31.08         | 3           | Horizontal | 191            | 2.65          | -       | 39.53      | 13.91      | 33.78      |

## 6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.5148G     | 56.39             | 83.54             | -27.15         | 66.86         | 1           | Vertical  | 170            | 1.44          | -       | 37.69      | 14.93      | 63.09      |
| AV   | 19.51478G    | 54.38             | 63.54             | -9.16          | 64.85         | 1           | Vertical  | 170            | 1.44          | -       | 37.69      | 14.93      | 63.09      |

# 6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

## 6505MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.51468G    | 60.47             | 83.54             | -23.07         | 70.94         | 1           | Horizontal | 123            | 1.54          | -       | 37.69      | 14.93      | 63.09      |
| AV   | 19.5148G     | 59.27             | 63.54             | -4.27          | 69.74         | 1           | Horizontal | 123            | 1.54          | -       | 37.69      | 14.93      | 63.09      |

# 6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

## 6665MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.6408G      | 105.37            | Inf               | -Inf           | 97.39         | 3           | Vertical  | 324            | 2.26          | -       | 35.26      | 7.74       | 35.02      |
| RMS  | 6.6364G      | 94.35             | Inf               | -Inf           | 86.38         | 3           | Vertical  | 324            | 2.26          | -       | 35.25      | 7.74       | 35.02      |
| PK   | 7.16G        | 63.24             | 88.20             | -24.96         | 53.53         | 3           | Vertical  | 324            | 2.26          | -       | 36.16      | 8.62       | 35.07      |
| RMS  | 7.2128G      | 53.01             | 68.20             | -15.19         | 42.93         | 3           | Vertical  | 324            | 2.26          | -       | 36.48      | 8.70       | 35.10      |

## 6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6665MHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.6342G      | 108.40            | Inf               | -Inf           | 100.45        | 3           | Horizontal | 127            | 1.80          | -       | 35.24      | 7.73       | 35.02      |
| RMS  | 6.654G       | 96.89             | Inf               | -Inf           | 88.85         | 3           | Horizontal | 127            | 1.80          | -       | 35.31      | 7.75       | 35.02      |
| PK   | 7.1908G      | 64.36             | 88.20             | -23.84         | 54.43         | 3           | Horizontal | 127            | 1.80          | -       | 36.34      | 8.68       | 35.09      |
| RMS  | 7.2084G      | 53.04             | 68.20             | -15.16         | 42.99         | 3           | Horizontal | 127            | 1.80          | -       | 36.45      | 8.70       | 35.10      |

## 6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6665MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.33156G    | 62.00             | 74.00             | -12.00         | 41.12         | 3           | Vertical  | 170            | 1.80          | -       | 40.16      | 14.17      | 33.45      |
| AV   | 13.33018G    | 50.77             | 54.00             | -3.23          | 29.90         | 3           | Vertical  | 170            | 1.80          | -       | 40.16      | 14.16      | 33.45      |

## 6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6665MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3351G     | 61.45             | 74.00             | -12.55         | 40.55         | 3           | Horizontal | 221            | 2.96          | -       | 40.17      | 14.17      | 33.44      |
| AV   | 13.34146G    | 50.78             | 54.00             | -3.22          | 29.86         | 3           | Horizontal | 221            | 2.96          | -       | 40.18      | 14.17      | 33.43      |

## 6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6665MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.99478G    | 56.21             | 83.54             | -27.33         | 66.61         | 1           | Vertical  | 170            | 1.56          | -       | 37.40      | 15.10      | 62.90      |
| AV   | 19.99478G    | 53.64             | 63.54             | -9.90          | 64.04         | 1           | Vertical  | 170            | 1.56          | -       | 37.40      | 15.10      | 62.90      |

## 6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6665MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.99482G    | 61.31             | 83.54             | -22.23         | 71.71         | 1           | Horizontal | 189            | 1.52          | -       | 37.40      | 15.10      | 62.90      |
| AV   | 19.99478G    | 59.95             | 63.54             | -3.59          | 70.35         | 1           | Horizontal | 189            | 1.52          | -       | 37.40      | 15.10      | 62.90      |

## 6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.793G       | 107.85            | Inf               | -Inf           | 99.20         | 3           | Vertical  | 138            | 2.98          | -       | 35.77      | 7.89       | 35.01      |
| RMS  | 6.8506G      | 97.18             | Inf               | -Inf           | 88.49         | 3           | Vertical  | 138            | 2.98          | -       | 35.70      | 8.00       | 35.01      |
| PK   | 7.2138G      | 64.76             | 88.20             | -23.44         | 54.68         | 3           | Vertical  | 138            | 2.98          | -       | 36.48      | 8.70       | 35.10      |
| RMS  | 7.225G       | 53.14             | 68.20             | -15.06         | 42.99         | 3           | Vertical  | 138            | 2.98          | -       | 36.55      | 8.70       | 35.10      |

# 6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

## 6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.817G       | 109.53            | Inf               | -Inf           | 100.84        | 3           | Horizontal | 112            | 1.62          | -       | 35.77      | 7.93       | 35.01      |
| RMS  | 6.8474G      | 98.91             | Inf               | -Inf           | 90.22         | 3           | Horizontal | 112            | 1.62          | -       | 35.71      | 7.99       | 35.01      |
| PK   | 7.2154G      | 63.69             | 88.20             | -24.51         | 53.60         | 3           | Horizontal | 112            | 1.62          | -       | 36.49      | 8.70       | 35.10      |
| RMS  | 7.2186G      | 53.22             | 68.20             | -14.98         | 43.11         | 3           | Horizontal | 112            | 1.62          | -       | 36.51      | 8.70       | 35.10      |

## 6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6825MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.63692G    | 64.78             | 88.20             | -23.42         | 42.95         | 3           | Vertical  | 117            | 1.78          | -       | 40.54      | 14.41      | 33.12      |
| RMS  | 13.6641G     | 54.35             | 68.20             | -13.85         | 32.46         | 3           | Vertical  | 117            | 1.78          | -       | 40.56      | 14.43      | 33.10      |

## 6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6825MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.64964G    | 64.92             | 88.20             | -23.28         | 43.06         | 3           | Horizontal | 306            | 2.66          | -       | 40.55      | 14.42      | 33.11      |
| RMS  | 13.66242G    | 53.99             | 68.20             | -14.21         | 32.10         | 3           | Horizontal | 306            | 2.66          | -       | 40.56      | 14.43      | 33.10      |

## 6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.47482G    | 55.87             | 83.54             | -27.67         | 65.39         | 1           | Vertical  | 89             | 1.64          | -       | 37.69      | 15.22      | 62.43      |
| AV   | 20.47474G    | 53.55             | 63.54             | -9.99          | 63.07         | 1           | Vertical  | 89             | 1.64          | -       | 37.69      | 15.22      | 62.43      |

# 6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

## 6825MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.47476G    | 58.96             | 83.54             | -24.58         | 68.48         | 1           | Horizontal | 208            | 1.52          | -       | 37.69      | 15.22      | 62.43      |
| AV   | 20.47474G    | 57.78             | 63.54             | -5.76          | 67.30         | 1           | Horizontal | 208            | 1.52          | -       | 37.69      | 15.22      | 62.43      |

## 6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.004G       | 108.33            | Inf               | -Inf           | 99.32         | 3           | Vertical  | 119            | 1.80          | -       | 35.70      | 8.31       | 35.00      |
| RMS  | 6.974G       | 97.77             | Inf               | -Inf           | 88.82         | 3           | Vertical  | 119            | 1.80          | -       | 35.70      | 8.25       | 35.00      |
| PK   | 7.141G       | 72.99             | 88.20             | -15.21         | 63.42         | 3           | Vertical  | 119            | 1.80          | -       | 36.05      | 8.58       | 35.06      |
| RMS  | 7.128G       | 57.86             | 68.20             | -10.34         | 48.39         | 3           | Vertical  | 119            | 1.80          | -       | 35.97      | 8.56       | 35.06      |

## 6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.937G       | 110.42            | Inf               | -Inf           | 101.58        | 3           | Horizontal | 118            | 1.57          | -       | 35.67      | 8.17       | 35.00      |
| RMS  | 6.977G       | 100.98            | Inf               | -Inf           | 92.03         | 3           | Horizontal | 118            | 1.57          | -       | 35.70      | 8.25       | 35.00      |
| PK   | 7.125G       | 77.18             | 88.20             | -11.02         | 67.74         | 3           | Horizontal | 118            | 1.57          | -       | 35.95      | 8.55       | 35.06      |
| RMS  | 7.125G       | 61.68             | 68.20             | -6.52          | 52.24         | 3           | Horizontal | 118            | 1.57          | -       | 35.95      | 8.55       | 35.06      |

## 6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.9661G     | 66.21             | 88.20             | -21.99         | 43.19         | 3           | Vertical  | 205            | 1.80          | -       | 41.13      | 14.67      | 32.78      |
| RMS  | 13.97918G    | 55.75             | 68.20             | -12.45         | 32.67         | 3           | Vertical  | 205            | 1.80          | -       | 41.16      | 14.68      | 32.76      |

## 6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.9601G     | 66.16             | 88.20             | -22.04         | 43.15         | 3           | Horizontal | 119            | 2.80          | -       | 41.12      | 14.67      | 32.78      |
| RMS  | 13.95782G    | 55.60             | 68.20             | -12.60         | 32.59         | 3           | Horizontal | 119            | 2.80          | -       | 41.12      | 14.67      | 32.78      |

## 6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TX




EUT Y\_4TX  
Setting 75  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.95472G    | 54.94             | 83.54             | -28.60         | 63.34         | 1           | Vertical  | 75             | 1.52          | -       | 38.21      | 15.34      | 61.95      |
| AV   | 20.95476G    | 52.77             | 63.54             | -10.77         | 61.17         | 1           | Vertical  | 75             | 1.52          | -       | 38.21      | 15.34      | 61.95      |

## 6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TX



EUT\_Y\_4TX  
Setting 75  
03-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.9548G     | 58.74             | 83.54             | -24.80         | 67.14         | 1           | Horizontal | 190            | 1.50          | -       | 38.21      | 15.34      | 61.95      |
| AV   | 20.95474G    | 56.48             | 63.54             | -7.06          | 64.88         | 1           | Horizontal | 190            | 1.50          | -       | 38.21      | 15.34      | 61.95      |




**Summary**

| Mode                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 6.525-6.875GHz                    | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | Pass   | AV   | 20.11486G    | 63.10             | 63.54             | -0.44          | 1           | Horizontal | 198            | 1.54          | -        |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5955MHz\_TX




EUT\_Y\_4TX  
Setting 35  
03-C-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9238G      | 63.75             | 88.20             | -24.45         | 56.74         | 3           | Vertical  | 138            | 2.15          | -       | 34.70      | 7.26       | 34.95      |
| RMS  | 5.9242G      | 51.83             | 68.20             | -16.37         | 44.82         | 3           | Vertical  | 138            | 2.15          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 5.9606G      | 117.19            | Inf               | -Inf           | 110.07        | 3           | Vertical  | 138            | 2.15          | -       | 34.80      | 7.28       | 34.96      |
| RMS  | 5.959G       | 106.57            | Inf               | -Inf           | 99.45         | 3           | Vertical  | 138            | 2.15          | -       | 34.80      | 7.28       | 34.96      |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5955MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.925G       | 62.62             | 88.20             | -25.58         | 55.61         | 3           | Horizontal | 64             | 1.40          | -       | 34.70      | 7.26       | 34.95      |
| RMS  | 5.9242G      | 51.38             | 68.20             | -16.82         | 44.37         | 3           | Horizontal | 64             | 1.40          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 5.9634G      | 118.93            | Inf               | -Inf           | 111.81        | 3           | Horizontal | 64             | 1.40          | -       | 34.80      | 7.28       | 34.96      |
| RMS  | 5.963G       | 108.92            | Inf               | -Inf           | 101.80        | 3           | Horizontal | 64             | 1.40          | -       | 34.80      | 7.28       | 34.96      |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5955MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.91013G    | 59.23             | 74.00             | -14.77         | 49.73         | 3           | Vertical  | 191            | 2.68          | -       | 39.20      | 13.05      | 42.75      |
| AV   | 11.91047G    | 46.70             | 54.00             | -7.30          | 37.20         | 3           | Vertical  | 191            | 2.68          | -       | 39.20      | 13.05      | 42.75      |
| PK   | 17.85936G    | 61.86             | 74.00             | -12.14         | 41.05         | 3           | Vertical  | 3              | 1.99          | -       | 44.88      | 17.82      | 41.89      |
| AV   | 17.8665G     | 50.16             | 54.00             | -3.84          | 29.33         | 3           | Vertical  | 3              | 1.99          | -       | 44.90      | 17.82      | 41.89      |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5955MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.90972G    | 59.11             | 74.00             | -14.89         | 49.61         | 3           | Horizontal | 170            | 2.66          | -       | 39.20      | 13.05      | 42.75      |
| AV   | 11.9098G     | 46.32             | 54.00             | -7.68          | 36.82         | 3           | Horizontal | 170            | 2.66          | -       | 39.20      | 13.05      | 42.75      |
| PK   | 17.86812G    | 61.85             | 74.00             | -12.15         | 41.02         | 3           | Horizontal | 316            | 1.72          | -       | 44.90      | 17.82      | 41.89      |
| AV   | 17.87742G    | 50.21             | 54.00             | -3.79          | 29.34         | 3           | Horizontal | 316            | 1.72          | -       | 44.93      | 17.83      | 41.89      |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6175MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.899G       | 59.80             | 88.20             | -28.40         | 52.91         | 3           | Vertical  | 134            | 2.21          | -       | 34.59      | 7.25       | 34.95      |
| RMS  | 5.925G       | 49.97             | 68.20             | -18.23         | 42.96         | 3           | Vertical  | 134            | 2.21          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.166G       | 114.33            | Inf               | -Inf           | 106.70        | 3           | Vertical  | 134            | 2.21          | -       | 35.07      | 7.55       | 34.99      |
| RMS  | 6.1702G      | 104.19            | Inf               | -Inf           | 96.54         | 3           | Vertical  | 134            | 2.21          | -       | 35.08      | 7.56       | 34.99      |

# 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 6175MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.917G       | 60.21             | 88.20             | -27.99         | 53.23         | 3           | Horizontal | 158            | 1.79          | -       | 34.67      | 7.26       | 34.95      |
| RMS  | 5.925G       | 49.72             | 68.20             | -18.48         | 42.71         | 3           | Horizontal | 158            | 1.79          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.1834G      | 117.84            | Inf               | -Inf           | 110.12        | 3           | Horizontal | 158            | 1.79          | -       | 35.13      | 7.58       | 34.99      |
| RMS  | 6.1834G      | 108.17            | Inf               | -Inf           | 100.45        | 3           | Horizontal | 158            | 1.79          | -       | 35.13      | 7.58       | 34.99      |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6175MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.35041G    | 59.38             | 74.00             | -14.62         | 41.92         | 3           | Vertical  | 351            | 1.42          | -       | 38.85      | 13.38      | 34.77      |
| AV   | 12.35011G    | 45.88             | 54.00             | -8.12          | 28.42         | 3           | Vertical  | 351            | 1.42          | -       | 38.85      | 13.38      | 34.77      |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6175MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.35001G    | 58.74             | 74.00             | -15.26         | 41.28         | 3           | Horizontal | 349            | 1.65          | -       | 38.85      | 13.38      | 34.77      |
| AV   | 12.35042G    | 45.93             | 54.00             | -8.07          | 28.47         | 3           | Horizontal | 349            | 1.65          | -       | 38.85      | 13.38      | 34.77      |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6175MHz\_TX




EUT\_Y\_4TX  
Setting 35  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.5249G     | 54.57             | 83.54             | -28.97         | 65.78         | 1           | Vertical  | 212            | 1.60          | -       | 37.61      | 14.58      | 63.40      |
| AV   | 18.52492G    | 51.65             | 63.54             | -11.89         | 62.86         | 1           | Vertical  | 212            | 1.60          | -       | 37.61      | 14.58      | 63.40      |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6175MHz\_TX




EUT\_Y\_4TX  
Setting 35  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.52494G    | 63.04             | 83.54             | -20.50         | 74.25         | 1           | Horizontal | 203            | 1.56          | -       | 37.61      | 14.58      | 63.40      |
| AV   | 18.52488G    | 62.01             | 63.54             | -1.53          | 73.22         | 1           | Horizontal | 203            | 1.56          | -       | 37.61      | 14.58      | 63.40      |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.887G       | 60.42             | 88.20             | -27.78         | 53.61         | 3           | Vertical  | 140            | 2.98          | -       | 34.52      | 7.24       | 34.95      |
| RMS  | 5.925G       | 49.59             | 68.20             | -18.61         | 42.58         | 3           | Vertical  | 140            | 2.98          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.4102G      | 108.07            | Inf               | -Inf           | 100.62        | 3           | Vertical  | 140            | 2.98          | -       | 34.86      | 7.61       | 35.02      |
| RMS  | 6.4126G      | 99.03             | Inf               | -Inf           | 91.59         | 3           | Vertical  | 140            | 2.98          | -       | 34.85      | 7.61       | 35.02      |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8174G      | 59.82             | 88.20             | -28.38         | 53.31         | 3           | Horizontal | 164            | 1.53          | -       | 34.23      | 7.21       | 34.93      |
| RMS  | 5.925G       | 49.49             | 68.20             | -18.71         | 42.48         | 3           | Horizontal | 164            | 1.53          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.4174G      | 109.09            | Inf               | -Inf           | 101.67        | 3           | Horizontal | 164            | 1.53          | -       | 34.83      | 7.61       | 35.02      |
| RMS  | 6.4198G      | 99.27             | Inf               | -Inf           | 91.86         | 3           | Horizontal | 164            | 1.53          | -       | 34.82      | 7.61       | 35.02      |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.82978G    | 59.59             | 88.20             | -28.61         | 40.57         | 3           | Vertical  | 253            | 1.47          | -       | 39.33      | 13.76      | 34.07      |
| RMS  | 12.82998G    | 46.78             | 68.20             | -21.42         | 27.76         | 3           | Vertical  | 253            | 1.47          | -       | 39.33      | 13.76      | 34.07      |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.83047G    | 60.74             | 88.20             | -27.46         | 41.72         | 3           | Horizontal | 257            | 1.12          | -       | 39.33      | 13.76      | 34.07      |
| RMS  | 12.83019G    | 46.77             | 68.20             | -21.43         | 27.75         | 3           | Horizontal | 257            | 1.12          | -       | 39.33      | 13.76      | 34.07      |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT Y\_4TX  
Setting 35  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.24492G    | 53.89             | 83.54             | -29.65         | 64.75         | 1           | Vertical  | 88             | 1.47          | -       | 37.60      | 14.84      | 63.30      |
| AV   | 19.2449G     | 50.68             | 63.54             | -12.86         | 61.54         | 1           | Vertical  | 88             | 1.47          | -       | 37.60      | 14.84      | 63.30      |

## 5.925-6.425GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT Y\_4TX  
Setting 35  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.24484G    | 60.01             | 83.54             | -23.53         | 70.87         | 1           | Horizontal | 122            | 1.53          | -       | 37.60      | 14.84      | 63.30      |
| AV   | 19.24488G    | 58.65             | 63.54             | -4.89          | 69.51         | 1           | Horizontal | 122            | 1.53          | -       | 37.60      | 14.84      | 63.30      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8942G      | 59.63             | 88.20             | -28.57         | 52.76         | 3           | Vertical  | 141            | 2.84          | -       | 34.57      | 7.25       | 34.95      |
| RMS  | 5.925G       | 49.54             | 68.20             | -18.66         | 42.53         | 3           | Vertical  | 141            | 2.84          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.4298G      | 109.28            | Inf               | -Inf           | 101.91        | 3           | Vertical  | 141            | 2.84          | -       | 34.78      | 7.61       | 35.02      |
| RMS  | 6.4324G      | 99.12             | Inf               | -Inf           | 91.75         | 3           | Vertical  | 141            | 2.84          | -       | 34.77      | 7.62       | 35.02      |

# 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 6435MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.876G       | 59.50             | 88.20             | -28.70         | 52.74         | 3           | Horizontal | 161            | 1.43          | -       | 34.46      | 7.24       | 34.94      |
| RMS  | 5.9228G      | 49.48             | 68.20             | -18.72         | 42.48         | 3           | Horizontal | 161            | 1.43          | -       | 34.69      | 7.26       | 34.95      |
| PK   | 6.4272G      | 108.05            | Inf               | -Inf           | 100.67        | 3           | Horizontal | 161            | 1.43          | -       | 34.79      | 7.61       | 35.02      |
| RMS  | 6.4298G      | 98.13             | Inf               | -Inf           | 90.76         | 3           | Horizontal | 161            | 1.43          | -       | 34.78      | 7.61       | 35.02      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.87042G    | 59.98             | 88.20             | -28.22         | 40.82         | 3           | Vertical  | 337            | 1.63          | -       | 39.37      | 13.80      | 34.01      |
| RMS  | 12.87003G    | 47.39             | 68.20             | -20.81         | 28.23         | 3           | Vertical  | 337            | 1.63          | -       | 39.37      | 13.80      | 34.01      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.86969G    | 60.72             | 88.20             | -27.48         | 41.56         | 3           | Horizontal | 37             | 2.01          | -       | 39.37      | 13.80      | 34.01      |
| RMS  | 12.86965G    | 47.33             | 68.20             | -20.87         | 28.17         | 3           | Horizontal | 37             | 2.01          | -       | 39.37      | 13.80      | 34.01      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT\_Y\_4TX  
Setting 35  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.3048G     | 55.50             | 83.54             | -28.04         | 66.28         | 1           | Vertical  | 289            | 1.40          | -       | 37.62      | 14.86      | 63.26      |
| AV   | 19.30476G    | 52.87             | 63.54             | -10.67         | 63.65         | 1           | Vertical  | 289            | 1.40          | -       | 37.62      | 14.86      | 63.26      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT Y\_4TX  
Setting 35  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.30476G    | 61.31             | 83.54             | -22.23         | 72.09         | 1           | Horizontal | 122            | 1.53          | -       | 37.62      | 14.86      | 63.26      |
| AV   | 19.30478G    | 60.17             | 63.54             | -3.37          | 70.95         | 1           | Horizontal | 122            | 1.53          | -       | 37.62      | 14.86      | 63.26      |

# 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 6475MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.845G       | 59.94             | 88.20             | -28.26         | 53.37         | 3           | Vertical  | 142            | 2.94          | -       | 34.29      | 7.22       | 34.94      |
| RMS  | 5.925G       | 49.46             | 68.20             | -18.74         | 42.45         | 3           | Vertical  | 142            | 2.94          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.4778G      | 108.27            | Inf               | -Inf           | 100.96        | 3           | Vertical  | 142            | 2.94          | -       | 34.70      | 7.64       | 35.03      |
| RMS  | 6.4778G      | 98.95             | Inf               | -Inf           | 91.64         | 3           | Vertical  | 142            | 2.94          | -       | 34.70      | 7.64       | 35.03      |
| PK   | 7.1498G      | 62.77             | 88.20             | -25.43         | 53.14         | 3           | Vertical  | 142            | 2.94          | -       | 36.10      | 8.60       | 35.07      |
| RMS  | 7.1722G      | 52.55             | 68.20             | -15.65         | 42.76         | 3           | Vertical  | 142            | 2.94          | -       | 36.23      | 8.64       | 35.08      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7974G      | 60.01             | 88.20             | -28.19         | 53.54         | 3           | Horizontal | 178            | 2.56          | -       | 34.20      | 7.20       | 34.93      |
| RMS  | 5.925G       | 49.36             | 68.20             | -18.84         | 42.35         | 3           | Horizontal | 178            | 2.56          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.4834G      | 109.32            | Inf               | -Inf           | 102.01        | 3           | Horizontal | 178            | 2.56          | -       | 34.70      | 7.64       | 35.03      |
| RMS  | 6.4834G      | 99.53             | Inf               | -Inf           | 92.22         | 3           | Horizontal | 178            | 2.56          | -       | 34.70      | 7.64       | 35.03      |
| PK   | 7.1694G      | 62.66             | 88.20             | -25.54         | 52.88         | 3           | Horizontal | 178            | 2.56          | -       | 36.22      | 8.64       | 35.08      |
| RMS  | 7.175G       | 52.63             | 68.20             | -15.57         | 42.81         | 3           | Horizontal | 178            | 2.56          | -       | 36.25      | 8.65       | 35.08      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.95021G    | 61.11             | 88.20             | -27.09         | 41.67         | 3           | Vertical  | 220            | 2.82          | -       | 39.45      | 13.86      | 33.87      |
| RMS  | 12.95029G    | 47.94             | 68.20             | -20.26         | 28.50         | 3           | Vertical  | 220            | 2.82          | -       | 39.45      | 13.86      | 33.87      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.94989G    | 61.60             | 88.20             | -26.60         | 42.16         | 3           | Horizontal | 336            | 2.61          | -       | 39.45      | 13.86      | 33.87      |
| RMS  | 12.95016G    | 47.88             | 68.20             | -20.32         | 28.44         | 3           | Horizontal | 336            | 2.61          | -       | 39.45      | 13.86      | 33.87      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TX




EUT Y\_4TX  
Setting 35  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.42478G    | 54.77             | 83.54             | -28.77         | 65.36         | 1           | Vertical  | 166            | 1.45          | -       | 37.67      | 14.90      | 63.16      |
| AV   | 19.42476G    | 52.15             | 63.54             | -11.39         | 62.74         | 1           | Vertical  | 166            | 1.45          | -       | 37.67      | 14.90      | 63.16      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TX




EUT\_Y\_4TX  
Setting 35  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.42478G    | 62.11             | 83.54             | -21.43         | 72.70         | 1           | Horizontal | 122            | 1.53          | -       | 37.67      | 14.90      | 63.16      |
| AV   | 19.42484G    | 61.10             | 63.54             | -2.44          | 71.69         | 1           | Horizontal | 122            | 1.53          | -       | 37.67      | 14.90      | 63.16      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9074G      | 59.88             | 88.20             | -28.32         | 52.95         | 3           | Vertical  | 144            | 3.00          | -       | 34.63      | 7.25       | 34.95      |
| RMS  | 5.9214G      | 49.15             | 68.20             | -19.05         | 42.15         | 3           | Vertical  | 144            | 3.00          | -       | 34.69      | 7.26       | 34.95      |
| PK   | 6.515G       | 108.24            | Inf               | -Inf           | 100.85        | 3           | Vertical  | 144            | 3.00          | -       | 34.76      | 7.66       | 35.03      |
| RMS  | 6.515G       | 99.00             | Inf               | -Inf           | 91.61         | 3           | Vertical  | 144            | 3.00          | -       | 34.76      | 7.66       | 35.03      |
| PK   | 7.1394G      | 62.68             | 88.20             | -25.52         | 53.12         | 3           | Vertical  | 144            | 3.00          | -       | 36.04      | 8.58       | 35.06      |
| RMS  | 7.1954G      | 52.48             | 68.20             | -15.72         | 42.51         | 3           | Vertical  | 144            | 3.00          | -       | 36.37      | 8.69       | 35.09      |

# 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 6515MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8738G      | 59.40             | 88.20             | -28.80         | 52.66         | 3           | Horizontal | 163            | 1.80          | -       | 34.44      | 7.24       | 34.94      |
| RMS  | 5.9242G      | 49.15             | 68.20             | -19.05         | 42.14         | 3           | Horizontal | 163            | 1.80          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.5234G      | 108.30            | Inf               | -Inf           | 100.88        | 3           | Horizontal | 163            | 1.80          | -       | 34.79      | 7.66       | 35.03      |
| RMS  | 6.5234G      | 97.93             | Inf               | -Inf           | 90.51         | 3           | Horizontal | 163            | 1.80          | -       | 34.79      | 7.66       | 35.03      |
| PK   | 7.1422G      | 63.07             | 88.20             | -25.13         | 53.51         | 3           | Horizontal | 163            | 1.80          | -       | 36.05      | 8.58       | 35.07      |
| RMS  | 7.1954G      | 52.52             | 68.20             | -15.68         | 42.55         | 3           | Horizontal | 163            | 1.80          | -       | 36.37      | 8.69       | 35.09      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.03017G    | 61.90             | 88.20             | -26.30         | 42.15         | 3           | Vertical  | 99             | 2.64          | -       | 39.59      | 13.92      | 33.76      |
| RMS  | 13.03047G    | 48.68             | 68.20             | -19.52         | 28.93         | 3           | Vertical  | 99             | 2.64          | -       | 39.59      | 13.92      | 33.76      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.03014G    | 61.58             | 88.20             | -26.62         | 41.83         | 3           | Horizontal | 118            | 1.80          | -       | 39.59      | 13.92      | 33.76      |
| RMS  | 13.02973G    | 48.56             | 68.20             | -19.64         | 28.81         | 3           | Horizontal | 118            | 1.80          | -       | 39.59      | 13.92      | 33.76      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TX




EUT Y\_4TX  
Setting 35  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.54488G    | 54.59             | 83.54             | -28.95         | 65.05         | 1           | Vertical  | 188            | 1.49          | -       | 37.68      | 14.94      | 63.08      |
| AV   | 19.5448G     | 51.99             | 63.54             | -11.55         | 62.45         | 1           | Vertical  | 188            | 1.49          | -       | 37.68      | 14.94      | 63.08      |

## 6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TX




EUT Y\_4TX  
Setting 35  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.54484G    | 63.36             | 83.54             | -20.18         | 73.82         | 1           | Horizontal | 191            | 1.65          | -       | 37.68      | 14.94      | 63.08      |
| AV   | 19.54482G    | 62.28             | 63.54             | -1.26          | 72.74         | 1           | Horizontal | 191            | 1.65          | -       | 37.68      | 14.94      | 63.08      |

# 6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 6535MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.835G       | 59.44             | 88.20             | -28.76         | 52.88         | 3           | Vertical  | 142            | 3.00          | -       | 34.27      | 7.22       | 34.93      |
| RMS  | 5.9246G      | 49.13             | 68.20             | -19.07         | 42.12         | 3           | Vertical  | 142            | 3.00          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.5294G      | 109.19            | Inf               | -Inf           | 101.74        | 3           | Vertical  | 142            | 3.00          | -       | 34.82      | 7.66       | 35.03      |
| RMS  | 6.5294G      | 99.07             | Inf               | -Inf           | 91.62         | 3           | Vertical  | 142            | 3.00          | -       | 34.82      | 7.66       | 35.03      |
| PK   | 7.1594G      | 62.86             | 88.20             | -25.34         | 53.15         | 3           | Vertical  | 142            | 3.00          | -       | 36.16      | 8.62       | 35.07      |
| RMS  | 7.2322G      | 52.76             | 68.20             | -15.44         | 42.58         | 3           | Vertical  | 142            | 3.00          | -       | 36.59      | 8.70       | 35.11      |

# 6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 6535MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.877G       | 58.90             | 88.20             | -29.30         | 52.14         | 3           | Horizontal | 155            | 1.80          | -       | 34.46      | 7.24       | 34.94      |
| RMS  | 5.9246G      | 49.10             | 68.20             | -19.10         | 42.09         | 3           | Horizontal | 155            | 1.80          | -       | 34.70      | 7.26       | 34.95      |
| PK   | 6.5378G      | 108.17            | Inf               | -Inf           | 100.68        | 3           | Horizontal | 155            | 1.80          | -       | 34.85      | 7.67       | 35.03      |
| RMS  | 6.5378G      | 99.30             | Inf               | -Inf           | 91.81         | 3           | Horizontal | 155            | 1.80          | -       | 34.85      | 7.67       | 35.03      |
| PK   | 7.2294G      | 64.27             | 88.20             | -23.93         | 54.10         | 3           | Horizontal | 155            | 1.80          | -       | 36.58      | 8.70       | 35.11      |
| RMS  | 7.2322G      | 52.77             | 68.20             | -15.43         | 42.59         | 3           | Horizontal | 155            | 1.80          | -       | 36.59      | 8.70       | 35.11      |

## 6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TX




EUT\_Y\_4TX  
Setting 35  
03-C-B-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.06979G    | 61.51             | 88.20             | -26.69         | 41.56         | 3           | Vertical  | 231            | 1.42          | -       | 39.71      | 13.96      | 33.72      |
| RMS  | 13.07039G    | 48.85             | 68.20             | -19.35         | 28.90         | 3           | Vertical  | 231            | 1.42          | -       | 39.71      | 13.96      | 33.72      |

## 6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.06997G    | 61.73             | 88.20             | -26.47         | 41.78         | 3           | Horizontal | 265            | 2.60          | -       | 39.71      | 13.96      | 33.72      |
| RMS  | 13.06979G    | 48.85             | 68.20             | -19.35         | 28.90         | 3           | Horizontal | 265            | 2.60          | -       | 39.71      | 13.96      | 33.72      |

## 6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TX




EUT Y\_4TX  
Setting 35  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.60494G    | 55.38             | 83.54             | -28.16         | 65.82         | 1           | Vertical  | 188            | 1.48          | -       | 37.66      | 14.96      | 63.06      |
| AV   | 19.60486G    | 53.02             | 63.54             | -10.52         | 63.46         | 1           | Vertical  | 188            | 1.48          | -       | 37.66      | 14.96      | 63.06      |

## 6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TX




EUT Y\_4TX  
Setting 35  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.60488G    | 60.50             | 83.54             | -23.04         | 70.94         | 1           | Horizontal | 125            | 1.53          | -       | 37.66      | 14.96      | 63.06      |
| AV   | 19.60484G    | 59.26             | 63.54             | -4.28          | 69.70         | 1           | Horizontal | 125            | 1.53          | -       | 37.66      | 14.96      | 63.06      |

## 6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.6928G      | 102.02            | Inf               | -Inf           | 93.86         | 3           | Vertical  | 217            | 1.62          | -       | 35.39      | 7.79       | 35.02      |
| RMS  | 6.6928G      | 92.38             | Inf               | -Inf           | 84.22         | 3           | Vertical  | 217            | 1.62          | -       | 35.39      | 7.79       | 35.02      |
| PK   | 7.2428G      | 64.34             | 88.20             | -23.86         | 54.09         | 3           | Vertical  | 217            | 1.62          | -       | 36.66      | 8.70       | 35.11      |
| RMS  | 7.2428G      | 52.87             | 68.20             | -15.33         | 42.62         | 3           | Vertical  | 217            | 1.62          | -       | 36.66      | 8.70       | 35.11      |

## 6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.6994G      | 106.75            | Inf               | -Inf           | 98.57         | 3           | Horizontal | 147            | 1.80          | -       | 35.40      | 7.80       | 35.02      |
| RMS  | 6.6972G      | 97.39             | Inf               | -Inf           | 89.22         | 3           | Horizontal | 147            | 1.80          | -       | 35.39      | 7.80       | 35.02      |
| PK   | 7.1746G      | 63.61             | 88.20             | -24.59         | 53.79         | 3           | Horizontal | 147            | 1.80          | -       | 36.25      | 8.65       | 35.08      |
| RMS  | 7.245G       | 52.87             | 68.20             | -15.33         | 42.61         | 3           | Horizontal | 147            | 1.80          | -       | 36.67      | 8.70       | 35.11      |

## 6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.39032G    | 61.79             | 74.00             | -12.21         | 40.68         | 3           | Vertical  | 47             | 2.95          | -       | 40.28      | 14.21      | 33.38      |
| AV   | 13.39015G    | 48.43             | 54.00             | -5.57          | 27.32         | 3           | Vertical  | 47             | 2.95          | -       | 40.28      | 14.21      | 33.38      |

## 6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




EUT Y\_4TX  
Setting 35  
03-C-B-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.39024G    | 61.36             | 74.00             | -12.64         | 40.25         | 3           | Horizontal | 330            | 2.54          | -       | 40.28      | 14.21      | 33.38      |
| AV   | 13.39006G    | 48.33             | 54.00             | -5.67          | 27.22         | 3           | Horizontal | 330            | 2.54          | -       | 40.28      | 14.21      | 33.38      |

## 6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX



EUT Y\_4TX  
Setting 35  
03-K-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.08494G    | 54.98             | 83.54             | -28.56         | 65.21         | 1           | Vertical  | 356            | 1.44          | -       | 37.47      | 15.12      | 62.82      |
| AV   | 20.08496G    | 52.28             | 63.54             | -11.26         | 62.51         | 1           | Vertical  | 356            | 1.44          | -       | 37.47      | 15.12      | 62.82      |