


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 35
03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08486G	61.65	83.54	-21.89	71.88	1	Horizontal	127	1.52	-	37.47	15.12	62.82
AV	20.08492G	60.65	63.54	-2.89	70.88	1	Horizontal	127	1.52	-	37.47	15.12	62.82

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.862G	108.33	Inf	-Inf	99.64	3	Vertical	141	2.97	-	35.68	8.02	35.01
RMS	6.8634G	97.82	Inf	-Inf	89.13	3	Vertical	141	2.97	-	35.67	8.03	35.01
PK	7.1714G	63.12	88.20	-25.08	53.33	3	Vertical	141	2.97	-	36.23	8.64	35.08
RMS	7.2022G	52.67	68.20	-15.53	42.65	3	Vertical	141	2.97	-	36.41	8.70	35.09

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8634G	106.55	Inf	-Inf	97.86	3	Horizontal	287	1.68	-	35.67	8.03	35.01
RMS	6.862G	97.19	Inf	-Inf	88.50	3	Horizontal	287	1.68	-	35.68	8.02	35.01
PK	7.1882G	63.46	88.20	-24.74	53.54	3	Horizontal	287	1.68	-	36.33	8.68	35.09
RMS	7.2036G	52.65	68.20	-15.55	42.62	3	Horizontal	287	1.68	-	36.42	8.70	35.09

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7099G	64.75	88.20	-23.45	42.71	3	Vertical	237	2.31	-	40.62	14.47	33.05
RMS	13.71032G	51.54	68.20	-16.66	29.50	3	Vertical	237	2.31	-	40.62	14.47	33.05

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7099G	64.75	88.20	-23.45	42.71	3	Horizontal	56	2.04	-	40.62	14.47	33.05
RMS	13.71035G	51.53	68.20	-16.67	29.49	3	Horizontal	56	2.04	-	40.62	14.47	33.05

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 35
03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56502G	54.26	83.54	-29.28	63.62	1	Vertical	268	1.42	-	37.73	15.24	62.33
AV	20.56488G	49.16	63.54	-14.38	58.53	1	Vertical	268	1.42	-	37.73	15.24	62.34

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 35
03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56488G	59.65	83.54	-23.89	69.02	1	Horizontal	188	1.50	-	37.73	15.24	62.34
AV	20.56488G	57.95	63.54	-5.59	67.32	1	Horizontal	188	1.50	-	37.73	15.24	62.34

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 35
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8666G	106.12	Inf	-Inf	97.43	3	Vertical	325	2.78	-	35.67	8.03	35.01
RMS	6.8666G	96.85	Inf	-Inf	88.16	3	Vertical	325	2.78	-	35.67	8.03	35.01
PK	7.1662G	63.63	88.20	-24.57	53.88	3	Vertical	325	2.78	-	36.20	8.63	35.08
RMS	7.2236G	52.81	68.20	-15.39	42.67	3	Vertical	325	2.78	-	36.54	8.70	35.10

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 35
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.868G	108.10	Inf	-Inf	99.41	3	Horizontal	268	1.94	-	35.66	8.04	35.01
RMS	6.868G	96.96	Inf	-Inf	88.27	3	Horizontal	268	1.94	-	35.66	8.04	35.01
PK	7.2208G	63.74	88.20	-24.46	53.62	3	Horizontal	268	1.94	-	36.52	8.70	35.10
RMS	7.225G	52.81	68.20	-15.39	42.66	3	Horizontal	268	1.94	-	36.55	8.70	35.10

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 35
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75005G	65.61	88.20	-22.59	43.41	3	Vertical	149	2.93	-	40.70	14.50	33.00
RMS	13.75045G	51.74	68.20	-16.46	29.54	3	Vertical	149	2.93	-	40.70	14.50	33.00

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 35
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75004G	65.16	88.20	-23.04	42.96	3	Horizontal	357	2.33	-	40.70	14.50	33.00
RMS	13.75009G	51.66	68.20	-16.54	29.46	3	Horizontal	357	2.33	-	40.70	14.50	33.00

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 35
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62486G	52.49	83.54	-31.05	61.76	1	Vertical	210	1.46	-	37.75	15.26	62.28
AV	20.6249G	48.59	63.54	-14.95	57.86	1	Vertical	210	1.46	-	37.75	15.26	62.28

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 35
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62486G	58.56	83.54	-24.98	67.83	1	Horizontal	188	1.50	-	37.75	15.26	62.28
AV	20.6249G	56.71	63.54	-6.83	65.98	1	Horizontal	188	1.50	-	37.75	15.26	62.28

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8978G	106.01	Inf	-Inf	97.32	3	Vertical	143	3.00	-	35.60	8.10	35.01
RMS	6.8978G	95.98	Inf	-Inf	87.29	3	Vertical	143	3.00	-	35.60	8.10	35.01
PK	7.203G	64.63	88.20	-23.57	54.60	3	Vertical	143	3.00	-	36.42	8.70	35.09
RMS	7.245G	52.90	68.20	-15.30	42.64	3	Vertical	143	3.00	-	36.67	8.70	35.11

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.888G	106.68	Inf	-Inf	97.99	3	Horizontal	89	1.61	-	35.62	8.08	35.01
RMS	6.8866G	96.00	Inf	-Inf	87.31	3	Horizontal	89	1.61	-	35.63	8.07	35.01
PK	7.1652G	63.85	88.20	-24.35	54.11	3	Horizontal	89	1.61	-	36.19	8.63	35.08
RMS	7.245G	52.93	68.20	-15.27	42.67	3	Horizontal	89	1.61	-	36.67	8.70	35.11

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79046G	65.41	88.20	-22.79	43.06	3	Vertical	179	1.29	-	40.78	14.53	32.96
RMS	13.79002G	51.83	68.20	-16.37	29.48	3	Vertical	179	1.29	-	40.78	14.53	32.96

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78971G	64.79	88.20	-23.41	42.44	3	Horizontal	61	1.27	-	40.78	14.53	32.96
RMS	13.79038G	52.03	68.20	-16.17	29.68	3	Horizontal	61	1.27	-	40.78	14.53	32.96

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 35
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68476G	55.22	83.54	-28.32	64.40	1	Vertical	221	1.53	-	37.77	15.27	62.22
AV	20.68488G	52.65	63.54	-10.89	61.83	1	Vertical	221	1.53	-	37.77	15.27	62.22

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 35
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68496G	61.55	83.54	-21.99	70.73	1	Horizontal	208	1.65	-	37.77	15.27	62.22
AV	20.6849G	59.70	63.54	-3.84	68.88	1	Horizontal	208	1.65	-	37.77	15.27	62.22

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.988G	105.45	Inf	-Inf	96.47	3	Vertical	128	1.75	-	35.70	8.28	35.00
RMS	6.994G	95.76	Inf	-Inf	86.77	3	Vertical	128	1.75	-	35.70	8.29	35.00
PK	7.24G	63.98	88.20	-24.22	53.75	3	Vertical	128	1.75	-	36.64	8.70	35.11
RMS	7.243G	52.94	68.20	-15.26	42.69	3	Vertical	128	1.75	-	36.66	8.70	35.11

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.996G	107.63	Inf	-Inf	98.64	3	Horizontal	273	1.35	-	35.70	8.29	35.00
RMS	6.997G	97.87	Inf	-Inf	88.88	3	Horizontal	273	1.35	-	35.70	8.29	35.00
PK	7.228G	64.71	88.20	-23.49	54.54	3	Horizontal	273	1.35	-	36.57	8.70	35.10
RMS	7.245G	52.89	68.20	-15.31	42.63	3	Horizontal	273	1.35	-	36.67	8.70	35.11

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99017G	66.40	88.20	-21.80	43.28	3	Vertical	350	2.77	-	41.18	14.69	32.75
RMS	13.99027G	53.08	68.20	-15.12	29.96	3	Vertical	350	2.77	-	41.18	14.69	32.75

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9899G	66.43	88.20	-21.77	43.31	3	Horizontal	126	2.55	-	41.18	14.69	32.75
RMS	13.99023G	52.97	68.20	-15.23	29.85	3	Horizontal	126	2.55	-	41.18	14.69	32.75

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 35
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98508G	53.33	83.54	-30.21	61.62	1	Vertical	76	1.49	-	38.27	15.35	61.91
AV	20.98484G	50.89	63.54	-12.65	59.19	1	Vertical	76	1.49	-	38.27	15.35	61.92

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 35
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9849G	59.94	83.54	-23.60	68.24	1	Horizontal	197	1.65	-	38.27	15.35	61.92
AV	20.9851G	56.79	63.54	-6.75	65.08	1	Horizontal	197	1.65	-	38.27	15.35	61.91

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0956G	107.10	Inf	-Inf	97.86	3	Vertical	129	1.72	-	35.79	8.49	35.04
RMS	7.0974G	97.49	Inf	-Inf	88.25	3	Vertical	129	1.72	-	35.79	8.49	35.04
PK	7.2258G	63.65	88.20	-24.55	53.50	3	Vertical	129	1.72	-	36.55	8.70	35.10
RMS	7.2396G	52.94	68.20	-15.26	42.71	3	Vertical	129	1.72	-	36.64	8.70	35.11

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0974G	108.88	Inf	-Inf	99.64	3	Horizontal	190	2.95	-	35.79	8.49	35.04
RMS	7.0968G	98.77	Inf	-Inf	89.53	3	Horizontal	190	2.95	-	35.79	8.49	35.04
PK	7.17G	63.52	88.20	-24.68	53.74	3	Horizontal	190	2.95	-	36.22	8.64	35.08
RMS	7.2426G	52.93	68.20	-15.27	42.68	3	Horizontal	190	2.95	-	36.66	8.70	35.11

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1902G	67.19	88.20	-21.01	43.68	3	Vertical	145	1.51	-	41.59	14.89	32.97
RMS	14.19015G	53.56	68.20	-14.64	30.05	3	Vertical	145	1.51	-	41.59	14.89	32.97

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 35
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18981G	66.53	88.20	-21.67	43.02	3	Horizontal	66	2.59	-	41.59	14.89	32.97
RMS	14.18952G	53.59	68.20	-14.61	30.08	3	Horizontal	66	2.59	-	41.59	14.89	32.97

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 35
03-K-E-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28484G	55.98	83.54	-27.56	64.05	1	Vertical	97	1.63	-	38.07	15.42	61.56
AV	21.2849G	53.41	63.54	-10.13	61.48	1	Vertical	97	1.63	-	38.07	15.42	61.56

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 35
03-K-E-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28482G	62.00	83.54	-21.54	70.07	1	Horizontal	194	1.62	-	38.07	15.42	61.56
AV	21.28484G	60.79	63.54	-2.75	68.86	1	Horizontal	194	1.62	-	38.07	15.42	61.56

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	59.71	88.20	-28.49	52.71	3	Vertical	162	1.57	-	34.69	7.26	34.95
RMS	5.9248G	49.50	68.20	-18.70	42.49	3	Vertical	162	1.57	-	34.70	7.26	34.95
PK	5.959G	108.34	Inf	-Inf	101.22	3	Vertical	162	1.57	-	34.80	7.28	34.96
RMS	5.9608G	97.66	Inf	-Inf	90.54	3	Vertical	162	1.57	-	34.80	7.28	34.96

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9164G	59.78	88.20	-28.42	52.80	3	Horizontal	0	2.08	-	34.67	7.26	34.95
RMS	5.9242G	49.47	68.20	-18.73	42.46	3	Horizontal	0	2.08	-	34.70	7.26	34.95
PK	5.9542G	111.20	Inf	-Inf	104.08	3	Horizontal	0	2.08	-	34.80	7.28	34.96
RMS	5.9542G	101.73	Inf	-Inf	94.61	3	Horizontal	0	2.08	-	34.80	7.28	34.96

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92952G	59.29	74.00	-14.71	49.79	3	Vertical	90	1.50	-	39.20	13.06	42.76
AV	11.92993G	45.91	54.00	-8.09	36.41	3	Vertical	90	1.50	-	39.20	13.06	42.76
PK	17.89386G	61.82	74.00	-12.18	40.89	3	Vertical	324	1.66	-	44.98	17.84	41.89
AV	17.90838G	49.69	54.00	-4.31	28.75	3	Vertical	324	1.66	-	44.98	17.85	41.89

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92981G	60.39	74.00	-13.61	50.89	3	Horizontal	184	1.44	-	39.20	13.06	42.76
AV	11.93016G	45.83	54.00	-8.17	36.33	3	Horizontal	184	1.44	-	39.20	13.06	42.76
PK	17.9043G	61.11	74.00	-12.89	40.17	3	Horizontal	72	1.54	-	44.99	17.84	41.89
AV	17.90526G	49.94	54.00	-4.06	29.00	3	Horizontal	72	1.54	-	44.99	17.84	41.89

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7922G	59.51	88.20	-28.69	53.03	3	Vertical	147	3.00	-	34.20	7.20	34.92
RMS	5.925G	49.20	68.20	-19.00	42.19	3	Vertical	147	3.00	-	34.70	7.26	34.95
PK	6.1634G	108.38	Inf	-Inf	100.77	3	Vertical	147	3.00	-	35.05	7.55	34.99
RMS	6.1602G	97.78	Inf	-Inf	90.19	3	Vertical	147	3.00	-	35.04	7.54	34.99

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.59	88.20	-28.61	52.58	3	Horizontal	37	2.12	-	34.70	7.26	34.95
RMS	5.925G	49.09	68.20	-19.11	42.08	3	Horizontal	37	2.12	-	34.70	7.26	34.95
PK	6.1826G	107.49	Inf	-Inf	99.78	3	Horizontal	37	2.12	-	35.13	7.57	34.99
RMS	6.1826G	98.10	Inf	-Inf	90.39	3	Horizontal	37	2.12	-	35.13	7.57	34.99

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33015G	59.40	74.00	-14.60	42.00	3	Vertical	327	2.89	-	38.83	13.36	34.79
AV	12.32984G	45.25	54.00	-8.75	27.85	3	Vertical	327	2.89	-	38.83	13.36	34.79

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3298G	59.11	74.00	-14.89	41.71	3	Horizontal	336	1.02	-	38.83	13.36	34.79
AV	12.33004G	45.27	54.00	-8.73	27.87	3	Horizontal	336	1.02	-	38.83	13.36	34.79

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49494G	52.71	83.54	-30.83	63.94	1	Vertical	290	1.46	-	37.60	14.57	63.40
AV	18.49488G	49.01	63.54	-14.53	60.24	1	Vertical	290	1.46	-	37.60	14.57	63.40

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49492G	62.43	83.54	-21.11	73.66	1	Horizontal	236	1.56	-	37.60	14.57	63.40
AV	18.49486G	61.25	63.54	-2.29	72.48	1	Horizontal	236	1.56	-	37.60	14.57	63.40

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8794G	59.38	88.20	-28.82	52.60	3	Vertical	151	3.00	-	34.48	7.24	34.94
RMS	5.925G	49.22	68.20	-18.98	42.21	3	Vertical	151	3.00	-	34.70	7.26	34.95
PK	6.4146G	109.11	Inf	-Inf	101.68	3	Vertical	151	3.00	-	34.84	7.61	35.02
RMS	6.4002G	99.52	Inf	-Inf	92.04	3	Vertical	151	3.00	-	34.90	7.60	35.02

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	59.31	88.20	-28.89	52.49	3	Horizontal	101	1.40	-	34.53	7.24	34.95
RMS	5.925G	49.13	68.20	-19.07	42.12	3	Horizontal	101	1.40	-	34.70	7.26	34.95
PK	6.4146G	113.51	Inf	-Inf	106.08	3	Horizontal	101	1.40	-	34.84	7.61	35.02
RMS	6.4146G	102.93	Inf	-Inf	95.50	3	Horizontal	101	1.40	-	34.84	7.61	35.02

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81004G	59.37	88.20	-28.83	40.42	3	Vertical	168	1.67	-	39.31	13.75	34.11
RMS	12.8095G	45.95	68.20	-22.25	27.00	3	Vertical	168	1.67	-	39.31	13.75	34.11

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81031G	59.59	88.20	-28.61	40.63	3	Horizontal	51	1.00	-	39.31	13.75	34.10
RMS	12.81025G	46.00	68.20	-22.20	27.04	3	Horizontal	51	1.00	-	39.31	13.75	34.10

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21492G	55.16	83.54	-28.38	66.07	1	Vertical	178	1.54	-	37.59	14.83	63.33
AV	19.21494G	52.48	63.54	-11.06	63.39	1	Vertical	178	1.54	-	37.59	14.83	63.33

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21496G	59.92	83.54	-23.62	70.83	1	Horizontal	122	1.53	-	37.59	14.83	63.33
AV	19.21488G	58.52	63.54	-5.02	69.43	1	Horizontal	122	1.53	-	37.59	14.83	63.33

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8262G	59.82	88.20	-28.38	53.29	3	Vertical	143	2.97	-	34.25	7.21	34.93
RMS	5.9224G	49.14	68.20	-19.06	42.14	3	Vertical	143	2.97	-	34.69	7.26	34.95
PK	6.4294G	109.65	Inf	-Inf	102.28	3	Vertical	143	2.97	-	34.78	7.61	35.02
RMS	6.432G	99.80	Inf	-Inf	92.43	3	Vertical	143	2.97	-	34.77	7.62	35.02

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8444G	60.11	88.20	-28.09	53.54	3	Horizontal	0	2.62	-	34.29	7.22	34.94
RMS	5.925G	49.06	68.20	-19.14	42.05	3	Horizontal	0	2.62	-	34.70	7.26	34.95
PK	6.432G	110.17	Inf	-Inf	102.80	3	Horizontal	0	2.62	-	34.77	7.62	35.02
RMS	6.432G	100.35	Inf	-Inf	92.98	3	Horizontal	0	2.62	-	34.77	7.62	35.02

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89048G	60.64	88.20	-27.56	41.41	3	Vertical	277	1.73	-	39.39	13.81	33.97
RMS	12.89004G	46.97	68.20	-21.23	27.74	3	Vertical	277	1.73	-	39.39	13.81	33.97

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89002G	60.49	88.20	-27.71	41.26	3	Horizontal	357	1.66	-	39.39	13.81	33.97
RMS	12.8902G	47.11	68.20	-21.09	27.88	3	Horizontal	357	1.66	-	39.39	13.81	33.97

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3349G	54.01	83.54	-29.53	64.74	1	Vertical	163	1.46	-	37.63	14.87	63.23
AV	19.33498G	50.39	63.54	-13.15	61.12	1	Vertical	163	1.46	-	37.63	14.87	63.23

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3349G	61.55	83.54	-21.99	72.28	1	Horizontal	123	1.53	-	37.63	14.87	63.23
AV	19.33488G	60.70	63.54	-2.84	71.43	1	Horizontal	123	1.53	-	37.63	14.87	63.23

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	59.55	88.20	-28.65	52.64	3	Vertical	149	3.00	-	34.61	7.25	34.95
RMS	5.9166G	49.10	68.20	-19.10	42.12	3	Vertical	149	3.00	-	34.67	7.26	34.95
PK	6.4878G	108.68	Inf	-Inf	101.37	3	Vertical	149	3.00	-	34.70	7.64	35.03
RMS	6.4794G	99.41	Inf	-Inf	92.10	3	Vertical	149	3.00	-	34.70	7.64	35.03
PK	7.157G	62.08	88.20	-26.12	52.40	3	Vertical	149	3.00	-	36.14	8.61	35.07
RMS	7.1738G	52.22	68.20	-15.98	42.41	3	Vertical	149	3.00	-	36.24	8.65	35.08

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8606G	58.79	88.20	-29.41	52.14	3	Horizontal	152	1.41	-	34.36	7.23	34.94
RMS	5.925G	49.03	68.20	-19.17	42.02	3	Horizontal	152	1.41	-	34.70	7.26	34.95
PK	6.4934G	109.07	Inf	-Inf	101.75	3	Horizontal	152	1.41	-	34.70	7.65	35.03
RMS	6.4934G	100.37	Inf	-Inf	93.05	3	Horizontal	152	1.41	-	34.70	7.65	35.03
PK	7.1822G	62.79	88.20	-25.41	52.92	3	Horizontal	152	1.41	-	36.29	8.66	35.08
RMS	7.1738G	52.17	68.20	-16.03	42.36	3	Horizontal	152	1.41	-	36.24	8.65	35.08

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96983G	61.07	88.20	-27.13	41.56	3	Vertical	104	2.35	-	39.47	13.88	33.84
RMS	12.96991G	47.83	68.20	-20.37	28.32	3	Vertical	104	2.35	-	39.47	13.88	33.84

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96964G	62.18	88.20	-26.02	42.67	3	Horizontal	235	1.77	-	39.47	13.88	33.84
RMS	12.96997G	47.85	68.20	-20.35	28.34	3	Horizontal	235	1.77	-	39.47	13.88	33.84

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4549G	54.70	83.54	-28.84	65.25	1	Vertical	166	1.50	-	37.68	14.91	63.14
AV	19.45486G	51.29	63.54	-12.25	61.84	1	Vertical	166	1.50	-	37.68	14.91	63.14

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45488G	62.37	83.54	-21.17	72.92	1	Horizontal	122	1.54	-	37.68	14.91	63.14
AV	19.45486G	61.17	63.54	-2.37	71.72	1	Horizontal	122	1.54	-	37.68	14.91	63.14

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	59.56	88.20	-28.64	52.59	3	Vertical	144	3.00	-	34.66	7.26	34.95
RMS	5.9202G	47.41	68.20	-20.79	40.42	3	Vertical	144	3.00	-	34.68	7.26	34.95
PK	6.5362G	110.48	Inf	-Inf	103.00	3	Vertical	144	3.00	-	34.84	7.67	35.03
RMS	6.5306G	98.17	Inf	-Inf	90.71	3	Vertical	144	3.00	-	34.82	7.67	35.03
PK	7.1522G	62.98	88.20	-25.22	53.34	3	Vertical	144	3.00	-	36.11	8.60	35.07
RMS	7.2166G	50.77	68.20	-17.43	40.67	3	Vertical	144	3.00	-	36.50	8.70	35.10

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	59.33	88.20	-28.87	52.36	3	Horizontal	132	1.56	-	34.66	7.26	34.95
RMS	5.925G	49.08	68.20	-19.12	42.07	3	Horizontal	132	1.56	-	34.70	7.26	34.95
PK	6.5446G	106.63	Inf	-Inf	99.11	3	Horizontal	132	1.56	-	34.88	7.67	35.03
RMS	6.539G	98.07	Inf	-Inf	90.57	3	Horizontal	132	1.56	-	34.86	7.67	35.03
PK	7.1662G	62.23	88.20	-25.97	52.48	3	Horizontal	132	1.56	-	36.20	8.63	35.08
RMS	7.197G	52.40	68.20	-15.80	42.42	3	Horizontal	132	1.56	-	36.38	8.69	35.09

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0499G	61.99	88.20	-26.21	42.14	3	Vertical	8	1.60	-	39.65	13.94	33.74
RMS	13.0498G	48.24	68.20	-19.96	28.39	3	Vertical	8	1.60	-	39.65	13.94	33.74

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04968G	62.02	88.20	-26.18	42.17	3	Horizontal	296	2.64	-	39.65	13.94	33.74
RMS	13.05006G	48.28	68.20	-19.92	28.43	3	Horizontal	296	2.64	-	39.65	13.94	33.74

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57476G	56.09	83.54	-27.45	66.54	1	Vertical	190	1.62	-	37.67	14.95	63.07
AV	19.57488G	53.67	63.54	-9.87	64.12	1	Vertical	190	1.62	-	37.67	14.95	63.07

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57492G	60.91	83.54	-22.63	71.36	1	Horizontal	123	1.53	-	37.67	14.95	63.07
AV	19.57488G	59.61	63.54	-3.93	70.06	1	Horizontal	123	1.53	-	37.67	14.95	63.07

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5578G	110.61	Inf	-Inf	103.03	3	Vertical	144	2.97	-	34.93	7.68	35.03
RMS	6.5578G	101.25	Inf	-Inf	93.67	3	Vertical	144	2.97	-	34.93	7.68	35.03
PK	7.1482G	62.48	88.20	-25.72	52.86	3	Vertical	144	2.97	-	36.09	8.60	35.07
RMS	7.1434G	52.14	68.20	-16.06	42.56	3	Vertical	144	2.97	-	36.06	8.59	35.07

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5674G	109.29	Inf	-Inf	101.67	3	Horizontal	183	2.57	-	34.97	7.68	35.03
RMS	6.5674G	99.77	Inf	-Inf	92.15	3	Horizontal	183	2.57	-	34.97	7.68	35.03
PK	7.1626G	61.91	88.20	-26.29	52.17	3	Horizontal	183	2.57	-	36.18	8.63	35.07
RMS	7.141G	52.14	68.20	-16.06	42.57	3	Horizontal	183	2.57	-	36.05	8.58	35.06

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13002G	62.15	88.20	-26.05	41.97	3	Vertical	314	2.94	-	39.83	14.00	33.65
RMS	13.12993G	48.22	68.20	-19.98	28.04	3	Vertical	314	2.94	-	39.83	14.00	33.65

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12989G	61.54	88.20	-26.66	41.36	3	Horizontal	339	1.00	-	39.83	14.00	33.65
RMS	13.13021G	48.21	68.20	-19.99	28.03	3	Horizontal	339	1.00	-	39.83	14.00	33.65

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69486G	56.08	83.54	-27.46	66.49	1	Vertical	187	1.49	-	37.62	14.99	63.02
AV	19.69492G	53.79	63.54	-9.75	64.20	1	Vertical	187	1.49	-	37.62	14.99	63.02

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69488G	61.98	83.54	-21.56	72.39	1	Horizontal	124	1.52	-	37.62	14.99	63.02
AV	19.69486G	60.93	63.54	-2.61	71.34	1	Horizontal	124	1.52	-	37.62	14.99	63.02

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.689G	108.57	Inf	-Inf	100.42	3	Vertical	141	3.00	-	35.38	7.79	35.02
RMS	6.683G	98.65	Inf	-Inf	90.52	3	Vertical	141	3.00	-	35.37	7.78	35.02
PK	7.129G	62.69	88.20	-25.51	53.22	3	Vertical	141	3.00	-	35.97	8.56	35.06
RMS	7.173G	52.23	68.20	-15.97	42.42	3	Vertical	141	3.00	-	36.24	8.65	35.08

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.697G	106.09	Inf	-Inf	97.92	3	Horizontal	92	1.80	-	35.39	7.80	35.02
RMS	6.697G	95.98	Inf	-Inf	87.81	3	Horizontal	92	1.80	-	35.39	7.80	35.02
PK	7.175G	62.34	88.20	-25.86	52.52	3	Horizontal	92	1.80	-	36.25	8.65	35.08
RMS	7.167G	52.22	68.20	-15.98	42.47	3	Horizontal	92	1.80	-	36.20	8.63	35.08

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36994G	61.57	74.00	-12.43	40.54	3	Vertical	218	1.69	-	40.24	14.20	33.41
AV	13.37019G	47.85	54.00	-6.15	26.82	3	Vertical	218	1.69	-	40.24	14.20	33.41

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36994G	61.67	74.00	-12.33	40.64	3	Horizontal	72	1.53	-	40.24	14.20	33.41
AV	13.37047G	47.81	54.00	-6.19	26.77	3	Horizontal	72	1.53	-	40.24	14.20	33.40

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.055G	54.38	83.54	-29.16	64.67	1	Vertical	70	1.61	-	37.44	15.11	62.84
AV	20.05484G	51.42	63.54	-12.12	61.72	1	Vertical	70	1.61	-	37.44	15.11	62.85

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05488G	61.62	83.54	-21.92	71.92	1	Horizontal	198	1.52	-	37.44	15.11	62.85
AV	20.05486G	60.49	63.54	-3.05	70.79	1	Horizontal	198	1.52	-	37.44	15.11	62.85

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.861G	108.12	Inf	-Inf	99.43	3	Vertical	147	2.95	-	35.68	8.02	35.01
RMS	6.8498G	97.63	Inf	-Inf	88.94	3	Vertical	147	2.95	-	35.70	8.00	35.01
PK	7.2306G	64.00	88.20	-24.20	53.83	3	Vertical	147	2.95	-	36.58	8.70	35.11
RMS	7.245G	51.03	68.20	-17.17	40.77	3	Vertical	147	2.95	-	36.67	8.70	35.11

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8626G	109.55	Inf	-Inf	100.86	3	Horizontal	288	1.59	-	35.67	8.03	35.01
RMS	6.8626G	99.24	Inf	-Inf	90.55	3	Horizontal	288	1.59	-	35.67	8.03	35.01
PK	7.2146G	63.25	88.20	-24.95	53.16	3	Horizontal	288	1.59	-	36.49	8.70	35.10
RMS	7.245G	52.88	68.20	-15.32	42.62	3	Horizontal	288	1.59	-	36.67	8.70	35.11

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69003G	64.63	88.20	-23.57	42.66	3	Vertical	26	1.46	-	40.59	14.45	33.07
RMS	13.68952G	51.01	68.20	-17.19	29.04	3	Vertical	26	1.46	-	40.59	14.45	33.07

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68951G	65.26	88.20	-22.94	43.29	3	Horizontal	296	1.39	-	40.59	14.45	33.07
RMS	13.6895G	51.03	68.20	-17.17	29.06	3	Horizontal	296	1.39	-	40.59	14.45	33.07

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5348G	54.34	83.54	-29.20	63.77	1	Vertical	85	1.65	-	37.71	15.23	62.37
AV	20.5348G	50.62	63.54	-12.92	60.05	1	Vertical	85	1.65	-	37.71	15.23	62.37

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53488G	59.56	83.54	-23.98	68.99	1	Horizontal	190	1.50	-	37.71	15.23	62.37
AV	20.53486G	58.07	63.54	-5.47	67.50	1	Horizontal	190	1.50	-	37.71	15.23	62.37

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8668G	106.58	Inf	-Inf	97.89	3	Vertical	325	2.22	-	35.67	8.03	35.01
RMS	6.8668G	96.37	Inf	-Inf	87.68	3	Vertical	325	2.22	-	35.67	8.03	35.01
PK	7.1622G	63.74	88.20	-24.46	54.02	3	Vertical	325	2.22	-	36.17	8.62	35.07
RMS	7.2336G	52.81	68.20	-15.39	42.62	3	Vertical	325	2.22	-	36.60	8.70	35.11

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8864G	109.00	Inf	-Inf	100.31	3	Horizontal	250	1.96	-	35.63	8.07	35.01
RMS	6.8864G	99.68	Inf	-Inf	90.99	3	Horizontal	250	1.96	-	35.63	8.07	35.01
PK	7.2266G	63.65	88.20	-24.55	53.49	3	Horizontal	250	1.96	-	36.56	8.70	35.10
RMS	7.2266G	52.80	68.20	-15.40	42.64	3	Horizontal	250	1.96	-	36.56	8.70	35.10

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76989G	65.14	88.20	-23.06	42.86	3	Vertical	121	1.29	-	40.74	14.52	32.98
RMS	13.7699G	51.46	68.20	-16.74	29.18	3	Vertical	121	1.29	-	40.74	14.52	32.98

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76983G	65.42	88.20	-22.78	43.14	3	Horizontal	73	1.16	-	40.74	14.52	32.98
RMS	13.76983G	51.43	68.20	-16.77	29.15	3	Horizontal	73	1.16	-	40.74	14.52	32.98

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6549G	55.27	83.54	-28.27	64.50	1	Vertical	222	1.53	-	37.76	15.26	62.25
AV	20.65488G	52.55	63.54	-10.99	61.78	1	Vertical	222	1.53	-	37.76	15.26	62.25

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65488G	61.44	83.54	-22.10	70.67	1	Horizontal	203	1.54	-	37.76	15.26	62.25
AV	20.65488G	60.24	63.54	-3.30	69.47	1	Horizontal	203	1.54	-	37.76	15.26	62.25

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9286G	106.08	Inf	-Inf	97.26	3	Vertical	247	2.30	-	35.66	8.16	35.00
RMS	6.9262G	93.34	Inf	-Inf	84.54	3	Vertical	247	2.30	-	35.65	8.15	35.00
PK	7.2238G	63.75	88.20	-24.45	53.61	3	Vertical	247	2.30	-	36.54	8.70	35.10
RMS	7.2142G	50.88	68.20	-17.32	40.79	3	Vertical	247	2.30	-	36.49	8.70	35.10

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9418G	109.17	Inf	-Inf	100.31	3	Horizontal	45	1.56	-	35.68	8.18	35.00
RMS	6.9418G	99.68	Inf	-Inf	90.82	3	Horizontal	45	1.56	-	35.68	8.18	35.00
PK	7.219G	63.49	88.20	-24.71	53.38	3	Horizontal	45	1.56	-	36.51	8.70	35.10
RMS	7.2238G	52.86	68.20	-15.34	42.72	3	Horizontal	45	1.56	-	36.54	8.70	35.10

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85035G	65.00	88.20	-23.20	42.42	3	Vertical	221	1.21	-	40.90	14.58	32.90
RMS	13.8501G	51.64	68.20	-16.56	29.06	3	Vertical	221	1.21	-	40.90	14.58	32.90

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85012G	65.35	88.20	-22.85	42.77	3	Horizontal	132	1.31	-	40.90	14.58	32.90
RMS	13.8497G	51.62	68.20	-16.58	29.04	3	Horizontal	132	1.31	-	40.90	14.58	32.90

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7747G	52.82	83.54	-30.72	61.81	1	Vertical	157	1.52	-	37.85	15.29	62.13
AV	20.77484G	48.54	63.54	-15.00	57.53	1	Vertical	157	1.52	-	37.85	15.29	62.13

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77496G	61.82	83.54	-21.72	70.81	1	Horizontal	206	1.65	-	37.85	15.29	62.13
AV	20.77488G	56.22	63.54	-7.32	65.21	1	Horizontal	206	1.65	-	37.85	15.29	62.13

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.001G	107.12	Inf	-Inf	98.12	3	Vertical	124	1.96	-	35.70	8.30	35.00
RMS	7.001G	97.30	Inf	-Inf	88.30	3	Vertical	124	1.96	-	35.70	8.30	35.00
PK	7.1442G	64.24	88.20	-23.96	54.65	3	Vertical	124	1.96	-	36.07	8.59	35.07
RMS	7.205G	52.64	68.20	-15.56	42.60	3	Vertical	124	1.96	-	36.43	8.70	35.09

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	109.24	Inf	-Inf	100.23	3	Horizontal	144	1.71	-	35.70	8.31	35.00
RMS	7.001G	99.91	Inf	-Inf	90.91	3	Horizontal	144	1.71	-	35.70	8.30	35.00
PK	7.201G	63.66	88.20	-24.54	53.64	3	Horizontal	144	1.71	-	36.41	8.70	35.09
RMS	7.2042G	52.65	68.20	-15.55	42.61	3	Horizontal	144	1.71	-	36.43	8.70	35.09

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00975G	66.07	88.20	-22.13	42.88	3	Vertical	239	2.24	-	41.23	14.71	32.75
RMS	14.0101G	52.60	68.20	-15.60	29.41	3	Vertical	239	2.24	-	41.23	14.71	32.75

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00974G	66.28	88.20	-21.92	43.09	3	Horizontal	314	2.15	-	41.23	14.71	32.75
RMS	14.01047G	52.58	68.20	-15.62	29.39	3	Horizontal	314	2.15	-	41.23	14.71	32.75

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0149G	53.46	83.54	-30.08	61.70	1	Vertical	78	1.50	-	38.29	15.35	61.88
AV	21.01492G	48.70	63.54	-14.84	56.94	1	Vertical	78	1.50	-	38.29	15.35	61.88

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01494G	60.83	83.54	-22.71	69.07	1	Horizontal	198	1.65	-	38.29	15.35	61.88
AV	21.01484G	57.58	63.54	-5.96	65.82	1	Horizontal	198	1.65	-	38.29	15.35	61.88

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.069G	109.23	Inf	-Inf	100.08	3	Vertical	127	1.93	-	35.74	8.44	35.03
RMS	7.0674G	96.85	Inf	-Inf	87.72	3	Vertical	127	1.93	-	35.73	8.43	35.03
PK	7.1494G	63.99	88.20	-24.21	54.36	3	Vertical	127	1.93	-	36.10	8.60	35.07
RMS	7.1846G	50.59	68.20	-17.61	40.69	3	Vertical	127	1.93	-	36.31	8.67	35.08

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 45
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0774G	109.78	Inf	-Inf	100.62	3	Horizontal	116	1.74	-	35.75	8.45	35.04
RMS	7.0758G	99.75	Inf	-Inf	90.58	3	Horizontal	116	1.74	-	35.75	8.45	35.03
PK	7.1554G	63.24	88.20	-24.96	53.57	3	Horizontal	116	1.74	-	36.13	8.61	35.07
RMS	7.125G	52.59	68.20	-15.61	43.15	3	Horizontal	116	1.74	-	35.95	8.55	35.06

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16996G	66.17	88.20	-22.03	42.67	3	Vertical	355	2.01	-	41.57	14.87	32.94
RMS	14.16957G	52.96	68.20	-15.24	29.46	3	Vertical	355	2.01	-	41.57	14.87	32.94

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 45
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17036G	66.66	88.20	-21.54	43.16	3	Horizontal	220	1.13	-	41.57	14.87	32.94
RMS	14.17014G	52.91	68.20	-15.29	29.41	3	Horizontal	220	1.13	-	41.57	14.87	32.94

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25486G	55.57	83.54	-27.97	63.65	1	Vertical	97	1.64	-	38.10	15.41	61.59
AV	21.25482G	52.69	63.54	-10.85	60.77	1	Vertical	97	1.64	-	38.10	15.41	61.59

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 45
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.255G	57.15	83.54	-26.39	65.23	1	Horizontal	215	1.65	-	38.10	15.41	61.59
AV	21.25494G	53.70	63.54	-9.84	61.78	1	Horizontal	215	1.65	-	38.10	15.41	61.59

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	68.74	88.20	-19.46	61.75	3	Vertical	151	3.00	-	34.68	7.26	34.95
RMS	5.9242G	51.46	68.20	-16.74	44.45	3	Vertical	151	3.00	-	34.70	7.26	34.95
PK	6.0042G	110.41	Inf	-Inf	103.26	3	Vertical	151	3.00	-	34.81	7.31	34.97
RMS	6.0002G	97.94	Inf	-Inf	90.81	3	Vertical	151	3.00	-	34.80	7.30	34.97

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	67.65	88.20	-20.55	60.66	3	Horizontal	357	2.36	-	34.68	7.26	34.95
RMS	5.9186G	49.14	68.20	-19.06	42.16	3	Horizontal	357	2.36	-	34.67	7.26	34.95
PK	5.993G	113.67	Inf	-Inf	106.54	3	Horizontal	357	2.36	-	34.80	7.30	34.97
RMS	5.9914G	102.70	Inf	-Inf	95.57	3	Horizontal	357	2.36	-	34.80	7.30	34.97

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96999G	59.20	74.00	-14.80	49.68	3	Vertical	203	2.65	-	39.20	13.08	42.76
AV	11.97038G	45.66	54.00	-8.34	36.14	3	Vertical	203	2.65	-	39.20	13.08	42.76
PK	17.95446G	61.94	74.00	-12.06	41.07	3	Vertical	177	1.53	-	44.89	17.87	41.89
AV	17.94744G	49.73	54.00	-4.27	28.84	3	Vertical	177	1.53	-	44.91	17.87	41.89

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97002G	59.12	74.00	-14.88	49.60	3	Horizontal	207	2.18	-	39.20	13.08	42.76
AV	11.96983G	45.58	54.00	-8.42	36.06	3	Horizontal	207	2.18	-	39.20	13.08	42.76
PK	17.96112G	61.81	74.00	-12.19	40.94	3	Horizontal	112	1.04	-	44.88	17.88	41.89
AV	17.95296G	49.72	54.00	-4.28	28.85	3	Horizontal	112	1.04	-	44.89	17.87	41.89

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9074G	60.85	88.20	-27.35	53.92	3	Vertical	151	3.00	-	34.63	7.25	34.95
RMS	5.925G	47.55	68.20	-20.65	40.54	3	Vertical	151	3.00	-	34.70	7.26	34.95
PK	6.1306G	110.32	Inf	-Inf	102.81	3	Vertical	151	3.00	-	35.00	7.50	34.99
RMS	6.133G	97.54	Inf	-Inf	90.03	3	Vertical	151	3.00	-	35.00	7.50	34.99

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8474G	59.59	88.20	-28.61	53.02	3	Horizontal	167	1.46	-	34.29	7.22	34.94
RMS	5.925G	49.27	68.20	-18.93	42.26	3	Horizontal	167	1.46	-	34.70	7.26	34.95
PK	6.121G	111.48	Inf	-Inf	103.98	3	Horizontal	167	1.46	-	35.00	7.48	34.98
RMS	6.1186G	101.68	Inf	-Inf	94.18	3	Horizontal	167	1.46	-	35.00	7.48	34.98

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28953G	58.10	74.00	-15.90	40.80	3	Vertical	271	2.89	-	38.80	13.33	34.83
AV	12.29012G	44.63	54.00	-9.37	27.33	3	Vertical	271	2.89	-	38.80	13.33	34.83

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29005G	58.31	74.00	-15.69	41.01	3	Horizontal	136	1.93	-	38.80	13.33	34.83
AV	12.28952G	44.81	54.00	-9.19	27.51	3	Horizontal	136	1.93	-	38.80	13.33	34.83

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4347G	54.52	83.54	-29.02	65.76	1	Vertical	140	1.55	-	37.57	14.55	63.36
AV	18.43486G	52.04	63.54	-11.50	63.28	1	Vertical	140	1.55	-	37.57	14.55	63.36

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43494G	61.43	83.54	-22.11	72.67	1	Horizontal	234	1.55	-	37.57	14.55	63.36
AV	18.43486G	60.35	63.54	-3.19	71.59	1	Horizontal	234	1.55	-	37.57	14.55	63.36

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	59.39	88.20	-28.81	52.43	3	Vertical	148	2.32	-	34.65	7.26	34.95
RMS	5.9218G	49.29	68.20	-18.91	42.29	3	Vertical	148	2.32	-	34.69	7.26	34.95
PK	6.373G	106.47	Inf	-Inf	98.98	3	Vertical	148	2.32	-	34.90	7.60	35.01
RMS	6.3562G	95.56	Inf	-Inf	88.07	3	Vertical	148	2.32	-	34.90	7.60	35.01

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	59.25	88.20	-28.95	52.66	3	Horizontal	99	1.52	-	34.30	7.23	34.94
RMS	5.9218G	47.23	68.20	-20.97	40.23	3	Horizontal	99	1.52	-	34.69	7.26	34.95
PK	6.3682G	112.57	Inf	-Inf	105.08	3	Horizontal	99	1.52	-	34.90	7.60	35.01
RMS	6.3682G	101.20	Inf	-Inf	93.71	3	Horizontal	99	1.52	-	34.90	7.60	35.01

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77045G	60.51	88.20	-27.69	41.72	3	Vertical	273	2.43	-	39.24	13.72	34.17
RMS	12.76991G	46.13	68.20	-22.07	27.34	3	Vertical	273	2.43	-	39.24	13.72	34.17

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77002G	59.92	88.20	-28.28	41.13	3	Horizontal	126	2.56	-	39.24	13.72	34.17
RMS	12.76964G	46.11	68.20	-22.09	27.32	3	Horizontal	126	2.56	-	39.24	13.72	34.17

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15488G	56.01	83.54	-27.53	67.03	1	Vertical	177	1.54	-	37.56	14.80	63.38
AV	19.15496G	53.21	63.54	-10.33	64.23	1	Vertical	177	1.54	-	37.56	14.80	63.38

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15482G	61.26	83.54	-22.28	72.28	1	Horizontal	170	1.54	-	37.56	14.80	63.38
AV	19.15486G	60.01	63.54	-3.53	71.03	1	Horizontal	170	1.54	-	37.56	14.80	63.38

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8904G	59.95	88.20	-28.25	53.11	3	Vertical	158	3.00	-	34.54	7.25	34.95
RMS	5.9242G	47.29	68.20	-20.91	40.28	3	Vertical	158	3.00	-	34.70	7.26	34.95
PK	6.4364G	108.32	Inf	-Inf	100.97	3	Vertical	158	3.00	-	34.75	7.62	35.02
RMS	6.4312G	96.40	Inf	-Inf	89.02	3	Vertical	158	3.00	-	34.78	7.62	35.02

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8306G	59.30	88.20	-28.90	52.75	3	Horizontal	103	1.40	-	34.26	7.22	34.93
RMS	5.9216G	49.06	68.20	-19.14	42.06	3	Horizontal	103	1.40	-	34.69	7.26	34.95
PK	6.4416G	110.49	Inf	-Inf	103.16	3	Horizontal	103	1.40	-	34.73	7.62	35.02
RMS	6.4728G	99.86	Inf	-Inf	92.55	3	Horizontal	103	1.40	-	34.70	7.64	35.03

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93042G	61.13	88.20	-27.07	41.77	3	Vertical	178	2.99	-	39.43	13.84	33.91
RMS	12.93011G	47.37	68.20	-20.83	28.01	3	Vertical	178	2.99	-	39.43	13.84	33.91

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92995G	61.21	88.20	-26.99	41.85	3	Horizontal	39	2.77	-	39.43	13.84	33.91
RMS	12.93007G	47.45	68.20	-20.75	28.09	3	Horizontal	39	2.77	-	39.43	13.84	33.91

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39488G	54.89	83.54	-28.65	65.52	1	Vertical	168	1.57	-	37.66	14.89	63.18
AV	19.39482G	52.06	63.54	-11.48	62.69	1	Vertical	168	1.57	-	37.66	14.89	63.18

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39492G	62.17	83.54	-21.37	72.80	1	Horizontal	122	1.54	-	37.66	14.89	63.18
AV	19.39484G	61.08	63.54	-2.46	71.71	1	Horizontal	122	1.54	-	37.66	14.89	63.18

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	59.32	88.20	-28.88	52.35	3	Vertical	146	2.93	-	34.66	7.26	34.95
RMS	5.925G	49.33	68.20	-18.87	42.32	3	Vertical	146	2.93	-	34.70	7.26	34.95
PK	6.5422G	110.23	Inf	-Inf	102.72	3	Vertical	146	2.93	-	34.87	7.67	35.03
RMS	6.5338G	100.11	Inf	-Inf	92.63	3	Vertical	146	2.93	-	34.84	7.67	35.03
PK	7.2282G	63.00	88.20	-25.20	52.83	3	Vertical	146	2.93	-	36.57	8.70	35.10
RMS	7.2338G	52.68	68.20	-15.52	42.49	3	Vertical	146	2.93	-	36.60	8.70	35.11

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.873G	60.10	88.20	-28.10	53.36	3	Horizontal	103	1.40	-	34.44	7.24	34.94
RMS	5.925G	49.12	68.20	-19.08	42.11	3	Horizontal	103	1.40	-	34.70	7.26	34.95
PK	6.573G	109.09	Inf	-Inf	101.44	3	Horizontal	103	1.40	-	34.99	7.69	35.03
RMS	6.5702G	99.89	Inf	-Inf	92.25	3	Horizontal	103	1.40	-	34.98	7.69	35.03
PK	7.2198G	63.26	88.20	-24.94	53.14	3	Horizontal	103	1.40	-	36.52	8.70	35.10
RMS	7.2338G	52.74	68.20	-15.46	42.55	3	Horizontal	103	1.40	-	36.60	8.70	35.11

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09034G	62.17	88.20	-26.03	42.13	3	Vertical	340	2.66	-	39.77	13.97	33.70
RMS	13.08993G	48.23	68.20	-19.97	28.19	3	Vertical	340	2.66	-	39.77	13.97	33.70

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08955G	61.79	88.20	-26.41	41.75	3	Horizontal	313	2.36	-	39.77	13.97	33.70
RMS	13.09032G	48.30	68.20	-19.90	28.26	3	Horizontal	313	2.36	-	39.77	13.97	33.70

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63488G	55.92	83.54	-27.62	66.35	1	Vertical	186	1.50	-	37.65	14.97	63.05
AV	19.63486G	53.26	63.54	-10.28	63.69	1	Vertical	186	1.50	-	37.65	14.97	63.05

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63482G	61.35	83.54	-22.19	71.78	1	Horizontal	125	1.53	-	37.65	14.97	63.05
AV	19.63486G	60.20	63.54	-3.34	70.63	1	Horizontal	125	1.53	-	37.65	14.97	63.05

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5962G	110.55	Inf	-Inf	102.79	3	Vertical	149	3.00	-	35.08	7.70	35.02
RMS	6.5938G	100.28	Inf	-Inf	92.52	3	Vertical	149	3.00	-	35.08	7.70	35.02
PK	7.2106G	62.98	88.20	-25.22	52.92	3	Vertical	149	3.00	-	36.46	8.70	35.10
RMS	7.2226G	52.55	68.20	-15.65	42.41	3	Vertical	149	3.00	-	36.54	8.70	35.10

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6034G	108.67	Inf	-Inf	100.88	3	Horizontal	289	1.80	-	35.11	7.70	35.02
RMS	6.6538G	94.61	Inf	-Inf	86.57	3	Horizontal	289	1.80	-	35.31	7.75	35.02
PK	7.2226G	62.62	88.20	-25.58	52.48	3	Horizontal	289	1.80	-	36.54	8.70	35.10
RMS	7.2106G	50.67	68.20	-17.53	40.61	3	Horizontal	289	1.80	-	36.46	8.70	35.10

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25006G	62.03	74.00	-11.97	41.46	3	Vertical	326	1.29	-	40.00	14.10	33.53
AV	13.2502G	47.71	54.00	-6.29	27.14	3	Vertical	326	1.29	-	40.00	14.10	33.53

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2509G	61.02	74.00	-12.98	40.45	3	Horizontal	178	2.32	-	40.00	14.10	33.53
AV	13.2517G	47.85	54.00	-6.15	27.28	3	Horizontal	178	2.32	-	40.00	14.10	33.53

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87484G	57.34	83.54	-26.20	67.73	1	Vertical	165	1.45	-	37.50	15.06	62.95
AV	19.87492G	54.13	63.54	-9.41	64.52	1	Vertical	165	1.45	-	37.50	15.06	62.95

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87494G	62.49	83.54	-21.05	72.88	1	Horizontal	124	1.52	-	37.50	15.06	62.95
AV	19.87486G	61.30	63.54	-2.24	71.69	1	Horizontal	124	1.52	-	37.50	15.06	62.95

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.709G	107.60	Inf	-Inf	99.37	3	Vertical	320	2.22	-	35.44	7.81	35.02
RMS	6.697G	96.74	Inf	-Inf	88.57	3	Vertical	320	2.22	-	35.39	7.80	35.02
PK	7.199G	62.53	88.20	-25.67	52.53	3	Vertical	320	2.22	-	36.39	8.70	35.09
RMS	7.195G	52.53	68.20	-15.67	42.56	3	Vertical	320	2.22	-	36.37	8.69	35.09

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	107.90	Inf	-Inf	99.73	3	Horizontal	170	1.80	-	35.39	7.80	35.02
RMS	6.699G	95.85	Inf	-Inf	87.67	3	Horizontal	170	1.80	-	35.40	7.80	35.02
PK	7.179G	62.25	88.20	-25.95	52.40	3	Horizontal	170	1.80	-	36.27	8.66	35.08
RMS	7.191G	50.63	68.20	-17.57	40.69	3	Horizontal	170	1.80	-	36.35	8.68	35.09

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41031G	62.57	88.20	-25.63	41.39	3	Vertical	53	1.11	-	40.31	14.23	33.36
RMS	13.40975G	47.79	68.20	-20.41	26.61	3	Vertical	53	1.11	-	40.31	14.23	33.36

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41035G	60.94	88.20	-27.26	39.76	3	Horizontal	310	2.72	-	40.31	14.23	33.36
RMS	13.40957G	47.80	68.20	-20.40	26.62	3	Horizontal	310	2.72	-	40.31	14.23	33.36

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11482G	56.97	83.54	-26.57	67.14	1	Vertical	176	1.57	-	37.49	15.13	62.79
AV	20.11482G	53.30	63.54	-10.24	63.47	1	Vertical	176	1.57	-	37.49	15.13	62.79

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11486G	64.01	83.54	-19.53	74.18	1	Horizontal	198	1.54	-	37.49	15.13	62.79
AV	20.11486G	63.10	63.54	-0.44	73.27	1	Horizontal	198	1.54	-	37.49	15.13	62.79

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8122G	109.86	Inf	-Inf	101.17	3	Vertical	136	2.97	-	35.78	7.92	35.01
RMS	6.8106G	97.88	Inf	-Inf	89.19	3	Vertical	136	2.97	-	35.78	7.92	35.01
PK	7.1722G	62.95	88.20	-25.25	53.16	3	Vertical	136	2.97	-	36.23	8.64	35.08
RMS	7.185G	50.39	68.20	-17.81	40.50	3	Vertical	136	2.97	-	36.31	8.67	35.09

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7546G	108.28	Inf	-Inf	99.82	3	Horizontal	108	1.89	-	35.62	7.85	35.01
RMS	6.7562G	96.95	Inf	-Inf	88.48	3	Horizontal	108	1.89	-	35.62	7.86	35.01
PK	7.137G	63.75	88.20	-24.45	54.22	3	Horizontal	108	1.89	-	36.02	8.57	35.06
RMS	7.1786G	50.43	68.20	-17.77	40.58	3	Horizontal	108	1.89	-	36.27	8.66	35.08

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57018G	62.16	88.20	-26.04	40.53	3	Vertical	154	2.66	-	40.47	14.36	33.20
RMS	13.57031G	49.13	68.20	-19.07	27.50	3	Vertical	154	2.66	-	40.47	14.36	33.20

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57G	63.25	88.20	-24.95	41.62	3	Horizontal	114	1.73	-	40.47	14.36	33.20
RMS	13.57045G	49.06	68.20	-19.14	27.43	3	Horizontal	114	1.73	-	40.47	14.36	33.20

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3549G	53.45	83.54	-30.09	63.17	1	Vertical	84	1.65	-	37.64	15.19	62.55
AV	20.35478G	50.26	63.54	-13.28	59.98	1	Vertical	84	1.65	-	37.64	15.19	62.55

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3548G	59.81	83.54	-23.73	69.53	1	Horizontal	188	1.50	-	37.64	15.19	62.55
AV	20.35486G	58.46	63.54	-5.08	68.18	1	Horizontal	188	1.50	-	37.64	15.19	62.55

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8678G	111.32	Inf	-Inf	102.63	3	Vertical	140	3.00	-	35.66	8.04	35.01
RMS	6.8678G	100.96	Inf	-Inf	92.27	3	Vertical	140	3.00	-	35.66	8.04	35.01
PK	7.1254G	63.47	88.20	-24.73	54.03	3	Vertical	140	3.00	-	35.95	8.55	35.06
RMS	7.215G	52.62	68.20	-15.58	42.53	3	Vertical	140	3.00	-	36.49	8.70	35.10

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8356G	107.11	Inf	-Inf	98.42	3	Horizontal	108	1.89	-	35.73	7.97	35.01
RMS	6.8342G	95.89	Inf	-Inf	87.20	3	Horizontal	108	1.89	-	35.73	7.97	35.01
PK	7.1814G	62.84	88.20	-25.36	52.97	3	Horizontal	108	1.89	-	36.29	8.66	35.08
RMS	7.2052G	50.79	68.20	-17.41	40.75	3	Horizontal	108	1.89	-	36.43	8.70	35.09

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72978G	65.05	88.20	-23.15	42.94	3	Vertical	191	2.74	-	40.66	14.48	33.03
RMS	13.73036G	51.39	68.20	-16.81	29.28	3	Vertical	191	2.74	-	40.66	14.48	33.03

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73003G	65.51	88.20	-22.69	43.40	3	Horizontal	175	1.62	-	40.66	14.48	33.03
RMS	13.72972G	51.20	68.20	-17.00	29.09	3	Horizontal	175	1.62	-	40.66	14.48	33.03

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59482G	52.60	83.54	-30.94	61.92	1	Vertical	86	1.65	-	37.74	15.25	62.31
AV	20.59496G	48.77	63.54	-14.77	58.09	1	Vertical	86	1.65	-	37.74	15.25	62.31

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59484G	58.99	83.54	-24.55	68.31	1	Horizontal	190	1.50	-	37.74	15.25	62.31
AV	20.59486G	57.30	63.54	-6.24	66.62	1	Horizontal	190	1.50	-	37.74	15.25	62.31

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9474G	109.33	Inf	-Inf	100.45	3	Vertical	141	3.00	-	35.69	8.19	35.00
RMS	6.9438G	97.64	Inf	-Inf	88.76	3	Vertical	141	3.00	-	35.69	8.19	35.00
PK	7.2414G	63.43	88.20	-24.77	53.19	3	Vertical	141	3.00	-	36.65	8.70	35.11
RMS	7.2342G	50.98	68.20	-17.22	40.78	3	Vertical	141	3.00	-	36.61	8.70	35.11

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.915G	111.99	Inf	-Inf	103.24	3	Horizontal	262	1.38	-	35.63	8.13	35.01
RMS	6.9138G	100.42	Inf	-Inf	91.67	3	Horizontal	262	1.38	-	35.63	8.13	35.01
PK	7.2342G	63.13	88.20	-25.07	52.93	3	Horizontal	262	1.38	-	36.61	8.70	35.11
RMS	7.2402G	50.98	68.20	-17.22	40.75	3	Horizontal	262	1.38	-	36.64	8.70	35.11

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88977G	65.82	88.20	-22.38	43.09	3	Vertical	171	2.23	-	40.98	14.61	32.86
RMS	13.88967G	51.86	68.20	-16.34	29.13	3	Vertical	171	2.23	-	40.98	14.61	32.86

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88988G	65.82	88.20	-22.38	43.09	3	Horizontal	314	2.80	-	40.98	14.61	32.86
RMS	13.88995G	51.98	68.20	-16.22	29.25	3	Horizontal	314	2.80	-	40.98	14.61	32.86

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.835G	54.48	83.54	-29.06	63.26	1	Vertical	148	1.56	-	37.97	15.31	62.06
AV	20.83482G	51.16	63.54	-12.38	59.95	1	Vertical	148	1.56	-	37.97	15.31	62.07

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83488G	60.38	83.54	-23.16	69.17	1	Horizontal	232	1.52	-	37.97	15.31	62.07
AV	20.83484G	56.32	63.54	-7.22	65.11	1	Horizontal	232	1.52	-	37.97	15.31	62.07

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9914G	107.27	Inf	-Inf	98.29	3	Vertical	130	1.80	-	35.70	8.28	35.00
RMS	6.997G	94.89	Inf	-Inf	85.90	3	Vertical	130	1.80	-	35.70	8.29	35.00
PK	7.1418G	63.73	88.20	-24.47	54.17	3	Vertical	130	1.80	-	36.05	8.58	35.07
RMS	7.2058G	50.91	68.20	-17.29	40.87	3	Vertical	130	1.80	-	36.43	8.70	35.09

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0394G	108.96	Inf	-Inf	99.90	3	Horizontal	262	1.38	-	35.70	8.38	35.02
RMS	7.0394G	97.01	Inf	-Inf	87.95	3	Horizontal	262	1.38	-	35.70	8.38	35.02
PK	7.2042G	63.93	88.20	-24.27	53.89	3	Horizontal	262	1.38	-	36.43	8.70	35.09
RMS	7.2146G	50.94	68.20	-17.26	40.85	3	Horizontal	262	1.38	-	36.49	8.70	35.10

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05015G	66.76	88.20	-21.44	43.46	3	Vertical	103	2.65	-	41.35	14.75	32.80
RMS	14.04955G	53.08	68.20	-15.12	29.78	3	Vertical	103	2.65	-	41.35	14.75	32.80

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 60
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04995G	67.46	88.20	-20.74	44.16	3	Horizontal	16	2.00	-	41.35	14.75	32.80
RMS	14.04969G	53.14	68.20	-15.06	29.84	3	Horizontal	16	2.00	-	41.35	14.75	32.80

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07486G	53.34	83.54	-30.20	61.54	1	Vertical	78	1.58	-	38.24	15.37	61.81
AV	21.07486G	49.98	63.54	-13.56	58.18	1	Vertical	78	1.58	-	38.24	15.37	61.81

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 60
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07476G	59.88	83.54	-23.66	68.08	1	Horizontal	232	1.63	-	38.24	15.37	61.81
AV	21.0748G	56.30	63.54	-7.24	64.50	1	Horizontal	232	1.63	-	38.24	15.37	61.81

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.91G	75.08	88.20	-13.12	68.14	3	Vertical	146	2.45	-	34.64	7.25	34.95
RMS	5.923G	57.00	68.20	-11.20	50.00	3	Vertical	146	2.45	-	34.69	7.26	34.95
PK	5.957G	113.21	Inf	-Inf	106.09	3	Vertical	146	2.45	-	34.80	7.28	34.96
RMS	6.044G	95.76	Inf	-Inf	88.48	3	Vertical	146	2.45	-	34.89	7.37	34.98

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 70
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	72.69	88.20	-15.51	65.69	3	Horizontal	234	1.53	-	34.69	7.26	34.95
RMS	5.925G	55.87	68.20	-12.33	48.86	3	Horizontal	234	1.53	-	34.70	7.26	34.95
PK	6.045G	113.31	Inf	-Inf	106.03	3	Horizontal	234	1.53	-	34.89	7.37	34.98
RMS	6.045G	102.05	Inf	-Inf	94.77	3	Horizontal	234	1.53	-	34.89	7.37	34.98

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04979G	58.97	74.00	-15.03	41.79	3	Vertical	184	1.56	-	39.10	13.14	35.06
AV	12.05006G	45.28	54.00	-8.72	28.10	3	Vertical	184	1.56	-	39.10	13.14	35.06

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04991G	58.75	74.00	-15.25	41.57	3	Horizontal	293	2.15	-	39.10	13.14	35.06
AV	12.0501G	45.42	54.00	-8.58	28.24	3	Horizontal	293	2.15	-	39.10	13.14	35.06

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 70
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0749G	48.97	83.54	-34.57	60.18	1	Vertical	131	1.64	-	37.50	14.43	63.14
AV	18.0749G	40.01	63.54	-23.53	51.22	1	Vertical	131	1.64	-	37.50	14.43	63.14

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 70
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07486G	55.91	83.54	-27.63	67.12	1	Horizontal	199	1.58	-	37.50	14.43	63.14
AV	18.07478G	48.68	63.54	-14.86	59.89	1	Horizontal	199	1.58	-	37.50	14.43	63.14

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 70
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55494G	54.31	83.54	-29.23	65.51	1	Vertical	212	1.60	-	37.62	14.59	63.41
AV	18.55486G	51.58	63.54	-11.96	62.78	1	Vertical	212	1.60	-	37.62	14.59	63.41

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 70
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55488G	62.23	83.54	-21.31	73.43	1	Horizontal	203	1.56	-	37.62	14.59	63.41
AV	18.55486G	61.16	63.54	-2.38	72.36	1	Horizontal	203	1.56	-	37.62	14.59	63.41

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	59.94	88.20	-28.26	52.94	3	Vertical	153	3.00	-	34.69	7.26	34.95
RMS	5.925G	49.42	68.20	-18.78	42.41	3	Vertical	153	3.00	-	34.70	7.26	34.95
PK	6.317G	109.99	Inf	-Inf	102.43	3	Vertical	153	3.00	-	34.97	7.60	35.01
RMS	6.303G	100.48	Inf	-Inf	92.90	3	Vertical	153	3.00	-	34.99	7.60	35.01

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	59.05	88.20	-29.15	52.06	3	Horizontal	342	1.59	-	34.68	7.26	34.95
RMS	5.919G	47.27	68.20	-20.93	40.28	3	Horizontal	342	1.59	-	34.68	7.26	34.95
PK	6.353G	109.04	Inf	-Inf	101.55	3	Horizontal	342	1.59	-	34.90	7.60	35.01
RMS	6.353G	98.52	Inf	-Inf	91.03	3	Horizontal	342	1.59	-	34.90	7.60	35.01

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69035G	59.88	74.00	-14.12	41.46	3	Vertical	339	1.24	-	39.07	13.65	34.30
AV	12.68958G	45.99	54.00	-8.01	27.58	3	Vertical	339	1.24	-	39.07	13.65	34.31

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68969G	59.22	74.00	-14.78	40.81	3	Horizontal	101	1.99	-	39.07	13.65	34.31
AV	12.69028G	45.91	54.00	-8.09	27.49	3	Horizontal	101	1.99	-	39.07	13.65	34.30

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 70
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03478G	56.76	83.54	-26.78	67.96	1	Vertical	183	1.65	-	37.51	14.76	63.47
AV	19.03492G	54.39	63.54	-9.15	65.59	1	Vertical	183	1.65	-	37.51	14.76	63.47

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 70
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0349G	62.64	83.54	-20.90	73.84	1	Horizontal	188	1.65	-	37.51	14.76	63.47
AV	19.03478G	60.81	63.54	-2.73	72.01	1	Horizontal	188	1.65	-	37.51	14.76	63.47

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 70
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8778G	58.87	88.20	-29.33	52.10	3	Vertical	131	2.83	-	34.47	7.24	34.94
RMS	5.925G	47.37	68.20	-20.83	40.36	3	Vertical	131	2.83	-	34.70	7.26	34.95
PK	6.4378G	107.28	Inf	-Inf	99.93	3	Vertical	131	2.83	-	34.75	7.62	35.02
RMS	6.4378G	96.11	Inf	-Inf	88.76	3	Vertical	131	2.83	-	34.75	7.62	35.02
PK	7.177G	63.02	88.20	-25.18	53.19	3	Vertical	131	2.83	-	36.26	8.65	35.08
RMS	7.2022G	50.38	68.20	-17.82	40.36	3	Vertical	131	2.83	-	36.41	8.70	35.09

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 70
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8442G	58.90	88.20	-29.30	52.33	3	Horizontal	66	2.23	-	34.29	7.22	34.94
RMS	5.9198G	47.25	68.20	-20.95	40.26	3	Horizontal	66	2.23	-	34.68	7.26	34.95
PK	6.5582G	105.36	Inf	-Inf	97.78	3	Horizontal	66	2.23	-	34.93	7.68	35.03
RMS	6.5806G	93.79	Inf	-Inf	86.11	3	Horizontal	66	2.23	-	35.02	7.69	35.03
PK	7.1798G	62.30	88.20	-25.90	52.44	3	Horizontal	66	2.23	-	36.28	8.66	35.08
RMS	7.205G	50.41	68.20	-17.79	40.37	3	Horizontal	66	2.23	-	36.43	8.70	35.09

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 70
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00953G	61.42	88.20	-26.78	41.76	3	Vertical	135	1.19	-	39.53	13.91	33.78
RMS	13.01043G	47.98	68.20	-20.22	28.32	3	Vertical	135	1.19	-	39.53	13.91	33.78

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 70
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01015G	62.07	88.20	-26.13	42.41	3	Horizontal	126	2.58	-	39.53	13.91	33.78
RMS	13.01043G	47.95	68.20	-20.25	28.29	3	Horizontal	126	2.58	-	39.53	13.91	33.78

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 70
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51488G	55.51	83.54	-28.03	65.98	1	Vertical	187	1.50	-	37.69	14.93	63.09
AV	19.51486G	52.65	63.54	-10.89	63.12	1	Vertical	187	1.50	-	37.69	14.93	63.09

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 70
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51488G	61.88	83.54	-21.66	72.35	1	Horizontal	122	1.53	-	37.69	14.93	63.09
AV	19.51486G	60.70	63.54	-2.84	71.17	1	Horizontal	122	1.53	-	37.69	14.93	63.09

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6848G	106.28	Inf	-Inf	98.15	3	Vertical	131	2.83	-	35.37	7.78	35.02
RMS	6.5924G	94.55	Inf	-Inf	86.80	3	Vertical	131	2.83	-	35.07	7.70	35.02
PK	7.1732G	62.65	88.20	-25.55	52.84	3	Vertical	131	2.83	-	36.24	8.65	35.08
RMS	7.2106G	50.56	68.20	-17.64	40.50	3	Vertical	131	2.83	-	36.46	8.70	35.10

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.654G	109.07	Inf	-Inf	101.03	3	Horizontal	123	1.50	-	35.31	7.75	35.02
RMS	6.6518G	97.33	Inf	-Inf	89.30	3	Horizontal	123	1.50	-	35.30	7.75	35.02
PK	7.2128G	62.60	88.20	-25.60	52.52	3	Horizontal	123	1.50	-	36.48	8.70	35.10
RMS	7.2106G	50.53	68.20	-17.67	40.47	3	Horizontal	123	1.50	-	36.46	8.70	35.10

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32988G	61.29	74.00	-12.71	40.42	3	Vertical	106	2.89	-	40.16	14.16	33.45
AV	13.33004G	47.57	54.00	-6.43	26.70	3	Vertical	106	2.89	-	40.16	14.16	33.45

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3301G	61.38	74.00	-12.62	40.51	3	Horizontal	154	1.25	-	40.16	14.16	33.45
AV	13.32986G	47.57	54.00	-6.43	26.70	3	Horizontal	154	1.25	-	40.16	14.16	33.45

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 70
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99488G	55.92	83.54	-27.62	66.32	1	Vertical	179	1.50	-	37.40	15.10	62.90
AV	19.99484G	52.08	63.54	-11.46	62.48	1	Vertical	179	1.50	-	37.40	15.10	62.90

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 70
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9948G	61.64	83.54	-21.90	72.04	1	Horizontal	126	1.52	-	37.40	15.10	62.90
AV	19.99484G	60.50	63.54	-3.04	70.90	1	Horizontal	126	1.52	-	37.40	15.10	62.90

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 70
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7706G	105.00	Inf	-Inf	96.46	3	Vertical	175	1.63	-	35.68	7.87	35.01
RMS	6.769G	92.31	Inf	-Inf	83.77	3	Vertical	175	1.63	-	35.68	7.87	35.01
PK	7.1802G	63.16	88.20	-25.04	53.30	3	Vertical	175	1.63	-	36.28	8.66	35.08
RMS	7.2202G	50.72	68.20	-17.48	40.60	3	Vertical	175	1.63	-	36.52	8.70	35.10

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 70
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7466G	108.98	Inf	-Inf	100.56	3	Horizontal	140	1.67	-	35.59	7.85	35.02
RMS	6.8618G	95.12	Inf	-Inf	86.43	3	Horizontal	140	1.67	-	35.68	8.02	35.01
PK	7.1946G	63.97	88.20	-24.23	54.00	3	Horizontal	140	1.67	-	36.37	8.69	35.09
RMS	7.209G	50.93	68.20	-17.27	40.88	3	Horizontal	140	1.67	-	36.45	8.70	35.10

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 70
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64976G	64.63	88.20	-23.57	42.77	3	Vertical	212	2.87	-	40.55	14.42	33.11
RMS	13.6505G	50.95	68.20	-17.25	29.09	3	Vertical	212	2.87	-	40.55	14.42	33.11

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 70
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64962G	64.71	88.20	-23.49	42.85	3	Horizontal	193	2.07	-	40.55	14.42	33.11
RMS	13.64979G	50.98	68.20	-17.22	29.12	3	Horizontal	193	2.07	-	40.55	14.42	33.11

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 70
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47488G	54.64	83.54	-28.90	64.16	1	Vertical	78	1.65	-	37.69	15.22	62.43
AV	20.47488G	51.70	63.54	-11.84	61.22	1	Vertical	78	1.65	-	37.69	15.22	62.43

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 70
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47476G	59.94	83.54	-23.60	69.46	1	Horizontal	189	1.50	-	37.69	15.22	62.43
AV	20.47484G	58.55	63.54	-4.99	68.07	1	Horizontal	189	1.50	-	37.69	15.22	62.43

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.917G	107.90	Inf	-Inf	99.14	3	Vertical	158	3.00	-	35.63	8.13	35.00
RMS	6.963G	96.33	Inf	-Inf	87.40	3	Vertical	158	3.00	-	35.70	8.23	35.00
PK	7.125G	71.94	88.20	-16.26	62.50	3	Vertical	158	3.00	-	35.95	8.55	35.06
RMS	7.135G	52.06	68.20	-16.14	42.54	3	Vertical	158	3.00	-	36.01	8.57	35.06

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.911G	111.02	Inf	-Inf	102.29	3	Horizontal	123	1.58	-	35.62	8.12	35.01
RMS	6.934G	97.18	Inf	-Inf	88.34	3	Horizontal	123	1.58	-	35.67	8.17	35.00
PK	7.125G	72.26	88.20	-15.94	62.82	3	Horizontal	123	1.58	-	35.95	8.55	35.06
RMS	7.125G	52.77	68.20	-15.43	43.33	3	Horizontal	123	1.58	-	35.95	8.55	35.06

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97039G	66.47	88.20	-21.73	43.42	3	Vertical	189	2.93	-	41.14	14.68	32.77
RMS	13.97027G	52.57	68.20	-15.63	29.52	3	Vertical	189	2.93	-	41.14	14.68	32.77

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 70
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97044G	65.78	88.20	-22.42	42.73	3	Horizontal	227	1.24	-	41.14	14.68	32.77
RMS	13.96996G	52.63	68.20	-15.57	29.58	3	Horizontal	227	1.24	-	41.14	14.68	32.77

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 70
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9549G	54.27	83.54	-29.27	62.67	1	Vertical	66	1.54	-	38.21	15.34	61.95
AV	20.95486G	51.25	63.54	-12.29	59.65	1	Vertical	66	1.54	-	38.21	15.34	61.95

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



EUT_Y_4TX
Setting 70
03-K-E-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95474G	60.21	83.54	-23.33	68.61	1	Horizontal	199	1.65	-	38.21	15.34	61.95
AV	20.95476G	56.70	63.54	-6.84	65.10	1	Horizontal	199	1.65	-	38.21	15.34	61.95

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

22/11/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9582G	-10.34	5.9925G	-60.16	-50.34	-9.82	1
5.9561G	-10.63	5.9898G	-60.27	-50.63	-9.64	2
5.9583G	-10.38	5.9911G	-60.36	-50.38	-9.98	3
5.9575G	-10.23	5.9896G	-60.34	-50.23	-10.11	4

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6175MHz_TX

22/11/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1774G	-7.50	6.1371G	-60.42	-47.50	-12.92	1
6.1712G	-7.55	6.1343G	-60.36	-47.55	-12.81	2
6.177G	-5.48	6.1383G	-60.45	-45.48	-14.97	3
6.1778G	-7.04	6.1405G	-60.34	-47.04	-13.30	4

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX

MASK

22/11/2022




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX

MASK

22/11/2022



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX

MASK

22/11/2022

CF Freq
6.475GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4762G	-8.49	6.4381G	-60.08	-48.49	-11.59	1
6.4725G	-8.48	6.4423G	-60.03	-48.48	-11.55	2
6.4756G	-8.20	6.4399G	-60.20	-48.20	-12.00	3
6.4772G	-8.39	6.4272G	-60.38	-48.39	-11.99	4

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX

MASK

22/11/2022

CF Freq
6.515GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5163G	-8.89	6.4814G	-60.21	-48.89	-11.32	1
6.5177G	-8.47	6.4746G	-60.13	-48.47	-11.66	2
6.5157G	-8.67	6.4821G	-60.37	-48.67	-11.70	3
6.5173G	-8.77	6.482G	-60.47	-48.77	-11.70	4

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX

MASK

22/11/2022




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX

MASK


22/11/2022



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX 6855MHz_TX

MASK


22/11/2022



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX 6875MHz Straddle 6.525-6.875GHz_TX

MASK

22/11/2022



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

22/11/2022

CF Freq
6.895GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8974G	-8.52	6.9293G	-59.87	-48.52	-11.35	1
6.8932G	-7.86	6.9274G	-59.42	-47.86	-11.56	2
6.8925G	-7.76	6.9422G	-59.45	-47.76	-11.69	3
6.8971G	-8.09	6.9335G	-59.68	-48.09	-11.59	4

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

22/11/2022

CF Freq
6.995GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9925G	-8.92	6.96G	-59.65	-48.92	-10.73	1
6.9957G	-8.16	6.9621G	-59.19	-48.16	-11.03	2
6.9945G	-8.24	6.9614G	-59.28	-48.24	-11.04	3
6.9989G	-8.56	6.9586G	-59.61	-48.56	-11.05	4

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX

MASK

22/11/2022




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX

MASK

23/11/2022




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6165MHz_TX

23/11/2022

CF Freq
6.165GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1674G	-5.49	6.1034G	-56.52	-45.49	-11.03	1
6.1616G	-5.10	6.1032G	-56.13	-45.10	-11.03	2
6.17179G	-3.71	6.1036G	-56.42	-43.71	-12.71	3
6.15121G	-5.05	6.0746G	-56.06	-45.05	-11.01	4


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

23/11/2022

CF Freq
6.405GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41G	-6.18	6.4666G	-56.83	-46.18	-10.65	1
6.41G	-5.77	6.3434G	-56.61	-45.77	-10.84	2
6.41019G	-5.71	6.4666G	-56.54	-45.71	-10.83	3
6.39741G	-5.97	6.3438G	-56.84	-45.97	-10.87	4


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

23/11/2022

CF Freq
6.445GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

23/11/2022

CF Freq
6.485GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX

MASK

23/11/2022




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX

MASK

23/11/2022




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

23/11/2022




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

23/11/2022



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX

MASK

23/11/2022

CF Freq
6.885GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8874G	-5.86	6.8236G	-55.32	-45.86	-9.46	1
6.881G	-5.65	6.8236G	-55.18	-45.65	-9.53	2
6.8884G	-5.49	6.8172G	-55.34	-45.49	-9.85	3
6.89099G	-5.84	6.8236G	-55.50	-45.84	-9.66	4

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6925MHz_TX

MASK

23/11/2022

CF Freq
6.925GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9202G	-6.17	6.8632G	-55.44	-46.17	-9.27	1
6.9208G	-5.81	6.8632G	-55.03	-45.81	-9.22	2
6.91741G	-5.72	6.8632G	-55.03	-45.72	-9.31	3
6.9212G	-5.91	6.9862G	-55.51	-45.91	-9.60	4

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7005MHz_TX

MASK


23/11/2022



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7085MHz_TX

MASK

23/11/2022




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

23/11/2022




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6145MHz_TX

23/11/2022




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX

MASK

23/11/2022

CF Freq
6.385GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37581G	-2.77	6.5078G	-52.47	-42.77	-9.70	1
6.37501G	-2.58	6.2622G	-52.41	-42.58	-9.83	2
6.36982G	-2.69	6.2618G	-52.26	-42.69	-9.57	3
6.37261G	-2.57	6.2622G	-52.25	-42.57	-9.68	4

Port 1
Port 2
Port 3
Port 4


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX

MASK

23/11/2022

CF Freq
6.465GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47619G	-2.67	6.6034G	-51.70	-42.67	-9.03	1
6.45981G	-2.47	6.5878G	-51.68	-42.47	-9.21	2
6.45381G	-2.68	6.5882G	-51.65	-42.68	-8.97	3
6.47619G	-2.65	6.6014G	-52.03	-42.65	-9.38	4


Port 1
Port 2
Port 3
Port 4

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TX

23/11/2022




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX


23/11/2022



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6705MHz_TX

MASK


23/11/2022



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6785MHz_TX

MASK

23/11/2022



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX

MASK

23/11/2022

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85101G	-2.30	6.7426G	-50.73	-42.30	-8.43	1
6.87619G	-1.90	6.7422G	-50.79	-41.90	-8.89	2
6.85301G	-2.33	6.741G	-51.05	-42.33	-8.72	3
6.87619G	-1.83	6.7426G	-50.79	-41.72	-9.07	4

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6945MHz_TX

MASK

23/11/2022

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93261G	-3.70	6.8218G	-51.40	-43.70	-7.70	1
6.93221G	-3.43	6.8226G	-51.12	-43.43	-7.69	2
6.93621G	-3.27	6.821G	-51.03	-43.27	-7.76	3
6.93061G	-3.36	6.8218G	-51.43	-43.36	-8.07	4

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX 7025MHz_TX

MASK

23/11/2022

CF Freq
7.025GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01381G	-3.51	6.8862G	-51.25	-43.51	-7.74	1
7.01021G	-2.59	6.8842G	-50.49	-42.59	-7.90	2
7.01021G	-2.71	6.8846G	-50.60	-42.71	-7.89	3
7.01021G	-2.82	6.8826G	-51.23	-42.82	-8.41	4

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX 6025MHz_TX

MASK

23/11/2022

CF Freq
6.025GHz
Span
800MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05137G	2.93	6.3914G	-48.18	-37.07	-11.11	1
6.03699G	3.03	6.385G	-47.82	-36.97	-10.85	2
6.03379G	3.05	6.3514G	-47.23	-36.94	-10.29	3
6.03699G	3.09	6.3506G	-47.88	-36.85	-11.03	4

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6185MHz_TX

MASK

23/11/2022

CF Freq
6.185GHz
Span
800MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17301G	1.32	6.441G	-47.72	-38.68	-9.04	1
6.16102G	1.22	6.437G	-47.55	-38.78	-8.77	2
6.17701G	2.17	6.4466G	-47.79	-37.83	-9.96	3
6.19139G	1.23	6.441G	-47.83	-38.77	-9.06	4


Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6345MHz_TX

MASK

23/11/2022

CF Freq
6.345GHz
Span
800MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35539G	1.25	6.617G	-47.09	-38.75	-8.34	1
6.35059G	1.77	6.0946G	-46.79	-38.23	-8.56	2
6.349G	1.47	6.6154G	-46.87	-38.53	-8.34	3
6.33221G	1.71	6.0938G	-46.38	-38.29	-8.09	4


Port 1
Port 2
Port 3
Port 4

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX

MASK

23/11/2022




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX

MASK

23/11/2022



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX

MASK

23/11/2022

CF Freq
6.825GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.81061G	2.80	6.5754G	-44.51	-37.20	-7.31	1
6.83139G	2.93	6.5746G	-44.38	-37.07	-7.31	2
6.83299G	2.77	6.5746G	-44.83	-37.23	-7.60	3
6.81221G	3.17	6.5786G	-44.24	-36.54	-7.70	4

Port 1

Port 2

Port 3

Port 4

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6985MHz_TX

MASK

23/11/2022

CF Freq
6.985GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.97141G	1.94	6.737G	-44.55	-38.05	-6.50	1
6.96982G	2.38	6.7338G	-44.33	-37.62	-6.71	2
6.96982G	2.08	6.7346G	-44.62	-37.92	-6.70	3
6.97141G	2.25	6.7362G	-44.68	-37.75	-6.93	4

Port 1

Port 2

Port 3


Port 4

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

22/11/2022




5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6175MHz_TX

22/11/2022




5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

22/11/2022




6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

22/11/2022




6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

22/11/2022




6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

22/11/2022




6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

22/11/2022




6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

22/11/2022



6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

22/11/2022

CF Freq
6.855GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8524G	-10.48	6.9023G	-55.29	-50.48	-4.81	1
6.8563G	-9.72	6.8933G	-55.23	-49.72	-5.51	2
6.8523G	-9.94	6.9029G	-55.44	-49.94	-5.50	3
6.8511G	-10.11	6.8933G	-55.35	-50.11	-5.24	4

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX

22/11/2022

CF Freq
6.875GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8776G	-10.74	6.9083G	-55.17	-50.74	-4.43	1
6.8762G	-9.98	6.9235G	-55.15	-49.98	-5.17	2
6.8775G	-10.17	6.917G	-55.21	-50.17	-5.04	3
6.8776G	-9.99	6.9249G	-55.05	-49.99	-5.06	4

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

22/11/2022




6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

22/11/2022




6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

22/11/2022




5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

23/11/2022




5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6165MHz_TX

23/11/2022

CF Freq
6.165GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1622G	-6.20	6.1032G	-56.57	-46.20	-10.37	1
6.1614G	-5.81	6.1034G	-56.42	-45.81	-10.61	2
6.17179G	-4.29	6.0672G	-56.62	-44.29	-12.33	3
6.17299G	-5.79	6.0682G	-56.34	-45.79	-10.55	4


5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

23/11/2022

CF Freq
6.405GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41119G	-8.58	6.466G	-57.31	-48.58	-8.73	1
6.41G	-8.11	6.4668G	-57.29	-48.11	-9.18	2
6.39981G	-7.88	6.3436G	-57.17	-47.88	-9.29	3
6.41219G	-8.20	6.4666G	-57.43	-48.20	-9.23	4

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

23/11/2022




6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

23/11/2022




6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TX

23/11/2022




6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

23/11/2022



6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

23/11/2022

CF Freq
6.685GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.681G	-7.13	6.7782G	-55.75	-47.13	-8.62	1
6.69199G	-6.92	6.7612G	-55.71	-46.92	-8.79	2
6.69119G	-6.49	6.7462G	-55.56	-46.49	-9.07	3
6.6888G	-6.67	6.7466G	-55.78	-46.67	-9.11	4

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

23/11/2022

CF Freq
6.845GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83721G	-7.27	6.781G	-55.71	-47.27	-8.44	1
6.85119G	-7.02	6.7838G	-55.66	-47.02	-8.64	2
6.83741G	-6.88	6.7834G	-55.73	-46.88	-8.85	3
6.8412G	-7.43	6.781G	-55.83	-47.43	-8.40	4

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TX

23/11/2022




6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

23/11/2022




6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
7005MHz_TX

MASK

23/11/2022

CF Freq
7.005GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.003G	-6.99	6.9442G	-55.93	-46.99	-8.94	1
7.01G	-5.91	6.943G	-55.36	-45.91	-9.45	2
7.0002G	-5.99	6.9436G	-55.50	-45.99	-9.51	3
7.0006G	-6.17	6.9436G	-55.75	-46.17	-9.58	4

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
7085MHz_TX

MASK

23/11/2022

CF Freq
7.085GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07741G	-8.56	6.9864G	-57.66	-48.56	-9.10	1
7.08G	-7.38	7.0238G	-57.02	-47.38	-9.64	2
7.0802G	-7.53	7.0238G	-57.08	-47.53	-9.55	3
7.07981G	-7.75	7.0236G	-57.55	-47.75	-9.80	4

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

23/11/2022

CF Freq
5.985GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99619G	-3.22	6.109G	-51.80	-43.22	-8.58	1
5.99619G	-2.98	6.1098G	-51.34	-42.98	-8.36	2
5.99539G	-2.85	6.1198G	-51.66	-42.85	-8.81	3
5.99699G	-2.95	6.1086G	-52.07	-42.95	-9.12	4

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6145MHz_TX

23/11/2022

CF Freq
6.145GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15699G	-3.09	6.0226G	-52.84	-43.09	-9.75	1
6.15699G	-2.81	6.023G	-52.61	-42.81	-9.80	2
6.16178G	-1.71	6.267G	-52.51	-41.71	-10.80	3
6.13141G	-2.67	6.0074G	-52.30	-42.67	-9.63	4

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

23/11/2022




6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

23/11/2022




6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TX

23/11/2022



6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

23/11/2022

