















Emission Bandwidth Measurement_11N20_5200_Ant2






Emission Bandwidth Measurement_11N20_5200_Ant3



































































































































2.Occupied Bandwidth Measurement

Test Mode	Test Channel	Ant	OBW[MHz]	Limit[MHz]	Verdict
11A	5180	Ant2	17.370	---	PASS
11A	5180	Ant3	17.370	---	PASS
11A	5180	Ant4	17.400	---	PASS
11A	5180	Ant5	17.340	---	PASS
11A	5200	Ant2	17.370	---	PASS
11A	5200	Ant3	17.400	---	PASS
11A	5200	Ant4	17.370	---	PASS
11A	5200	Ant5	17.340	---	PASS
11A	5240	Ant2	17.370	---	PASS
11A	5240	Ant3	17.370	---	PASS
11A	5240	Ant4	17.370	---	PASS
11A	5240	Ant5	17.370	---	PASS
11A	5745	Ant2	17.700	---	PASS
11A	5745	Ant3	17.670	---	PASS
11A	5745	Ant4	18.420	---	PASS
11A	5745	Ant5	19.020	---	PASS
11A	5785	Ant2	17.640	---	PASS
11A	5785	Ant3	17.610	---	PASS
11A	5785	Ant4	18.090	---	PASS
11A	5785	Ant5	18.420	---	PASS
11A	5825	Ant2	17.760	---	PASS
11A	5825	Ant3	17.910	---	PASS
11A	5825	Ant4	18.150	---	PASS
11A	5825	Ant5	18.180	---	PASS
11N20	5180	Ant2	18.330	---	PASS
11N20	5180	Ant3	18.330	---	PASS
11N20	5180	Ant4	18.330	---	PASS
11N20	5180	Ant5	18.360	---	PASS
11N20	5200	Ant2	18.330	---	PASS
11N20	5200	Ant3	18.360	---	PASS
11N20	5200	Ant4	18.360	---	PASS
11N20	5200	Ant5	18.330	---	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700716202

Page: 237 of 380

11N20	5240	Ant2	18.360	---	PASS
11N20	5240	Ant3	18.330	---	PASS
11N20	5240	Ant4	18.330	---	PASS
11N20	5240	Ant5	18.330	---	PASS
11N20	5745	Ant2	18.450	---	PASS
11N20	5745	Ant3	18.480	---	PASS
11N20	5745	Ant4	18.660	---	PASS
11N20	5745	Ant5	18.840	---	PASS
11N20	5785	Ant2	18.450	---	PASS
11N20	5785	Ant3	18.480	---	PASS
11N20	5785	Ant4	18.630	---	PASS
11N20	5785	Ant5	18.660	---	PASS
11N20	5825	Ant2	18.510	---	PASS
11N20	5825	Ant3	18.510	---	PASS
11N20	5825	Ant4	18.780	---	PASS
11N20	5825	Ant5	18.600	---	PASS
11N40	5190	Ant2	36.600	---	PASS
11N40	5190	Ant3	36.600	---	PASS
11N40	5190	Ant4	36.600	---	PASS
11N40	5190	Ant5	36.600	---	PASS
11N40	5230	Ant2	36.600	---	PASS
11N40	5230	Ant3	36.600	---	PASS
11N40	5230	Ant4	36.660	---	PASS
11N40	5230	Ant5	36.600	---	PASS
11N40	5755	Ant2	36.840	---	PASS
11N40	5755	Ant3	36.780	---	PASS
11N40	5755	Ant4	36.960	---	PASS
11N40	5755	Ant5	37.020	---	PASS
11N40	5795	Ant2	36.780	---	PASS
11N40	5795	Ant3	36.780	---	PASS
11N40	5795	Ant4	37.080	---	PASS
11N40	5795	Ant5	36.960	---	PASS
11AC20	5180	Ant2	18.360	---	PASS
11AC20	5180	Ant3	18.330	---	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700716202

Page: 238 of 380

11AC20	5180	Ant4	18.330	---	PASS
11AC20	5180	Ant5	18.360	---	PASS
11AC20	5200	Ant2	18.360	---	PASS
11AC20	5200	Ant3	18.360	---	PASS
11AC20	5200	Ant4	18.360	---	PASS
11AC20	5200	Ant5	18.330	---	PASS
11AC20	5240	Ant2	18.360	---	PASS
11AC20	5240	Ant3	18.330	---	PASS
11AC20	5240	Ant4	18.360	---	PASS
11AC20	5240	Ant5	18.300	---	PASS
11AC20	5745	Ant2	18.480	---	PASS
11AC20	5745	Ant3	18.480	---	PASS
11AC20	5745	Ant4	18.720	---	PASS
11AC20	5745	Ant5	18.840	---	PASS
11AC20	5785	Ant2	18.450	---	PASS
11AC20	5785	Ant3	18.480	---	PASS
11AC20	5785	Ant4	18.510	---	PASS
11AC20	5785	Ant5	18.630	---	PASS
11AC20	5825	Ant2	18.540	---	PASS
11AC20	5825	Ant3	18.540	---	PASS
11AC20	5825	Ant4	18.630	---	PASS
11AC20	5825	Ant5	18.570	---	PASS
11AC40	5190	Ant2	36.660	---	PASS
11AC40	5190	Ant3	36.600	---	PASS
11AC40	5190	Ant4	36.540	---	PASS
11AC40	5190	Ant5	36.600	---	PASS
11AC40	5230	Ant2	36.660	---	PASS
11AC40	5230	Ant3	36.600	---	PASS
11AC40	5230	Ant4	36.600	---	PASS
11AC40	5230	Ant5	36.600	---	PASS
11AC40	5755	Ant2	36.840	---	PASS
11AC40	5755	Ant3	36.840	---	PASS
11AC40	5755	Ant4	37.020	---	PASS
11AC40	5755	Ant5	37.020	---	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM170700716202


Page: 239 of 380


11AC40	5795	Ant2	36.840	---	PASS
11AC40	5795	Ant3	36.780	---	PASS
11AC40	5795	Ant4	37.080	---	PASS
11AC40	5795	Ant5	36.960	---	PASS
11AC80	5210	Ant2	75.120	---	PASS
11AC80	5210	Ant3	75.120	---	PASS
11AC80	5210	Ant4	75.120	---	PASS
11AC80	5210	Ant5	75.120	---	PASS
11AC80	5775	Ant2	76.200	---	PASS
11AC80	5775	Ant3	76.320	---	PASS
11AC80	5775	Ant4	76.560	---	PASS
11AC80	5775	Ant5	76.680	---	PASS















Occupied Bandwidth Measurement_11A_5240_Ant4




Occupied Bandwidth Measurement_11A_5240_Ant5









Occupied Bandwidth Measurement_11A_5785_Ant2




Occupied Bandwidth Measurement_11A_5785_Ant3




Occupied Bandwidth Measurement_11A_5785_Ant4




Occupied Bandwidth Measurement_11A_5785_Ant5








Occupied Bandwidth Measurement_11A_5825_Ant4






Occupied Bandwidth Measurement_11A_5825_Ant5


































































































* RBW 300 kHz Marker 1 [T1]
* VBW 1 MHz -11.36 dBm
SWT 20 ms 5.840000000 GHz


1 PK
VIEW


OBW 18.540000000 MHz
Temp 1 [T1 OBW] 2.54 dBm
5.815700000 GHz
Temp 2 [T1 OBW] 3.30 dBm
5.834240000 GHz


Center 5.825 GHz 3 MHz/ Span 30 MHz







































3. Maximum Conduct Output Power

802.11a mode							
Frequency (MHz)	Conducted Output Power (dBm)				Limit (dBm)		Result
	Ant.2	Ant.3	Ant.4	Ant.5			
5180.00	21.33	20.31	21.07	21.38	30.00		Pass
5200.00	22.89	21.02	21.50	21.89	30.00		Pass
5240.00	22.77	20.95	20.72	22.16	30.00		Pass
5745.00	25.25	23.66	24.01	24.28	30.00		Pass
5785.00	25.29	23.12	23.54	24.13	30.00		Pass
5825.00	25.22	22.98	23.35	24.11	30.00		Pass
802.11 n20 mode							
Frequency (MHz)	Conducted Output Power (dBm)					Limit (dBm)	Result
	Ant.2	Ant.3	Ant.4	Ant.5	Total		
5180.00	21.05	21.06	20.87	21.26	27.08	28.42	Pass
5200.00	21.79	21.79	21.39	21.75	27.70	28.42	Pass
5240.00	21.59	21.96	21.75	22.02	27.85	28.42	Pass
5745.00	22.73	22.06	22.84	21.78	28.40	28.73	Pass
5785.00	22.56	21.40	22.24	21.77	28.03	28.73	Pass
5825.00	22.60	21.22	22.21	21.60	27.96	28.73	Pass
802.11 ac 20 mode							
Frequency (MHz)	Conducted Output Power (dBm)					Limit (dBm)	Result
	Ant.2	Ant.3	Ant.4	Ant.5	Total		
5180.00	21.20	21.23	20.42	21.63	27.16	28.42	Pass
5200.00	21.89	22.04	21.66	21.86	27.89	28.42	Pass
5240.00	21.72	22.13	21.79	22.20	27.99	28.42	Pass
5745.00	22.95	22.54	22.88	21.92	28.61	28.73	Pass
5785.00	22.98	21.65	22.87	22.14	28.46	28.73	Pass
5825.00	23.24	21.37	23.25	21.79	28.51	28.73	Pass
802.11 n 40 mode							
Frequency (MHz)	Conducted Output Power (dBm)					Limit (dBm)	Result
	Ant.2	Ant.3	Ant.4	Ant.5	Total		
5190.00	18.94	18.77	18.03	18.63	24.63	28.42	Pass
5230.00	22.86	22.48	21.53	22.70	28.44	28.42	Pass
5755.00	22.09	21.84	22.54	21.83	28.11	28.73	Pass
5795.00	21.93	21.25	22.33	21.76	27.85	28.73	Pass
802.11ac 40 mode							
Frequency (MHz)	Conducted Output Power (dBm)					Limit (dBm)	Result
	Ant.2	Ant.3	Ant.4	Ant.5	Total		
5190.00	19.01	18.82	18.22	18.80	24.74	28.42	Pass
5230.00	22.62	22.42	21.71	22.47	28.34	28.42	Pass
5755.00	22.91	20.94	21.51	21.90	27.89	28.73	Pass
5795.00	22.88	21.40	21.29	21.95	27.95	28.73	Pass
802.11ac 80 mode							
Frequency (MHz)	Conducted Output Power (dBm)					Limit (dBm)	Result
	Ant.2	Ant.3	Ant.4	Ant.5	Total		
5210.00	18.79	18.42	17.97	18.36	24.42	28.42	Pass
5775.00	21.95	21.13	20.08	21.66	27.28	28.73	Pass



4. Maximum Power Spectral Density

802.11a mode				
Band	Duty cycle factor			
	Ant.2	Ant.3	Ant.4	Ant.5
Band 1	0.06	0.05	0.06	0.06
Band 3	0.06	0.05	0.06	0.06
802.11 n20 mode				
Frequency (MHz)	Duty cycle factor			
	Ant.2	Ant.3	Ant.4	Ant.5
Band 1	0.05	0.06	0.06	0.06
Band 3	0.06	0.06	0.06	0.06
802.11ac 20 mode				
Frequency (MHz)	Duty cycle factor			
	Ant.2	Ant.3	Ant.4	Ant.5
Band 1	0.07	0.05	0.08	0.06
Band 3	0.08	0.06	0.06	0.06
802.11 n40 mode				
Frequency (MHz)	Duty cycle factor			
	Ant.2	Ant.3	Ant.4	Ant.5
Band 1	0.05	0.07	0.07	0.07
Band 3	0.05	0.07	0.07	0.07
802.11ac 40 mode				
Frequency (MHz)	Duty cycle factor			
	Ant.2	Ant.3	Ant.4	Ant.5
Band 1	0.06	0.07	0.07	0.07
Band 3	0.08	0.07	0.07	0.07
802.11ac 80 mode				
Frequency (MHz)	Duty cycle factor			
	Ant.2	Ant.3	Ant.4	Ant.5
Band 1	0.07	0.05	0.08	0.08
Band 3	0.08	0.08	0.08	0.08




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch



Report No.: SZEM170700716202


Page: 298 of 380


802.11a mode							
Frequency (MHz)	Power Spectral Density				Limit	Result	
	Ant.2	Ant.3	Ant.4	Ant.5			
5180.00	7.89	7.86	7.40	7.20	17 dBm/1MHz	Pass	
5200.00	8.04	7.86	7.34	7.07	17 dBm/1MHz	Pass	
5240.00	8.55	8.26	7.81	6.97	17 dBm/1MHz	Pass	
5745.00	11.33	11.31	5.12	12.03	30 dBm/500kHz	Pass	
5785.00	10.61	10.80	3.85	11.53	30 dBm/500kHz	Pass	
5825.00	10.42	10.60	3.72	11.38	30 dBm/500kHz	Pass	
802.11 n20 mode							
Frequency (MHz)	Power Spectral Density					Limit	Result
	Ant.2	Ant.3	Ant.4	Ant.5	Total		
5180.00	5.93	6.01	5.12	4.76	10.48	12.10 dBm/1MHz	Pass
5200.00	6.10	6.22	5.12	4.93	10.61	12.10 dBm/1MHz	Pass
5240.00	6.57	6.40	5.88	4.74	11.07	12.10 dBm/1MHz	Pass
5745.00	10.11	10.28	11.01	10.56	15.26	25.10 dBm/500kHz	Pass
5785.00	9.52	9.75	10.90	10.26	14.87	25.10 dBm/500kHz	Pass
5825.00	9.10	9.17	10.81	9.88	14.54	25.10 dBm/500kHz	Pass
802.11ac 20 mode							
Frequency (MHz)	Power Spectral Density					Limit	Result
	Ant.2	Ant.3	Ant.4	Ant.5	Total		
5180.00	2.91	2.58	2.54	1.85	7.45	12.10 dBm/1MHz	Pass
5200.00	3.13	2.95	2.95	1.76	7.79	12.10 dBm/1MHz	Pass
5240.00	5.36	5.39	4.78	4.62	9.96	12.10 dBm/1MHz	Pass
5745.00	7.24	7.31	8.28	7.25	12.41	25.10 dBm/500kHz	Pass
5785.00	6.79	6.74	8.17	6.91	12.06	25.10 dBm/500kHz	Pass
5825.00	10.39	10.32	3.09	10.66	13.76	25.10 dBm/500kHz	Pass
802.11 n40 mode							
Frequency (MHz)	Power Spectral Density					Limit	Result
	Ant.2	Ant.3	Ant.4	Ant.5	Total		
5190.00	5.41	5.63	5.05	4.49	10.14	12.10 dBm/1MHz	Pass
5230.00	5.90	5.93	5.40	4.69	10.52	12.10 dBm/1MHz	Pass
5755.00	9.84	9.74	2.33	10.40	13.18	25.10 dBm/500kHz	Pass
5795.00	9.39	9.52	2.38	10.22	12.87	25.10 dBm/500kHz	Pass
802.11ac 40 mode							
Frequency (MHz)	Power Spectral Density					Limit	Result
	Ant.2	Ant.3	Ant.4	Ant.5	Total		
5190.00	2.91	3.00	2.56	2.28	7.60	12.10 dBm/1MHz	Pass
5230.00	3.34	3.32	3.00	1.93	7.99	12.10 dBm/1MHz	Pass
5755.00	7.50	7.66	8.05	7.68	12.52	25.10 dBm/500kHz	Pass
5795.00	6.81	6.94	8.09	7.09	12.09	25.10 dBm/500kHz	Pass
802.11ac 80 mode							
Frequency (MHz)	Power Spectral Density					Limit	Result
	Ant.2	Ant.3	Ant.4	Ant.5	Total		
5210.00	0.95	0.97	-0.01	0.21	5.43	12.10 dBm/1MHz	Pass
5775.00	3.71	4.18	5.31	4.97	9.22	25.10 dBm/500kHz	Pass



Remark: Power Spectral density = Measure power density + duty cycle factor



















































































































































































5.Duty Cycle (x)

Test Mode	Test Channel	Ant	Duty Cycle[%]	10log(1/x) Factor[dB]
11A	5180	Ant1	98.72	0.06
11A	5180	Ant2	98.88	0.05
11A	5180	Ant3	98.72	0.06
11A	5180	Ant4	98.72	0.06
11A	5745	Ant1	98.72	0.06
11A	5745	Ant2	98.88	0.05
11A	5745	Ant3	98.72	0.06
11A	5745	Ant4	98.72	0.06
11N20	5180	Ant1	98.8	0.05
11N20	5180	Ant2	98.63	0.06
11N20	5180	Ant3	98.63	0.06
11N20	5180	Ant4	98.63	0.06
11N20	5745	Ant1	98.63	0.06
11N20	5745	Ant2	98.63	0.06
11N20	5745	Ant3	98.63	0.06
11N20	5745	Ant4	98.63	0.06
11N40	5190	Ant1	98.78	0.05
11N40	5190	Ant2	98.37	0.07
11N40	5190	Ant3	98.37	0.07
11N40	5190	Ant4	98.37	0.07
11N40	5755	Ant1	98.77	0.05
11N40	5755	Ant2	98.37	0.07
11N40	5755	Ant3	98.37	0.07
11N40	5755	Ant4	98.37	0.07
11AC20	5180	Ant1	98.3	0.07
11AC20	5180	Ant2	98.8	0.05
11AC20	5180	Ant3	98.13	0.08
11AC20	5180	Ant4	98.63	0.06
11AC20	5745	Ant1	98.13	0.08
11AC20	5745	Ant2	98.63	0.06
11AC20	5745	Ant3	98.63	0.06



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700716202

Page: 356 of 380

11AC20	5745	Ant4	98.63	0.06
11AC40	5190	Ant1	98.65	0.06
11AC40	5190	Ant2	98.37	0.07
11AC40	5190	Ant3	98.37	0.07
11AC40	5190	Ant4	98.37	0.07
11AC40	5755	Ant1	98.15	0.08
11AC40	5755	Ant2	98.37	0.07
11AC40	5755	Ant3	98.37	0.07
11AC40	5755	Ant4	98.37	0.07
11AC80	5210	Ant1	98.38	0.07
11AC80	5210	Ant2	98.82	0.05
11AC80	5210	Ant3	98.24	0.08
11AC80	5210	Ant4	98.24	0.08
11AC80	5775	Ant1	98.23	0.08
11AC80	5775	Ant2	98.24	0.08
11AC80	5775	Ant3	98.23	0.08
11AC80	5775	Ant4	98.24	0.08

