


802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT X_4TX
Setting 86
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.97726G	55.21	74.00	-18.79	42.20	3	Vertical	23	1.14	-	38.97	8.98	34.94	
AV	11.96424G	42.90	54.00	-11.10	29.86	3	Vertical	23	1.14	-	39.01	8.97	34.94	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT X_4TX
Setting 86
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.96586G	55.41	74.00	-18.59	42.37	3	Horizontal	259	1.80	-	39.00	8.98	34.94	
AV	11.9703G	43.12	54.00	-10.88	30.09	3	Horizontal	259	1.80	-	38.99	8.98	34.94	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT X_4TX
Setting 86
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	17.94246G	62.01	74.00	-11.99	45.00	3	Vertical	94	2.37	-	42.04	9.78	34.81	
AV	17.94144G	49.81	54.00	-4.19	32.80	3	Vertical	94	2.37	-	42.04	9.78	34.81	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 86
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	17.95008G	61.49	74.00	-12.51	44.47	3	Horizontal	42	1.62	-	42.05	9.78	34.81	
AV	17.94468G	49.68	54.00	-4.32	32.67	3	Horizontal	42	1.62	-	42.04	9.78	34.81	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	71.74	88.20	-16.46	64.68	3	Vertical	33	2.92	-	35.05	5.36	33.35	
RMS	5.925G	61.37	68.20	-6.83	54.31	3	Vertical	33	2.92	-	35.05	5.36	33.35	
PK	6.127G	111.92	Inf	-Inf	104.23	3	Vertical	33	2.92	-	35.45	5.53	33.29	
RMS	6.127G	100.95	Inf	-Inf	93.26	3	Vertical	33	2.92	-	35.45	5.53	33.29	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.917G	75.84	88.20	-12.36	68.83	3	Horizontal	284	1.62	-	35.00	5.36	33.35	
RMS	5.9218G	64.94	68.20	-3.26	57.90	3	Horizontal	284	1.62	-	35.03	5.36	33.35	
PK	6.1126G	116.55	Inf	-Inf	108.87	3	Horizontal	284	1.62	-	35.47	5.51	33.30	
RMS	6.1426G	105.13	Inf	-Inf	97.46	3	Horizontal	284	1.62	-	35.41	5.54	33.28	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.27824G	57.84	74.00	-16.16	45.05	3	Vertical	247	1.43	-	38.72	8.94	34.87	
AV	12.28802G	45.28	54.00	-8.72	32.49	3	Vertical	247	1.43	-	38.71	8.94	34.86	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29168G	55.23	74.00	-18.77	42.44	3	Horizontal	98	1.03	-	38.71	8.94	34.86
AV	12.28496G	41.22	54.00	-12.78	28.42	3	Horizontal	98	1.03	-	38.72	8.94	34.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43574G	44.57	83.54	-38.97	42.11	1	Vertical	75	1.53	-	37.72	14.87	50.13
AV	18.43468G	32.47	63.54	-31.07	30.01	1	Vertical	75	1.53	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43488G	44.83	83.54	-38.71	42.37	1	Horizontal	177	1.51	-	37.72	14.87	50.13
AV	18.43446G	32.90	63.54	-30.64	30.44	1	Horizontal	177	1.51	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8906G	59.61	88.20	-28.59	52.72	3	Vertical	96	2.49	-	34.88	5.35	33.34	
RMS	5.9194G	48.14	68.20	-20.06	41.11	3	Vertical	96	2.49	-	35.02	5.36	33.35	
PK	6.3946G	111.22	Inf	-Inf	102.94	3	Vertical	96	2.49	-	35.69	5.70	33.11	
RMS	6.3802G	99.75	Inf	-Inf	91.52	3	Vertical	96	2.49	-	35.66	5.69	33.12	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9194G	59.83	88.20	-28.37	52.80	3	Horizontal	107	1.00	-	35.02	5.36	33.35	
RMS	5.9242G	49.46	68.20	-18.74	42.40	3	Horizontal	107	1.00	-	35.05	5.36	33.35	
PK	6.361G	119.02	Inf	-Inf	110.85	3	Horizontal	107	1.00	-	35.62	5.68	33.13	
RMS	6.3562G	108.23	Inf	-Inf	100.08	3	Horizontal	107	1.00	-	35.61	5.68	33.14	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77884G	54.90	88.20	-33.30	41.42	3	Vertical	156	1.33	-	39.38	8.84	34.74	
RMS	12.77644G	42.90	68.20	-25.30	29.42	3	Vertical	156	1.33	-	39.38	8.84	34.74	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77092G	54.05	88.20	-34.15	40.58	3	Horizontal	64	2.16	-	39.37	8.85	34.75	
RMS	12.76308G	42.23	68.20	-25.97	28.77	3	Horizontal	64	2.16	-	39.36	8.85	34.75	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1577G	44.66	83.54	-38.88	41.32	1	Vertical	44	1.50	-	37.81	15.16	49.63
AV	19.15524G	32.54	63.54	-31.00	29.20	1	Vertical	44	1.50	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15776G	45.20	83.54	-38.34	41.86	1	Horizontal	86	1.57	-	37.81	15.16	49.63
AV	19.1549G	32.69	63.54	-30.85	29.35	1	Horizontal	86	1.57	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9164G	58.99	88.20	-29.21	51.98	3	Vertical	96	2.48	-	35.00	5.36	33.35	
RMS	5.9216G	48.08	68.20	-20.12	41.04	3	Vertical	96	2.48	-	35.03	5.36	33.35	
PK	6.4598G	110.59	Inf	-Inf	102.32	3	Vertical	96	2.48	-	35.64	5.70	33.07	
RMS	6.4598G	99.24	Inf	-Inf	90.97	3	Vertical	96	2.48	-	35.64	5.70	33.07	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8774G	58.97	88.20	-29.23	52.11	3	Horizontal	14	2.19	-	34.85	5.34	33.33	
RMS	5.9242G	48.48	68.20	-19.72	41.42	3	Horizontal	14	2.19	-	35.05	5.36	33.35	
PK	6.4546G	118.60	Inf	-Inf	110.35	3	Horizontal	14	2.19	-	35.62	5.70	33.07	
RMS	6.4338G	106.86	Inf	-Inf	98.62	3	Horizontal	14	2.19	-	35.63	5.70	33.09	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9272G	54.92	88.20	-33.28	41.27	3	Vertical	280	2.03	-	39.55	8.81	34.71	
RMS	12.92312G	43.21	68.20	-24.99	29.56	3	Vertical	280	2.03	-	39.55	8.82	34.72	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.93664G	54.37	88.20	-33.83	40.70	3	Horizontal	294	1.78	-	39.57	8.81	34.71	
RMS	12.93132G	42.59	68.20	-25.61	28.93	3	Horizontal	294	1.78	-	39.56	8.81	34.71	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39984G	45.80	83.54	-37.74	42.40	1	Vertical	271	1.55	-	37.82	15.26	49.68
AV	19.39768G	32.99	63.54	-30.55	29.59	1	Vertical	271	1.55	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.39532G	45.57	83.54	-37.97	42.17	1	Horizontal	38	1.58	-	37.82	15.26	49.68
AV	19.39832G	33.11	63.54	-30.43	29.71	1	Horizontal	38	1.58	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8534G	58.59	88.20	-29.61	51.77	3	Vertical	186	1.71	-	34.81	5.33	33.32
RMS	5.9234G	48.07	68.20	-20.13	41.02	3	Vertical	186	1.71	-	35.04	5.36	33.35
PK	6.5394G	108.41	Inf	-Inf	99.81	3	Vertical	186	1.71	-	35.96	5.70	33.06
RMS	6.5338G	97.58	Inf	-Inf	89.00	3	Vertical	186	1.71	-	35.94	5.70	33.06
PK	7.1442G	62.60	88.20	-25.60	53.04	3	Vertical	186	1.71	-	37.05	5.97	33.46
RMS	7.1974G	51.37	68.20	-16.83	41.61	3	Vertical	186	1.71	-	37.29	6.00	33.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8618G	59.11	88.20	-29.09	52.28	3	Horizontal	16	1.88	-	34.82	5.33	33.32
RMS	5.9234G	48.24	68.20	-19.96	41.19	3	Horizontal	16	1.88	-	35.04	5.36	33.35
PK	6.5282G	118.52	Inf	-Inf	109.96	3	Horizontal	16	1.88	-	35.91	5.70	33.05
RMS	6.5282G	107.59	Inf	-Inf	99.03	3	Horizontal	16	1.88	-	35.91	5.70	33.05
PK	7.1834G	61.77	88.20	-26.43	52.06	3	Horizontal	16	1.88	-	37.23	5.99	33.51
RMS	7.1358G	51.47	68.20	-16.73	41.96	3	Horizontal	16	1.88	-	36.99	5.97	33.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08332G	56.49	88.20	-31.71	42.71	3	Vertical	283	1.67	-	39.70	8.78	34.70
RMS	13.09588G	44.72	68.20	-23.48	30.94	3	Vertical	283	1.67	-	39.70	8.78	34.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0912G	55.02	88.20	-33.18	41.24	3	Horizontal	103	1.67	-	39.70	8.78	34.70
RMS	13.08572G	43.33	68.20	-24.87	29.55	3	Horizontal	103	1.67	-	39.70	8.78	34.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63962G	45.16	83.54	-38.38	41.66	1	Vertical	321	1.52	-	37.84	15.36	49.70
AV	19.63002G	32.36	63.54	-31.18	28.86	1	Vertical	321	1.52	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63648G	45.40	83.54	-38.14	41.90	1	Horizontal	124	1.56	-	37.85	15.35	49.70
AV	19.6301G	32.63	63.54	-30.91	29.13	1	Horizontal	124	1.56	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6154G	109.79	Inf	-Inf	101.06	3	Vertical	189	1.71	-	36.13	5.70	33.10	
RMS	6.6298G	98.98	Inf	-Inf	90.22	3	Vertical	189	1.71	-	36.16	5.70	33.10	
PK	7.165G	62.14	88.20	-26.06	52.49	3	Vertical	189	1.71	-	37.16	5.98	33.49	
RMS	7.2202G	51.42	68.20	-16.78	41.62	3	Vertical	189	1.71	-	37.34	6.01	33.55	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6178G	119.51	Inf	-Inf	110.77	3	Horizontal	96	1.00	-	36.14	5.70	33.10	
RMS	6.613G	108.46	Inf	-Inf	99.73	3	Horizontal	96	1.00	-	36.13	5.70	33.10	
PK	7.1866G	61.81	88.20	-26.39	52.08	3	Horizontal	96	1.00	-	37.25	5.99	33.51	
RMS	7.2034G	51.60	68.20	-16.60	41.82	3	Horizontal	96	1.00	-	37.31	6.00	33.53	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24788G	56.88	88.20	-31.32	42.89	3	Vertical	215	1.29	-	39.95	8.75	34.71
RMS	13.24964G	44.70	68.20	-23.50	30.71	3	Vertical	215	1.29	-	39.95	8.75	34.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.24984G	54.74	88.20	-33.46	40.75	3	Horizontal	358	1.23	-	39.95	8.75	34.71	
RMS	13.24572G	43.36	68.20	-24.84	29.37	3	Horizontal	358	1.23	-	39.95	8.75	34.71	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87442G	45.77	83.54	-37.77	42.42	1	Vertical	156	1.51	-	37.60	15.45	49.70
AV	19.87022G	32.86	63.54	-30.68	29.50	1	Vertical	156	1.51	-	37.61	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87248G	45.43	83.54	-38.11	42.08	1	Horizontal	146	1.58	-	37.60	15.45	49.70
AV	19.87608G	32.84	63.54	-30.70	29.49	1	Horizontal	146	1.58	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.695G	111.26	Inf	-Inf	102.50	3	Vertical	95	2.79	-	36.20	5.70	33.14	
RMS	6.695G	100.29	Inf	-Inf	91.53	3	Vertical	95	2.79	-	36.20	5.70	33.14	
PK	7.159G	63.12	88.20	-25.08	53.48	3	Vertical	95	2.79	-	37.14	5.98	33.48	
RMS	7.143G	51.40	68.20	-16.80	41.85	3	Vertical	95	2.79	-	37.04	5.97	33.46	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.699G	120.24	Inf	-Inf	111.48	3	Horizontal	334	1.03	-	36.20	5.70	33.14	
RMS	6.719G	107.03	Inf	-Inf	98.20	3	Horizontal	334	1.03	-	36.28	5.70	33.15	
PK	7.163G	62.62	88.20	-25.58	52.98	3	Horizontal	334	1.03	-	37.15	5.98	33.49	
RMS	7.195G	51.70	68.20	-16.50	41.94	3	Horizontal	334	1.03	-	37.28	6.00	33.52	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.40612G	57.65	88.20	-30.55	43.45	3	Vertical	359	2.28	-	40.20	8.72	34.72	
RMS	13.40976G	44.93	68.20	-23.27	30.73	3	Vertical	359	2.28	-	40.20	8.72	34.72	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41608G	55.08	88.20	-33.12	40.88	3	Horizontal	226	2.92	-	40.20	8.72	34.72	
RMS	13.4056G	42.92	68.20	-25.28	28.72	3	Horizontal	226	2.92	-	40.20	8.72	34.72	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.11954G	44.15	83.54	-39.39	40.85	1	Vertical	319	1.50	-	37.50	15.55	49.75
AV	20.11012G	31.65	63.54	-31.89	28.35	1	Vertical	319	1.50	-	37.49	15.55	49.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.114G	44.76	83.54	-38.78	41.47	1	Horizontal	288	1.55	-	37.49	15.55	49.75
AV	20.11902G	31.94	63.54	-31.60	28.64	1	Horizontal	288	1.55	-	37.50	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7866G	112.65	Inf	-Inf	103.80	3	Vertical	97	2.12	-	36.33	5.70	33.18	
RMS	6.7978G	100.69	Inf	-Inf	91.88	3	Vertical	97	2.12	-	36.30	5.70	33.19	
PK	7.1594G	62.41	88.20	-25.79	52.77	3	Vertical	97	2.12	-	37.14	5.98	33.48	
RMS	7.1466G	51.45	68.20	-16.75	41.88	3	Vertical	97	2.12	-	37.07	5.97	33.47	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7642G	119.21	Inf	-Inf	110.31	3	Horizontal	335	1.00	-	36.37	5.70	33.17	
RMS	6.7738G	107.80	Inf	-Inf	98.93	3	Horizontal	335	1.00	-	36.35	5.70	33.18	
PK	7.161G	62.70	88.20	-25.50	53.06	3	Horizontal	335	1.00	-	37.14	5.98	33.48	
RMS	7.1306G	51.84	68.20	-16.36	42.38	3	Horizontal	335	1.00	-	36.94	5.97	33.45	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57056G	56.31	88.20	-31.89	42.17	3	Vertical	360	2.38	-	40.20	8.69	34.75
RMS	13.56816G	44.70	68.20	-23.50	30.56	3	Vertical	360	2.38	-	40.20	8.69	34.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57032G	54.27	88.20	-33.93	40.13	3	Horizontal	225	1.22	-	40.20	8.69	34.75
RMS	13.57036G	42.02	68.20	-26.18	27.88	3	Horizontal	225	1.22	-	40.20	8.69	34.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.35618G	45.34	83.54	-38.20	41.88	1	Vertical	215	1.53	-	37.64	15.66	49.84
AV	20.35892G	32.94	63.54	-30.60	29.48	1	Vertical	215	1.53	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.35598G	45.64	83.54	-37.90	42.18	1	Horizontal	61	1.54	-	37.64	15.66	49.84
AV	20.35G	33.04	63.54	-30.50	29.58	1	Horizontal	61	1.54	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8806G	111.43	Inf	-Inf	102.40	3	Vertical	100	1.84	-	36.48	5.78	33.23
RMS	6.8602G	100.63	Inf	-Inf	91.53	3	Vertical	100	1.84	-	36.56	5.76	33.22
PK	7.1254G	64.04	88.20	-24.16	54.62	3	Vertical	100	1.84	-	36.90	5.96	33.44
RMS	7.1254G	52.32	68.20	-15.88	42.90	3	Vertical	100	1.84	-	36.90	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	120.44	Inf	-Inf	111.33	3	Horizontal	25	2.30	-	36.57	5.76	33.22
RMS	6.853G	108.95	Inf	-Inf	99.83	3	Horizontal	25	2.30	-	36.59	5.75	33.22
PK	7.1278G	67.20	88.20	-21.00	57.76	3	Horizontal	25	2.30	-	36.92	5.96	33.44
RMS	7.1278G	55.27	68.20	-12.93	45.83	3	Horizontal	25	2.30	-	36.92	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.72104G	58.31	88.20	-29.89	44.04	3	Vertical	309	2.76	-	40.42	8.66	34.81	
RMS	13.73744G	46.23	68.20	-21.97	31.96	3	Vertical	309	2.76	-	40.44	8.65	34.82	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.73088G	54.77	88.20	-33.43	40.51	3	Horizontal	215	1.49	-	40.43	8.65	34.82	
RMS	13.72964G	43.51	68.20	-24.69	29.25	3	Horizontal	215	1.49	-	40.43	8.65	34.82	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59716G	45.15	83.54	-38.39	41.42	1	Vertical	240	1.57	-	37.82	15.77	49.86
AV	20.59576G	32.75	63.54	-30.79	29.03	1	Vertical	240	1.57	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59974G	45.32	83.54	-38.22	41.59	1	Horizontal	0	1.56	-	37.82	15.77	49.86
AV	20.5956G	32.47	63.54	-31.07	28.75	1	Horizontal	0	1.56	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9342G	110.02	Inf	-Inf	100.78	3	Vertical	103	1.68	-	36.67	5.83	33.26	
RMS	6.9402G	98.80	Inf	-Inf	89.50	3	Vertical	103	1.68	-	36.72	5.84	33.26	
PK	7.1262G	65.39	88.20	-22.81	55.96	3	Vertical	103	1.68	-	36.91	5.96	33.44	
RMS	7.125G	54.33	68.20	-13.87	44.91	3	Vertical	103	1.68	-	36.90	5.96	33.44	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9078G	120.11	Inf	-Inf	111.08	3	Horizontal	298	2.33	-	36.46	5.81	33.24	
RMS	6.9174G	108.83	Inf	-Inf	99.72	3	Horizontal	298	2.33	-	36.54	5.82	33.25	
PK	7.1274G	71.18	88.20	-17.02	61.74	3	Horizontal	298	2.33	-	36.92	5.96	33.44	
RMS	7.1274G	60.37	68.20	-7.83	50.93	3	Horizontal	298	2.33	-	36.92	5.96	33.44	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.88468G	57.98	88.20	-30.22	43.66	3	Vertical	216	1.64	-	40.58	8.62	34.88	
RMS	13.89856G	46.00	68.20	-22.20	31.67	3	Vertical	216	1.64	-	40.60	8.62	34.89	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88468G	54.59	88.20	-33.61	40.27	3	Horizontal	332	2.83	-	40.58	8.62	34.88
RMS	13.891G	41.95	68.20	-26.25	27.62	3	Horizontal	332	2.83	-	40.59	8.62	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.83518G	45.12	83.54	-38.42	41.15	1	Vertical	229	1.58	-	37.86	15.88	49.77
AV	20.83G	32.96	63.54	-30.58	28.99	1	Vertical	229	1.58	-	37.87	15.87	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.83274G	45.47	83.54	-38.07	41.50	1	Horizontal	42	1.55	-	37.87	15.87	49.77
AV	20.8313G	32.96	63.54	-30.58	28.99	1	Horizontal	42	1.55	-	37.87	15.87	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 88
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0354G	108.75	Inf	-Inf	99.42	3	Vertical	108	1.77	-	36.74	5.92	33.33	
RMS	7.0402G	98.73	Inf	-Inf	89.39	3	Vertical	108	1.77	-	36.76	5.92	33.34	
PK	7.1258G	74.73	88.20	-13.47	65.30	3	Vertical	108	1.77	-	36.91	5.96	33.44	
RMS	7.125G	62.22	68.20	-5.98	52.80	3	Vertical	108	1.77	-	36.90	5.96	33.44	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 88
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0194G	117.06	Inf	-Inf	107.78	3	Horizontal	107	1.13	-	36.68	5.91	33.31
RMS	7.0346G	106.62	Inf	-Inf	97.29	3	Horizontal	107	1.13	-	36.74	5.92	33.33
PK	7.125G	82.21	88.20	-5.99	72.79	3	Horizontal	107	1.13	-	36.90	5.96	33.44
RMS	7.125G	68.06	68.20	-0.14	58.64	3	Horizontal	107	1.13	-	36.90	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 88
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05012G	55.65	88.20	-32.55	41.06	3	Vertical	285	1.51	-	40.90	8.61	34.92
RMS	14.04712G	47.32	68.20	-20.88	32.73	3	Vertical	285	1.51	-	40.90	8.61	34.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 88
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04976G	53.29	88.20	-34.91	38.70	3	Horizontal	256	2.58	-	40.90	8.61	34.92	
RMS	14.04896G	45.90	68.20	-22.30	31.31	3	Horizontal	256	2.58	-	40.90	8.61	34.92	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 88
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.0778G	45.07	83.54	-38.47	41.16	1	Vertical	144	1.52	-	37.60	15.99	49.68
AV	21.07G	32.39	63.54	-31.15	28.50	1	Vertical	144	1.52	-	37.60	15.98	49.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 88
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.07862G	44.15	83.54	-39.39	40.24	1	Horizontal	220	1.57	-	37.60	15.99	49.68	
AV	21.07008G	32.24	63.54	-31.30	28.35	1	Horizontal	220	1.57	-	37.60	15.98	49.69	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 78
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.918G	78.42	88.20	-9.78	71.40	3	Vertical	34	2.86	-	35.01	5.36	33.35	
RMS	5.921G	63.27	68.20	-4.93	56.23	3	Vertical	34	2.86	-	35.03	5.36	33.35	
PK	6.042G	104.59	Inf	-Inf	97.10	3	Vertical	34	2.86	-	35.40	5.44	33.35	
RMS	6.057G	94.88	Inf	-Inf	87.35	3	Vertical	34	2.86	-	35.41	5.46	33.34	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 78
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.92G	82.90	88.20	-5.30	75.87	3	Horizontal	283	1.76	-	35.02	5.36	33.35	
RMS	5.922G	67.49	68.20	-0.71	60.45	3	Horizontal	283	1.76	-	35.03	5.36	33.35	
PK	6.027G	109.98	Inf	-Inf	102.51	3	Horizontal	283	1.76	-	35.40	5.43	33.36	
RMS	6.042G	100.11	Inf	-Inf	92.62	3	Horizontal	283	1.76	-	35.40	5.44	33.35	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 78
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.05448G	55.67	74.00	-18.33	42.71	3	Vertical	93	2.63	-	38.90	8.99	34.93	
AV	12.05788G	44.58	54.00	-9.42	31.62	3	Vertical	93	2.63	-	38.90	8.99	34.93	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 78
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.05848G	57.78	74.00	-16.22	44.82	3	Horizontal	91	1.88	-	38.90	8.99	34.93	
AV	12.05932G	46.57	54.00	-7.43	33.61	3	Horizontal	91	1.88	-	38.90	8.99	34.93	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 78
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.07702G	44.87	83.54	-38.67	42.77	1	Vertical	211	1.53	-	37.64	14.73	50.27	
AV	18.07058G	33.89	63.54	-29.65	31.79	1	Vertical	211	1.53	-	37.64	14.73	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 78
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.07402G	44.51	83.54	-39.03	42.41	1	Horizontal	191	1.55	-	37.64	14.73	50.27
AV	18.07058G	33.95	63.54	-29.59	31.85	1	Horizontal	191	1.55	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 104
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9194G	70.47	88.20	-17.73	63.44	3	Vertical	245	2.91	-	35.02	5.36	33.35	
RMS	5.921G	59.76	68.20	-8.44	52.72	3	Vertical	245	2.91	-	35.03	5.36	33.35	
PK	6.169G	110.46	Inf	-Inf	102.65	3	Vertical	245	2.91	-	35.51	5.57	33.27	
RMS	6.1642G	99.54	Inf	-Inf	91.76	3	Vertical	245	2.91	-	35.49	5.56	33.27	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 104
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	79.11	88.20	-9.09	72.05	3	Horizontal	0	1.43	-	35.05	5.36	33.35	
RMS	5.921G	67.53	68.20	-0.67	60.49	3	Horizontal	0	1.43	-	35.03	5.36	33.35	
PK	6.1562G	115.10	Inf	-Inf	107.37	3	Horizontal	0	1.43	-	35.44	5.56	33.27	
RMS	6.1258G	104.15	Inf	-Inf	96.46	3	Horizontal	0	1.43	-	35.45	5.53	33.29	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT X_4TX
Setting 104
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.36152G	57.45	74.00	-16.55	44.48	3	Vertical	255	1.78	-	38.88	8.93	34.84	
AV	12.36824G	45.72	54.00	-8.28	32.73	3	Vertical	255	1.78	-	38.90	8.93	34.84	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT X_4TX
Setting 104
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.374G	53.60	74.00	-20.40	40.59	3	Horizontal	266	1.91	-	38.92	8.93	34.84
AV	12.37852G	43.35	54.00	-10.65	30.33	3	Horizontal	266	1.91	-	38.94	8.92	34.84

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 104
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.55776G	43.98	83.54	-39.56	41.32	1	Vertical	122	1.53	-	37.78	14.92	50.04
AV	18.55002G	33.46	63.54	-30.08	30.81	1	Vertical	122	1.53	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 104
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5573G	44.69	83.54	-38.85	42.03	1	Horizontal	27	1.50	-	37.78	14.92	50.04
AV	18.55998G	33.44	63.54	-30.10	30.78	1	Horizontal	27	1.50	-	37.78	14.92	50.04

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	63.95	88.20	-24.25	56.90	3	Vertical	83	2.53	-	35.04	5.36	33.35	
RMS	5.923G	52.20	68.20	-16.00	45.15	3	Vertical	83	2.53	-	35.04	5.36	33.35	
PK	6.335G	107.78	Inf	-Inf	99.66	3	Vertical	83	2.53	-	35.60	5.67	33.15	
RMS	6.325G	96.02	Inf	-Inf	87.92	3	Vertical	83	2.53	-	35.60	5.66	33.16	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	73.04	88.20	-15.16	65.99	3	Horizontal	108	1.03	-	35.04	5.36	33.35	
RMS	5.923G	61.77	68.20	-6.43	54.72	3	Horizontal	108	1.03	-	35.04	5.36	33.35	
PK	6.321G	116.08	Inf	-Inf	107.98	3	Horizontal	108	1.03	-	35.60	5.66	33.16	
RMS	6.371G	104.52	Inf	-Inf	96.32	3	Horizontal	108	1.03	-	35.64	5.69	33.13	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.68368G	56.31	74.00	-17.69	42.98	3	Vertical	48	2.41	-	39.23	8.86	34.76	
AV	12.69584G	44.96	54.00	-9.04	31.58	3	Vertical	48	2.41	-	39.28	8.86	34.76	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.68796G	52.61	74.00	-21.39	39.26	3	Horizontal	104	1.98	-	39.25	8.86	34.76	
AV	12.68904G	42.33	54.00	-11.67	28.97	3	Horizontal	104	1.98	-	39.26	8.86	34.76	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.0314G	45.82	83.54	-37.72	42.36	1	Vertical	249	1.52	-	37.96	15.11	49.61	
AV	19.03608G	34.85	63.54	-28.69	31.39	1	Vertical	249	1.52	-	37.96	15.11	49.61	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03808G	45.27	83.54	-38.27	41.81	1	Horizontal	235	1.57	-	37.95	15.12	49.61
AV	19.0301G	34.76	63.54	-28.78	31.30	1	Horizontal	235	1.57	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.819G	60.36	88.20	-27.84	53.75	3	Vertical	95	2.45	-	34.61	5.31	33.31
RMS	5.917G	48.61	68.20	-19.59	41.60	3	Vertical	95	2.45	-	35.00	5.36	33.35
PK	6.4854G	107.96	Inf	-Inf	99.57	3	Vertical	95	2.45	-	35.74	5.70	33.05
RMS	6.4798G	96.18	Inf	-Inf	87.81	3	Vertical	95	2.45	-	35.72	5.70	33.05
PK	7.1826G	61.26	88.20	-26.94	51.55	3	Vertical	95	2.45	-	37.23	5.99	33.51
RMS	7.1966G	51.65	68.20	-16.55	41.89	3	Vertical	95	2.45	-	37.29	6.00	33.53

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	60.67	88.20	-27.53	53.62	3	Horizontal	65	2.00	-	35.04	5.36	33.35
RMS	5.9226G	49.76	68.20	-18.44	42.71	3	Horizontal	65	2.00	-	35.04	5.36	33.35
PK	6.4854G	115.74	Inf	-Inf	107.35	3	Horizontal	65	2.00	-	35.74	5.70	33.05
RMS	6.477G	103.32	Inf	-Inf	94.97	3	Horizontal	65	2.00	-	35.71	5.70	33.06
PK	7.1574G	62.19	88.20	-26.01	52.56	3	Horizontal	65	2.00	-	37.13	5.98	33.48
RMS	7.1266G	51.97	68.20	-16.23	42.54	3	Horizontal	65	2.00	-	36.91	5.96	33.44

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00744G	56.60	88.20	-31.60	42.80	3	Vertical	359	1.30	-	39.70	8.80	34.70
RMS	13.01132G	46.01	68.20	-22.19	32.21	3	Vertical	359	1.30	-	39.70	8.80	34.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01456G	53.32	88.20	-34.88	39.52	3	Horizontal	345	2.54	-	39.70	8.80	34.70
RMS	13.00708G	42.29	68.20	-25.91	28.49	3	Horizontal	345	2.54	-	39.70	8.80	34.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51442G	44.84	83.54	-38.70	41.34	1	Vertical	228	1.51	-	37.89	15.31	49.70
AV	19.5181G	33.88	63.54	-29.66	30.38	1	Vertical	228	1.51	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5197G	44.61	83.54	-38.93	41.11	1	Horizontal	1	1.52	-	37.89	15.31	49.70
AV	19.51008G	33.77	63.54	-29.77	30.27	1	Horizontal	1	1.52	-	37.90	15.30	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6386G	107.93	Inf	-Inf	99.16	3	Vertical	330	2.34	-	36.18	5.70	33.11	
RMS	6.698G	96.77	Inf	-Inf	88.01	3	Vertical	330	2.34	-	36.20	5.70	33.14	
PK	7.1336G	63.18	88.20	-25.02	53.69	3	Vertical	330	2.34	-	36.97	5.97	33.45	
RMS	7.1336G	52.68	68.20	-15.52	43.19	3	Vertical	330	2.34	-	36.97	5.97	33.45	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.588G	115.41	Inf	-Inf	106.71	3	Horizontal	29	2.48	-	36.08	5.70	33.08	
RMS	6.643G	104.30	Inf	-Inf	95.52	3	Horizontal	29	2.48	-	36.19	5.70	33.11	
PK	7.1424G	65.84	88.20	-22.36	56.29	3	Horizontal	29	2.48	-	37.04	5.97	33.46	
RMS	7.127G	55.65	68.20	-12.55	46.21	3	Horizontal	29	2.48	-	36.92	5.96	33.44	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.32736G	56.30	74.00	-17.70	42.23	3	Vertical	35	2.76	-	40.05	8.73	34.71	
AV	13.33956G	44.05	54.00	-9.95	29.95	3	Vertical	35	2.76	-	40.08	8.73	34.71	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33596G	51.80	74.00	-22.20	37.71	3	Horizontal	202	2.55	-	40.07	8.73	34.71
AV	13.33504G	41.50	54.00	-12.50	27.41	3	Horizontal	202	2.55	-	40.07	8.73	34.71

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99432G	44.41	83.54	-39.13	41.20	1	Vertical	187	1.51	-	37.41	15.50	49.70
AV	19.9901G	33.64	63.54	-29.90	30.42	1	Vertical	187	1.51	-	37.42	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99464G	44.24	83.54	-39.30	41.03	1	Horizontal	112	1.54	-	37.41	15.50	49.70
AV	19.99002G	33.83	63.54	-29.71	30.61	1	Horizontal	112	1.54	-	37.42	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8026G	108.46	Inf	-Inf	99.63	3	Vertical	108	1.98	-	36.32	5.70	33.19	
RMS	6.8426G	97.37	Inf	-Inf	88.28	3	Vertical	108	1.98	-	36.56	5.74	33.21	
PK	7.1418G	69.83	88.20	-18.37	60.29	3	Vertical	108	1.98	-	37.03	5.97	33.46	
RMS	7.1258G	58.04	68.20	-10.16	48.61	3	Vertical	108	1.98	-	36.91	5.96	33.44	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8474G	116.38	Inf	-Inf	107.26	3	Horizontal	15	1.80	-	36.58	5.75	33.21	
RMS	6.8026G	105.18	Inf	-Inf	96.35	3	Horizontal	15	1.80	-	36.32	5.70	33.19	
PK	7.1274G	76.61	88.20	-11.59	67.17	3	Horizontal	15	1.80	-	36.92	5.96	33.44	
RMS	7.137G	66.11	68.20	-2.09	56.59	3	Horizontal	15	1.80	-	37.00	5.97	33.45	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64784G	54.37	88.20	-33.83	40.18	3	Vertical	22	2.31	-	40.30	8.67	34.78
RMS	13.6574G	42.04	68.20	-26.16	27.85	3	Vertical	22	2.31	-	40.31	8.67	34.79

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65996G	53.08	88.20	-35.12	38.88	3	Horizontal	203	1.10	-	40.32	8.67	34.79
RMS	13.64536G	42.60	68.20	-25.60	28.42	3	Horizontal	203	1.10	-	40.29	8.67	34.78

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4737G	45.56	83.54	-37.98	42.05	1	Vertical	306	1.53	-	37.69	15.71	49.89
AV	20.47606G	34.63	63.54	-28.91	31.12	1	Vertical	306	1.53	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 108
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47778G	45.81	83.54	-37.73	42.29	1	Horizontal	324	1.55	-	37.69	15.72	49.89
AV	20.47806G	34.34	63.54	-29.20	30.82	1	Horizontal	324	1.55	-	37.69	15.72	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT X_4TX
Setting 79
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.962G	103.07	Inf	-Inf	93.73	3	Vertical	94	2.07	-	36.75	5.86	33.27	
RMS	6.962G	92.76	Inf	-Inf	83.42	3	Vertical	94	2.07	-	36.75	5.86	33.27	
PK	7.144G	75.13	88.20	-13.07	65.57	3	Vertical	94	2.07	-	37.05	5.97	33.46	
RMS	7.136G	58.43	68.20	-9.77	48.92	3	Vertical	94	2.07	-	36.99	5.97	33.45	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 79
04-D-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.962G	113.26	Inf	-Inf	103.92	3	Horizontal	296	2.29	-	36.75	5.86	33.27	
RMS	6.962G	102.22	Inf	-Inf	92.88	3	Horizontal	296	2.29	-	36.75	5.86	33.27	
PK	7.14G	84.02	88.20	-4.18	74.49	3	Horizontal	296	2.29	-	37.02	5.97	33.46	
RMS	7.128G	67.97	68.20	-0.23	58.53	3	Horizontal	296	2.29	-	36.92	5.96	33.44	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT X_4TX
Setting 79
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.96036G	58.53	88.20	-29.67	44.05	3	Vertical	109	1.06	-	40.78	8.61	34.91	
RMS	13.97828G	48.07	68.20	-20.13	33.56	3	Vertical	109	1.06	-	40.83	8.60	34.92	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT X_4TX
Setting 79
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97964G	59.23	88.20	-28.97	44.71	3	Horizontal	244	2.37	-	40.84	8.60	34.92
RMS	13.96924G	49.06	68.20	-19.14	34.56	3	Horizontal	244	2.37	-	40.81	8.61	34.92

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT X_4TX
Setting 79
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.95214G	45.40	83.54	-38.14	41.51	1	Vertical	164	1.52	-	37.68	15.93	49.72	
AV	20.95036G	34.46	63.54	-29.08	30.57	1	Vertical	164	1.52	-	37.68	15.93	49.72	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT X_4TX
Setting 79
04-D-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95184G	45.33	83.54	-38.21	41.44	1	Horizontal	45	1.58	-	37.68	15.93	49.72
AV	20.95668G	34.32	63.54	-29.22	30.44	1	Horizontal	45	1.58	-	37.67	15.93	49.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

18/02/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6175MHz_TnomVnom

18/02/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

18/02/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

18/02/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

18/02/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

18/02/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

18/02/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

18/02/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

18/02/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

18/02/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

18/02/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

18/02/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

18/02/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TnomVnom

18/02/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

18/02/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

18/02/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

18/02/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

18/02/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

18/02/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

18/02/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

18/02/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

18/02/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

18/02/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

18/02/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

18/02/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

18/02/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

18/02/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

18/02/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

18/02/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

18/02/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

18/02/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

18/02/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

18/02/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

18/02/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

18/02/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

18/02/2022



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

18/02/2022

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95699G	-4.21	6.8702G	-38.12	-30.27	-7.85	1
6.93381G	-3.49	6.871G	-37.21	-29.48	-7.73	2
6.93061G	-3.94	6.887G	-34.17	-25.63	-8.54	3
6.93261G	-3.98	6.9874G	-30.90	-24.00	-6.90	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

18/02/2022

CF Freq
7.025GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99423G	-5.00	6.9606G	-35.81	-29.03	-6.78	1
7.01341G	-4.55	6.9666G	-34.67	-27.08	-7.59	2
7.01341G	-4.69	6.9686G	-34.36	-27.37	-6.99	3
7.01261G	-5.22	6.9674G	-34.73	-27.84	-6.89	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

18/02/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

18/02/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

18/02/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

18/02/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

18/02/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

18/02/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

18/02/2022



Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-70	Stop Transmission	10	100	90	PASS
						-71	Stop & with Beacon	-			
						-75	Start Transmission	-			
6	101	20	6455	Center	6455	-68	Stop Transmission	10	100	90	PASS
						-69	Stop & with Beacon	-			
						-75	Start Transmission	-			
7	149	20	6695	Center	6695	-66	Stop Transmission	9	90	90	PASS
						-67	Stop & with Beacon	-			
						-74	Start Transmission	-			
8	213	20	7075	Center	7015	-64	Stop Transmission	10	100	90	PASS
						-65	Stop & with Beacon	-			
						-68	Start Transmission	-			

Note :

1. EUT antenna gain = UNII 5=2.67 / UNII 6=1.23 / UNII 7=1.71 / UNII 8=2.34 dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-70.00	Stop Transmission	9	90	90	PASS
						-71.00	Stop & with Beacon	-			
						-72.00	Start Transmission	-			
				Center	6185	-68.00	Stop Transmission	10	100	90	PASS
						-69.00	Stop & with Beacon	-			
						-74.00	Start Transmission	-			
				High edge	6260	-70.00	Stop Transmission	9	90	90	PASS
						-71.00	Stop & with Beacon	-			
						-72.00	Start Transmission	-			
						-72.00	Start Transmission	-			
6	111	160	6505	Low edge	6430	-69.00	Stop Transmission	9	90	90	PASS
						-70.00	Stop & with Beacon	-			
						-73.00	Start Transmission	-			
				Center	6505	-68.00	Stop Transmission	9	90	90	PASS
						-69.00	Stop & with Beacon	-			
						-76.00	Start Transmission	-			
				High edge	6580	-69.00	Stop Transmission	9	90	90	PASS
						-70.00	Stop & with Beacon	-			
						-73.00	Start Transmission	-			
						-73.00	Start Transmission	-			
7	143	160	6665	Low edge	6590	-69.00	Stop Transmission	9	90	90	PASS
						-70.00	Stop & with Beacon	-			
						-72.00	Start Transmission	-			
				Center	6665	-68.00	Stop Transmission	9	90	90	PASS
						-69.00	Stop & with Beacon	-			
						-74.00	Start Transmission	-			
				High edge	6740	-64.00	Stop Transmission	9	90	90	PASS
						-65.00	Stop & with Beacon	-			
						-72.00	Start Transmission	-			
						-72.00	Start Transmission	-			
8	207	160	6985	Low edge	6910	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon	-			
						-68.00	Start Transmission	---			
				Center	6985	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon	-			
						-69.00	Start Transmission	-			
				High edge	7060	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon	-			
						-66.00	Start Transmission	-			
						-66.00	Start Transmission	-			


Note :

1. EUT antenna gain = UNII 5=2.67 / UNII 6=1.23 / UNII 7=1.71 / UNII 8=2.34 dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz




Frequency (MHz): 6695 MHz



Date: 18.MAR.2022 10:45:11


Frequency (MHz): 7015 MHz



Date: 18.MAR.2022 10:45:36


Bandwidth: 160MHz

Frequency (MHz): 6110 MHz




Date: 18.MAR.2022 10:46:24

Frequency (MHz): 6185 MHz




Date: 18.MAR.2022 10:47:05

Frequency (MHz): 6260 MHz




Date: 18.MAR.2022 10:46:46

Frequency (MHz): 6430 MHz




Date: 18.MAR.2022 12:33:21

Frequency (MHz): 6505 MHz




Date: 18.MAR.2022 12:33:54

Frequency (MHz): 6580 MHz




Date: 18.MAR.2022 12:34:15

Frequency (MHz): 6590 MHz




Date: 18.MAR.2022 11:00:21

Frequency (MHz): 6665 MHz




Date: 18.MAR.2022 11:00:39

Frequency (MHz): 6740 MHz




Date: 18.MAR.2022 11:01:05

Frequency (MHz): 6910 MHz




Date: 18.MAR.2022 11:02:37

Frequency (MHz): 6985 MHz



Date: 18.MAR.2022 11:02:51

Frequency (MHz): 7060 MHz




Date: 18.MAR.2022 11:03:05

Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 53 ; Incumbent signal 6215 MHz



Date: 16.MAR 2022 19:14:32

Note : M1 : Inject AWGN signal


Test CH 101 ; Incumbent signal 6455 MHz



Date: 17.MAR 2022 23:07:18


Note : M1 : Inject AWGN signal

Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal


Test CH 213 ; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal

Bandwidth: 160MHz


Test CH 47 ; Incumbent signal 6110 MHz



Date: 16.MAR.2022 19:41:24

Note : M1 : Inject AWGN signal


Test CH 47 ; Incumbent signal 6185 MHz



Date: 16.MAR.2022 19:25:56


Note : M1 : Inject AWGN signal

Test CH 47 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal

Test CH 111 ; Incumbent signal 6430 MHz




Note : M1 : Inject AWGN signal

Test CH 111 ; Incumbent signal 6505 MHz




Note : M1 : Inject AWGN signal

Test CH 111 ; Incumbent signal 6580 MHz




Note : M1 : Inject AWGN signal

Test CH 143 ; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

Test CH 143 ; Incumbent signal 6665 MHz




Note : M1 : Inject AWGN signal

Test CH 143 ; Incumbent signal 6740 MHz




Note : M1 : Inject AWGN signal

Test CH 207 ; Incumbent signal 6910 MHz




Note : M1 : Inject AWGN signal

Test CH 207 ; Incumbent signal 6985 MHz



Note : M1 : Inject AWGN signal

Test CH 207 ; Incumbent signal 7060 MHz



Note : M1 : Inject AWGN signal

Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.175G	6.17504434G	7.1804	5.925-6.425GHz	1	0 min
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.165G	6.16501749G	2.8365	5.925-6.425GHz	1	0 min
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.145G	6.14501063G	1.73	5.925-6.425GHz	1	0 min
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.185G	6.18500659G	1.0656	5.925-6.425GHz	1	0 min
6.425-6.525GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.475G	6.47503559G	5.4959	6.425-6.525GHz	1	0 min
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.445G	6.44501351G	2.0967	6.425-6.525GHz	1	0 min
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.465G	6.46501016G	1.5722	6.425-6.525GHz	1	0 min
6.525-6.875GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.695G	6.69503151G	4.7071	6.525-6.875GHz	1	0 min
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.685G	6.6850138G	2.0646	6.525-6.875GHz	1	0 min
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.705G	6.70500992G	1.4793	6.525-6.875GHz	1	0 min
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.665G	6.66500356G	0.5341	6.525-6.875GHz	1	10 min
6.875-7.125GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.995G	6.99502626G	3.7543	6.875-7.125GHz	1	0 min
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	7.005G	7.00501389G	1.9827	6.875-7.125GHz	1	0 min
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.945G	6.94500665G	0.9581	6.875-7.125GHz	1	0 min
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.985G	6.9850028G	0.4001	6.875-7.125GHz	1	0 min



Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-
6175MHz	Pass	6.175G	6.17504434G	7.1804	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17504418G	7.1538	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17504402G	7.1289	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17504386G	7.1025	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17504371G	7.0787	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.1750435G	7.0444	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17504334G	7.0178	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.1750432G	6.9963	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17504303G	6.9676	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17504282G	6.9343	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17504266G	6.909	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.1750425G	6.8832	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.1750423G	6.8497	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17504214G	6.8246	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17504199G	6.7998	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17504179G	6.7683	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17504157G	6.7318	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17504139G	6.703	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17504121G	6.6743	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17504104G	6.6463	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17504085G	6.6154	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17504062G	6.5778	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17504046G	6.5517	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17504031G	6.5283	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17504012G	6.4978	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17503996G	6.4709	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17503974G	6.4355	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17503957G	6.4083	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17503941G	6.3814	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17503924G	6.3543	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17503908G	6.3286	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.1750389G	6.2996	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17503873G	6.2717	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.1750386G	6.2512	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17503845G	6.2264	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17503829G	6.2003	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17503809G	6.1689	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17503794G	6.144	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17503777G	6.1164	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17503763G	6.0934	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17503751G	6.0737	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17503732G	6.0429	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.1750372G	6.0243	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17503704G	5.9985	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17503685G	5.9681	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17503675G	5.9521	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17503666G	5.937	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17503649G	5.9095	5.925-6.425GHz	1	10 min
6475MHz	Pass	6.475G	6.47503559G	5.4959	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503536G	5.4602	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503518G	5.4331	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503503G	5.4097	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503484G	5.3813	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503468G	5.3555	6.425-6.525GHz	1	2 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6475MHz	Pass	6.475G	6.4750345G	5.3274	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503433G	5.3016	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503429G	5.2956	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503411G	5.2686	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503393G	5.2408	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503383G	5.2239	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503369G	5.2028	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503355G	5.1807	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503344G	5.1649	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503334G	5.1495	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503319G	5.1256	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503308G	5.1089	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503292G	5.084	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.4750328G	5.0658	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503269G	5.048	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503254G	5.0255	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503241G	5.0049	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.4750323G	4.9884	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503217G	4.968	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503205G	4.95	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503195G	4.9337	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503184G	4.9168	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503173G	4.9007	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503156G	4.8743	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503142G	4.8525	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503132G	4.8377	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503125G	4.8258	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503118G	4.8156	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503112G	4.8065	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503093G	4.7775	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503083G	4.762	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503078G	4.7529	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503065G	4.7333	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503047G	4.7058	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503034G	4.6862	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503022G	4.6678	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503008G	4.6451	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47502995G	4.6252	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47502986G	4.612	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47502969G	4.5856	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47502957G	4.566	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47502944G	4.5461	6.425-6.525GHz	1	10 min
6695MHz	Pass	6.695G	6.69503151G	4.7071	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69503128G	4.672	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69503099G	4.6291	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69503077G	4.5961	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69503055G	4.563	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69503031G	4.5274	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69503007G	4.4913	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502986G	4.4605	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69502971G	4.4378	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502953G	4.4108	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502936G	4.3846	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502919G	4.3598	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69502904G	4.3379	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502888G	4.3134	6.525-6.875GHz	1	2 min



Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6695MHz	Pass	6.695G	6.69502868G	4.2833	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502853G	4.2612	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69502837G	4.2381	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502825G	4.2191	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502814G	4.2027	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502799G	4.18	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69502787G	4.1621	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502774G	4.1429	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502763G	4.1274	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.6950276G	4.1226	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.6950275G	4.1068	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502743G	4.0965	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502731G	4.0789	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502716G	4.0565	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69502703G	4.0367	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.6950269G	4.0172	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502687G	4.0128	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502672G	3.991	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.6950266G	3.9728	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502651G	3.9595	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502643G	3.9476	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502631G	3.9295	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69502617G	3.9089	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502605G	3.8905	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502595G	3.8756	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502583G	3.8577	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69502572G	3.8423	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502562G	3.8264	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502552G	3.8111	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502541G	3.7951	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.6950253G	3.7794	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502517G	3.7598	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502506G	3.7432	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502495G	3.7267	6.525-6.875GHz	1	10 min
6995MHz	Pass	6.995G	6.99502626G	3.7543	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502604G	3.7224	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502591G	3.7041	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502579G	3.6869	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.9950256G	3.66	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502545G	3.6389	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502533G	3.6217	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.9950252G	3.6021	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502502G	3.5766	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502492G	3.5623	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502474G	3.5362	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.9950246G	3.5169	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.9950245G	3.5018	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502435G	3.4811	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502425G	3.4662	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502413G	3.4489	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502402G	3.4345	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502393G	3.4206	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502391G	3.4179	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502373G	3.3923	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502361G	3.375	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.9950235G	3.3598	6.875-7.125GHz	1	2 min



Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6995MHz	Pass	6.995G	6.99502339G	3.3444	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502331G	3.3318	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502343G	3.3492	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502336G	3.3397	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502327G	3.3269	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502317G	3.3125	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502308G	3.2999	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502293G	3.2782	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502284G	3.2655	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502275G	3.2522	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502267G	3.2402	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.9950227G	3.2445	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.9950226G	3.2315	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502249G	3.2156	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502239G	3.2004	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502229G	3.1864	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502218G	3.1701	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502209G	3.158	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.995022G	3.1448	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502189G	3.1294	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502182G	3.1189	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502172G	3.1056	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502162G	3.0914	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502153G	3.0785	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502146G	3.068	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.9950214G	3.0588	6.875-7.125GHz	1	10 min
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-
6165MHz	Pass	6.165G	6.16501749G	2.8365	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501749G	2.8363	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501739G	2.8203	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501738G	2.8183	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.1650173G	2.8067	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501727G	2.8005	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501724G	2.7968	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501715G	2.7812	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501725G	2.7981	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501722G	2.7937	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501712G	2.7775	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501714G	2.7807	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501703G	2.7617	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501701G	2.7598	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501697G	2.7525	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.1650169G	2.7413	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501682G	2.7283	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501674G	2.7152	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.1650167G	2.7087	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501668G	2.7061	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.1650166G	2.692	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501653G	2.6813	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501647G	2.671	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501641G	2.661	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501643G	2.6644	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501636G	2.6529	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501626G	2.637	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501626G	2.6375	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501623G	2.6328	5.925-6.425GHz	1	0 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6165MHz	Pass	6.165G	6.16501613G	2.6161	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501618G	2.6242	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501604G	2.601	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501592G	2.5822	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501585G	2.5711	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501577G	2.5586	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501571G	2.5476	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501566G	2.5397	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501559G	2.5291	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501554G	2.5212	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501548G	2.5101	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501541G	2.5002	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501539G	2.4967	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501537G	2.4931	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501536G	2.4908	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501534G	2.4874	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501526G	2.4751	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501519G	2.4642	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501518G	2.4623	5.925-6.425GHz	1	10 min
6445MHz	Pass	6.445G	6.44501351G	2.0967	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501329G	2.0627	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501321G	2.0498	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501313G	2.0365	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501298G	2.0141	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.4450129G	2.0017	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501276G	1.9797	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501268G	1.9671	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501254G	1.9449	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501255G	1.9468	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501252G	1.9418	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.4450124G	1.9243	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501227G	1.9036	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.4450122G	1.8922	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501217G	1.8889	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501214G	1.8843	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501227G	1.9043	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501211G	1.8793	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501208G	1.8743	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501199G	1.86	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501201G	1.863	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501198G	1.8582	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501187G	1.8411	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501199G	1.86	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501193G	1.8514	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501187G	1.8424	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501182G	1.8335	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501174G	1.8216	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.4450117G	1.8157	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501169G	1.813	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501167G	1.8112	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501166G	1.8085	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501162G	1.8031	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501158G	1.7967	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501159G	1.7978	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501155G	1.7913	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501153G	1.789	6.425-6.525GHz	1	0 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6445MHz	Pass	6.445G	6.4450115G	1.7846	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.4450115G	1.7842	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501148G	1.7812	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501143G	1.7736	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501145G	1.7772	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501149G	1.7826	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501142G	1.7716	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501137G	1.7643	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501134G	1.7601	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501132G	1.7567	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.4450113G	1.7539	6.425-6.525GHz	1	10 min
6685MHz	Pass	6.685G	6.6850138G	2.0646	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501369G	2.0473	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.6850136G	2.0349	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501348G	2.0169	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501339G	2.003	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501327G	1.9847	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501318G	1.9714	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501309G	1.9577	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501302G	1.9473	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501292G	1.9322	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501279G	1.9138	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.6850127G	1.9004	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501261G	1.886	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501254G	1.8752	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501246G	1.864	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501239G	1.8527	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501232G	1.8432	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501229G	1.8381	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501223G	1.8287	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501222G	1.8277	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501229G	1.8381	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501215G	1.8181	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501211G	1.8114	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501204G	1.8009	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501198G	1.7919	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501189G	1.7783	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501182G	1.7687	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.6850118G	1.7656	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501174G	1.756	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501167G	1.7458	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501163G	1.74	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501159G	1.733	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501152G	1.7239	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501147G	1.7158	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501143G	1.7098	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.6850114G	1.705	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501134G	1.6962	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501129G	1.6883	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501124G	1.6811	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.6850112G	1.6754	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501117G	1.6712	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501114G	1.667	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501112G	1.663	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501107G	1.6555	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501105G	1.6536	6.525-6.875GHz	1	0 min



Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6685MHz	Pass	6.685G	6.685011G	1.6453	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501101G	1.647	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501093G	1.6344	6.525-6.875GHz	1	10 min
7005MHz	Pass	7.005G	7.00501389G	1.9827	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501353G	1.9309	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501319G	1.8824	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501299G	1.854	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501274G	1.8188	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501269G	1.8116	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501252G	1.7873	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501248G	1.7816	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.0050126G	1.7989	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501238G	1.7673	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501218G	1.7386	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501204G	1.7182	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501189G	1.6974	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501185G	1.6915	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501169G	1.6691	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501162G	1.6582	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501153G	1.646	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501145G	1.6344	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.0050114G	1.6274	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501136G	1.6214	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501137G	1.6224	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501138G	1.6241	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501128G	1.6108	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501119G	1.5967	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501111G	1.5863	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501109G	1.5826	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501097G	1.5666	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501092G	1.5585	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501085G	1.5482	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501076G	1.5362	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501083G	1.5456	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501072G	1.5306	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501072G	1.5298	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501075G	1.5339	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501069G	1.5265	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501062G	1.5155	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501055G	1.5061	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501055G	1.5058	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501042G	1.4869	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501032G	1.4734	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501032G	1.4732	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501033G	1.4752	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501017G	1.4511	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501011G	1.4433	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.0050101G	1.4414	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00500999G	1.4264	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00500993G	1.4178	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00500986G	1.4074	6.875-7.125GHz	1	10 min
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-
6145MHz	Pass	6.145G	6.14501063G	1.73	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14501047G	1.7035	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14501031G	1.6773	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14501018G	1.6565	5.925-6.425GHz	1	10 min



Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6145MHz	Pass	6.145G	6.14501006G	1.6369	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14500985G	1.6036	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.1450098G	1.5941	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500973G	1.5826	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500957G	1.5566	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14500959G	1.5605	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500948G	1.5427	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500947G	1.5408	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500939G	1.5277	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.1450093G	1.5133	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500925G	1.5051	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500915G	1.4882	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500913G	1.4849	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14500909G	1.4797	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500913G	1.4849	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500906G	1.474	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500901G	1.4661	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.145009G	1.4638	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500903G	1.4697	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500898G	1.4605	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.1450089G	1.4485	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14500882G	1.4353	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500888G	1.4449	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500875G	1.4241	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.1450087G	1.4151	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14500869G	1.4138	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500864G	1.4057	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500859G	1.3977	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500854G	1.3899	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.1450086G	1.3992	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500859G	1.3984	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500859G	1.3979	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500866G	1.4085	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14500869G	1.4145	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500853G	1.388	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500861G	1.4015	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500847G	1.3785	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14500841G	1.3686	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500839G	1.3648	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500837G	1.3622	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500834G	1.3574	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.1450083G	1.3512	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500828G	1.3466	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.1450083G	1.3499	5.925-6.425GHz	1	10 min
6465MHz	Pass	6.465G	6.46501016G	1.5722	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46501002G	1.5503	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500987G	1.527	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500972G	1.5036	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500963G	1.4894	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.4650095G	1.469	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500938G	1.4506	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500931G	1.4405	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500921G	1.4246	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500914G	1.4141	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500912G	1.4104	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500904G	1.3978	6.425-6.525GHz	1	10 min



Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6465MHz	Pass	6.465G	6.46500895G	1.3844	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500889G	1.3743	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500883G	1.3655	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500876G	1.3544	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500873G	1.3496	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500865G	1.3384	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.4650086G	1.3298	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500855G	1.3224	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500852G	1.3174	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500846G	1.3086	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.4650084G	1.2991	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500833G	1.2886	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500826G	1.2781	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.4650082G	1.269	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500821G	1.2699	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.4650082G	1.269	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500815G	1.2609	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500811G	1.2544	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500806G	1.2472	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500805G	1.2449	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500803G	1.2413	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500805G	1.245	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500801G	1.2391	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500796G	1.2305	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500792G	1.2244	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500792G	1.2254	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500796G	1.2308	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500788G	1.2183	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500787G	1.2167	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500788G	1.2189	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500781G	1.2079	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500779G	1.2045	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500776G	1.2008	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500777G	1.2017	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.4650077G	1.1915	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500768G	1.1872	6.425-6.525GHz	1	10 min
6705MHz	Pass	6.705G	6.70500992G	1.4793	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500975G	1.4544	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500964G	1.4373	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500946G	1.4115	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500939G	1.4001	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500929G	1.3851	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500914G	1.3632	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500909G	1.3553	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500904G	1.3488	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500902G	1.3447	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500892G	1.3304	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500887G	1.3226	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500884G	1.319	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500873G	1.3026	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500862G	1.2859	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500857G	1.2774	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500851G	1.2694	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500846G	1.2619	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500844G	1.2592	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500836G	1.2465	6.525-6.875GHz	1	10 min



Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6705MHz	Pass	6.705G	6.70500834G	1.2434	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500831G	1.2395	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500825G	1.2297	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500817G	1.2183	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.7050081G	1.2087	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500805G	1.2003	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500801G	1.1946	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500795G	1.1854	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500792G	1.1811	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500788G	1.1757	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500785G	1.1703	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500785G	1.17	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500781G	1.1652	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500775G	1.1553	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500775G	1.1554	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500772G	1.1518	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500778G	1.1597	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500776G	1.1576	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.7050077G	1.1477	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500766G	1.1426	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500767G	1.1433	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500771G	1.1502	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.7050077G	1.1479	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500771G	1.1502	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500774G	1.1547	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500771G	1.1497	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500754G	1.1247	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500764G	1.1391	6.525-6.875GHz	1	10 min
6945MHz	Pass	6.945G	6.94500652G	0.9389	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500652G	0.9389	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500653G	0.94	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500656G	0.944	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500655G	0.9436	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500658G	0.9467	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500661G	0.951	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500665G	0.9578	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500665G	0.9581	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500662G	0.9538	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500662G	0.9526	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500658G	0.9473	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500657G	0.9456	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500656G	0.9447	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500656G	0.9446	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500654G	0.9411	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500651G	0.9378	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500649G	0.9351	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500649G	0.9338	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500649G	0.9343	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500647G	0.9312	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500646G	0.9299	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500644G	0.9266	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500641G	0.923	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500639G	0.9202	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500637G	0.9168	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500634G	0.9133	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500632G	0.9106	6.875-7.125GHz	1	10 min



Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6945MHz	Pass	6.945G	6.9450063G	0.9068	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500627G	0.9031	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500624G	0.8978	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500621G	0.8946	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500618G	0.8903	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500617G	0.8887	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500616G	0.8871	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500614G	0.8844	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500613G	0.8832	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500614G	0.8839	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500611G	0.8796	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500608G	0.8759	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500606G	0.8723	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500603G	0.8685	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500601G	0.8652	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500598G	0.8615	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500595G	0.8564	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500593G	0.8531	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500591G	0.8505	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500589G	0.8474	6.875-7.125GHz	1	10 min
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-
6185MHz	Pass	6.185G	6.18500659G	1.0656	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500653G	1.055	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500646G	1.0451	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500637G	1.0291	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.1850063G	1.0192	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.1850063G	1.0179	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500625G	1.0108	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500625G	1.0108	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500623G	1.0079	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500635G	1.0262	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500619G	1.0011	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500618G	0.9995	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500612G	0.9897	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500609G	0.984	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.185006G	0.9698	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500597G	0.9659	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500592G	0.9567	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500591G	0.9555	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.1850059G	0.9539	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500586G	0.9479	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500587G	0.9492	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500581G	0.9399	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.1850058G	0.9384	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500576G	0.9311	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.1850057G	0.9221	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500567G	0.9172	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500572G	0.9242	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500566G	0.9151	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500561G	0.907	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500559G	0.9038	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.1850056G	0.9057	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500561G	0.9074	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500556G	0.8985	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500553G	0.8947	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500551G	0.8902	5.925-6.425GHz	1	5 min



Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6185MHz	Pass	6.185G	6.18500551G	0.8907	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500549G	0.8878	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500555G	0.8967	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500564G	0.9112	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500558G	0.9014	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500556G	0.8991	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.1850056G	0.9057	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500561G	0.9075	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500563G	0.9104	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.1850056G	0.9053	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500564G	0.9114	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500558G	0.9014	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500552G	0.8925	5.925-6.425GHz	1	10 min
6665MHz	Pass	6.665G	6.66500261G	0.3913	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500262G	0.3928	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500259G	0.3887	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500271G	0.4068	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500271G	0.4059	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500269G	0.4036	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500272G	0.408	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500272G	0.4084	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500273G	0.4092	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500279G	0.4191	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500278G	0.4168	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500283G	0.4245	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500287G	0.4311	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.6650029G	0.4354	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.6650029G	0.4351	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500289G	0.433	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500288G	0.432	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500304G	0.4555	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500307G	0.4603	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500296G	0.4435	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500297G	0.4458	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.665003G	0.4506	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500304G	0.4563	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500304G	0.4554	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500313G	0.469	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500306G	0.4594	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500309G	0.463	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.6650031G	0.4644	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500304G	0.4558	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500318G	0.4773	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500317G	0.475	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500325G	0.4882	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500315G	0.4729	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500327G	0.4903	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500324G	0.4854	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500322G	0.4824	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500333G	0.4998	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500328G	0.4926	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500326G	0.4897	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500336G	0.5047	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500349G	0.523	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500343G	0.5149	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500338G	0.5073	6.525-6.875GHz	1	5 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6665MHz	Pass	6.665G	6.66500339G	0.5079	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500341G	0.5109	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500346G	0.5187	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500351G	0.5262	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500356G	0.5341	6.525-6.875GHz	1	10 min
6985MHz	Pass	6.985G	6.9850028G	0.4001	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500276G	0.3947	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500271G	0.3874	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500272G	0.3895	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500271G	0.3878	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500268G	0.3831	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500265G	0.38	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500263G	0.377	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500259G	0.3711	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500258G	0.3689	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500257G	0.3676	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500256G	0.3659	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500257G	0.3681	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500255G	0.3656	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500266G	0.3808	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.9850026G	0.3717	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500258G	0.3698	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500257G	0.3685	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500252G	0.3603	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.9850025G	0.3578	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500247G	0.3533	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500247G	0.3535	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500249G	0.356	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500253G	0.3623	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500256G	0.3659	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500251G	0.3588	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500254G	0.3629	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500248G	0.3548	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500248G	0.3552	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500247G	0.3532	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500252G	0.3601	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500245G	0.3502	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500241G	0.3449	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500242G	0.3463	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500237G	0.3397	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500236G	0.3374	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500242G	0.3469	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500244G	0.3493	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500237G	0.3397	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500246G	0.3526	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500241G	0.3445	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500244G	0.3486	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500242G	0.3457	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500241G	0.3443	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500251G	0.3596	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500252G	0.3609	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500255G	0.3646	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500249G	0.3563	6.875-7.125GHz	1	10 min