



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/3/2020

Temperature: 22.9 °C

Time: 6:01:09 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH52

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:07:50 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH52

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:04:10 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH52

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10520.000	34.76	peak	8.54	43.30	74.00	150	355	-30.70	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 3/3/2020

Temperature:22.9 °C

Time: 6:08:53 AM

Humidity:57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH52

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10520.000	37.48	peak	8.54	46.02	74.00	150	40	-27.98	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/3/2020

Temperature: 22.9 °C

Time: 6:05:19 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH52

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	28.41	peak	17.65	46.06	74.00	150	340	-27.94	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:10:02 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH52

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	28.49	peak	17.65	46.14	74.00	150	15	-27.86	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:05:29 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH52

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #11


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:10:12 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH52

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:05:39 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH52

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:10:22 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH52

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/3/2020

Temperature: 22.9 °C

Time: 6:14:39 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH60

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:20:34 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH60

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:15:40 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH60

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/3/2020

Temperature: 22.9 °C

Time: 6:21:35 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH60

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:18:01 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH60

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10600.000	35.33	peak	8.61	43.94	74.00	150	360	-30.06	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 3/3/2020

Temperature:22.9 °C

Time: 6:22:58 AM

Humidity:57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH60

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10600.000	35.52	peak	8.61	44.13	74.00	150	125	-29.87	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/3/2020

Temperature: 22.9 °C

Time: 6:19:09 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH60

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15900.000	30.50	peak	18.03	48.53	74.00	150	70	-25.47	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/3/2020

Temperature: 22.9 °C

Time: 6:24:07 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH60

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15900.000	30.15	peak	18.03	48.18	74.00	150	320	-25.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:19:19 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH60

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #11


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:24:17 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH60

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:19:30 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH60

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:24:27 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH60

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/3/2020

Temperature: 22.9 °C

Time: 6:28:27 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:34:59 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:29:28 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/3/2020

Temperature: 22.9 °C

Time: 6:36:00 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/3/2020

Temperature: 22.9 °C

Time: 6:32:26 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10640.000	35.63	peak	8.78	44.41	74.00	150	65	-29.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:37:02 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10640.000	36.57	peak	8.78	45.35	74.00	150	80	-28.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:33:35 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	29.66	peak	18.31	47.97	74.00	150	110	-26.03	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:38:11 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	29.28	peak	18.31	47.59	74.00	150	260	-26.41	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:33:45 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:38:21 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:33:55 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:38:31 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 3:44:00 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 3:48:42 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 3:45:01 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 3:49:43 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 3:46:10 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	35.06	peak	9.51	44.57	74.00	150	30	-29.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/4/2020

Temperature: 24.0 °C

Time: 3:50:46 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	35.69	peak	9.51	45.20	74.00	150	110	-28.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 3:47:18 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	27.81	peak	19.40	47.21	74.00	150	325	-26.79	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/4/2020

Temperature: 24.0 °C

Time: 3:51:54 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	27.68	peak	19.40	47.08	74.00	150	275	-26.92	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 3/4/2020

Temperature: 24.0 °C

Time: 3:47:28 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 3:52:04 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 3:47:39 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 3:52:15 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 3:56:14 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH116

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/4/2020

Temperature: 24.0 °C

Time: 4:04:32 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH116

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 3:57:15 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH116

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/4/2020

Temperature: 24.0 °C

Time: 4:05:33 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH116

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/4/2020

Temperature: 24.0 °C

Time: 3:58:25 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH116

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11160.000	34.81	peak	10.36	45.17	74.00	150	10	-28.83	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:06:36 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH116

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11160.000	34.48	peak	10.36	44.84	74.00	150	85	-29.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #4


Date: 3/4/2020

Temperature: 24.0 °C

Time: 3:59:34 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH116

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16740.000	28.29	peak	20.00	48.29	74.00	150	360	-25.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:07:44 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH116

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16740.000	28.08	peak	20.00	48.08	74.00	150	330	-25.92	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/4/2020

Temperature: 24.0 °C

Time: 3:59:44 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH116

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #11


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:07:54 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH116

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 3:59:54 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH116

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:08:05 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH116

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:11:06 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:16:01 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:12:08 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/4/2020

Temperature: 24.0 °C

Time: 4:17:02 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/4/2020

Temperature: 24.0 °C

Time: 4:13:29 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	34.74	peak	10.68	45.42	74.00	150	100	-28.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/4/2020

Temperature: 24.0 °C

Time: 4:18:10 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	35.06	peak	10.68	45.74	74.00	150	75	-28.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/4/2020

Temperature: 24.0 °C

Time: 4:14:37 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	27.61	peak	20.70	48.31	74.00	150	45	-25.69	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:19:18 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	27.51	peak	20.70	48.21	74.00	150	320	-25.79	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:14:47 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:19:28 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:14:58 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:19:39 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 1:43:37 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/5/2020

Temperature: 22.8 °C

Time: 1:50:41 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 1:44:38 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/5/2020

Temperature: 22.8 °C

Time: 1:51:42 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 1:45:50 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	34.91	peak	11.36	46.27	74.00	150	100	-27.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/5/2020

Temperature: 22.8 °C

Time: 1:52:48 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	34.86	peak	11.36	46.22	74.00	150	75	-27.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/5/2020

Temperature: 22.8 °C

Time: 1:46:59 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	27.01	peak	19.23	46.24	74.00	150	295	-27.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/5/2020

Temperature: 22.8 °C

Time: 1:53:56 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	27.82	peak	19.23	47.05	74.00	150	255	-26.95	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/5/2020

Temperature: 22.8 °C

Time: 1:47:09 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 1:54:06 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#6


Date: 3/5/2020

Temperature: 22.8 °C

Time: 1:47:19 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 1:54:17 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/5/2020

Temperature: 22.8 °C

Time: 1:56:26 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:02:20 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 1:56:34 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:02:28 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 1:57:37 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	34.93	peak	11.12	46.05	74.00	150	35	-27.95	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:03:30 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	34.52	peak	11.12	45.64	74.00	150	60	-28.36	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 1:58:46 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	27.32	peak	20.45	47.77	74.00	150	250	-26.23	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:04:39 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	27.43	peak	20.45	47.88	74.00	150	125	-26.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 1:58:56 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #11


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:04:49 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#6


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 1:59:06 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:04:59 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:08:59 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:12:37 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:09:07 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 2:12:44 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:10:50 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	34.95	peak	10.97	45.92	74.00	150	290	-28.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:14:10 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	35.60	peak	10.97	46.57	74.00	150	0	-27.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:11:58 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	27.43	peak	20.33	47.76	74.00	150	130	-26.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:15:19 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	28.18	peak	20.33	48.51	74.00	150	155	-25.49	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:12:08 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #11


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:15:29 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:12:19 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:15:39 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #1


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 12:08:47 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH36

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 3/1/2020

Temperature:22.9 °C

90.0 dBuV/m

Time: 12:39:07 PM

Humidity:58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH36

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #2


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 12:09:48 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH36

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #8


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 12:40:08 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH36

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #3


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 12:34:39 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH36

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10360.000	35.78	peak	8.23	44.01	74.00	150	57	-29.99	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #9


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 12:46:00 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH36

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	10358.818	54.23	peak	8.23	62.46	74.00	215	2	-11.54	
*	10358.818	40.67	AVG	8.23	48.90	54.00	215	2	-5.10	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 12:35:49 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH36

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15540.000	29.48	peak	18.95	48.43	74.00	150	230	-25.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #10


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 12:47:10 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH36

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15540.000	29.30	peak	18.95	48.25	74.00	150	275	-25.75	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 12:35:58 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH36

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #11


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 12:47:20 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH36

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #6


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 12:36:09 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH36

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #12


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 12:47:31 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH36

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 3/1/2020

Temperature:22.9 °C

90.0 dBuV/m

Time: 1:07:59 PM

Humidity:58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH44

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #7


Date: 3/1/2020

Temperature: 22.9 °C

Time: 1:16:21 PM

Humidity: 58.5 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH44

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #2


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:09:01 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH44

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #8


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:17:22 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH44

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 3/1/2020

Temperature: 22.9 °C

Time: 1:13:42 PM

Humidity: 58.5 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH44

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10440.000	35.47	peak	8.33	43.80	74.00	150	178	-30.20	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #9


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:24:01 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH44

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	10436.874	54.27	peak	8.32	62.59	74.00	163	157	-11.41	
*	10436.874	40.29	AVG	8.32	48.61	54.00	163	157	-5.39	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 3/1/2020

Temperature:22.9 °C

Time: 1:14:52 PM

Humidity:58.5 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH44

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15660.000	28.73	peak	18.33	47.06	74.00	150	260	-26.94	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #10


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:25:12 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH44

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15660.000	28.90	peak	18.33	47.23	74.00	150	235	-26.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:15:02 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH44

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #11


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:25:22 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH44

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:15:12 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH44

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #12


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:25:32 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH44

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #1


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:36:12 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH48

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #7


Date: 3/1/2020

Temperature: 22.9 °C

Time: 1:43:37 PM

Humidity: 58.5 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH48

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #2


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:37:13 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH48

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #8


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:44:38 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH48

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #3


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:40:15 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH48

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	35.32	peak	8.46	43.78	74.00	150	216	-30.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #9


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:48:25 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH48

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	10484.469	54.39	peak	8.47	62.86	74.00	176	217	-11.14	
*	10484.469	41.26	AVG	8.47	49.73	54.00	176	217	-4.27	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #4


Date: 3/1/2020

Temperature: 22.9 °C

Time: 1:41:25 PM

Humidity: 58.5 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH48

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	28.61	peak	17.44	46.05	74.00	150	55	-27.95	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #10


Date: 3/1/2020

Temperature: 22.9 °C

Time: 1:49:35 PM

Humidity: 58.5 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH48

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	28.51	peak	17.44	45.95	74.00	150	246	-28.05	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:41:35 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH48

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:49:45 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH48

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:41:45 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH48

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #12


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 1:49:56 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH48

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:43:48 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH52

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/3/2020

Temperature: 22.9 °C

Time: 6:49:22 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH52

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:44:49 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH52

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:50:24 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH52

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:46:16 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH52

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10520.000	36.67	peak	8.54	45.21	74.00	150	45	-28.79	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/3/2020

Temperature: 22.9 °C

Time: 6:51:31 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH52

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	10523.020	56.31	peak	8.54	64.85	74.00	150	295	-9.15	
*	10523.020	41.89	AVG	8.54	50.43	54.00	150	295	-3.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:47:24 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH52

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	28.20	peak	17.65	45.85	74.00	150	100	-28.15	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:52:39 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH52

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	28.42	peak	17.65	46.07	74.00	150	75	-27.93	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/3/2020

Temperature:22.9 °C

Time: 6:47:34 AM

Humidity:57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH52

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:52:49 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH52

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:47:45 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH52

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 6:53:00 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH52

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/3/2020

Temperature: 22.9 °C

Time: 7:00:31 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH60

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/3/2020

Temperature: 22.9 °C

Time: 7:06:23 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH60

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:01:32 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH60

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:07:24 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH60

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 3/3/2020

Temperature: 22.9 °C

Time: 7:03:37 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH60

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10600.000	36.12	peak	8.61	44.73	74.00	150	75	-29.27	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:09:21 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH60

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	10591.943	56.32	peak	8.60	64.92	74.00	150	280	-9.08	
*	10591.943	40.48	AVG	8.60	49.08	54.00	150	280	-4.92	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:04:46 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH60

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15900.000	30.42	peak	18.03	48.45	74.00	150	325	-25.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/3/2020

Temperature: 22.9 °C

Time: 7:10:30 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH60

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15900.000	30.15	peak	18.03	48.18	74.00	150	70	-25.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/3/2020

Temperature: 22.9 °C

Time: 7:04:55 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH60

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:10:40 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH60

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:05:06 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH60

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:10:51 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH60

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/3/2020

Temperature: 22.9 °C

Time: 7:19:07 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH64

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:23:46 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH64

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:20:08 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH64

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/3/2020

Temperature: 22.9 °C

Time: 7:24:47 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH64

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 3/3/2020

Temperature:22.9 °C

90.0 dBuV/m

Time: 7:21:15 AM

Humidity:57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH64

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10640.000	36.61	peak	8.78	45.39	74.00	150	330	-28.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:26:01 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH64

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	10632.424	55.22	peak	8.75	63.97	74.00	199	280	-10.03	
*	10632.424	39.80	AVG	8.75	48.55	54.00	199	280	-5.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:22:23 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH64

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	29.44	peak	18.31	47.75	74.00	150	165	-26.25	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:27:09 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH64

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	29.97	peak	18.31	48.28	74.00	150	240	-25.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 3/3/2020

Temperature: 22.9 °C

Time: 7:22:33 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH64

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #11


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:27:19 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH64

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:22:43 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH64

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:27:30 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH64

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/4/2020

Temperature: 24.0 °C

Time: 4:25:23 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 3/4/2020

Temperature:24.0 °C

90.0 dBuV/m

Time: 4:30:08 AM

Humidity:59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH100

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:26:25 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/4/2020

Temperature: 24.0 °C

Time: 4:31:09 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH100

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:27:35 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	35.58	peak	9.51	45.09	74.00	150	305	-28.91	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:32:16 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH100

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	36.82	peak	9.51	46.33	74.00	150	55	-27.67	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:28:44 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	27.67	peak	19.40	47.07	74.00	150	245	-26.93	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#10


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:33:24 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH100

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	27.50	peak	19.40	46.90	74.00	150	85	-27.10	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:28:54 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #11


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:33:34 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH100

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:29:04 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH100

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:33:45 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH100

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/4/2020

Temperature: 24.0 °C

Time: 4:38:53 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH116

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:44:39 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH116

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:39:54 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH116

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:45:40 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH116

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/4/2020

Temperature: 24.0 °C

Time: 4:41:05 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH116

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11160.000	35.44	peak	10.36	45.80	74.00	150	310	-28.20	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:46:44 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH116

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	11163.387	53.82	peak	10.39	64.21	74.00	150	275	-9.79	
*	11163.387	39.23	AVG	10.39	49.62	54.00	150	275	-4.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/4/2020

Temperature: 24.0 °C

Time: 4:42:13 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH116

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16740.000	27.67	peak	20.00	47.67	74.00	150	55	-26.33	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:47:52 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH116

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16740.000	28.13	peak	20.00	48.13	74.00	150	135	-25.87	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/4/2020

Temperature: 24.0 °C

Time: 4:42:23 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH116

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #11


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:48:02 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH116

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:42:34 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH116

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:48:13 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH116

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 3/4/2020

Temperature:24.0 °C

Time: 4:57:10 AM

Humidity:59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH140

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 3/4/2020

Temperature:24.0 °C

90.0 dBuV/m

Time: 5:01:53 AM

Humidity:59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH140

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:58:12 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH140

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:02:54 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH140

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 4:59:17 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH140

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	35.39	peak	10.68	46.07	74.00	150	40	-27.93	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:04:00 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH140

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	11398.437	54.99	peak	10.69	65.68	74.00	150	360	-8.32	
*	11398.437	39.88	AVG	10.69	50.57	54.00	150	360	-3.43	

*:Maximum data x:Over limit l:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:00:26 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH140

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	27.70	peak	20.70	48.40	74.00	150	275	-25.60	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#10


Date: 3/4/2020

Temperature: 24.0 °C

Time: 5:05:08 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH140

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	27.41	peak	20.70	48.11	74.00	150	220	-25.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:00:36 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH140

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/4/2020

Temperature:24.0 °C

90.0 dBuV/m

Time: 5:05:18 AM

Humidity:59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH140

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:00:47 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH140

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:05:29 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH140

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:22:10 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:33:46 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH149

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:23:11 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 2:34:47 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH149

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/5/2020

Temperature: 22.8 °C

Time: 2:31:10 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH149

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	35.77	peak	11.36	47.13	74.00	150	20	-26.87	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:36:06 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH149

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	36.33	peak	11.36	47.69	74.00	150	235	-26.31	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #4


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:32:19 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH149

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	27.24	peak	19.23	46.47	74.00	150	105	-27.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:37:14 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH149

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	28.63	peak	19.23	47.86	74.00	150	145	-26.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:32:29 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #11


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:37:24 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH149

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:32:40 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:37:35 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH149

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:40:47 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:43:56 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH157

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:40:55 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:44:04 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH157

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/5/2020

Temperature: 22.8 °C

Time: 2:41:57 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH157

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	34.66	peak	11.12	45.78	74.00	150	70	-28.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:45:08 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH157

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	34.71	peak	11.12	45.83	74.00	150	120	-28.17	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/5/2020

Temperature: 22.8 °C

Time: 2:43:05 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH157

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	26.93	peak	20.45	47.38	74.00	150	300	-26.62	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#10


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:46:17 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH157

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	26.95	peak	20.45	47.40	74.00	150	255	-26.60	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:43:15 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #11


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:46:27 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH157

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#6


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:43:26 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:46:37 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH157

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:49:03 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/5/2020

Temperature: 22.8 °C

Time: 2:51:55 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH165

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:49:11 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:52:02 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:50:13 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH165

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	34.40	peak	10.97	45.37	74.00	150	70	-28.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:53:06 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH165

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	35.01	peak	10.97	45.98	74.00	150	40	-28.02	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #4


Date: 3/5/2020

Temperature: 22.8 °C

Time: 2:51:21 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH165

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	27.99	peak	20.33	48.32	74.00	150	145	-25.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#10


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:54:15 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH165

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	27.61	peak	20.33	47.94	74.00	150	200	-26.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 3/5/2020

Temperature: 22.8 °C

Time: 2:51:31 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:54:25 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:51:41 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 2:54:35 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH165

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #1


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:04:27 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH38

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #7


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:14:54 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH38

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #2


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:05:28 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH38

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #8


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:15:55 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH38

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #3


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:08:20 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH38

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10380.000	35.05	peak	8.22	43.27	74.00	150	263	-30.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #9


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:20:47 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH38

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	10370.240	53.82	peak	8.22	62.04	74.00	190	237	-11.96	
*	10370.240	40.55	AVG	8.22	48.77	54.00	190	237	-5.23	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:09:30 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH38

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15570.000	28.91	peak	19.36	48.27	74.00	150	87	-25.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #10


Date: 3/1/2020

Temperature: 22.9 °C

Time: 2:21:57 PM

Humidity: 58.5 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH38

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15570.000	29.42	peak	19.36	48.78	74.00	150	263	-25.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #5


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:09:40 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH38

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 3/1/2020

Temperature:22.9 °C

90.0 dBuV/m

Time: 2:22:07 PM

Humidity:58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH38

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:09:50 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH38

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #12


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:22:18 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH38

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #1


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:44:26 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH46

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #7


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:49:53 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH46

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #2


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:45:27 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH46

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #8


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:50:54 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH46

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #3


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:46:49 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH46

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10460.000	35.44	peak	8.40	43.84	74.00	150	285	-30.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #9


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:53:06 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH46

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	10455.912	55.08	peak	8.38	63.46	74.00	150	263	-10.54	
*	10455.912	41.58	AVG	8.38	49.96	54.00	150	263	-4.04	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 3/1/2020

Temperature: 22.9 °C

Time: 2:47:59 PM

Humidity: 58.5 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH46

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15690.000	29.14	peak	17.61	46.75	74.00	150	126	-27.25	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:54:16 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH46

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15690.000	28.36	peak	17.61	45.97	74.00	150	235	-28.03	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:48:09 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH46

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #11


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:54:26 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH46

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:48:19 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH46

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #12


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 2:54:36 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH46

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/3/2020

Temperature: 22.9 °C

Time: 7:34:39 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH54

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:39:18 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH54

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:35:41 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH54

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:40:20 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH54

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:36:47 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH54

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10540.000	35.38	peak	8.56	43.94	74.00	150	70	-30.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:41:23 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH54

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	10544.970	54.71	peak	8.56	63.27	74.00	150	295	-10.73	
*	10544.970	40.92	AVG	8.56	49.48	54.00	150	295	-4.52	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/3/2020

Temperature: 22.9 °C

Time: 7:37:55 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH54

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15810.000	28.60	peak	17.75	46.35	74.00	150	345	-27.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#10


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:42:31 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH54

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15810.000	29.19	peak	17.75	46.94	74.00	150	250	-27.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 3/3/2020

Temperature: 22.9 °C

Time: 7:38:05 AM

Humidity: 57.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH54

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:42:41 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH54

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:38:16 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH54

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/3/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 7:42:52 AM

Humidity: 57.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH54

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 12:55:54 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH62

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:00:42 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH62

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 12:56:56 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH62

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:01:43 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH62

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 12:58:10 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH62

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10620.000	35.24	peak	8.70	43.94	74.00	150	215	-30.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:02:46 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH62

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10620.000	36.29	peak	8.70	44.99	74.00	150	355	-29.01	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 12:59:19 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH62

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15930.000	29.90	peak	18.17	48.07	74.00	150	45	-25.93	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/4/2020

Temperature: 24.0 °C

Time: 1:03:54 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH62

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15930.000	30.29	peak	18.17	48.46	74.00	150	185	-25.54	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 12:59:29 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH62

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #11


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:04:04 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH62

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 12:59:39 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH62

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:04:14 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH62

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/4/2020

Temperature: 24.0 °C

Time: 5:14:49 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH102

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:19:36 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH102

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:15:50 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH102

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:20:37 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH102

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:16:59 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH102

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11020.000	35.27	peak	9.59	44.86	74.00	150	5	-29.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 3/4/2020

Temperature: 24.0 °C

Time: 5:21:43 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH102

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11020.000	36.30	peak	9.59	45.89	74.00	150	315	-28.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:18:08 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH102

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16530.000	27.24	peak	19.12	46.36	74.00	150	195	-27.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/4/2020

Temperature: 24.0 °C

Time: 5:22:51 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH102

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16530.000	27.16	peak	19.12	46.28	74.00	150	60	-27.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 3/4/2020

Temperature: 24.0 °C

Time: 5:18:18 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH102

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/4/2020

Temperature:24.0 °C

Time: 5:23:01 AM

Humidity:59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH102

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:18:29 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH102

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:23:12 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH102

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:29:29 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH110

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:34:08 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH110

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:30:30 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH110

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:35:09 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH110

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:31:34 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH110

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11100.000	36.14	peak	9.89	46.03	74.00	150	95	-27.97	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:36:14 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH110

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11100.000	36.31	peak	9.89	46.20	74.00	150	20	-27.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:32:42 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH110

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16650.000	28.14	peak	19.14	47.28	74.00	150	350	-26.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:37:23 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH110

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16650.000	29.66	peak	19.14	48.80	74.00	150	80	-25.20	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:32:52 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH110

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:37:32 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH110

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:33:03 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH110

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:37:43 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH110

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 3/4/2020

Temperature:24.0 °C

90.0 dBuV/m

Time: 5:43:45 AM

Humidity:59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH134

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:48:24 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH134

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:44:46 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH134

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:49:25 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH134

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/4/2020

Temperature: 24.0 °C

Time: 5:45:52 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH134

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11340.000	35.04	peak	10.90	45.94	74.00	150	15	-28.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:50:34 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH134

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11340.000	35.33	peak	10.90	46.23	74.00	150	185	-27.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:47:00 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH134

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17010.000	28.34	peak	19.13	47.47	74.00	150	220	-26.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#10


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:51:42 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH134

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17010.000	28.05	peak	19.13	47.18	74.00	150	225	-26.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 3/4/2020

Temperature: 24.0 °C

Time: 5:47:10 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH134

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #11


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:51:52 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH134

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:47:21 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH134

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:52:03 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH134

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/5/2020

Temperature: 22.8 °C

Time: 3:01:52 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH151

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 3/5/2020

Temperature:22.8 °C

Time: 3:11:21 AM

Humidity:56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH151

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/5/2020

Temperature: 22.8 °C

Time: 3:02:53 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH151

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 3:12:22 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH151

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5685.752	65.43	peak	0.07	65.50	74.00	150	205	-8.50	
*	5685.752	47.06	AVG	0.07	47.13	54.00	150	205	-6.87	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/5/2020

Temperature: 22.8 °C

Time: 3:05:07 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH151

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11510.000	34.42	peak	11.39	45.81	74.00	150	265	-28.19	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/5/2020

Temperature: 22.8 °C

Time: 3:16:12 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH151

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11510.000	35.43	peak	11.39	46.82	74.00	150	95	-27.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #4


Date: 3/5/2020

Temperature: 22.8 °C

Time: 3:06:16 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH151

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17265.000	28.15	peak	20.02	48.17	74.00	150	30	-25.83	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/5/2020

Temperature: 22.8 °C

Time: 3:17:21 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH151

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17265.000	28.08	peak	20.02	48.10	74.00	150	100	-25.90	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 3/5/2020

Temperature: 22.8 °C

Time: 3:06:26 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH151

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 3:17:31 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH151

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#6


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 3:06:36 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH151

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 3:17:42 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH151

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 3/5/2020

Temperature:22.8 °C

Time: 3:30:39 AM

Humidity:56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH159

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 3:39:50 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH159

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 3:31:40 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH159

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 3:40:51 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH159

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 3:32:46 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH159

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11590.000	34.62	peak	11.03	45.65	74.00	150	5	-28.35	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/5/2020

Temperature: 22.8 °C

Time: 3:41:58 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH159

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11590.000	34.45	peak	11.03	45.48	74.00	150	310	-28.52	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 3:33:55 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH159

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17385.000	27.42	peak	20.18	47.60	74.00	150	255	-26.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/5/2020

Temperature: 22.8 °C

Time: 3:43:06 AM

Humidity: 56.8 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH159

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17385.000	28.23	peak	20.18	48.41	74.00	150	45	-25.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 3:34:05 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH159

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 3:43:16 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH159

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 3:34:16 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH159

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/5/2020

Temperature: 22.8 °C

90.0 dBuV/m

Time: 3:43:27 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH159

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File : 1_WiFi 5G_TX 802

Data : #1


Date: 3/5/2020

Temperature: 22.8 °C

80.0 dBuV/m

Time: 4:59:39 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH42

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	210.7816	50.39	QP	-10.72	39.67	43.50	100	110	-3.83	
*	451.8236	47.74	peak	-3.51	44.23	46.00	100	60	-1.77	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 1_WiFi 5G_TX 802

Data : #2


Date: 3/5/2020

Temperature: 22.8 °C

80.0 dBuV/m

Time: 5:00:39 AM

Humidity: 56.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH42

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	43.6072	47.26	QP	-9.61	37.65	40.00	100	355	-2.35	
	887.2545	37.09	peak	3.06	40.15	46.00	100	120	-5.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #1


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 3:40:21 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH42

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 3/1/2020

Temperature:22.9 °C

90.0 dBuV/m

Time: 3:51:48 PM

Humidity:58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH42

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 3:41:22 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH42

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5066.132	66.44	peak	-1.13	65.31	74.00	156	162	-8.69	
	5066.132	49.32	AVG	-1.13	48.19	54.00	156	162	-5.81	
	5306.613	68.17	peak	-0.45	67.72	74.00	163	217	-6.28	
*	5306.613	50.65	AVG	-0.45	50.20	54.00	163	217	-3.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 3:52:49 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH42

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5082.164	69.99	peak	-1.11	68.88	74.00	185	13	-5.12	
	5082.164	51.69	AVG	-1.11	50.58	54.00	185	13	-3.42	
	5306.433	70.83	peak	-0.45	70.38	74.00	187	5	-3.62	
*	5306.433	53.77	AVG	-0.45	53.32	54.00	187	5	-0.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #3


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 3:45:08 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH42

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10420.000	35.88	peak	8.27	44.15	74.00	150	239	-29.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 3:56:35 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH42

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10420.000	35.88	peak	8.27	44.15	74.00	150	327	-29.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 3:46:17 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH42

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15630.000	29.58	peak	19.06	48.64	74.00	150	125	-25.36	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 3:57:46 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH42

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15630.000	29.31	peak	19.06	48.37	74.00	150	235	-25.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 3:46:27 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH42

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 3/1/2020

Temperature:22.9 °C

90.0 dBuV/m

Time: 3:57:55 PM

Humidity:58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH42

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 3:46:38 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH42

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #12


Date: 3/1/2020

Temperature: 22.9 °C

90.0 dBuV/m

Time: 3:58:06 PM

Humidity: 58.5 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH42

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:10:46 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH58

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 3/4/2020

Temperature:24.0 °C

90.0 dBuV/m

Time: 1:16:28 AM

Humidity:59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH58

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:11:47 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH58

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:17:29 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH58

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5166.513	71.35	peak	-0.75	70.60	74.00	170	204	-3.40	
*	5166.513	52.17	AVG	-0.75	51.42	54.00	170	204	-2.58	
	5411.964	67.36	peak	-0.23	67.13	74.00	150	200	-6.87	
	5411.964	49.81	AVG	-0.23	49.58	54.00	150	200	-4.42	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:13:55 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH58

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10580.000	35.76	peak	8.59	44.35	74.00	150	245	-29.65	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 3/4/2020

Temperature:24.0 °C

Time: 1:18:35 AM

Humidity:59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH58

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10580.000	35.93	peak	8.59	44.52	74.00	150	35	-29.48	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #4


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:15:04 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH58

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15870.000	29.50	peak	17.94	47.44	74.00	150	100	-26.56	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:19:44 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH58

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15870.000	29.05	peak	17.94	46.99	74.00	150	250	-27.01	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:15:14 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH58

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:19:53 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH58

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:15:24 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH58

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 1:20:04 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH58

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:58:11 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH106

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 6:04:01 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH106

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 5:59:12 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH106

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 6:05:02 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH106

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5387.955	70.70	peak	-0.27	70.43	74.00	175	205	-3.57	
*	5387.955	52.03	AVG	-0.27	51.76	54.00	175	205	-2.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 6:00:20 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH106

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11060.000	36.09	peak	9.74	45.83	74.00	150	75	-28.17	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 3/4/2020

Temperature: 24.0 °C

Time: 6:06:07 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH106

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11060.000	36.37	peak	9.74	46.11	74.00	150	195	-27.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/4/2020

Temperature: 24.0 °C

Time: 6:01:28 AM

Humidity: 59.4 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH106

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16590.000	28.47	peak	18.57	47.04	74.00	150	55	-26.96	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#10


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 6:07:15 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH106

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16590.000	28.39	peak	18.57	46.96	74.00	150	310	-27.04	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 6:01:38 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH106

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 6:07:25 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH106

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 6:01:49 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH106

Note :

Polarization: Horizontal

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #12


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 6:07:36 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH106

Note :

Polarization: Vertical

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 6:17:59 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH122

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 6:22:42 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH122

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 6:19:01 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH122

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 3/4/2020

Temperature: 24.0 °C

90.0 dBuV/m

Time: 6:23:43 AM

Humidity: 59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH122

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5392.405	66.53	peak	-0.26	66.27	74.00	165	145	-7.73	
	5392.405	46.89	AVG	-0.26	46.63	54.00	165	145	-7.37	
	5829.358	68.59	peak	0.23	68.82	74.00	150	330	-5.18	
*	5829.358	48.76	AVG	0.23	48.99	54.00	150	330	-5.01	

*:Maximum data x:Over limit !:over margin