


Appendix A. Test Result of AC Power Line Conducted Emission


Site :HY-SR01  
Condition :Line  
Mode :TX\_b1e2M\_2440MHz  
test by :Neko



| No. | Frequency | Level | Limit | Over   | Read  | Factor | Remark  |
|-----|-----------|-------|-------|--------|-------|--------|---------|
|     | MHz       | dBuV  | dBuV  | Limit  | Level | dB     |         |
| 1   | 0.164     | 50.67 | 65.27 | -14.60 | 40.99 | 9.68   | QP      |
| 2   | 0.164     | 32.53 | 55.27 | -22.74 | 22.85 | 9.68   | Average |
| 3   | 0.496     | 32.97 | 56.06 | -23.09 | 23.29 | 9.68   | QP      |
| 4   | 0.496     | 27.04 | 46.06 | -19.02 | 17.36 | 9.68   | Average |
| 5   | 1.465     | 31.32 | 56.00 | -24.68 | 21.55 | 9.77   | QP      |
| 6   | 1.465     | 25.63 | 46.00 | -20.37 | 15.86 | 9.77   | Average |
| 7   | 2.807     | 40.84 | 56.00 | -15.16 | 30.75 | 10.09  | QP      |
| 8   | 2.807     | 33.80 | 46.00 | -12.20 | 23.71 | 10.09  | Average |
| 9   | 9.834     | 35.49 | 60.00 | -24.51 | 24.69 | 10.80  | QP      |
| 10  | 9.834     | 29.42 | 50.00 | -20.58 | 18.62 | 10.80  | Average |
| 11  | 11.534    | 33.00 | 60.00 | -27.00 | 22.20 | 10.80  | QP      |
| 12  | 11.534    | 26.99 | 50.00 | -23.01 | 16.19 | 10.80  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = LISN insertion loss + Cable loss  
3. Over Limit = Level - Limit Line

Site :HY-SR01  
Condition :Neutral  
Mode :TX\_b1e2M\_2440MHz  
test by :Neko




| No. | Frequency | Level | Limit | Over   | Read  | Factor | Remark  |
|-----|-----------|-------|-------|--------|-------|--------|---------|
|     | MHz       | dBuV  | dBuV  | Limit  | Level | dB     |         |
| 1   | 0.152     | 50.18 | 65.91 | -15.73 | 40.52 | 9.66   | QP      |
| 2   | 0.152     | 30.59 | 55.91 | -25.32 | 20.93 | 9.66   | Average |
| 3   | 0.522     | 31.45 | 56.00 | -24.55 | 21.79 | 9.66   | QP      |
| 4   | 0.522     | 25.94 | 46.00 | -20.06 | 16.28 | 9.66   | Average |
| 5   | 0.702     | 22.72 | 56.00 | -33.28 | 13.04 | 9.68   | QP      |
| 6   | 0.702     | 17.32 | 46.00 | -28.68 | 7.64  | 9.68   | Average |
| 7   | 2.753     | 39.29 | 56.00 | -16.71 | 29.24 | 10.05  | QP      |
| 8   | 2.753     | 32.93 | 46.00 | -13.07 | 22.88 | 10.05  | Average |
| 9   | 3.886     | 28.35 | 56.00 | -27.65 | 17.91 | 10.44  | QP      |
| 10  | 3.886     | 21.37 | 46.00 | -24.63 | 10.93 | 10.44  | Average |
| 11  | 9.822     | 34.25 | 60.00 | -25.75 | 23.46 | 10.79  | QP      |
| 12  | 9.822     | 27.98 | 50.00 | -22.02 | 17.19 | 10.79  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = LISN insertion loss + Cable loss  
3. Over Limit = Level - Limit Line


**Appendix B. Test Result of 6dB Bandwidth**

| Modulation  | Frequency<br>(MHz) | 6dB Bandwidth<br>(MHz) | Limit<br>(MHz) | Result |
|-------------|--------------------|------------------------|----------------|--------|
|             |                    | Ant. 1                 |                |        |
| GFSK (1MHz) | 2402               | 0.68                   | >0.50          | Pass   |
|             | 2440               | 0.67                   | >0.50          | Pass   |
|             | 2480               | 0.68                   | >0.50          | Pass   |
| GFSK (2MHz) | 2402               | 1.14                   | >0.50          | Pass   |
|             | 2440               | 1.14                   | >0.50          | Pass   |
|             | 2480               | 1.14                   | >0.50          | Pass   |


GFSK/1MHz/1M/2402MHz/Ch0/Ant.1




GFSK/1MHz/1M/2440MHz/Ch19/Ant.1




GFSK/1MHz/1M/2480MHz/Ch39/Ant.1




GFSK/2MHz/2M/2402MHz/Ch0/Ant.1



GFSK/2MHz/2M/2440MHz/Ch19/Ant.1



GFSK/2MHz/2M/2480MHz/Ch39/Ant.1




**Appendix C. Test Result of Maximum Conducted Output Power**


| Modulation  | Frequency<br>(MHz) | Maximum Conducted<br>Output Power<br>(dBm) | Limit<br>(dBm) | Result |
|-------------|--------------------|--------------------------------------------|----------------|--------|
|             |                    | Ant. 1                                     |                |        |
| GFSK (1MHz) | 2402               | 4.07                                       | 30.00          | Pass   |
|             | 2440               | 3.86                                       | 30.00          | Pass   |
|             | 2480               | 3.13                                       | 30.00          | Pass   |
| GFSK (2MHz) | 2402               | 3.92                                       | 30.00          | Pass   |
|             | 2440               | 3.81                                       | 30.00          | Pass   |
|             | 2480               | 3.18                                       | 30.00          | Pass   |

**Appendix D. Test Result of Power Spectral Density**


| Modulation  | Frequency<br>(MHz) | Power Spectral Density<br>(dBm / 3kHz) | Limit<br>(dBm / 3kHz) | Result |
|-------------|--------------------|----------------------------------------|-----------------------|--------|
|             |                    | Ant. 1                                 |                       |        |
| GFSK (1MHz) | 2402               | -12.39                                 | 8.00                  | Pass   |
|             | 2440               | -12.40                                 | 8.00                  | Pass   |
|             | 2480               | -12.89                                 | 8.00                  | Pass   |
| GFSK (2MHz) | 2402               | -13.90                                 | 8.00                  | Pass   |
|             | 2440               | -13.90                                 | 8.00                  | Pass   |
|             | 2480               | -14.15                                 | 8.00                  | Pass   |




Appendix E. Test Result of Antenna Port Conducted Emission




GFSK/2MHz/2M/2402MHz/Ch0/Ant.1 (Ref.)




GFSK/2MHz/2M/2402MHz/Ch0/Ant.1




GFSK/2MHz/2M/2440MHz/Ch19/Ant.1 (Ref.)




GFSK/2MHz/2M/2440MHz/Ch19/Ant.1



GFSK/2MHz/2M/2480MHz/Ch39/Ant.1 (Ref.)



GFSK/2MHz/2M/2480MHz/Ch39/Ant.1




| Modulation    | Measurement Level<br>$\Delta$ (dB) | Result |
|---------------|------------------------------------|--------|
| GFSK (1 Mbps) | > 20                               | PASS   |
| GFSK (2 Mbps) | > 20                               | PASS   |



## Appendix F. Test Result of Radiated Emission

Site :HY-CB01  
Condition :3m ,HORIZONTAL  
Mode :TX\_ble1M\_2402MHz  
TEST BY :Caster




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 4804.000  | 40.69  | 74.00  | -33.31 | 55.51 | -14.82 | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,VERTICAL  
Mode :TX\_ble1M\_2402MHz  
TEST BY :Caster




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 4804.000  | 42.45  | 74.00  | -31.55 | 57.27 | -14.82 | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,HORIZONTAL  
Mode :TX\_ble1M\_2440MHz  
TEST BY :Caster




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 4880.000  | 43.85  | 74.00  | -30.15 | 58.42 | -14.57 | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,VERTICAL  
Mode :TX\_ble1M\_2440MHz  
TEST BY :Caster




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 4880.000  | 44.92  | 74.00  | -29.08 | 59.49 | -14.57 | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,HORIZONTAL  
Mode :TX\_ble1M\_2480MHz  
TEST BY :Caster




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 4960.000  | 50.30  | 74.00  | -23.70 | 64.62 | -14.32 | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,VERTICAL  
Mode :TX\_ble1M\_2480MHz  
TEST BY :Caster




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 4960.000  | 50.10  | 74.00  | -23.90 | 64.42 | -14.32 | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,HORIZONTAL  
Mode :TX\_ble2M\_2482MHz  
TEST BY :Caster




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 4804.000  | 39.96  | 74.00  | -34.04 | 54.78 | -14.82 | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,VERTICAL  
Mode :TX\_ble2M\_2482MHz  
TEST BY :Caster




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 4804.000  | 40.70  | 74.00  | -33.30 | 55.52 | -14.82 | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,HORIZONTAL  
Mode :TX\_b1e2M\_2440MHz  
TEST BY :Caster




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 4880.000  | 42.69  | 74.00  | -31.31 | 57.26 | -14.57 | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,VERTICAL  
Mode :TX\_b1e2M\_2440MHz  
TEST BY :Caster




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 4880.000  | 43.76  | 74.00  | -30.24 | 58.33 | -14.57 | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,HORIZONTAL  
Mode :TX\_b1e2M\_2480MHz  
TEST BY :Caster




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 4960.000  | 49.67  | 74.00  | -24.33 | 63.99 | -14.32 | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,VERTICAL  
Mode :TX\_b1e2M\_2480MHz  
TEST BY :Caster




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 4960.000  | 49.38  | 74.00  | -24.62 | 63.70 | -14.32 | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,HORIZONTAL  
Mode :TX\_b1e2H\_2440MHz  
TEST BY :Caster




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 99.840    | 33.94  | 43.50  | -9.56  | 62.18 | -28.24 | QP     |
| 2   | 312.270   | 34.05  | 46.00  | -11.95 | 56.64 | -22.59 | QP     |
| 3   | 445.160   | 27.59  | 46.00  | -18.41 | 46.49 | -18.90 | QP     |
| 4   | 559.620   | 35.35  | 46.00  | -10.65 | 52.06 | -16.71 | QP     |
| 5   | 720.640   | 33.58  | 46.00  | -12.42 | 47.25 | -13.67 | QP     |
| 6   | 920.460   | 30.92  | 46.00  | -15.08 | 42.02 | -11.10 | QP     |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.

Site :HY-CB01  
Condition :3m ,VERTICAL  
Mode :TX\_b1e2H\_2440MHz  
TEST BY :Caster




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB/m   |        |
| 1   | 99.840    | 28.13  | 43.50  | -15.37 | 56.37 | -28.24 | QP     |
| 2   | 312.270   | 24.22  | 46.00  | -21.78 | 46.81 | -22.59 | QP     |
| 3   | 559.620   | 35.12  | 46.00  | -10.88 | 51.83 | -16.71 | QP     |
| 4   | 742.950   | 41.23  | 46.00  | -4.77  | 54.41 | -13.18 | QP     |
| 5   | 846.740   | 26.49  | 46.00  | -19.51 | 38.46 | -11.97 | QP     |
| 6   | 933.070   | 38.97  | 46.00  | -7.03  | 49.88 | -10.91 | QP     |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.

Site :HY-CB01  
Condition :3m ,Horizontal  
Mode :TX\_ble1M\_2402MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|-------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | Line  | Limit  | Level | dB/m   |         |
| 1   | 2321.800  | 29.58  | 54.00 | -24.42 | 23.86 | 5.72   | Average |
| 2   | 2402.000  | 95.96  | ----- | -----  | 90.16 | 5.80   | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Horizontal  
Mode :TX\_ble1M\_2402MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit | Over   | Read  | Factor | Remark |
|-----|-----------|--------|-------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | Line  | Limit  | Level | dB/m   |        |
| 1   | 2389.800  | 39.03  | 74.00 | -34.97 | 33.14 | 5.89   | Peak   |
| 2   | 2402.200  | 96.53  | ----- | -----  | 90.73 | 5.80   | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Vertical  
Mode :TX\_ble1M\_2402MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|-------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | Line  | Limit  | Level | dB/m   |         |
| 1   | 2321.800  | 32.32  | 54.00 | -21.68 | 26.60 | 5.72   | Average |
| 2   | 2402.000  | 100.07 | ----- | -----  | 94.27 | 5.80   | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Vertical  
Mode :TX\_ble1M\_2402MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit | Over   | Read  | Factor | Remark |
|-----|-----------|--------|-------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | Line  | Limit  | Level | dB/m   |        |
| 1   | 2385.000  | 42.10  | 74.00 | -31.90 | 36.27 | 5.83   | Peak   |
| 2   | 2401.800  | 100.62 | ----- | -----  | 94.82 | 5.80   | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Horizontal  
Mode :TX\_b1e1M\_2480MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|-------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | Line  | Limit  | Level | dB/m   |         |
| 1   | 2480.000  | 97.14  | ----- | -----  | 91.42 | 5.72   | Average |
| 2   | 2483.600  | 33.41  | 54.00 | -20.59 | 27.69 | 5.72   | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Horizontal  
Mode :TX\_b1e1M\_2480MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit | Over   | Read  | Factor | Remark |
|-----|-----------|--------|-------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | Line  | Limit  | Level | dB/m   |        |
| 1   | 2480.400  | 97.67  | ----- | -----  | 91.95 | 5.72   | Peak   |
| 2   | 2483.600  | 45.17  | 74.00 | -28.83 | 39.45 | 5.72   | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Vertical  
Mode :TX\_b1e1M\_2480MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|-------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | Line  | Limit  | Level | dB/m   |         |
| 1   | 2480.200  | 96.48  | ----- | -----  | 90.76 | 5.72   | Average |
| 2   | 2483.600  | 32.74  | 54.00 | -21.26 | 27.02 | 5.72   | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Vertical  
Mode :TX\_b1e1M\_2480MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit | Over   | Read  | Factor | Remark |
|-----|-----------|--------|-------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | Line  | Limit  | Level | dB/m   |        |
| 1   | 2480.400  | 97.03  | ----- | -----  | 91.31 | 5.72   | Peak   |
| 2   | 2484.200  | 45.03  | 74.00 | -28.97 | 39.31 | 5.72   | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Horizontal  
Mode :TX\_ble2M\_2402MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |         |
| 1   | 2362.600  | 31.76  | 54.00  | -22.24 | 26.00 | 5.76   | Average |
| 2   | 2402.000  | 97.14  | -----  | -----  | 91.34 | 5.80   | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Horizontal  
Mode :TX\_ble2M\_2402MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2399.800  | 41.13  | 74.00  | -32.87 | 35.24 | 5.89   | Peak   |
| 2   | 2402.000  | 98.36  | -----  | -----  | 92.56 | 5.80   | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Vertical  
Mode :TX\_ble2M\_2402MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |         |
| 1   | 2362.400  | 33.93  | 54.00  | -20.07 | 28.17 | 5.76   | Average |
| 2   | 2402.000  | 98.02  | -----  | -----  | 92.22 | 5.80   | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Vertical  
Mode :TX\_ble2M\_2402MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 2362.600  | 42.52  | 74.00  | -31.48 | 36.76 | 5.76   | Peak   |
| 2   | 2402.000  | 99.28  | -----  | -----  | 93.48 | 5.80   | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Horizontal  
Mode :TX\_ble2M\_2480MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|-------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | Line  | Limit  | Level | dB/m   |         |
| 1   | 2480.200  | 96.45  | ----- | -----  | 90.73 | 5.72   | Average |
| 2   | 2483.600  | 40.40  | 54.00 | -13.60 | 34.68 | 5.72   | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Horizontal  
Mode :TX\_ble2M\_2480MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit | Over   | Read  | Factor | Remark |
|-----|-----------|--------|-------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | Line  | Limit  | Level | dB/m   |        |
| 1   | 2480.600  | 97.75  | ----- | -----  | 92.03 | 5.72   | Peak   |
| 2   | 2483.600  | 50.51  | 74.00 | -23.49 | 44.79 | 5.72   | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Vertical  
Mode :TX\_ble2M\_2480MHz  
TEST BY :Peter




| No. | Frequency | Level  | Limit | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|-------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | Line  | Limit  | Level | dB/m   |         |
| 1   | 2480.200  | 95.83  | ----- | -----  | 90.11 | 5.72   | Average |
| 2   | 2483.600  | 39.53  | 54.00 | -14.47 | 33.81 | 5.72   | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB01  
Condition :3m ,Vertical  
Mode :TX\_ble2M\_2480MHz  
TEST BY :Peter



| No. | Frequency | Level  | Limit | Over   | Read  | Factor | Remark |
|-----|-----------|--------|-------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | Line  | Limit  | Level | dB/m   |        |
| 1   | 2480.600  | 97.08  | ----- | -----  | 91.36 | 5.72   | Peak   |
| 2   | 2483.600  | 49.60  | 74.00 | -24.40 | 43.88 | 5.72   | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.