

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.151	39.67	74.0	34.33	Peak	248.00	400	Horizontal	Pass
1**	1524.151	25.93	54.0	28.07	AV	248.00	400	Horizontal	Pass
2	2271.863	42.96	74.0	31.04	Peak	337.00	400	Horizontal	Pass
2**	2271.863	36.16	54.0	17.84	AV	337.00	400	Horizontal	Pass
3	4046.672	46.82	74.0	27.18	Peak	103.00	200	Horizontal	Pass
3**	4046.672	36.66	54.0	17.34	AV	103.00	200	Horizontal	Pass
4	7621.521	50.39	74.0	23.61	Peak	34.00	300	Horizontal	Pass
4**	7621.521	45.48	54.0	8.52	AV	34.00	300	Horizontal	Pass
5	12453.821	54.66	74.0	19.34	Peak	44.00	100	Horizontal	Pass
5**	12453.821	44.48	54.0	9.52	AV	44.00	100	Horizontal	Pass
6	15905.544	52.70	74.0	21.30	Peak	309.00	100	Horizontal	Pass
6**	15905.544	45.74	54.0	8.26	AV	309.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.461	37.09	74.0	36.91	Peak	210.00	400	Vertical	Pass
1**	1530.461	26.89	54.0	27.11	AV	210.00	400	Vertical	Pass
2	2337.880	42.15	74.0	31.85	Peak	334.00	200	Vertical	Pass
2**	2337.880	33.00	54.0	21.00	AV	334.00	200	Vertical	Pass
3	4902.367	49.77	74.0	24.23	Peak	34.00	200	Vertical	Pass
3**	4902.367	41.97	54.0	12.03	AV	34.00	200	Vertical	Pass
4	7326.073	53.49	74.0	20.51	Peak	128.00	300	Vertical	Pass
4**	7326.073	45.16	54.0	8.84	AV	128.00	300	Vertical	Pass
5	12484.732	51.33	74.0	22.67	Peak	210.00	300	Vertical	Pass
5**	12484.732	41.88	54.0	12.12	AV	210.00	300	Vertical	Pass
6	15688.545	56.21	74.0	17.79	Peak	2.00	200	Vertical	Pass
6**	15688.545	45.82	54.0	8.18	AV	2.00	200	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.214	36.48	74.0	37.52	Peak	247.00	300	Horizontal	Pass
1**	1521.214	28.92	54.0	25.08	AV	247.00	300	Horizontal	Pass
2	2276.506	46.09	74.0	27.91	Peak	165.00	400	Horizontal	Pass
2**	2276.506	36.22	54.0	17.78	AV	165.00	400	Horizontal	Pass
3	4049.942	46.56	74.0	27.44	Peak	166.00	200	Horizontal	Pass
3**	4049.942	34.43	54.0	19.57	AV	166.00	200	Horizontal	Pass
4	7623.807	55.42	74.0	18.58	Peak	154.00	300	Horizontal	Pass
4**	7623.807	44.54	54.0	9.46	AV	154.00	300	Horizontal	Pass
5	12450.788	53.43	74.0	20.57	Peak	269.00	300	Horizontal	Pass
5**	12450.788	41.94	54.0	12.06	AV	269.00	300	Horizontal	Pass
6	15902.606	52.39	74.0	21.61	Peak	68.00	100	Horizontal	Pass
6**	15902.606	47.08	54.0	6.92	AV	68.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.108	37.62	74.0	36.38	Peak	243.00	400	Vertical	Pass
1**	1534.108	27.12	54.0	26.88	AV	243.00	400	Vertical	Pass
2	2335.273	42.67	74.0	31.33	Peak	297.00	300	Vertical	Pass
2**	2335.273	36.06	54.0	17.94	AV	297.00	300	Vertical	Pass
3	4896.458	51.19	74.0	22.81	Peak	326.00	200	Vertical	Pass
3**	4896.458	38.62	54.0	15.38	AV	326.00	200	Vertical	Pass
4	7330.816	54.30	74.0	19.70	Peak	271.00	400	Vertical	Pass
4**	7330.816	41.34	54.0	12.66	AV	271.00	400	Vertical	Pass
5	12484.499	54.67	74.0	19.33	Peak	95.00	400	Vertical	Pass
5**	12484.499	47.11	54.0	6.89	AV	95.00	400	Vertical	Pass
6	15687.986	55.10	74.0	18.90	Peak	63.00	100	Vertical	Pass
6**	15687.986	43.29	54.0	10.71	AV	63.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.243	39.89	74.0	34.11	Peak	354.00	300	Horizontal	Pass
1**	1525.243	27.47	54.0	26.53	AV	354.00	300	Horizontal	Pass
2	2272.431	41.06	74.0	32.94	Peak	200.00	100	Horizontal	Pass
2**	2272.431	32.27	54.0	21.73	AV	200.00	100	Horizontal	Pass
3	4048.865	44.31	74.0	29.69	Peak	70.00	200	Horizontal	Pass
3**	4048.865	36.91	54.0	17.09	AV	70.00	200	Horizontal	Pass
4	7622.448	49.96	74.0	24.04	Peak	315.00	200	Horizontal	Pass
4**	7622.448	41.31	54.0	12.69	AV	315.00	200	Horizontal	Pass
5	12450.689	54.33	74.0	19.67	Peak	24.00	100	Horizontal	Pass
5**	12450.689	43.60	54.0	10.40	AV	24.00	100	Horizontal	Pass
6	15903.053	53.63	74.0	20.37	Peak	278.00	100	Horizontal	Pass
6**	15903.053	45.79	54.0	8.21	AV	278.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.027	36.74	74.0	37.26	Peak	245.00	400	Vertical	Pass
1**	1531.027	27.20	54.0	26.80	AV	245.00	400	Vertical	Pass
2	2334.764	44.73	74.0	29.27	Peak	277.00	300	Vertical	Pass
2**	2334.764	37.31	54.0	16.69	AV	277.00	300	Vertical	Pass
3	4899.435	49.49	74.0	24.51	Peak	87.00	200	Vertical	Pass
3**	4899.435	37.51	54.0	16.49	AV	87.00	200	Vertical	Pass
4	7329.944	54.68	74.0	19.32	Peak	187.00	300	Vertical	Pass
4**	7329.944	44.59	54.0	9.41	AV	187.00	300	Vertical	Pass
5	12484.162	52.97	74.0	21.03	Peak	338.00	200	Vertical	Pass
5**	12484.162	42.11	54.0	11.89	AV	338.00	200	Vertical	Pass
6	15688.983	51.89	74.0	22.11	Peak	42.00	400	Vertical	Pass
6**	15688.983	44.89	54.0	9.11	AV	42.00	400	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.291	39.65	74.0	34.35	Peak	98.00	400	Horizontal	Pass
1**	1524.291	28.08	54.0	25.92	AV	98.00	400	Horizontal	Pass
2	2275.448	41.09	74.0	32.91	Peak	183.00	300	Horizontal	Pass
2**	2275.448	35.97	54.0	18.03	AV	183.00	300	Horizontal	Pass
3	4047.915	45.51	74.0	28.49	Peak	285.00	200	Horizontal	Pass
3**	4047.915	35.82	54.0	18.18	AV	285.00	200	Horizontal	Pass
4	7618.838	52.30	74.0	21.70	Peak	274.00	300	Horizontal	Pass
4**	7618.838	42.44	54.0	11.56	AV	274.00	300	Horizontal	Pass
5	12457.729	51.30	74.0	22.70	Peak	248.00	200	Horizontal	Pass
5**	12457.729	44.69	54.0	9.31	AV	248.00	200	Horizontal	Pass
6	15901.523	52.64	74.0	21.36	Peak	109.00	400	Horizontal	Pass
6**	15901.523	45.22	54.0	8.78	AV	109.00	400	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.673	41.05	74.0	32.95	Peak	278.00	400	Vertical	Pass
1**	1533.673	29.04	54.0	24.96	AV	278.00	400	Vertical	Pass
2	2338.122	41.85	74.0	32.15	Peak	154.00	100	Vertical	Pass
2**	2338.122	33.49	54.0	20.51	AV	154.00	100	Vertical	Pass
3	4898.427	48.17	74.0	25.83	Peak	311.00	200	Vertical	Pass
3**	4898.427	36.98	54.0	17.02	AV	311.00	200	Vertical	Pass
4	7328.767	56.13	74.0	17.87	Peak	318.00	300	Vertical	Pass
4**	7328.767	44.25	54.0	9.75	AV	318.00	300	Vertical	Pass
5	12487.840	51.02	74.0	22.98	Peak	145.00	200	Vertical	Pass
5**	12487.840	44.79	54.0	9.21	AV	145.00	200	Vertical	Pass
6	15695.186	51.40	74.0	22.60	Peak	73.00	200	Vertical	Pass
6**	15695.186	46.92	54.0	7.08	AV	73.00	200	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.186	39.32	74.0	34.68	Peak	307.00	300	Horizontal	Pass
1**	1524.186	29.27	54.0	24.73	AV	307.00	300	Horizontal	Pass
2	2277.523	43.68	74.0	30.32	Peak	221.00	300	Horizontal	Pass
2**	2277.523	35.96	54.0	18.04	AV	221.00	300	Horizontal	Pass
3	4049.634	45.37	74.0	28.63	Peak	246.00	200	Horizontal	Pass
3**	4049.634	37.29	54.0	16.71	AV	246.00	200	Horizontal	Pass
4	7620.931	52.84	74.0	21.16	Peak	227.00	100	Horizontal	Pass
4**	7620.931	42.81	54.0	11.19	AV	227.00	100	Horizontal	Pass
5	12458.476	51.45	74.0	22.55	Peak	43.00	200	Horizontal	Pass
5**	12458.476	45.38	54.0	8.62	AV	43.00	200	Horizontal	Pass
6	15902.621	52.80	74.0	21.20	Peak	15.00	400	Horizontal	Pass
6**	15902.621	42.21	54.0	11.79	AV	15.00	400	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.255	40.89	74.0	33.11	Peak	182.00	200	Vertical	Pass
1**	1532.255	27.45	54.0	26.55	AV	182.00	200	Vertical	Pass
2	2339.177	44.47	74.0	29.53	Peak	253.00	100	Vertical	Pass
2**	2339.177	37.47	54.0	16.53	AV	253.00	100	Vertical	Pass
3	4902.311	50.92	74.0	23.08	Peak	226.00	200	Vertical	Pass
3**	4902.311	41.88	54.0	12.12	AV	226.00	200	Vertical	Pass
4	7327.851	53.48	74.0	20.52	Peak	151.00	100	Vertical	Pass
4**	7327.851	41.35	54.0	12.65	AV	151.00	100	Vertical	Pass
5	12482.560	55.03	74.0	18.97	Peak	312.00	200	Vertical	Pass
5**	12482.560	44.59	54.0	9.41	AV	312.00	200	Vertical	Pass
6	15694.032	53.80	74.0	20.20	Peak	5.00	100	Vertical	Pass
6**	15694.032	43.96	54.0	10.04	AV	5.00	100	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.465	38.01	74.0	35.99	Peak	295.00	100	Horizontal	Pass
1**	1522.465	31.13	54.0	22.87	AV	295.00	100	Horizontal	Pass
2	2276.511	43.78	74.0	30.22	Peak	351.00	300	Horizontal	Pass
2**	2276.511	36.75	54.0	17.25	AV	351.00	300	Horizontal	Pass
3	4047.461	46.57	74.0	27.43	Peak	129.00	200	Horizontal	Pass
3**	4047.461	38.35	54.0	15.65	AV	129.00	200	Horizontal	Pass
4	7620.629	55.71	74.0	18.29	Peak	339.00	200	Horizontal	Pass
4**	7620.629	43.09	54.0	10.91	AV	339.00	200	Horizontal	Pass
5	12456.749	55.28	74.0	18.72	Peak	188.00	200	Horizontal	Pass
5**	12456.749	43.65	54.0	10.35	AV	188.00	200	Horizontal	Pass
6	15902.911	51.00	74.0	23.00	Peak	255.00	300	Horizontal	Pass
6**	15902.911	47.48	54.0	6.52	AV	255.00	300	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.699	41.24	74.0	32.76	Peak	223.00	400	Vertical	Pass
1**	1533.699	30.78	54.0	23.22	AV	223.00	400	Vertical	Pass
2	2334.132	45.71	74.0	28.29	Peak	5.00	200	Vertical	Pass
2**	2334.132	32.86	54.0	21.14	AV	5.00	200	Vertical	Pass
3	4897.841	50.58	74.0	23.42	Peak	194.00	200	Vertical	Pass
3**	4897.841	37.73	54.0	16.27	AV	194.00	200	Vertical	Pass
4	7331.065	55.80	74.0	18.20	Peak	113.00	100	Vertical	Pass
4**	7331.065	40.89	54.0	13.11	AV	113.00	100	Vertical	Pass
5	12487.015	52.84	74.0	21.16	Peak	286.00	400	Vertical	Pass
5**	12487.015	44.89	54.0	9.11	AV	286.00	400	Vertical	Pass
6	15694.050	54.09	74.0	19.91	Peak	247.00	200	Vertical	Pass
6**	15694.050	44.19	54.0	9.81	AV	247.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.751	37.19	74.0	36.81	Peak	115.00	100	Horizontal	Pass
1**	1524.751	25.83	54.0	28.17	AV	115.00	100	Horizontal	Pass
2	2278.269	41.78	74.0	32.22	Peak	207.00	100	Horizontal	Pass
2**	2278.269	35.58	54.0	18.42	AV	207.00	100	Horizontal	Pass
3	4043.760	45.03	74.0	28.97	Peak	81.00	200	Horizontal	Pass
3**	4043.760	38.11	54.0	15.89	AV	81.00	200	Horizontal	Pass
4	7619.373	50.55	74.0	23.45	Peak	80.00	300	Horizontal	Pass
4**	7619.373	45.07	54.0	8.93	AV	80.00	300	Horizontal	Pass
5	12451.758	54.68	74.0	19.32	Peak	308.00	100	Horizontal	Pass
5**	12451.758	41.57	54.0	12.43	AV	308.00	100	Horizontal	Pass
6	15905.544	55.63	74.0	18.37	Peak	342.00	400	Horizontal	Pass
6**	15905.544	43.78	54.0	10.22	AV	342.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.180	37.44	74.0	36.56	Peak	80.00	300	Vertical	Pass
1**	1595.180	27.73	54.0	26.27	AV	80.00	300	Vertical	Pass
2	2226.902	38.68	74.0	35.32	Peak	163.00	300	Vertical	Pass
2**	2226.902	30.56	54.0	23.44	AV	163.00	300	Vertical	Pass
3	4258.296	49.84	74.0	24.16	Peak	227.00	200	Vertical	Pass
3**	4258.296	37.84	54.0	16.16	AV	227.00	200	Vertical	Pass
4	7704.515	55.84	74.0	18.16	Peak	253.00	400	Vertical	Pass
4**	7704.515	43.99	54.0	10.01	AV	253.00	400	Vertical	Pass
5	12497.074	53.66	74.0	20.34	Peak	84.00	100	Vertical	Pass
5**	12497.074	44.50	54.0	9.50	AV	84.00	100	Vertical	Pass
6	15674.694	57.83	74.0	16.17	Peak	45.00	200	Vertical	Pass
6**	15674.694	42.69	54.0	11.31	AV	45.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.876	36.24	74.0	37.76	Peak	173.00	300	Horizontal	Pass
1**	1525.876	26.75	54.0	27.25	AV	173.00	300	Horizontal	Pass
2	2275.136	43.26	74.0	30.74	Peak	162.00	400	Horizontal	Pass
2**	2275.136	36.30	54.0	17.70	AV	162.00	400	Horizontal	Pass
3	4049.379	49.98	74.0	24.02	Peak	125.00	200	Horizontal	Pass
3**	4049.379	35.15	54.0	18.85	AV	125.00	200	Horizontal	Pass
4	7622.683	53.10	74.0	20.90	Peak	316.00	100	Horizontal	Pass
4**	7622.683	45.85	54.0	8.15	AV	316.00	100	Horizontal	Pass
5	12456.695	50.23	74.0	23.77	Peak	100.00	300	Horizontal	Pass
5**	12456.695	42.98	54.0	11.02	AV	100.00	300	Horizontal	Pass
6	15900.636	55.30	74.0	18.70	Peak	3.00	300	Horizontal	Pass
6**	15900.636	45.61	54.0	8.39	AV	3.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.447	42.71	74.0	31.29	Peak	77.00	400	Vertical	Pass
1**	1598.447	24.71	54.0	29.29	AV	77.00	400	Vertical	Pass
2	2224.914	40.84	74.0	33.16	Peak	151.00	300	Vertical	Pass
2**	2224.914	33.09	54.0	20.91	AV	151.00	300	Vertical	Pass
3	4260.491	49.11	74.0	24.89	Peak	142.00	200	Vertical	Pass
3**	4260.491	38.41	54.0	15.59	AV	142.00	200	Vertical	Pass
4	7708.927	58.60	74.0	15.40	Peak	302.00	100	Vertical	Pass
4**	7708.927	42.01	54.0	11.99	AV	302.00	100	Vertical	Pass
5	12495.848	52.21	74.0	21.79	Peak	80.00	200	Vertical	Pass
5**	12495.848	45.51	54.0	8.49	AV	80.00	200	Vertical	Pass
6	15673.732	54.79	74.0	19.21	Peak	20.00	100	Vertical	Pass
6**	15673.732	43.46	54.0	10.54	AV	20.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.426	35.70	74.0	38.30	Peak	249.00	100	Horizontal	Pass
1**	1526.426	31.50	54.0	22.50	AV	249.00	100	Horizontal	Pass
2	2274.976	42.61	74.0	31.39	Peak	276.00	100	Horizontal	Pass
2**	2274.976	36.62	54.0	17.38	AV	276.00	100	Horizontal	Pass
3	4045.845	45.19	74.0	28.81	Peak	194.00	200	Horizontal	Pass
3**	4045.845	36.76	54.0	17.24	AV	194.00	200	Horizontal	Pass
4	7618.436	55.44	74.0	18.56	Peak	86.00	100	Horizontal	Pass
4**	7618.436	44.99	54.0	9.01	AV	86.00	100	Horizontal	Pass
5	12450.583	51.39	74.0	22.61	Peak	279.00	100	Horizontal	Pass
5**	12450.583	47.07	54.0	6.93	AV	279.00	100	Horizontal	Pass
6	15905.447	52.72	74.0	21.28	Peak	100.00	300	Horizontal	Pass
6**	15905.447	42.54	54.0	11.46	AV	100.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.409	37.44	74.0	36.56	Peak	216.00	300	Vertical	Pass
1**	1602.409	27.66	54.0	26.34	AV	216.00	300	Vertical	Pass
2	2225.566	39.60	74.0	34.40	Peak	21.00	100	Vertical	Pass
2**	2225.566	32.87	54.0	21.13	AV	21.00	100	Vertical	Pass
3	4260.736	48.54	74.0	25.46	Peak	331.00	200	Vertical	Pass
3**	4260.736	35.71	54.0	18.29	AV	331.00	200	Vertical	Pass
4	7704.711	52.82	74.0	21.18	Peak	305.00	400	Vertical	Pass
4**	7704.711	45.20	54.0	8.80	AV	305.00	400	Vertical	Pass
5	12497.598	54.79	74.0	19.21	Peak	230.00	400	Vertical	Pass
5**	12497.598	43.22	54.0	10.78	AV	230.00	400	Vertical	Pass
6	15674.408	57.89	74.0	16.11	Peak	281.00	400	Vertical	Pass
6**	15674.408	41.44	54.0	12.56	AV	281.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.936	39.14	74.0	34.86	Peak	266.00	200	Horizontal	Pass
1**	1520.936	28.33	54.0	25.67	AV	266.00	200	Horizontal	Pass
2	2271.268	42.53	74.0	31.47	Peak	117.00	300	Horizontal	Pass
2**	2271.268	34.03	54.0	19.97	AV	117.00	300	Horizontal	Pass
3	4046.442	49.77	74.0	24.23	Peak	151.00	200	Horizontal	Pass
3**	4046.442	35.23	54.0	18.77	AV	151.00	200	Horizontal	Pass
4	7623.256	50.51	74.0	23.49	Peak	48.00	200	Horizontal	Pass
4**	7623.256	46.15	54.0	7.85	AV	48.00	200	Horizontal	Pass
5	12456.581	55.38	74.0	18.62	Peak	159.00	300	Horizontal	Pass
5**	12456.581	43.25	54.0	10.75	AV	159.00	300	Horizontal	Pass
6	15904.331	53.57	74.0	20.43	Peak	302.00	200	Horizontal	Pass
6**	15904.331	45.08	54.0	8.92	AV	302.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.685	38.76	74.0	35.24	Peak	328.00	300	Vertical	Pass
1**	1597.685	26.89	54.0	27.11	AV	328.00	300	Vertical	Pass
2	2227.061	40.61	74.0	33.39	Peak	252.00	400	Vertical	Pass
2**	2227.061	32.08	54.0	21.92	AV	252.00	400	Vertical	Pass
3	4259.213	46.03	74.0	27.97	Peak	294.00	200	Vertical	Pass
3**	4259.213	40.83	54.0	13.17	AV	294.00	200	Vertical	Pass
4	7711.436	57.85	74.0	16.15	Peak	228.00	100	Vertical	Pass
4**	7711.436	44.33	54.0	9.67	AV	228.00	100	Vertical	Pass
5	12495.466	54.18	74.0	19.82	Peak	10.00	200	Vertical	Pass
5**	12495.466	44.21	54.0	9.79	AV	10.00	200	Vertical	Pass
6	15672.692	56.04	74.0	17.96	Peak	206.00	100	Vertical	Pass
6**	15672.692	42.94	54.0	11.06	AV	206.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.611	35.60	74.0	38.40	Peak	298.00	400	Horizontal	Pass
1**	1520.611	28.11	54.0	25.89	AV	298.00	400	Horizontal	Pass
2	2271.066	44.87	74.0	29.13	Peak	166.00	400	Horizontal	Pass
2**	2271.066	31.70	54.0	22.30	AV	166.00	400	Horizontal	Pass
3	4045.946	45.25	74.0	28.75	Peak	86.00	200	Horizontal	Pass
3**	4045.946	34.52	54.0	19.48	AV	86.00	200	Horizontal	Pass
4	7620.187	54.50	74.0	19.50	Peak	286.00	300	Horizontal	Pass
4**	7620.187	43.99	54.0	10.01	AV	286.00	300	Horizontal	Pass
5	12455.136	55.77	74.0	18.23	Peak	340.00	100	Horizontal	Pass
5**	12455.136	43.33	54.0	10.67	AV	340.00	100	Horizontal	Pass
6	15901.542	54.85	74.0	19.15	Peak	11.00	200	Horizontal	Pass
6**	15901.542	43.08	54.0	10.92	AV	11.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.354	37.87	74.0	36.13	Peak	333.00	300	Vertical	Pass
1**	1598.354	24.90	54.0	29.10	AV	333.00	300	Vertical	Pass
2	2224.690	38.39	74.0	35.61	Peak	39.00	100	Vertical	Pass
2**	2224.690	32.53	54.0	21.47	AV	39.00	100	Vertical	Pass
3	4260.984	46.11	74.0	27.89	Peak	91.00	200	Vertical	Pass
3**	4260.984	35.96	54.0	18.04	AV	91.00	200	Vertical	Pass
4	7705.074	54.05	74.0	19.95	Peak	286.00	200	Vertical	Pass
4**	7705.074	39.63	54.0	14.37	AV	286.00	200	Vertical	Pass
5	12497.259	55.90	74.0	18.10	Peak	168.00	200	Vertical	Pass
5**	12497.259	42.91	54.0	11.09	AV	168.00	200	Vertical	Pass
6	15674.459	57.32	74.0	16.68	Peak	62.00	200	Vertical	Pass
6**	15674.459	44.83	54.0	9.17	AV	62.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.033	38.29	74.0	35.71	Peak	10.00	100	Horizontal	Pass
1**	1526.033	28.52	54.0	25.48	AV	10.00	100	Horizontal	Pass
2	2274.742	43.81	74.0	30.19	Peak	221.00	100	Horizontal	Pass
2**	2274.742	33.19	54.0	20.81	AV	221.00	100	Horizontal	Pass
3	4049.094	47.87	74.0	26.13	Peak	103.00	200	Horizontal	Pass
3**	4049.094	39.82	54.0	14.18	AV	103.00	200	Horizontal	Pass
4	7618.461	51.72	74.0	22.28	Peak	330.00	300	Horizontal	Pass
4**	7618.461	44.00	54.0	10.00	AV	330.00	300	Horizontal	Pass
5	12451.775	55.83	74.0	18.17	Peak	40.00	300	Horizontal	Pass
5**	12451.775	42.61	54.0	11.39	AV	40.00	300	Horizontal	Pass
6	15899.703	55.26	74.0	18.74	Peak	57.00	200	Horizontal	Pass
6**	15899.703	45.28	54.0	8.72	AV	57.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.382	38.27	74.0	35.73	Peak	62.00	400	Vertical	Pass
1**	1595.382	25.91	54.0	28.09	AV	62.00	400	Vertical	Pass
2	2223.452	42.07	74.0	31.93	Peak	112.00	200	Vertical	Pass
2**	2223.452	30.80	54.0	23.20	AV	112.00	200	Vertical	Pass
3	4255.955	44.96	74.0	29.04	Peak	187.00	200	Vertical	Pass
3**	4255.955	37.93	54.0	16.07	AV	187.00	200	Vertical	Pass
4	7708.594	57.91	74.0	16.09	Peak	181.00	300	Vertical	Pass
4**	7708.594	39.71	54.0	14.29	AV	181.00	300	Vertical	Pass
5	12497.364	52.74	74.0	21.26	Peak	180.00	100	Vertical	Pass
5**	12497.364	42.80	54.0	11.20	AV	180.00	100	Vertical	Pass
6	15672.353	53.65	74.0	20.35	Peak	255.00	100	Vertical	Pass
6**	15672.353	43.46	54.0	10.54	AV	255.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.521	40.90	74.0	33.10	Peak	296.00	300	Horizontal	Pass
1**	1522.521	28.81	54.0	25.19	AV	296.00	300	Horizontal	Pass
2	2271.276	44.17	74.0	29.83	Peak	10.00	200	Horizontal	Pass
2**	2271.276	34.83	54.0	19.17	AV	10.00	200	Horizontal	Pass
3	4042.663	47.47	74.0	26.53	Peak	200.00	200	Horizontal	Pass
3**	4042.663	36.09	54.0	17.91	AV	200.00	200	Horizontal	Pass
4	7617.620	55.46	74.0	18.54	Peak	165.00	300	Horizontal	Pass
4**	7617.620	41.50	54.0	12.50	AV	165.00	300	Horizontal	Pass
5	12456.283	51.25	74.0	22.75	Peak	41.00	400	Horizontal	Pass
5**	12456.283	45.19	54.0	8.81	AV	41.00	400	Horizontal	Pass
6	15903.176	55.71	74.0	18.29	Peak	299.00	300	Horizontal	Pass
6**	15903.176	46.48	54.0	7.52	AV	299.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.111	37.67	74.0	36.33	Peak	73.00	100	Vertical	Pass
1**	1597.111	23.24	54.0	30.76	AV	73.00	100	Vertical	Pass
2	2227.029	44.29	74.0	29.71	Peak	261.00	200	Vertical	Pass
2**	2227.029	31.24	54.0	22.76	AV	261.00	200	Vertical	Pass
3	4256.232	49.67	74.0	24.33	Peak	95.00	200	Vertical	Pass
3**	4256.232	39.56	54.0	14.44	AV	95.00	200	Vertical	Pass
4	7706.283	55.68	74.0	18.32	Peak	185.00	300	Vertical	Pass
4**	7706.283	41.65	54.0	12.35	AV	185.00	300	Vertical	Pass
5	12498.042	53.14	74.0	20.86	Peak	258.00	100	Vertical	Pass
5**	12498.042	42.71	54.0	11.29	AV	258.00	100	Vertical	Pass
6	15668.819	57.73	74.0	16.27	Peak	328.00	400	Vertical	Pass
6**	15668.819	41.14	54.0	12.86	AV	328.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.099	38.91	74.0	35.09	Peak	168.00	100	Horizontal	Pass
1**	1527.099	29.80	54.0	24.20	AV	168.00	100	Horizontal	Pass
2	2277.574	45.98	74.0	28.02	Peak	229.00	200	Horizontal	Pass
2**	2277.574	32.18	54.0	21.82	AV	229.00	200	Horizontal	Pass
3	4047.721	44.35	74.0	29.65	Peak	256.00	200	Horizontal	Pass
3**	4047.721	34.81	54.0	19.19	AV	256.00	200	Horizontal	Pass
4	7618.339	52.60	74.0	21.40	Peak	111.00	300	Horizontal	Pass
4**	7618.339	43.94	54.0	10.06	AV	111.00	300	Horizontal	Pass
5	12454.873	50.24	74.0	23.76	Peak	257.00	400	Horizontal	Pass
5**	12454.873	43.34	54.0	10.66	AV	257.00	400	Horizontal	Pass
6	15907.101	54.50	74.0	19.50	Peak	337.00	200	Horizontal	Pass
6**	15907.101	46.81	54.0	7.19	AV	337.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.248	42.72	74.0	31.28	Peak	61.00	400	Vertical	Pass
1**	1597.248	27.03	54.0	26.97	AV	61.00	400	Vertical	Pass
2	2226.045	41.70	74.0	32.30	Peak	68.00	100	Vertical	Pass
2**	2226.045	33.63	54.0	20.37	AV	68.00	100	Vertical	Pass
3	4255.509	46.23	74.0	27.77	Peak	191.00	200	Vertical	Pass
3**	4255.509	39.31	54.0	14.69	AV	191.00	200	Vertical	Pass
4	7705.580	53.24	74.0	20.76	Peak	78.00	100	Vertical	Pass
4**	7705.580	43.05	54.0	10.95	AV	78.00	100	Vertical	Pass
5	12497.327	51.71	74.0	22.29	Peak	252.00	300	Vertical	Pass
5**	12497.327	41.17	54.0	12.83	AV	252.00	300	Vertical	Pass
6	15674.840	54.74	74.0	19.26	Peak	145.00	400	Vertical	Pass
6**	15674.840	43.06	54.0	10.94	AV	145.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.022	37.41	74.0	36.59	Peak	334.00	100	Horizontal	Pass
1**	1528.022	27.43	54.0	26.57	AV	334.00	100	Horizontal	Pass
2	2278.286	40.94	74.0	33.06	Peak	183.00	100	Horizontal	Pass
2**	2278.286	36.07	54.0	17.93	AV	183.00	100	Horizontal	Pass
3	4045.305	44.35	74.0	29.65	Peak	282.00	200	Horizontal	Pass
3**	4045.305	37.77	54.0	16.23	AV	282.00	200	Horizontal	Pass
4	7618.418	55.47	74.0	18.53	Peak	148.00	300	Horizontal	Pass
4**	7618.418	41.27	54.0	12.73	AV	148.00	300	Horizontal	Pass
5	12456.091	52.32	74.0	21.68	Peak	73.00	400	Horizontal	Pass
5**	12456.091	44.63	54.0	9.37	AV	73.00	400	Horizontal	Pass
6	15903.177	52.48	74.0	21.52	Peak	230.00	200	Horizontal	Pass
6**	15903.177	47.30	54.0	6.70	AV	230.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.298	39.73	74.0	34.27	Peak	69.00	200	Vertical	Pass
1**	1596.298	26.70	54.0	27.30	AV	69.00	200	Vertical	Pass
2	2229.657	40.73	74.0	33.27	Peak	232.00	400	Vertical	Pass
2**	2229.657	30.25	54.0	23.75	AV	232.00	400	Vertical	Pass
3	4258.024	49.42	74.0	24.58	Peak	258.00	200	Vertical	Pass
3**	4258.024	36.57	54.0	17.43	AV	258.00	200	Vertical	Pass
4	7705.845	55.25	74.0	18.75	Peak	87.00	400	Vertical	Pass
4**	7705.845	45.09	54.0	8.91	AV	87.00	400	Vertical	Pass
5	12497.901	50.70	74.0	23.30	Peak	338.00	400	Vertical	Pass
5**	12497.901	43.54	54.0	10.46	AV	338.00	400	Vertical	Pass
6	15670.527	58.50	74.0	15.50	Peak	57.00	200	Vertical	Pass
6**	15670.527	40.97	54.0	13.03	AV	57.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.364	37.10	74.0	36.90	Peak	174.00	100	Horizontal	Pass
1**	1522.364	26.52	54.0	27.48	AV	174.00	100	Horizontal	Pass
2	2278.531	42.35	74.0	31.65	Peak	199.00	200	Horizontal	Pass
2**	2278.531	31.67	54.0	22.33	AV	199.00	200	Horizontal	Pass
3	4043.727	46.20	74.0	27.80	Peak	179.00	200	Horizontal	Pass
3**	4043.727	36.08	54.0	17.92	AV	179.00	200	Horizontal	Pass
4	7622.641	52.76	74.0	21.24	Peak	64.00	400	Horizontal	Pass
4**	7622.641	40.92	54.0	13.08	AV	64.00	400	Horizontal	Pass
5	12457.535	52.47	74.0	21.53	Peak	193.00	300	Horizontal	Pass
5**	12457.535	44.05	54.0	9.95	AV	193.00	300	Horizontal	Pass
6	15904.934	54.48	74.0	19.52	Peak	159.00	200	Horizontal	Pass
6**	15904.934	41.96	54.0	12.04	AV	159.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.944	41.13	74.0	32.87	Peak	130.00	100	Vertical	Pass
1**	1598.944	26.47	54.0	27.53	AV	130.00	100	Vertical	Pass
2	2225.805	40.90	74.0	33.10	Peak	263.00	200	Vertical	Pass
2**	2225.805	30.48	54.0	23.52	AV	263.00	200	Vertical	Pass
3	4256.797	47.25	74.0	26.75	Peak	275.00	200	Vertical	Pass
3**	4256.797	38.83	54.0	15.17	AV	275.00	200	Vertical	Pass
4	7712.324	57.73	74.0	16.27	Peak	170.00	400	Vertical	Pass
4**	7712.324	39.59	54.0	14.41	AV	170.00	400	Vertical	Pass
5	12501.650	53.13	74.0	20.87	Peak	290.00	400	Vertical	Pass
5**	12501.650	45.80	54.0	8.20	AV	290.00	400	Vertical	Pass
6	15672.188	52.98	74.0	21.02	Peak	350.00	100	Vertical	Pass
6**	15672.188	44.83	54.0	9.17	AV	350.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.406	41.12	74.0	32.88	Peak	56.00	100	Horizontal	Pass
1**	1521.406	29.29	54.0	24.71	AV	56.00	100	Horizontal	Pass
2	2272.593	42.30	74.0	31.70	Peak	311.00	300	Horizontal	Pass
2**	2272.593	33.87	54.0	20.13	AV	311.00	300	Horizontal	Pass
3	4049.255	44.66	74.0	29.34	Peak	335.00	200	Horizontal	Pass
3**	4049.255	34.34	54.0	19.66	AV	335.00	200	Horizontal	Pass
4	7616.883	54.19	74.0	19.81	Peak	50.00	200	Horizontal	Pass
4**	7616.883	45.61	54.0	8.39	AV	50.00	200	Horizontal	Pass
5	12455.308	50.11	74.0	23.89	Peak	12.00	400	Horizontal	Pass
5**	12455.308	46.77	54.0	7.23	AV	12.00	400	Horizontal	Pass
6	15904.684	51.31	74.0	22.69	Peak	147.00	300	Horizontal	Pass
6**	15904.684	47.55	54.0	6.45	AV	147.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.173	41.00	74.0	33.00	Peak	284.00	200	Vertical	Pass
1**	1599.173	28.81	54.0	25.19	AV	284.00	200	Vertical	Pass
2	2224.363	42.84	74.0	31.16	Peak	313.00	100	Vertical	Pass
2**	2224.363	31.62	54.0	22.38	AV	313.00	100	Vertical	Pass
3	4254.944	47.28	74.0	26.72	Peak	303.00	200	Vertical	Pass
3**	4254.944	39.67	54.0	14.33	AV	303.00	200	Vertical	Pass
4	7707.239	52.73	74.0	21.27	Peak	348.00	200	Vertical	Pass
4**	7707.239	42.27	54.0	11.73	AV	348.00	200	Vertical	Pass
5	12497.393	53.08	74.0	20.92	Peak	327.00	400	Vertical	Pass
5**	12497.393	45.97	54.0	8.03	AV	327.00	400	Vertical	Pass
6	15670.822	53.71	74.0	20.29	Peak	40.00	400	Vertical	Pass
6**	15670.822	43.38	54.0	10.62	AV	40.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.307	38.97	74.0	35.03	Peak	242.00	200	Horizontal	Pass
1**	1526.307	30.98	54.0	23.02	AV	242.00	200	Horizontal	Pass
2	2277.708	45.19	74.0	28.81	Peak	302.00	400	Horizontal	Pass
2**	2277.708	32.13	54.0	21.87	AV	302.00	400	Horizontal	Pass
3	4048.464	49.20	74.0	24.80	Peak	204.00	200	Horizontal	Pass
3**	4048.464	37.77	54.0	16.23	AV	204.00	200	Horizontal	Pass
4	7623.472	55.15	74.0	18.85	Peak	118.00	200	Horizontal	Pass
4**	7623.472	44.71	54.0	9.29	AV	118.00	200	Horizontal	Pass
5	12456.590	53.54	74.0	20.46	Peak	151.00	200	Horizontal	Pass
5**	12456.590	47.33	54.0	6.67	AV	151.00	200	Horizontal	Pass
6	15902.305	50.77	74.0	23.23	Peak	237.00	400	Horizontal	Pass
6**	15902.305	42.68	54.0	11.32	AV	237.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.934	37.62	74.0	36.38	Peak	317.00	400	Vertical	Pass
1**	1601.934	26.78	54.0	27.22	AV	317.00	400	Vertical	Pass
2	2227.945	41.41	74.0	32.59	Peak	250.00	300	Vertical	Pass
2**	2227.945	31.61	54.0	22.39	AV	250.00	300	Vertical	Pass
3	4258.557	46.08	74.0	27.92	Peak	52.00	200	Vertical	Pass
3**	4258.557	35.96	54.0	18.04	AV	52.00	200	Vertical	Pass
4	7706.645	54.74	74.0	19.26	Peak	88.00	400	Vertical	Pass
4**	7706.645	44.63	54.0	9.37	AV	88.00	400	Vertical	Pass
5	12495.339	53.46	74.0	20.54	Peak	57.00	200	Vertical	Pass
5**	12495.339	43.79	54.0	10.21	AV	57.00	200	Vertical	Pass
6	15669.411	56.22	74.0	17.78	Peak	187.00	200	Vertical	Pass
6**	15669.411	42.57	54.0	11.43	AV	187.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.276	39.65	74.0	34.35	Peak	193.00	400	Horizontal	Pass
1**	1521.276	26.37	54.0	27.63	AV	193.00	400	Horizontal	Pass
2	2272.275	43.47	74.0	30.53	Peak	142.00	200	Horizontal	Pass
2**	2272.275	36.21	54.0	17.79	AV	142.00	200	Horizontal	Pass
3	4048.527	48.47	74.0	25.53	Peak	162.00	200	Horizontal	Pass
3**	4048.527	34.32	54.0	19.68	AV	162.00	200	Horizontal	Pass
4	7617.388	51.21	74.0	22.79	Peak	30.00	300	Horizontal	Pass
4**	7617.388	42.06	54.0	11.94	AV	30.00	300	Horizontal	Pass
5	12456.376	54.14	74.0	19.86	Peak	21.00	200	Horizontal	Pass
5**	12456.376	44.56	54.0	9.44	AV	21.00	200	Horizontal	Pass
6	15902.687	56.30	74.0	17.70	Peak	170.00	400	Horizontal	Pass
6**	15902.687	42.04	54.0	11.96	AV	170.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.988	39.77	74.0	34.23	Peak	316.00	200	Vertical	Pass
1**	1597.988	25.84	54.0	28.16	AV	316.00	200	Vertical	Pass
2	2223.644	43.90	74.0	30.10	Peak	253.00	300	Vertical	Pass
2**	2223.644	28.96	54.0	25.04	AV	253.00	300	Vertical	Pass
3	4261.957	48.28	74.0	25.72	Peak	228.00	200	Vertical	Pass
3**	4261.957	40.36	54.0	13.64	AV	228.00	200	Vertical	Pass
4	7708.172	55.97	74.0	18.03	Peak	208.00	400	Vertical	Pass
4**	7708.172	43.81	54.0	10.19	AV	208.00	400	Vertical	Pass
5	12495.224	55.00	74.0	19.00	Peak	140.00	200	Vertical	Pass
5**	12495.224	40.93	54.0	13.07	AV	140.00	200	Vertical	Pass
6	15671.919	58.22	74.0	15.78	Peak	172.00	300	Vertical	Pass
6**	15671.919	43.50	54.0	10.50	AV	172.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.484	35.63	74.0	38.37	Peak	273.00	300	Horizontal	Pass
1**	1527.484	27.20	54.0	26.80	AV	273.00	300	Horizontal	Pass
2	2273.260	46.84	74.0	27.16	Peak	193.00	100	Horizontal	Pass
2**	2273.260	35.94	54.0	18.06	AV	193.00	100	Horizontal	Pass
3	4048.591	49.12	74.0	24.88	Peak	212.00	200	Horizontal	Pass
3**	4048.591	34.93	54.0	19.07	AV	212.00	200	Horizontal	Pass
4	7622.586	51.69	74.0	22.31	Peak	273.00	400	Horizontal	Pass
4**	7622.586	45.67	54.0	8.33	AV	273.00	400	Horizontal	Pass
5	12458.468	50.36	74.0	23.64	Peak	296.00	400	Horizontal	Pass
5**	12458.468	42.47	54.0	11.53	AV	296.00	400	Horizontal	Pass
6	15902.555	54.27	74.0	19.73	Peak	172.00	200	Horizontal	Pass
6**	15902.555	46.05	54.0	7.95	AV	172.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.776	42.76	74.0	31.24	Peak	175.00	200	Vertical	Pass
1**	1598.776	26.00	54.0	28.00	AV	175.00	200	Vertical	Pass
2	2227.893	43.90	74.0	30.10	Peak	9.00	300	Vertical	Pass
2**	2227.893	30.47	54.0	23.53	AV	9.00	300	Vertical	Pass
3	4259.391	49.20	74.0	24.80	Peak	133.00	200	Vertical	Pass
3**	4259.391	38.25	54.0	15.75	AV	133.00	200	Vertical	Pass
4	7710.830	57.35	74.0	16.65	Peak	64.00	300	Vertical	Pass
4**	7710.830	43.93	54.0	10.07	AV	64.00	300	Vertical	Pass
5	12496.230	54.34	74.0	19.66	Peak	160.00	200	Vertical	Pass
5**	12496.230	43.44	54.0	10.56	AV	160.00	200	Vertical	Pass
6	15675.589	52.71	74.0	21.29	Peak	219.00	400	Vertical	Pass
6**	15675.589	40.33	54.0	13.67	AV	219.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.116	37.92	74.0	36.08	Peak	271.00	300	Horizontal	Pass
1**	1524.116	30.53	54.0	23.47	AV	271.00	300	Horizontal	Pass
2	2274.420	42.94	74.0	31.06	Peak	57.00	100	Horizontal	Pass
2**	2274.420	36.09	54.0	17.91	AV	57.00	100	Horizontal	Pass
3	4042.744	48.09	74.0	25.91	Peak	30.00	200	Horizontal	Pass
3**	4042.744	34.95	54.0	19.05	AV	30.00	200	Horizontal	Pass
4	7620.499	52.19	74.0	21.81	Peak	217.00	200	Horizontal	Pass
4**	7620.499	43.49	54.0	10.51	AV	217.00	200	Horizontal	Pass
5	12453.369	56.03	74.0	17.97	Peak	199.00	100	Horizontal	Pass
5**	12453.369	45.16	54.0	8.84	AV	199.00	100	Horizontal	Pass
6	15906.077	53.63	74.0	20.37	Peak	167.00	300	Horizontal	Pass
6**	15906.077	44.07	54.0	9.93	AV	167.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.076	37.73	74.0	36.27	Peak	85.00	200	Vertical	Pass
1**	1595.076	28.53	54.0	25.47	AV	85.00	200	Vertical	Pass
2	2227.248	39.35	74.0	34.65	Peak	297.00	200	Vertical	Pass
2**	2227.248	30.66	54.0	23.34	AV	297.00	200	Vertical	Pass
3	4255.589	45.22	74.0	28.78	Peak	55.00	200	Vertical	Pass
3**	4255.589	36.83	54.0	17.17	AV	55.00	200	Vertical	Pass
4	7706.670	55.65	74.0	18.35	Peak	55.00	300	Vertical	Pass
4**	7706.670	43.90	54.0	10.10	AV	55.00	300	Vertical	Pass
5	12501.910	51.03	74.0	22.97	Peak	118.00	300	Vertical	Pass
5**	12501.910	41.84	54.0	12.16	AV	118.00	300	Vertical	Pass
6	15675.253	57.26	74.0	16.74	Peak	37.00	400	Vertical	Pass
6**	15675.253	41.95	54.0	12.05	AV	37.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.551	41.43	74.0	32.57	Peak	39.00	300	Horizontal	Pass
1**	1526.551	27.65	54.0	26.35	AV	39.00	300	Horizontal	Pass
2	2274.724	44.64	74.0	29.36	Peak	160.00	100	Horizontal	Pass
2**	2274.724	35.23	54.0	18.77	AV	160.00	100	Horizontal	Pass
3	4048.495	46.18	74.0	27.82	Peak	21.00	200	Horizontal	Pass
3**	4048.495	39.12	54.0	14.88	AV	21.00	200	Horizontal	Pass
4	7619.366	54.87	74.0	19.13	Peak	67.00	200	Horizontal	Pass
4**	7619.366	43.79	54.0	10.21	AV	67.00	200	Horizontal	Pass
5	12451.565	52.18	74.0	21.82	Peak	15.00	200	Horizontal	Pass
5**	12451.565	41.86	54.0	12.14	AV	15.00	200	Horizontal	Pass
6	15907.542	56.01	74.0	17.99	Peak	60.00	400	Horizontal	Pass
6**	15907.542	44.32	54.0	9.68	AV	60.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.059	42.87	74.0	31.13	Peak	312.00	200	Vertical	Pass
1**	1601.059	24.38	54.0	29.62	AV	312.00	200	Vertical	Pass
2	2230.761	40.54	74.0	33.46	Peak	202.00	300	Vertical	Pass
2**	2230.761	31.13	54.0	22.87	AV	202.00	300	Vertical	Pass
3	4256.044	48.15	74.0	25.85	Peak	134.00	200	Vertical	Pass
3**	4256.044	38.04	54.0	15.96	AV	134.00	200	Vertical	Pass
4	7709.253	58.11	74.0	15.89	Peak	43.00	300	Vertical	Pass
4**	7709.253	40.10	54.0	13.90	AV	43.00	300	Vertical	Pass
5	12499.849	56.04	74.0	17.96	Peak	287.00	200	Vertical	Pass
5**	12499.849	40.78	54.0	13.22	AV	287.00	200	Vertical	Pass
6	15668.994	55.71	74.0	18.29	Peak	91.00	400	Vertical	Pass
6**	15668.994	45.28	54.0	8.72	AV	91.00	400	Vertical	Pass


11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.212	39.38	74.0	34.62	Peak	225.00	400	Horizontal	Pass
1**	1524.212	31.52	54.0	22.48	AV	225.00	400	Horizontal	Pass
2	2275.371	46.27	74.0	27.73	Peak	97.00	400	Horizontal	Pass
2**	2275.371	34.60	54.0	19.40	AV	97.00	400	Horizontal	Pass
3	4045.408	48.18	74.0	25.82	Peak	302.00	200	Horizontal	Pass
3**	4045.408	39.74	54.0	14.26	AV	302.00	200	Horizontal	Pass
4	7621.029	54.35	74.0	19.65	Peak	16.00	400	Horizontal	Pass
4**	7621.029	43.59	54.0	10.41	AV	16.00	400	Horizontal	Pass
5	12458.108	51.77	74.0	22.23	Peak	276.00	100	Horizontal	Pass
5**	12458.108	45.28	54.0	8.72	AV	276.00	100	Horizontal	Pass
6	15902.307	55.22	74.0	18.78	Peak	212.00	100	Horizontal	Pass
6**	15902.307	47.14	54.0	6.86	AV	212.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.319	40.85	74.0	33.15	Peak	188.00	400	Vertical	Pass
1**	1596.319	28.40	54.0	25.60	AV	188.00	400	Vertical	Pass
2	2225.399	39.78	74.0	34.22	Peak	311.00	200	Vertical	Pass
2**	2225.399	32.79	54.0	21.21	AV	311.00	200	Vertical	Pass
3	4257.318	49.02	74.0	24.98	Peak	229.00	200	Vertical	Pass
3**	4257.318	41.11	54.0	12.89	AV	229.00	200	Vertical	Pass
4	7707.899	55.63	74.0	18.37	Peak	96.00	300	Vertical	Pass
4**	7707.899	39.54	54.0	14.46	AV	96.00	300	Vertical	Pass
5	12502.243	55.17	74.0	18.83	Peak	55.00	200	Vertical	Pass
5**	12502.243	43.70	54.0	10.30	AV	55.00	200	Vertical	Pass
6	15674.381	52.84	74.0	21.16	Peak	280.00	300	Vertical	Pass
6**	15674.381	43.73	54.0	10.27	AV	280.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.913	40.56	74.0	33.44	Peak	253.00	300	Horizontal	Pass
1**	1518.913	30.95	54.0	23.05	AV	253.00	300	Horizontal	Pass
2	4019.094	50.19	74.0	23.81	Peak	334.00	300	Horizontal	Pass
2**	4019.094	38.87	54.0	15.13	AV	334.00	300	Horizontal	Pass
3	7597.983	52.64	74.0	21.36	Peak	69.00	200	Horizontal	Pass
3**	7597.983	45.11	54.0	8.89	AV	69.00	200	Horizontal	Pass
4	12455.493	53.53	74.0	20.47	Peak	342.00	100	Horizontal	Pass
4**	12455.493	41.42	54.0	12.58	AV	342.00	100	Horizontal	Pass
5	16091.442	55.40	74.0	18.60	Peak	284.00	300	Horizontal	Pass
5**	16091.442	44.35	54.0	9.65	AV	284.00	300	Horizontal	Pass
6	17416.251	58.83	74.0	15.17	Peak	18.00	200	Horizontal	Pass
6**	17416.251	50.22	54.0	3.78	AV	18.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.407	44.77	74.0	29.23	Peak	159.00	400	Vertical	Pass
1**	1331.407	34.68	54.0	19.32	AV	159.00	400	Vertical	Pass
2	1440.134	44.83	74.0	29.17	Peak	265.00	300	Vertical	Pass
2**	1440.134	39.78	54.0	14.22	AV	265.00	300	Vertical	Pass
3	4309.796	49.93	74.0	24.07	Peak	127.00	200	Vertical	Pass
3**	4309.796	38.27	54.0	15.73	AV	127.00	200	Vertical	Pass

4	7594.783	52.64	74.0	21.36	Peak	70.00	100	Vertical	Pass
4**	7594.783	42.15	54.0	11.85	AV	70.00	100	Vertical	Pass
5	12530.936	51.40	74.0	22.60	Peak	265.00	100	Vertical	Pass
5**	12530.936	45.45	54.0	8.55	AV	265.00	100	Vertical	Pass
6	15904.216	53.87	74.0	20.13	Peak	247.00	300	Vertical	Pass
6**	15904.216	44.84	54.0	9.16	AV	247.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.089	39.45	74.0	34.55	Peak	297.00	400	Horizontal	Pass
1**	1519.089	29.46	54.0	24.54	AV	297.00	400	Horizontal	Pass
2	4018.798	49.28	74.0	24.72	Peak	144.00	100	Horizontal	Pass
2**	4018.798	37.21	54.0	16.79	AV	144.00	100	Horizontal	Pass
3	7599.604	54.38	74.0	19.62	Peak	341.00	200	Horizontal	Pass
3**	7599.604	40.72	54.0	13.28	AV	341.00	200	Horizontal	Pass
4	12453.861	56.12	74.0	17.88	Peak	25.00	200	Horizontal	Pass
4**	12453.861	43.72	54.0	10.28	AV	25.00	200	Horizontal	Pass
5	16096.718	53.57	74.0	20.43	Peak	117.00	400	Horizontal	Pass
5**	16096.718	47.22	54.0	6.78	AV	117.00	400	Horizontal	Pass
6	17422.213	56.23	74.0	17.77	Peak	57.00	200	Horizontal	Pass
6**	17422.213	49.88	54.0	4.12	AV	57.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.660	46.35	74.0	27.65	Peak	182.00	200	Vertical	Pass
1**	1335.660	35.31	54.0	18.69	AV	182.00	200	Vertical	Pass
2	1440.255	43.43	74.0	30.57	Peak	128.00	200	Vertical	Pass
2**	1440.255	35.92	54.0	18.08	AV	128.00	200	Vertical	Pass
3	4314.559	47.13	74.0	26.87	Peak	322.00	200	Vertical	Pass
3**	4314.559	36.17	54.0	17.83	AV	322.00	200	Vertical	Pass
4	7593.965	51.99	74.0	22.01	Peak	1.00	100	Vertical	Pass
4**	7593.965	43.27	54.0	10.73	AV	1.00	100	Vertical	Pass
5	12534.164	52.63	74.0	21.37	Peak	139.00	300	Vertical	Pass
5**	12534.164	40.75	54.0	13.25	AV	139.00	300	Vertical	Pass
6	15906.552	51.73	74.0	22.27	Peak	324.00	300	Vertical	Pass
6**	15906.552	44.43	54.0	9.57	AV	324.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.499	39.14	74.0	34.86	Peak	260.00	200	Horizontal	Pass
1**	1520.499	26.81	54.0	27.19	AV	260.00	200	Horizontal	Pass
2	4016.560	49.51	74.0	24.49	Peak	150.00	400	Horizontal	Pass
2**	4016.560	37.89	54.0	16.11	AV	150.00	400	Horizontal	Pass
3	7599.712	53.04	74.0	20.96	Peak	313.00	200	Horizontal	Pass
3**	7599.712	44.02	54.0	9.98	AV	313.00	200	Horizontal	Pass
4	12453.105	51.75	74.0	22.25	Peak	132.00	200	Horizontal	Pass
4**	12453.105	41.75	54.0	12.25	AV	132.00	200	Horizontal	Pass
5	16097.974	53.06	74.0	20.94	Peak	143.00	400	Horizontal	Pass
5**	16097.974	45.72	54.0	8.28	AV	143.00	400	Horizontal	Pass
6	17419.360	53.72	74.0	20.28	Peak	279.00	200	Horizontal	Pass
6**	17419.360	45.67	54.0	8.33	AV	279.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.651	45.79	74.0	28.21	Peak	133.00	400	Vertical	Pass
1**	1330.651	34.57	54.0	19.43	AV	133.00	400	Vertical	Pass
2	1444.281	41.92	74.0	32.08	Peak	312.00	100	Vertical	Pass
2**	1444.281	34.43	54.0	19.57	AV	312.00	100	Vertical	Pass
3	4312.568	48.30	74.0	25.70	Peak	235.00	200	Vertical	Pass
3**	4312.568	37.30	54.0	16.70	AV	235.00	200	Vertical	Pass
4	7590.687	52.56	74.0	21.44	Peak	190.00	200	Vertical	Pass
4**	7590.687	41.80	54.0	12.20	AV	190.00	200	Vertical	Pass
5	12537.177	55.05	74.0	18.95	Peak	184.00	100	Vertical	Pass
5**	12537.177	44.36	54.0	9.64	AV	184.00	100	Vertical	Pass
6	15902.989	54.64	74.0	19.36	Peak	315.00	300	Vertical	Pass
6**	15902.989	43.05	54.0	10.95	AV	315.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.675	39.93	74.0	34.07	Peak	220.00	200	Horizontal	Pass
1**	1520.675	27.46	54.0	26.54	AV	220.00	200	Horizontal	Pass
2	4023.297	50.11	74.0	23.89	Peak	1.00	400	Horizontal	Pass
2**	4023.297	36.64	54.0	17.36	AV	1.00	400	Horizontal	Pass
3	7597.941	52.70	74.0	21.30	Peak	64.00	200	Horizontal	Pass
3**	7597.941	46.40	54.0	7.60	AV	64.00	200	Horizontal	Pass
4	12459.111	52.65	74.0	21.35	Peak	301.00	200	Horizontal	Pass
4**	12459.111	43.32	54.0	10.68	AV	301.00	200	Horizontal	Pass
5	16095.357	53.48	74.0	20.52	Peak	178.00	100	Horizontal	Pass
5**	16095.357	42.81	54.0	11.19	AV	178.00	100	Horizontal	Pass
6	17415.964	56.75	74.0	17.25	Peak	347.00	400	Horizontal	Pass
6**	17415.964	44.52	54.0	9.48	AV	347.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.630	43.88	74.0	30.12	Peak	243.00	200	Vertical	Pass
1**	1333.630	34.85	54.0	19.15	AV	243.00	200	Vertical	Pass
2	1442.989	39.78	74.0	34.22	Peak	354.00	100	Vertical	Pass
2**	1442.989	36.29	54.0	17.71	AV	354.00	100	Vertical	Pass
3	4312.758	48.88	74.0	25.12	Peak	5.00	200	Vertical	Pass
3**	4312.758	37.69	54.0	16.31	AV	5.00	200	Vertical	Pass
4	7590.894	51.87	74.0	22.13	Peak	34.00	400	Vertical	Pass
4**	7590.894	41.25	54.0	12.75	AV	34.00	400	Vertical	Pass
5	12532.625	50.72	74.0	23.28	Peak	205.00	300	Vertical	Pass
5**	12532.625	43.95	54.0	10.05	AV	205.00	300	Vertical	Pass
6	15907.602	55.56	74.0	18.44	Peak	267.00	100	Vertical	Pass
6**	15907.602	47.27	54.0	6.73	AV	267.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.494	35.30	74.0	38.70	Peak	35.00	200	Horizontal	Pass
1**	1522.494	31.50	54.0	22.50	AV	35.00	200	Horizontal	Pass
2	4019.137	47.67	74.0	26.33	Peak	329.00	400	Horizontal	Pass
2**	4019.137	37.46	54.0	16.54	AV	329.00	400	Horizontal	Pass
3	7598.133	51.48	74.0	22.52	Peak	324.00	200	Horizontal	Pass
3**	7598.133	40.91	54.0	13.09	AV	324.00	200	Horizontal	Pass
4	12451.945	51.20	74.0	22.80	Peak	50.00	300	Horizontal	Pass
4**	12451.945	41.21	54.0	12.79	AV	50.00	300	Horizontal	Pass
5	16097.373	52.31	74.0	21.69	Peak	306.00	300	Horizontal	Pass
5**	16097.373	44.04	54.0	9.96	AV	306.00	300	Horizontal	Pass
6	17418.432	53.73	74.0	20.27	Peak	354.00	200	Horizontal	Pass
6**	17418.432	49.50	54.0	4.50	AV	354.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.091	47.25	74.0	26.75	Peak	193.00	100	Vertical	Pass
1**	1330.091	35.18	54.0	18.82	AV	193.00	100	Vertical	Pass
2	1440.045	40.51	74.0	33.49	Peak	13.00	400	Vertical	Pass
2**	1440.045	38.45	54.0	15.55	AV	13.00	400	Vertical	Pass
3	4310.916	44.95	74.0	29.05	Peak	321.00	200	Vertical	Pass
3**	4310.916	38.01	54.0	15.99	AV	321.00	200	Vertical	Pass
4	7597.374	54.73	74.0	19.27	Peak	88.00	100	Vertical	Pass
4**	7597.374	43.21	54.0	10.79	AV	88.00	100	Vertical	Pass
5	12537.875	51.53	74.0	22.47	Peak	184.00	100	Vertical	Pass
5**	12537.875	42.52	54.0	11.48	AV	184.00	100	Vertical	Pass
6	15903.270	54.53	74.0	19.47	Peak	251.00	400	Vertical	Pass
6**	15903.270	42.72	54.0	11.28	AV	251.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.152	40.97	74.0	33.03	Peak	109.00	100	Horizontal	Pass
1**	1522.152	30.67	54.0	23.33	AV	109.00	100	Horizontal	Pass
2	4022.220	49.30	74.0	24.70	Peak	88.00	100	Horizontal	Pass
2**	4022.220	39.14	54.0	14.86	AV	88.00	100	Horizontal	Pass
3	7597.519	51.51	74.0	22.49	Peak	194.00	200	Horizontal	Pass
3**	7597.519	41.64	54.0	12.36	AV	194.00	200	Horizontal	Pass
4	12459.626	52.02	74.0	21.98	Peak	138.00	300	Horizontal	Pass
4**	12459.626	43.38	54.0	10.62	AV	138.00	300	Horizontal	Pass
5	16097.044	50.69	74.0	23.31	Peak	314.00	400	Horizontal	Pass
5**	16097.044	43.62	54.0	10.38	AV	314.00	400	Horizontal	Pass
6	17418.938	53.51	74.0	20.49	Peak	104.00	100	Horizontal	Pass
6**	17418.938	44.53	54.0	9.47	AV	104.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.486	45.49	74.0	28.51	Peak	110.00	400	Vertical	Pass
1**	1334.486	33.20	54.0	20.80	AV	110.00	400	Vertical	Pass
2	1442.509	41.01	74.0	32.99	Peak	238.00	200	Vertical	Pass
2**	1442.509	34.11	54.0	19.89	AV	238.00	200	Vertical	Pass
3	4308.167	47.30	74.0	26.70	Peak	283.00	200	Vertical	Pass
3**	4308.167	40.32	54.0	13.68	AV	283.00	200	Vertical	Pass
4	7593.157	55.22	74.0	18.78	Peak	39.00	300	Vertical	Pass
4**	7593.157	40.84	54.0	13.16	AV	39.00	300	Vertical	Pass
5	12537.896	55.98	74.0	18.02	Peak	55.00	100	Vertical	Pass
5**	12537.896	46.34	54.0	7.66	AV	55.00	100	Vertical	Pass
6	15907.411	55.79	74.0	18.21	Peak	227.00	200	Vertical	Pass
6**	15907.411	48.48	54.0	5.52	AV	227.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.703	41.03	74.0	32.97	Peak	358.00	300	Horizontal	Pass
1**	1517.703	27.22	54.0	26.78	AV	358.00	300	Horizontal	Pass
2	4021.041	45.64	74.0	28.36	Peak	124.00	300	Horizontal	Pass
2**	4021.041	36.15	54.0	17.85	AV	124.00	300	Horizontal	Pass
3	7600.075	50.93	74.0	23.07	Peak	197.00	200	Horizontal	Pass
3**	7600.075	41.99	54.0	12.01	AV	197.00	200	Horizontal	Pass
4	12458.676	50.85	74.0	23.15	Peak	198.00	300	Horizontal	Pass
4**	12458.676	42.67	54.0	11.33	AV	198.00	300	Horizontal	Pass
5	16096.048	56.13	74.0	17.87	Peak	287.00	400	Horizontal	Pass
5**	16096.048	45.72	54.0	8.28	AV	287.00	400	Horizontal	Pass
6	17418.506	54.42	74.0	19.58	Peak	351.00	300	Horizontal	Pass
6**	17418.506	47.16	54.0	6.84	AV	351.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.487	42.75	74.0	31.25	Peak	28.00	100	Vertical	Pass
1**	1333.487	32.65	54.0	21.35	AV	28.00	100	Vertical	Pass
2	1442.058	40.31	74.0	33.69	Peak	141.00	300	Vertical	Pass
2**	1442.058	36.12	54.0	17.88	AV	141.00	300	Vertical	Pass
3	4313.900	49.78	74.0	24.22	Peak	27.00	200	Vertical	Pass
3**	4313.900	38.92	54.0	15.08	AV	27.00	200	Vertical	Pass
4	7590.943	54.80	74.0	19.20	Peak	13.00	400	Vertical	Pass
4**	7590.943	43.89	54.0	10.11	AV	13.00	400	Vertical	Pass
5	12537.381	54.19	74.0	19.81	Peak	220.00	200	Vertical	Pass
5**	12537.381	46.01	54.0	7.99	AV	220.00	200	Vertical	Pass
6	15904.732	54.81	74.0	19.19	Peak	185.00	100	Vertical	Pass
6**	15904.732	45.84	54.0	8.16	AV	185.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.424	39.35	74.0	34.65	Peak	10.00	200	Horizontal	Pass
1**	1519.424	29.53	54.0	24.47	AV	10.00	200	Horizontal	Pass
2	4019.457	44.91	74.0	29.09	Peak	201.00	200	Horizontal	Pass
2**	4019.457	38.65	54.0	15.35	AV	201.00	200	Horizontal	Pass
3	7599.763	55.75	74.0	18.25	Peak	100.00	200	Horizontal	Pass
3**	7599.763	42.01	54.0	11.99	AV	100.00	200	Horizontal	Pass
4	12454.879	54.53	74.0	19.47	Peak	258.00	100	Horizontal	Pass
4**	12454.879	43.42	54.0	10.58	AV	258.00	100	Horizontal	Pass
5	16092.959	52.87	74.0	21.13	Peak	314.00	400	Horizontal	Pass
5**	16092.959	42.77	54.0	11.23	AV	314.00	400	Horizontal	Pass
6	17418.634	57.49	74.0	16.51	Peak	105.00	300	Horizontal	Pass
6**	17418.634	47.55	54.0	6.45	AV	105.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.296	43.70	74.0	30.30	Peak	305.00	300	Vertical	Pass
1**	1333.296	36.25	54.0	17.75	AV	305.00	300	Vertical	Pass
2	1443.038	41.82	74.0	32.18	Peak	236.00	200	Vertical	Pass
2**	1443.038	36.40	54.0	17.60	AV	236.00	200	Vertical	Pass
3	4312.391	48.60	74.0	25.40	Peak	107.00	200	Vertical	Pass
3**	4312.391	37.63	54.0	16.37	AV	107.00	200	Vertical	Pass
4	7594.454	51.56	74.0	22.44	Peak	125.00	200	Vertical	Pass
4**	7594.454	45.97	54.0	8.03	AV	125.00	200	Vertical	Pass
5	12537.216	50.97	74.0	23.03	Peak	188.00	200	Vertical	Pass
5**	12537.216	43.04	54.0	10.96	AV	188.00	200	Vertical	Pass
6	15906.380	52.09	74.0	21.91	Peak	356.00	100	Vertical	Pass
6**	15906.380	44.02	54.0	9.98	AV	356.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.427	35.96	74.0	38.04	Peak	54.00	400	Horizontal	Pass
1**	1519.427	31.98	54.0	22.02	AV	54.00	400	Horizontal	Pass
2	4019.946	44.24	74.0	29.76	Peak	341.00	300	Horizontal	Pass
2**	4019.946	36.56	54.0	17.44	AV	341.00	300	Horizontal	Pass
3	7601.590	51.94	74.0	22.06	Peak	354.00	200	Horizontal	Pass
3**	7601.590	43.84	54.0	10.16	AV	354.00	200	Horizontal	Pass
4	12458.299	56.10	74.0	17.90	Peak	299.00	400	Horizontal	Pass
4**	12458.299	44.35	54.0	9.65	AV	299.00	400	Horizontal	Pass
5	16095.244	50.70	74.0	23.30	Peak	337.00	300	Horizontal	Pass
5**	16095.244	41.84	54.0	12.16	AV	337.00	300	Horizontal	Pass
6	17423.364	55.36	74.0	18.64	Peak	246.00	100	Horizontal	Pass
6**	17423.364	45.85	54.0	8.15	AV	246.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.522	43.87	74.0	30.13	Peak	283.00	200	Vertical	Pass
1**	1334.522	31.11	54.0	22.89	AV	283.00	200	Vertical	Pass
2	1443.220	44.83	74.0	29.17	Peak	345.00	400	Vertical	Pass
2**	1443.220	38.81	54.0	15.19	AV	345.00	400	Vertical	Pass
3	4314.877	46.62	74.0	27.38	Peak	129.00	200	Vertical	Pass
3**	4314.877	38.90	54.0	15.10	AV	129.00	200	Vertical	Pass
4	7596.355	53.45	74.0	20.55	Peak	356.00	400	Vertical	Pass
4**	7596.355	45.26	54.0	8.74	AV	356.00	400	Vertical	Pass
5	12537.563	53.43	74.0	20.57	Peak	239.00	300	Vertical	Pass
5**	12537.563	42.02	54.0	11.98	AV	239.00	300	Vertical	Pass
6	15908.857	51.88	74.0	22.12	Peak	182.00	400	Vertical	Pass
6**	15908.857	43.94	54.0	10.06	AV	182.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.882	40.37	74.0	33.63	Peak	304.00	100	Horizontal	Pass
1**	1522.882	28.73	54.0	25.27	AV	304.00	100	Horizontal	Pass
2	4017.356	46.46	74.0	27.54	Peak	292.00	300	Horizontal	Pass
2**	4017.356	37.44	54.0	16.56	AV	292.00	300	Horizontal	Pass
3	7597.742	51.74	74.0	22.26	Peak	265.00	200	Horizontal	Pass
3**	7597.742	40.85	54.0	13.15	AV	265.00	200	Horizontal	Pass
4	12454.464	52.02	74.0	21.98	Peak	315.00	300	Horizontal	Pass
4**	12454.464	41.68	54.0	12.32	AV	315.00	300	Horizontal	Pass
5	16097.227	53.02	74.0	20.98	Peak	294.00	300	Horizontal	Pass
5**	16097.227	47.29	54.0	6.71	AV	294.00	300	Horizontal	Pass
6	17419.809	58.13	74.0	15.87	Peak	22.00	200	Horizontal	Pass
6**	17419.809	46.29	54.0	7.71	AV	22.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.810	44.55	74.0	29.45	Peak	265.00	400	Vertical	Pass
1**	1331.810	33.07	54.0	20.93	AV	265.00	400	Vertical	Pass
2	1441.885	42.80	74.0	31.20	Peak	310.00	400	Vertical	Pass
2**	1441.885	34.57	54.0	19.43	AV	310.00	400	Vertical	Pass
3	4308.415	49.38	74.0	24.62	Peak	222.00	200	Vertical	Pass
3**	4308.415	39.80	54.0	14.20	AV	222.00	200	Vertical	Pass
4	7597.178	50.74	74.0	23.26	Peak	26.00	100	Vertical	Pass
4**	7597.178	41.29	54.0	12.71	AV	26.00	100	Vertical	Pass
5	12538.819	50.69	74.0	23.31	Peak	137.00	200	Vertical	Pass
5**	12538.819	44.13	54.0	9.87	AV	137.00	200	Vertical	Pass
6	15907.892	53.68	74.0	20.32	Peak	240.00	100	Vertical	Pass
6**	15907.892	43.57	54.0	10.43	AV	240.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.930	37.41	74.0	36.59	Peak	173.00	100	Horizontal	Pass
1**	1520.930	30.30	54.0	23.70	AV	173.00	100	Horizontal	Pass
2	4020.907	48.95	74.0	25.05	Peak	302.00	200	Horizontal	Pass
2**	4020.907	34.50	54.0	19.50	AV	302.00	200	Horizontal	Pass
3	7601.043	52.27	74.0	21.73	Peak	306.00	200	Horizontal	Pass
3**	7601.043	43.71	54.0	10.29	AV	306.00	200	Horizontal	Pass
4	12459.440	55.27	74.0	18.73	Peak	247.00	100	Horizontal	Pass
4**	12459.440	47.10	54.0	6.90	AV	247.00	100	Horizontal	Pass
5	16098.371	54.34	74.0	19.66	Peak	250.00	300	Horizontal	Pass
5**	16098.371	45.20	54.0	8.80	AV	250.00	300	Horizontal	Pass
6	17420.503	53.77	74.0	20.23	Peak	45.00	100	Horizontal	Pass
6**	17420.503	47.38	54.0	6.62	AV	45.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.216	47.16	74.0	26.84	Peak	207.00	100	Vertical	Pass
1**	1334.216	32.35	54.0	21.65	AV	207.00	100	Vertical	Pass
2	1444.117	42.32	74.0	31.68	Peak	49.00	300	Vertical	Pass
2**	1444.117	34.69	54.0	19.31	AV	49.00	300	Vertical	Pass
3	4310.107	45.19	74.0	28.81	Peak	120.00	200	Vertical	Pass
3**	4310.107	40.12	54.0	13.88	AV	120.00	200	Vertical	Pass
4	7592.208	55.26	74.0	18.74	Peak	308.00	200	Vertical	Pass
4**	7592.208	44.04	54.0	9.96	AV	308.00	200	Vertical	Pass
5	12537.008	54.76	74.0	19.24	Peak	112.00	100	Vertical	Pass
5**	12537.008	45.52	54.0	8.48	AV	112.00	100	Vertical	Pass
6	15909.419	51.61	74.0	22.39	Peak	171.00	200	Vertical	Pass
6**	15909.419	42.86	54.0	11.14	AV	171.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.808	37.53	74.0	36.47	Peak	202.00	400	Horizontal	Pass
1**	1519.808	26.82	54.0	27.18	AV	202.00	400	Horizontal	Pass
2	4019.934	49.77	74.0	24.23	Peak	30.00	200	Horizontal	Pass
2**	4019.934	35.96	54.0	18.04	AV	30.00	200	Horizontal	Pass
3	7602.445	56.17	74.0	17.83	Peak	162.00	200	Horizontal	Pass
3**	7602.445	43.52	54.0	10.48	AV	162.00	200	Horizontal	Pass
4	12457.924	51.70	74.0	22.30	Peak	358.00	300	Horizontal	Pass
4**	12457.924	46.32	54.0	7.68	AV	358.00	300	Horizontal	Pass
5	16098.340	55.29	74.0	18.71	Peak	188.00	400	Horizontal	Pass
5**	16098.340	43.35	54.0	10.65	AV	188.00	400	Horizontal	Pass
6	17423.337	57.01	74.0	16.99	Peak	41.00	300	Horizontal	Pass
6**	17423.337	49.59	54.0	4.41	AV	41.00	300	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.118	41.86	74.0	32.14	Peak	140.00	400	Vertical	Pass
1**	1330.118	33.40	54.0	20.60	AV	140.00	400	Vertical	Pass
2	1438.929	42.90	74.0	31.10	Peak	129.00	400	Vertical	Pass
2**	1438.929	36.05	54.0	17.95	AV	129.00	400	Vertical	Pass
3	4315.244	50.22	74.0	23.78	Peak	113.00	200	Vertical	Pass
3**	4315.244	38.49	54.0	15.51	AV	113.00	200	Vertical	Pass
4	7595.281	53.17	74.0	20.83	Peak	45.00	400	Vertical	Pass
4**	7595.281	42.69	54.0	11.31	AV	45.00	400	Vertical	Pass
5	12535.009	53.40	74.0	20.60	Peak	24.00	300	Vertical	Pass
5**	12535.009	46.30	54.0	7.70	AV	24.00	300	Vertical	Pass
6	15905.598	52.89	74.0	21.11	Peak	96.00	400	Vertical	Pass
6**	15905.598	42.79	54.0	11.21	AV	96.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.525	40.54	74.0	33.46	Peak	30.00	100	Horizontal	Pass
1**	1524.525	29.07	54.0	24.93	AV	30.00	100	Horizontal	Pass
2	4021.524	48.14	74.0	25.86	Peak	237.00	100	Horizontal	Pass
2**	4021.524	38.28	54.0	15.72	AV	237.00	100	Horizontal	Pass
3	7600.276	53.68	74.0	20.32	Peak	111.00	200	Horizontal	Pass
3**	7600.276	43.04	54.0	10.96	AV	111.00	200	Horizontal	Pass
4	12452.435	50.64	74.0	23.36	Peak	322.00	100	Horizontal	Pass
4**	12452.435	41.36	54.0	12.64	AV	322.00	100	Horizontal	Pass
5	16097.930	55.36	74.0	18.64	Peak	336.00	300	Horizontal	Pass
5**	16097.930	45.36	54.0	8.64	AV	336.00	300	Horizontal	Pass
6	17417.901	54.31	74.0	19.69	Peak	132.00	400	Horizontal	Pass
6**	17417.901	47.39	54.0	6.61	AV	132.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.936	42.84	74.0	31.16	Peak	23.00	100	Vertical	Pass
1**	1332.936	35.30	54.0	18.70	AV	23.00	100	Vertical	Pass
2	1442.043	39.96	74.0	34.04	Peak	145.00	300	Vertical	Pass
2**	1442.043	39.60	54.0	14.40	AV	145.00	300	Vertical	Pass
3	4311.976	47.73	74.0	26.27	Peak	344.00	200	Vertical	Pass
3**	4311.976	41.32	54.0	12.68	AV	344.00	200	Vertical	Pass
4	7592.525	52.03	74.0	21.97	Peak	294.00	300	Vertical	Pass
4**	7592.525	41.31	54.0	12.69	AV	294.00	300	Vertical	Pass
5	12532.178	54.56	74.0	19.44	Peak	13.00	200	Vertical	Pass
5**	12532.178	45.41	54.0	8.59	AV	13.00	200	Vertical	Pass
6	15907.859	52.52	74.0	21.48	Peak	340.00	300	Vertical	Pass
6**	15907.859	47.84	54.0	6.16	AV	340.00	300	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.678	41.09	74.0	32.91	Peak	91.00	300	Horizontal	Pass
1**	1519.678	27.44	54.0	26.56	AV	91.00	300	Horizontal	Pass
2	4023.336	47.55	74.0	26.45	Peak	308.00	200	Horizontal	Pass
2**	4023.336	35.66	54.0	18.34	AV	308.00	200	Horizontal	Pass
3	7596.779	55.82	74.0	18.18	Peak	104.00	200	Horizontal	Pass
3**	7596.779	42.86	54.0	11.14	AV	104.00	200	Horizontal	Pass
4	12456.968	54.81	74.0	19.19	Peak	202.00	300	Horizontal	Pass
4**	12456.968	41.87	54.0	12.13	AV	202.00	300	Horizontal	Pass
5	16098.617	53.88	74.0	20.12	Peak	149.00	200	Horizontal	Pass
5**	16098.617	44.19	54.0	9.81	AV	149.00	200	Horizontal	Pass
6	17417.035	55.71	74.0	18.29	Peak	351.00	200	Horizontal	Pass
6**	17417.035	44.67	54.0	9.33	AV	351.00	200	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.902	43.11	74.0	30.89	Peak	52.00	400	Vertical	Pass
1**	1333.902	30.91	54.0	23.09	AV	52.00	400	Vertical	Pass
2	1443.848	42.43	74.0	31.57	Peak	53.00	400	Vertical	Pass
2**	1443.848	35.67	54.0	18.33	AV	53.00	400	Vertical	Pass
3	4308.489	45.54	74.0	28.46	Peak	129.00	200	Vertical	Pass
3**	4308.489	37.22	54.0	16.78	AV	129.00	200	Vertical	Pass
4	7591.515	54.10	74.0	19.90	Peak	343.00	400	Vertical	Pass
4**	7591.515	41.74	54.0	12.26	AV	343.00	400	Vertical	Pass
5	12538.778	52.95	74.0	21.05	Peak	17.00	400	Vertical	Pass
5**	12538.778	46.67	54.0	7.33	AV	17.00	400	Vertical	Pass
6	15907.234	54.97	74.0	19.03	Peak	199.00	300	Vertical	Pass
6**	15907.234	47.30	54.0	6.70	AV	199.00	300	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass

	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass

Test Data

U-NII-1 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.240	55.76	74.0	18.24	Peak	352.00	300	Horizontal	Pass
1**	5075.240	45.57	54.0	8.43	AV	352.00	300	Horizontal	Pass
2	5150.000	54	74.0	20.00	Peak	239.00	200	Horizontal	Pass
2**	5150.000	45.29	54.0	8.71	AV	239.00	200	Horizontal	Pass

U-NII-1 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.91	74.0	19.09	Peak	343.00	100	Horizontal	Pass
1**	5350.000	44.69	54.0	9.31	AV	343.00	100	Horizontal	Pass
2	5422.876	57.24	74.0	16.76	Peak	100.00	200	Horizontal	Pass
2**	5422.876	44.6	54.0	9.40	AV	100.00	200	Horizontal	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.434	54.19	74.0	19.81	Peak	48.00	100	Horizontal	Pass
1**	5075.434	43.24	54.0	10.76	AV	48.00	100	Horizontal	Pass
2	5150.000	54.01	74.0	19.99	Peak	158.00	200	Horizontal	Pass
2**	5150.000	44.02	54.0	9.98	AV	158.00	200	Horizontal	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.92	74.0	19.08	Peak	136.00	300	Horizontal	Pass
1**	5350.000	44.53	54.0	9.47	AV	136.00	300	Horizontal	Pass
2	5422.626	56.68	74.0	17.32	Peak	337.00	300	Horizontal	Pass
2**	5422.626	46.18	54.0	7.82	AV	337.00	300	Horizontal	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.524	57.72	74.0	16.28	Peak	203.00	200	Horizontal	Pass
1**	5077.524	45.5	54.0	8.50	AV	203.00	200	Horizontal	Pass
2	5150.000	53.3	74.0	20.70	Peak	344.00	200	Horizontal	Pass
2**	5150.000	45.26	54.0	8.74	AV	344.00	200	Horizontal	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.07	74.0	19.93	Peak	31.00	100	Horizontal	Pass
1**	5350.000	43.03	54.0	10.97	AV	31.00	100	Horizontal	Pass
2	5423.456	57.34	74.0	16.66	Peak	342.00	100	Horizontal	Pass
2**	5423.456	45.49	54.0	8.51	AV	342.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.940	57.32	74.0	16.68	Peak	53.00	100	Horizontal	Pass
1**	5077.940	44.25	54.0	9.75	AV	53.00	100	Horizontal	Pass
2	5150.000	54.51	74.0	19.49	Peak	6.00	100	Horizontal	Pass
2**	5150.000	44.7	54.0	9.30	AV	6.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.23	74.0	20.77	Peak	103.00	300	Horizontal	Pass
1**	5350.000	43.01	54.0	10.99	AV	103.00	300	Horizontal	Pass
2	5422.239	55.11	74.0	18.89	Peak	76.00	200	Horizontal	Pass
2**	5422.239	45.07	54.0	8.93	AV	76.00	200	Horizontal	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.596	56.55	74.0	17.45	Peak	63.00	300	Horizontal	Pass
1**	5077.596	42.7	54.0	11.30	AV	63.00	300	Horizontal	Pass
2	5150.000	53.2	74.0	20.80	Peak	54.00	100	Horizontal	Pass
2**	5150.000	43.2	54.0	10.80	AV	54.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.98	74.0	18.02	Peak	155.00	100	Horizontal	Pass
1**	5350.000	46.03	54.0	7.97	AV	155.00	100	Horizontal	Pass
2	5422.624	56.95	74.0	17.05	Peak	48.00	300	Horizontal	Pass
2**	5422.624	44.18	54.0	9.82	AV	48.00	300	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.762	57.41	74.0	16.59	Peak	201.00	200	Horizontal	Pass
1**	5076.762	44.4	54.0	9.60	AV	201.00	200	Horizontal	Pass
2	5150.000	53.35	74.0	20.65	Peak	41.00	300	Horizontal	Pass
2**	5150.000	44.93	54.0	9.07	AV	41.00	300	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.09	74.0	18.91	Peak	296.00	100	Horizontal	Pass
1**	5350.000	45.43	54.0	8.57	AV	296.00	100	Horizontal	Pass
2	5423.181	58.28	74.0	15.72	Peak	64.00	200	Horizontal	Pass
2**	5423.181	46.42	54.0	7.58	AV	64.00	200	Horizontal	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.573	56.09	74.0	17.91	Peak	237.00	100	Horizontal	Pass
1**	4996.573	45.01	54.0	8.99	AV	237.00	100	Horizontal	Pass
2	5150.000	55.26	74.0	18.74	Peak	297.00	300	Horizontal	Pass
2**	5150.000	44.69	54.0	9.31	AV	297.00	300	Horizontal	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.72	74.0	19.28	Peak	158.00	100	Horizontal	Pass
1**	5350.000	46.43	54.0	7.57	AV	158.00	100	Horizontal	Pass
2	5461.840	56.71	74.0	17.29	Peak	56.00	200	Horizontal	Pass
2**	5461.840	45.04	54.0	8.96	AV	56.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.892	54.37	74.0	19.63	Peak	284.00	200	Horizontal	Pass
1**	4997.892	43.67	54.0	10.33	AV	284.00	200	Horizontal	Pass
2	5150.000	52.68	74.0	21.32	Peak	300.00	200	Horizontal	Pass
2**	5150.000	43.1	54.0	10.90	AV	300.00	200	Horizontal	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.24	74.0	17.76	Peak	86.00	200	Horizontal	Pass
1**	5350.000	43.95	54.0	10.05	AV	86.00	200	Horizontal	Pass
2	5459.474	57.5	74.0	16.50	Peak	239.00	100	Horizontal	Pass
2**	5459.474	43.71	54.0	10.29	AV	239.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.549	56.16	74.0	17.84	Peak	240.00	200	Horizontal	Pass
1**	4998.549	42.87	54.0	11.13	AV	240.00	200	Horizontal	Pass
2	5150.000	53.91	74.0	20.09	Peak	179.00	100	Horizontal	Pass
2**	5150.000	45.01	54.0	8.99	AV	179.00	100	Horizontal	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.48	74.0	18.52	Peak	127.00	200	Horizontal	Pass
1**	5350.000	44.18	54.0	9.82	AV	127.00	200	Horizontal	Pass
2	5459.922	57.67	74.0	16.33	Peak	291.00	100	Horizontal	Pass
2**	5459.922	45.8	54.0	8.20	AV	291.00	100	Horizontal	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.807	54.52	74.0	19.48	Peak	100.00	200	Horizontal	Pass
1**	4998.807	43.61	54.0	10.39	AV	100.00	200	Horizontal	Pass
2	5150.000	52.5	74.0	21.50	Peak	178.00	300	Horizontal	Pass
2**	5150.000	43.5	54.0	10.50	AV	178.00	300	Horizontal	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.19	74.0	17.81	Peak	319.00	100	Horizontal	Pass
1**	5350.000	44.04	54.0	9.96	AV	319.00	100	Horizontal	Pass
2	5461.648	59.03	74.0	14.97	Peak	264.00	200	Horizontal	Pass
2**	5461.648	44.71	54.0	9.29	AV	264.00	200	Horizontal	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.717	58.02	74.0	15.98	Peak	16.00	200	Horizontal	Pass
1**	4997.717	45.11	54.0	8.89	AV	16.00	200	Horizontal	Pass
2	5150.000	52.57	74.0	21.43	Peak	79.00	300	Horizontal	Pass
2**	5150.000	42.91	54.0	11.09	AV	79.00	300	Horizontal	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.31	74.0	17.69	Peak	233.00	100	Horizontal	Pass
1**	5350.000	44.97	54.0	9.03	AV	233.00	100	Horizontal	Pass
2	5462.155	58.75	74.0	15.25	Peak	163.00	100	Horizontal	Pass
2**	5462.155	46.07	54.0	7.93	AV	163.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.477	56.07	74.0	17.93	Peak	164.00	300	Horizontal	Pass
1**	4996.477	45.19	54.0	8.81	AV	164.00	300	Horizontal	Pass
2	5150.000	54.72	74.0	19.28	Peak	12.00	200	Horizontal	Pass
2**	5150.000	45.35	54.0	8.65	AV	12.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.93	74.0	17.07	Peak	307.00	100	Horizontal	Pass
1**	5350.000	43.17	54.0	10.83	AV	307.00	100	Horizontal	Pass
2	5460.348	57.42	74.0	16.58	Peak	30.00	300	Horizontal	Pass
2**	5460.348	43.38	54.0	10.62	AV	30.00	300	Horizontal	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.956	57.83	74.0	16.17	Peak	337.00	300	Horizontal	Pass
1**	5410.496	43.51	54.0	10.49	AV	337.00	300	Horizontal	Pass
2	5460.000	54.7	74.0	19.30	Peak	307.00	200	Horizontal	Pass
2**	5460.000	45.18	54.0	8.82	AV	307.00	200	Horizontal	Pass
3	5468.321	57.97	68.2	10.23	Peak	345.00	300	Horizontal	Pass
3**	5468.129	45.81	--	--	AV	345.00	300	Horizontal	N/A
4	5470.000	52.78	68.2	15.42	Peak	277.00	100	Horizontal	Pass
4**	5470.000	47.59	--	--	AV	277.00	100	Horizontal	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.31	68.2	11.89	Peak	143.00	200	Horizontal	Pass
2	5776.223	57.21	68.2	10.99	Peak	261.00	300	Horizontal	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.214	57.87	74.0	16.13	Peak	55.00	300	Horizontal	Pass
1**	5411.462	46.13	54.0	7.87	AV	55.00	300	Horizontal	Pass
2	5460.000	55.06	74.0	18.94	Peak	152.00	200	Horizontal	Pass
2**	5460.000	44.75	54.0	9.25	AV	152.00	200	Horizontal	Pass
3	5468.456	54.98	68.2	13.22	Peak	39.00	100	Horizontal	Pass
3**	5468.268	44.72	--	--	AV	39.00	100	Horizontal	N/A
4	5470.000	55.48	68.2	12.72	Peak	193.00	300	Horizontal	Pass
4**	5470.000	45.16	--	--	AV	193.00	300	Horizontal	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.02	68.2	12.18	Peak	217.00	100	Horizontal	Pass
2	5776.910	58.17	68.2	10.03	Peak	123.00	300	Horizontal	Pass

U-NII-2C 11n40 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.864	56.34	74.0	17.66	Peak	178.00	200	Horizontal	Pass
1**	5411.144	44.26	54.0	9.74	AV	178.00	200	Horizontal	Pass
2	5460.000	54.64	74.0	19.36	Peak	200.00	200	Horizontal	Pass
2**	5460.000	47.36	54.0	6.64	AV	200.00	200	Horizontal	Pass
3	5468.201	56.32	68.2	11.88	Peak	331.00	100	Horizontal	Pass
3**	5467.440	47.14	--	--	AV	331.00	100	Horizontal	N/A
4	5470.000	54.6	68.2	13.60	Peak	178.00	200	Horizontal	Pass
4**	5470.000	45.26	--	--	AV	178.00	200	Horizontal	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.41	68.2	12.79	Peak	188.00	300	Horizontal	Pass
2	5775.111	58	68.2	10.20	Peak	33.00	300	Horizontal	Pass

U-NII-2C 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.155	55.74	74.0	18.26	Peak	323.00	100	Horizontal	Pass
1**	5412.062	43.76	54.0	10.24	AV	323.00	100	Horizontal	Pass
2	5460.000	57.31	74.0	16.69	Peak	163.00	200	Horizontal	Pass
2**	5460.000	44.62	54.0	9.38	AV	163.00	200	Horizontal	Pass

3	5466.937	58.46	68.2	9.74	Peak	47.00	200	Horizontal	Pass
3**	5468.751	46.96	--	--	AV	47.00	200	Horizontal	N/A
4	5470.000	54.05	68.2	14.15	Peak	359.00	200	Horizontal	Pass
4**	5470.000	46.94	--	--	AV	359.00	200	Horizontal	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.26	68.2	13.94	Peak	99.00	200	Horizontal	Pass
2	5775.760	57.33	68.2	10.87	Peak	254.00	100	Horizontal	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.930	55.63	74.0	18.37	Peak	188.00	100	Horizontal	Pass
1**	5412.104	42.95	54.0	11.05	AV	188.00	100	Horizontal	Pass
2	5460.000	54.34	74.0	19.66	Peak	159.00	200	Horizontal	Pass
2**	5460.000	44.06	54.0	9.94	AV	159.00	200	Horizontal	Pass
3	5467.882	55.96	68.2	12.24	Peak	133.00	100	Horizontal	Pass
3**	5466.275	45.43	--	--	AV	133.00	100	Horizontal	N/A
4	5470.000	55.28	68.2	12.92	Peak	258.00	100	Horizontal	Pass
4**	5470.000	46.27	--	--	AV	258.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.01	68.2	13.19	Peak	332.00	100	Horizontal	Pass
2	5777.021	56.67	68.2	11.53	Peak	21.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.929	55.65	74.0	18.35	Peak	248.00	300	Horizontal	Pass
1**	5410.873	45.75	54.0	8.25	AV	248.00	300	Horizontal	Pass
2	5460.000	56.82	74.0	17.18	Peak	127.00	300	Horizontal	Pass
2**	5460.000	45.08	54.0	8.92	AV	127.00	300	Horizontal	Pass
3	5468.069	57.83	68.2	10.37	Peak	206.00	200	Horizontal	Pass
3**	5467.082	46.31	--	--	AV	206.00	200	Horizontal	N/A
4	5470.000	55.63	68.2	12.57	Peak	34.00	100	Horizontal	Pass
4**	5470.000	44.25	--	--	AV	34.00	100	Horizontal	N/A

U-NII-2C 11ac80 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.77	68.2	12.43	Peak	250.00	200	Horizontal	Pass
2	5776.467	56.45	68.2	11.75	Peak	300.00	300	Horizontal	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.810	55.18	68.2	13.02	Peak	51.00	100	Horizontal	Pass
2	5650.000	52.76	68.2	15.44	Peak	51.00	100	Horizontal	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	52.67	68.2	15.53	Peak	35.00	300	Horizontal	Pass
2	5942.304	58.23	68.2	9.97	Peak	171.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.773	54.54	68.2	13.66	Peak	55.00	200	Horizontal	Pass
2	5650.000	51.36	68.2	16.84	Peak	55.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	49.97	68.2	18.23	Peak	20.00	100	Horizontal	Pass
2	5944.456	56.33	68.2	11.87	Peak	240.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.548	51.69	68.2	16.51	Peak	251.00	200	Horizontal	Pass
2	5650.000	49.17	68.2	19.03	Peak	251.00	200	Horizontal	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	50.26	68.2	17.94	Peak	138.00	300	Horizontal	Pass
2	5945.090	57.23	68.2	10.97	Peak	12.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.525	49.03	68.2	19.17	Peak	67.00	100	Horizontal	Pass
2	5650.000	50.07	68.2	18.13	Peak	67.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	50.79	68.2	17.41	Peak	186.00	200	Horizontal	Pass
2	5946.028	54.97	68.2	13.23	Peak	53.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.241	48.68	68.2	19.52	Peak	70.00	100	Horizontal	Pass
2	5650.000	48.02	68.2	20.18	Peak	70.00	100	Horizontal	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	50.15	68.2	18.05	Peak	225.00	300	Horizontal	Pass
2	5948.916	55.65	68.2	12.55	Peak	277.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.302	47.8	68.2	20.40	Peak	118.00	300	Horizontal	Pass
2	5650.000	45.47	68.2	22.73	Peak	118.00	300	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	50.21	68.2	17.99	Peak	304.00	300	Horizontal	Pass
2	5951.167	56.03	68.2	12.17	Peak	50.00	300	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2570199-AR-2.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2570199-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2570199-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--