




n78d\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_16\_QAM\_3575.01MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_16\_QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_16\_QAM\_3675MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_64\_QAM\_3575.01MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_64\_QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_64\_QAM\_3675MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_256\_QAM\_3575.01MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_256\_QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_256\_QAM\_3675MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3575.01MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3675MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_16\_QAM\_3575.01MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_16\_QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM 16 QAM 3675MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM 64 QAM 3575.01MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_64\_QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_64\_QAM\_3675MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_256\_QAM\_3575.01MHz\_Outer\_Full



n78d\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_256\_QAM\_3624.99MHz\_Outer\_Full






## 1.5 30k\_SISO\_60MHz\_NTNV


### 1.5.1 Test Result

| 5G NR n78d SCS=30kHz SISO 60MHz NTN |                 |               |                     |                      |             |         |
|-------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM PI/2 BPSK                | 3580.02         | Outer_Full    | 58.11               | 61.96                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 58.11               | 61.91                | /           | Pass    |
|                                     | 3669.99         | Outer_Full    | 58.07               | 62.05                | /           | Pass    |
| DFT-s-OFDM QPSK                     | 3580.02         | Outer_Full    | 58.49               | 62.08                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 58.50               | 62.13                | /           | Pass    |
|                                     | 3669.99         | Outer_Full    | 58.18               | 62.32                | /           | Pass    |
| DFT-s-OFDM 16 QAM                   | 3580.02         | Outer_Full    | 57.98               | 61.77                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 58.38               | 61.82                | /           | Pass    |
|                                     | 3669.99         | Outer_Full    | 58.33               | 62.22                | /           | Pass    |
| DFT-s-OFDM 64 QAM                   | 3580.02         | Outer_Full    | 58.41               | 61.95                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 58.45               | 61.80                | /           | Pass    |
|                                     | 3669.99         | Outer_Full    | 58.35               | 61.95                | /           | Pass    |
| DFT-s-OFDM 256 QAM                  | 3580.02         | Outer_Full    | 58.26               | 62.12                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 57.92               | 62.26                | /           | Pass    |
|                                     | 3669.99         | Outer_Full    | 58.10               | 61.51                | /           | Pass    |
| CP-OFDM QPSK                        | 3580.02         | Outer_Full    | 58.35               | 62.03                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 58.07               | 61.89                | /           | Pass    |
|                                     | 3669.99         | Outer_Full    | 58.33               | 62.14                | /           | Pass    |
| CP-OFDM 16 QAM                      | 3580.02         | Outer_Full    | 58.19               | 62.14                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 58.23               | 61.93                | /           | Pass    |
|                                     | 3669.99         | Outer_Full    | 58.23               | 62.03                | /           | Pass    |
| CP-OFDM 64 QAM                      | 3580.02         | Outer_Full    | 58.40               | 62.04                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 58.38               | 61.71                | /           | Pass    |
|                                     | 3669.99         | Outer_Full    | 58.07               | 61.95                | /           | Pass    |
| CP-OFDM 256 QAM                     | 3580.02         | Outer_Full    | 58.61               | 62.22                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 58.33               | 62.05                | /           | Pass    |
|                                     | 3669.99         | Outer_Full    | 58.11               | 61.78                | /           | Pass    |


1.5.2 Test Graph




n78d\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3669.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_QPSK\_3580.02MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_QPSK\_3669.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_16\_QAM\_3580.02MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_16\_QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_16\_QAM\_3669.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_64\_QAM\_3580.02MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_64\_QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_64\_QAM\_3669.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_256\_QAM\_3580.02MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_256\_QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_256\_QAM\_3669.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_CP-OFDM\_QPSK\_3580.02MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_CP-OFDM\_QPSK\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_CP-OFDM\_QPSK\_3669.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_CP-OFDM\_16\_QAM\_3580.02MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_CP-OFDM\_16\_QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_CP-OFDM 16 QAM 3669.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_CP-OFDM 64 QAM 3580.02MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_CP-OFDM 64 QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_CP-OFDM 64 QAM\_3669.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_60MHz\_CP-OFDM\_256\_QAM\_3580.02MHz\_Outer\_Full



n78d\_30kHz\_SISO\_NTNV\_60MHz\_CP-OFDM\_256\_QAM\_3624.99MHz\_Outer\_Full



n78d\_30kHz\_SISO\_NTNV\_60MHz\_CP-OFDM\_256\_QAM\_3669.99MHz\_Outer\_Full




## 1.6 30k\_SISO\_70MHz\_NTNV


### 1.6.1 Test Result

| 5G NR n78d SCS=30kHz SISO 70MHz NTN |                 |               |                     |                      |             |         |
|-------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM PI/2 BPSK                | 3585            | Outer_Full    | 64.26               | 69.13                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 64.73               | 69.42                | /           | Pass    |
|                                     | 3664.98         | Outer_Full    | 64.62               | 68.79                | /           | Pass    |
| DFT-s-OFDM QPSK                     | 3585            | Outer_Full    | 64.21               | 68.72                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 64.73               | 68.94                | /           | Pass    |
|                                     | 3664.98         | Outer_Full    | 64.47               | 69.04                | /           | Pass    |
| DFT-s-OFDM 16 QAM                   | 3585            | Outer_Full    | 64.33               | 68.90                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 64.63               | 69.13                | /           | Pass    |
|                                     | 3664.98         | Outer_Full    | 64.38               | 69.07                | /           | Pass    |
| DFT-s-OFDM 64 QAM                   | 3585            | Outer_Full    | 64.75               | 68.36                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 64.85               | 69.36                | /           | Pass    |
|                                     | 3664.98         | Outer_Full    | 64.98               | 69.40                | /           | Pass    |
| DFT-s-OFDM 256 QAM                  | 3585            | Outer_Full    | 64.38               | 68.77                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 64.88               | 69.32                | /           | Pass    |
|                                     | 3664.98         | Outer_Full    | 64.82               | 69.35                | /           | Pass    |
| CP-OFDM QPSK                        | 3585            | Outer_Full    | 67.50               | 71.83                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 67.90               | 72.46                | /           | Pass    |
|                                     | 3664.98         | Outer_Full    | 68.00               | 72.22                | /           | Pass    |
| CP-OFDM 16 QAM                      | 3585            | Outer_Full    | 67.49               | 72.44                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 68.03               | 72.35                | /           | Pass    |
|                                     | 3664.98         | Outer_Full    | 68.14               | 72.56                | /           | Pass    |
| CP-OFDM 64 QAM                      | 3585            | Outer_Full    | 67.32               | 71.90                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 67.88               | 72.45                | /           | Pass    |
|                                     | 3664.98         | Outer_Full    | 67.84               | 72.55                | /           | Pass    |
| CP-OFDM 256 QAM                     | 3585            | Outer_Full    | 67.96               | 72.22                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 67.56               | 72.59                | /           | Pass    |
|                                     | 3664.98         | Outer_Full    | 67.92               | 72.41                | /           | Pass    |


1.6.2 Test Graph




n78d\_30kHz\_SISO\_NTNV\_70MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3664.98MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_DFT-s-OFDM\_QPSK\_3585MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_DFT-s-OFDM\_QPSK\_3664.98MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_DFT-s-OFDM\_16\_QAM\_3585MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_DFT-s-OFDM\_16\_QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_DFT-s-OFDM 16 QAM\_3664.98MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_DFT-s-OFDM 64 QAM\_3585MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_DFT-s-OFDM\_64\_QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_DFT-s-OFDM\_64\_QAM\_3664.98MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_DFT-s-OFDM\_256\_QAM\_3585MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_DFT-s-OFDM\_256\_QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_DFT-s-OFDM\_256\_QAM\_3664.98MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_CP-OFDM\_QPSK\_3585MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_CP-OFDM\_QPSK\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_CP-OFDM\_QPSK\_3664.98MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_CP-OFDM\_16\_QAM\_3585MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_CP-OFDM\_16\_QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_CP-OFDM 16 QAM 3664.98MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_CP-OFDM 64 QAM 3585MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_CP-OFDM 64 QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_CP-OFDM 64 QAM\_3664.98MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_70MHz\_CP-OFDM\_256\_QAM\_3585MHz\_Outer\_Full



n78d\_30kHz\_SISO\_NTNV\_70MHz\_CP-OFDM\_256\_QAM\_3624.99MHz\_Outer\_Full



n78d\_30kHz\_SISO\_NTNV\_70MHz\_CP-OFDM\_256\_QAM\_3664.98MHz\_Outer\_Full




## 1.7 30k\_SISO\_80MHz\_NTNV


### 1.7.1 Test Result

| 5G NR n78d SCS=30kHz SISO 80MHz NTN |                 |               |                     |                      |             |         |
|-------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM PI/2 BPSK                | 3590.01         | Outer_Full    | 77.27               | 82.60                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 77.68               | 82.29                | /           | Pass    |
|                                     | 3660            | Outer_Full    | 77.63               | 82.39                | /           | Pass    |
| DFT-s-OFDM QPSK                     | 3590.01         | Outer_Full    | 77.35               | 82.47                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 77.59               | 82.35                | /           | Pass    |
|                                     | 3660            | Outer_Full    | 77.72               | 82.33                | /           | Pass    |
| DFT-s-OFDM 16 QAM                   | 3590.01         | Outer_Full    | 77.01               | 82.44                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 77.73               | 82.31                | /           | Pass    |
|                                     | 3660            | Outer_Full    | 77.85               | 82.53                | /           | Pass    |
| DFT-s-OFDM 64 QAM                   | 3590.01         | Outer_Full    | 77.22               | 82.07                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 77.58               | 82.97                | /           | Pass    |
|                                     | 3660            | Outer_Full    | 77.47               | 82.49                | /           | Pass    |
| DFT-s-OFDM 256 QAM                  | 3590.01         | Outer_Full    | 77.13               | 82.36                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 77.69               | 82.14                | /           | Pass    |
|                                     | 3660            | Outer_Full    | 77.81               | 82.44                | /           | Pass    |
| CP-OFDM QPSK                        | 3590.01         | Outer_Full    | 77.72               | 83.01                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 78.01               | 82.68                | /           | Pass    |
|                                     | 3660            | Outer_Full    | 77.90               | 82.98                | /           | Pass    |
| CP-OFDM 16 QAM                      | 3590.01         | Outer_Full    | 77.76               | 82.96                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 77.88               | 82.86                | /           | Pass    |
|                                     | 3660            | Outer_Full    | 78.00               | 82.91                | /           | Pass    |
| CP-OFDM 64 QAM                      | 3590.01         | Outer_Full    | 77.71               | 82.94                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 77.99               | 82.99                | /           | Pass    |
|                                     | 3660            | Outer_Full    | 78.21               | 83.01                | /           | Pass    |
| CP-OFDM 256 QAM                     | 3590.01         | Outer_Full    | 78.00               | 82.77                | /           | Pass    |
|                                     | 3624.99         | Outer_Full    | 78.24               | 82.44                | /           | Pass    |
|                                     | 3660            | Outer_Full    | 77.90               | 83.18                | /           | Pass    |


1.7.2 Test Graph




n78d\_30kHz\_SISO\_NTNV\_80MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3660MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_80MHz\_DFT-s-OFDM\_QPSK\_3590.01MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_80MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_80MHz\_DFT-s-OFDM\_QPSK\_3660MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_80MHz\_DFT-s-OFDM\_16\_QAM\_3590.01MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_80MHz\_DFT-s-OFDM\_16\_QAM\_3624.99MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_80MHz\_DFT-s-OFDM\_16\_QAM\_3660MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_80MHz\_DFT-s-OFDM\_64\_QAM\_3590.01MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_80MHz\_DFT-s-OFDM\_64\_QAM\_3624.99MHz\_Outer\_Full



n78d\_30kHz\_SISO\_NTNV\_80MHz\_DFT-s-OFDM\_64\_QAM\_3660MHz\_Outer\_Full



n78d\_30kHz\_SISO\_NTNV\_80MHz\_DFT-s-OFDM\_256\_QAM\_3590.01MHz\_Outer\_Full



n78d\_30kHz\_SISO\_NTNV\_80MHz\_DFT-s-OFDM\_256\_QAM\_3624.99MHz\_Outer\_Full

