

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 1              |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/01 - 17:31 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 46.827                 | 40.415               | -27.173         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 47.647                 | 37.762               | -26.353         | 74.000         | 9.885       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 2              |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/01 - 17:41 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 46.513                 | 40.101               | -27.487         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 47.153                 | 37.268               | -26.847         | 74.000         | 9.885       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 3              |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:17 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 46.883                 | 40.460               | -27.117         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 47.599                 | 37.872               | -26.401         | 74.000         | 9.727       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 4              |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:17 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 46.195                 | 39.772               | -27.805         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 48.010                 | 38.283               | -25.990         | 74.000         | 9.727       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 5              |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:18 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 46.882                 | 40.071               | -27.118         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 47.414                 | 38.095               | -26.586         | 74.000         | 9.319       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 6              |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:19 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 46.713                 | 39.902               | -27.287         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 47.740                 | 38.421               | -26.260         | 74.000         | 9.319       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 21             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:36 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.972                 | 38.431               | -29.028         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 50.741                 | 37.603               | -23.259         | 74.000         | 13.138      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 22             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:37 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 46.107                 | 39.566               | -27.893         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 50.383                 | 37.245               | -23.617         | 74.000         | 13.138      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 23             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:38 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.177                 | 37.724               | -27.823         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 50.370                 | 37.059               | -23.630         | 74.000         | 13.311      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 24             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:39 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.409                 | 37.956               | -27.591         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 50.786                 | 37.475               | -23.214         | 74.000         | 13.311      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 25             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:40 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.237                 | 38.233               | -28.763         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 51.183                 | 37.707               | -22.817         | 74.000         | 13.476      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 26             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:40 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.128                 | 38.124               | -28.872         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 50.674                 | 37.198               | -23.326         | 74.000         | 13.476      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 27             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:41 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 46.729                 | 40.317               | -27.271         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 46.739                 | 36.854               | -27.261         | 74.000         | 9.885       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 28             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:44 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 45.531                 | 39.119               | -28.469         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 48.174                 | 38.289               | -25.826         | 74.000         | 9.885       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 29             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:44 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 45.876                 | 39.453               | -28.124         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 47.500                 | 37.773               | -26.500         | 74.000         | 9.727       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 30             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:45 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 45.335                 | 38.912               | -28.665         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 46.401                 | 36.674               | -27.599         | 74.000         | 9.727       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 31             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:45 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 45.670                 | 38.859               | -28.330         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 48.123                 | 38.804               | -25.877         | 74.000         | 9.319       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 32             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:46 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 46.840                 | 40.029               | -27.160         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 48.050                 | 38.731               | -25.950         | 74.000         | 9.319       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 47             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.430                 | 37.889               | -29.570         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 49.770                 | 36.632               | -24.230         | 74.000         | 13.138      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 48             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.080                 | 37.539               | -29.920         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 49.625                 | 36.487               | -24.375         | 74.000         | 13.138      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 49             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.226                 | 36.773               | -28.774         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 50.071                 | 36.760               | -23.929         | 74.000         | 13.311      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 50             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:56 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.162                 | 36.709               | -28.838         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 50.736                 | 37.425               | -23.264         | 74.000         | 13.311      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 51             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:57 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.622                 | 37.618               | -29.378         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 51.804                 | 38.328               | -22.196         | 74.000         | 13.476      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 52             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:57 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.571                 | 38.567               | -28.429         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 50.259                 | 36.783               | -23.741         | 74.000         | 13.476      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 53             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 44.485                 | 38.258               | -29.515         | 74.000         | 6.227       | PK   |
| 2  | *    | 15570.000       | 47.045                 | 38.173               | -26.955         | 74.000         | 8.872       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 54             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 13:59 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 44.860                 | 38.633               | -29.140         | 74.000         | 6.227       | PK   |
| 2  | *    | 15570.000       | 47.572                 | 38.700               | -26.428         | 74.000         | 8.872       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 55             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 45.150                 | 38.526               | -28.850         | 74.000         | 6.624       | PK   |
| 2  | *    | 15690.000       | 47.046                 | 37.413               | -26.954         | 74.000         | 9.633       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 56             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 45.635                 | 39.011               | -28.365         | 74.000         | 6.624       | PK   |
| 2  | *    | 15690.000       | 46.979                 | 37.346               | -27.021         | 74.000         | 9.633       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 69             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 14:07 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.815                 | 37.889               | -28.185         | 74.000         | 7.926       | PK   |
| 2  | *    | 17265.000       | 50.878                 | 37.420               | -23.122         | 74.000         | 13.458      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 70             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 14:08 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 44.804                 | 36.878               | -29.196         | 74.000         | 7.926       | PK   |
| 2  | *    | 17265.000       | 50.427                 | 36.969               | -23.573         | 74.000         | 13.458      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 71             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 14:08 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.380                 | 37.242               | -29.620         | 74.000         | 7.138       | PK   |
| 2  | *    | 17385.000       | 49.143                 | 35.003               | -24.857         | 74.000         | 14.140      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: BF                                   | Page No.: 72             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/06/04 - 14:08 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 45.815                 | 38.677               | -28.185         | 74.000         | 7.138       | PK   |
| 2  | *    | 17385.000       | 49.977                 | 35.837               | -24.023         | 74.000         | 14.140      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 73             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:10 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 45.495                 | 39.083               | -28.505         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 46.361                 | 36.476               | -27.639         | 74.000         | 9.885       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 74             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:11 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 44.838                 | 38.426               | -29.162         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 46.914                 | 37.029               | -27.086         | 74.000         | 9.885       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 75             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:11 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 44.576                 | 38.153               | -29.424         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 46.034                 | 36.307               | -27.966         | 74.000         | 9.727       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 76             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:11 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 44.993                 | 38.570               | -29.007         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 46.251                 | 36.524               | -27.749         | 74.000         | 9.727       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 77             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:12 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 45.394                 | 38.583               | -28.606         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 48.084                 | 38.765               | -25.916         | 74.000         | 9.319       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 78             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:12 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 45.652                 | 38.841               | -28.348         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 46.271                 | 36.952               | -27.729         | 74.000         | 9.319       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 93             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:19 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.531                 | 37.990               | -29.469         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 50.040                 | 36.902               | -23.960         | 74.000         | 13.138      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 94             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:19 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.364                 | 37.823               | -29.636         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 51.048                 | 37.910               | -22.952         | 74.000         | 13.138      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 95             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:20 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.712                 | 37.259               | -28.288         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 49.910                 | 36.599               | -24.090         | 74.000         | 13.311      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 96             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:20 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.482                 | 37.029               | -28.518         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 50.109                 | 36.798               | -23.891         | 74.000         | 13.311      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 97             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:21 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.148                 | 38.144               | -28.852         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 51.170                 | 37.694               | -22.830         | 74.000         | 13.476      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 98             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:21 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.448                 | 38.444               | -28.552         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 50.551                 | 37.075               | -23.449         | 74.000         | 13.476      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 99             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:22 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 44.234                 | 38.007               | -29.766         | 74.000         | 6.227       | PK   |
| 2  | *    | 15570.000       | 45.752                 | 36.880               | -28.248         | 74.000         | 8.872       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 100            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:22 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 45.406                 | 39.179               | -28.594         | 74.000         | 6.227       | PK   |
| 2  | *    | 15570.000       | 46.867                 | 37.995               | -27.133         | 74.000         | 8.872       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 101            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:24 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 45.577                 | 38.953               | -28.423         | 74.000         | 6.624       | PK   |
| 2  | *    | 15690.000       | 46.623                 | 36.990               | -27.377         | 74.000         | 9.633       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 102            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 45.582                 | 38.958               | -28.418         | 74.000         | 6.624       | PK   |
| 2  | *    | 15690.000       | 46.243                 | 36.610               | -27.757         | 74.000         | 9.633       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 115            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:31 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.600                 | 37.674               | -28.400         | 74.000         | 7.926       | PK   |
| 2  | *    | 17265.000       | 50.304                 | 36.846               | -23.696         | 74.000         | 13.458      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 116            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:31 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.070                 | 38.144               | -27.930         | 74.000         | 7.926       | PK   |
| 2  | *    | 17265.000       | 51.073                 | 37.615               | -22.927         | 74.000         | 13.458      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 117            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:34 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 45.045                 | 37.907               | -28.955         | 74.000         | 7.138       | PK   |
| 2  | *    | 17385.000       | 49.726                 | 35.586               | -24.274         | 74.000         | 14.140      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 118            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:35 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 45.944                 | 38.806               | -28.056         | 74.000         | 7.138       | PK   |
| 2  | *    | 17385.000       | 49.217                 | 35.077               | -24.783         | 74.000         | 14.140      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 119            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:37 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10420.000       | 45.794                 | 38.667               | -28.206         | 74.000         | 7.127       | PK   |
| 2  |      | 15630.000       | 44.869                 | 35.334               | -29.131         | 74.000         | 9.535       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 120            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:38 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10420.000       | 45.981                 | 38.854               | -28.019         | 74.000         | 7.127       | PK   |
| 2  |      | 15630.000       | 45.086                 | 35.551               | -28.914         | 74.000         | 9.535       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 127            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:45 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.523                 | 38.564               | -28.477         | 74.000         | 6.959       | PK   |
| 2  | *    | 17325.000       | 50.560                 | 36.847               | -23.440         | 74.000         | 13.713      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 128            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:45 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.167                 | 37.208               | -29.833         | 74.000         | 6.959       | PK   |
| 2  | *    | 17325.000       | 50.892                 | 37.179               | -23.108         | 74.000         | 13.713      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 129            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:46 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 46.774                 | 40.362               | -27.226         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 48.519                 | 38.634               | -25.481         | 74.000         | 9.885       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 130            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:49 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 45.028                 | 38.616               | -28.972         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 47.544                 | 37.659               | -26.456         | 74.000         | 9.885       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 131            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:49 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 44.416                 | 37.993               | -29.584         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 46.264                 | 36.537               | -27.736         | 74.000         | 9.727       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 132            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:50 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 44.040                 | 37.617               | -29.960         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 47.255                 | 37.528               | -26.745         | 74.000         | 9.727       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 133            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:50 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 45.448                 | 38.637               | -28.552         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 46.959                 | 37.640               | -27.041         | 74.000         | 9.319       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 134            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:51 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 45.359                 | 38.548               | -28.641         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 46.995                 | 37.676               | -27.005         | 74.000         | 9.319       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 149            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:57 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.816                 | 39.275               | -28.184         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 48.475                 | 35.337               | -25.525         | 74.000         | 13.138      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 150            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:58 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.220                 | 37.679               | -29.780         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 49.542                 | 36.404               | -24.458         | 74.000         | 13.138      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 151            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:58 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.506                 | 37.053               | -28.494         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 49.631                 | 36.320               | -24.369         | 74.000         | 13.311      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 152            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:59 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.778                 | 36.325               | -29.222         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 49.813                 | 36.502               | -24.187         | 74.000         | 13.311      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 153            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 14:59 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.837                 | 37.833               | -29.163         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 50.168                 | 36.692               | -23.832         | 74.000         | 13.476      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 154            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 15:00 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.250                 | 37.246               | -29.750         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 49.277                 | 35.801               | -24.723         | 74.000         | 13.476      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 155            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 15:00 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 45.633                 | 39.406               | -28.367         | 74.000         | 6.227       | PK   |
| 2  | *    | 15570.000       | 48.272                 | 39.400               | -25.728         | 74.000         | 8.872       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 156            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 15:02 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 44.956                 | 38.729               | -29.044         | 74.000         | 6.227       | PK   |
| 2  | *    | 15570.000       | 46.528                 | 37.656               | -27.472         | 74.000         | 8.872       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 157            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 15:03 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 44.891                 | 38.267               | -29.109         | 74.000         | 6.624       | PK   |
| 2  | *    | 15690.000       | 46.126                 | 36.493               | -27.874         | 74.000         | 9.633       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 158            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 15:03 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 44.764                 | 38.140               | -29.236         | 74.000         | 6.624       | PK   |
| 2  | *    | 15690.000       | 46.059                 | 36.426               | -27.941         | 74.000         | 9.633       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 171            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 15:09 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 44.794                 | 36.868               | -29.206         | 74.000         | 7.926       | PK   |
| 2  | *    | 17265.000       | 51.170                 | 37.712               | -22.830         | 74.000         | 13.458      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 172            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 15:09 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.910                 | 37.984               | -28.090         | 74.000         | 7.926       | PK   |
| 2  | *    | 17265.000       | 50.202                 | 36.744               | -23.798         | 74.000         | 13.458      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 173            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 15:10 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.187                 | 37.049               | -29.813         | 74.000         | 7.138       | PK   |
| 2  | *    | 17385.000       | 49.298                 | 35.158               | -24.702         | 74.000         | 14.140      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 174            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 15:10 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.154                 | 37.016               | -29.846         | 74.000         | 7.138       | PK   |
| 2  | *    | 17385.000       | 50.120                 | 35.980               | -23.880         | 74.000         | 14.140      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 175            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 15:11 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10420.000       | 46.208                 | 39.081               | -27.792         | 74.000         | 7.127       | PK   |
| 2  |      | 15630.000       | 44.779                 | 35.244               | -29.221         | 74.000         | 9.535       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 176            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 15:11 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 45.315                 | 39.052               | -28.685         | 74.000         | 6.263       | PK   |
| 2  | *    | 15630.000       | 45.420                 | 35.885               | -28.580         | 74.000         | 9.535       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 183            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 15:15 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.031                 | 37.072               | -29.969         | 74.000         | 6.959       | PK   |
| 2  | *    | 17325.000       | 50.865                 | 37.152               | -23.135         | 74.000         | 13.713      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: BF                                    | Page No.: 184            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/04 - 15:15 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.050                 | 37.091               | -29.950         | 74.000         | 6.959       | PK   |
| 2  | *    | 17325.000       | 49.979                 | 36.266               | -24.021         | 74.000         | 13.713      | PK   |