



|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 1              |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 10:42 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 45.636                 | 39.224               | -28.364         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 46.269                 | 36.384               | -27.731         | 74.000         | 9.885       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 2              |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 11:07 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 45.780                 | 39.368               | -28.220         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 46.597                 | 36.712               | -27.403         | 74.000         | 9.885       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 3              |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 11:08 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 45.845                 | 39.422               | -28.155         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 47.149                 | 37.422               | -26.851         | 74.000         | 9.727       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 4              |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 11:14 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 45.684                 | 39.261               | -28.316         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 46.647                 | 36.920               | -27.353         | 74.000         | 9.727       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 5              |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 11:14 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 45.653                 | 38.842               | -28.347         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 46.749                 | 37.430               | -27.251         | 74.000         | 9.319       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 6              |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 11:15 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 46.119                 | 39.308               | -27.881         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 47.198                 | 37.879               | -26.802         | 74.000         | 9.319       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 21             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 11:36 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.082                 | 38.541               | -28.918         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 49.904                 | 36.766               | -24.096         | 74.000         | 13.138      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 22             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 11:36 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.646                 | 39.105               | -28.354         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 49.982                 | 36.844               | -24.018         | 74.000         | 13.138      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 23             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 11:38 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.649                 | 37.196               | -28.351         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 49.958                 | 36.647               | -24.042         | 74.000         | 13.311      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 24             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 11:38 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 47.075                 | 38.622               | -26.925         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 50.459                 | 37.148               | -23.541         | 74.000         | 13.311      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 25             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 11:40 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.354                 | 38.350               | -28.646         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 50.707                 | 37.231               | -23.293         | 74.000         | 13.476      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 26             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 11:40 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.604                 | 38.600               | -28.396         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 50.607                 | 37.131               | -23.393         | 74.000         | 13.476      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 27             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 11:42 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 46.619                 | 40.207               | -27.381         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 47.595                 | 37.710               | -26.405         | 74.000         | 9.885       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 28             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 16:55 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 45.346                 | 38.934               | -28.654         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 47.800                 | 37.915               | -26.200         | 74.000         | 9.885       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 29             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 16:56 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 46.027                 | 39.604               | -27.973         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 47.504                 | 37.777               | -26.496         | 74.000         | 9.727       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 30             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 16:57 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 45.566                 | 39.143               | -28.434         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 47.210                 | 37.483               | -26.790         | 74.000         | 9.727       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 31             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 16:57 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 45.255                 | 38.444               | -28.745         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 47.219                 | 37.900               | -26.781         | 74.000         | 9.319       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 32             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 17:00 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 46.006                 | 39.195               | -27.994         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 47.627                 | 38.308               | -26.373         | 74.000         | 9.319       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 47             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 17:15 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.799                 | 39.258               | -28.201         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 50.997                 | 37.859               | -23.003         | 74.000         | 13.138      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 48             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 17:17 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.731                 | 39.190               | -28.269         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 50.332                 | 37.194               | -23.668         | 74.000         | 13.138      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 49             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 17:18 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.926                 | 37.473               | -28.074         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 50.646                 | 37.335               | -23.354         | 74.000         | 13.311      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 50             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 17:19 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.581                 | 38.128               | -27.419         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 50.396                 | 37.085               | -23.604         | 74.000         | 13.311      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 51             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 17:20 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.427                 | 38.423               | -28.573         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 51.023                 | 37.547               | -22.977         | 74.000         | 13.476      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 52             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 17:21 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.183                 | 38.179               | -28.817         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 51.221                 | 37.745               | -22.779         | 74.000         | 13.476      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 53             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 17:22 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 46.945                 | 40.718               | -27.055         | 74.000         | 6.227       | PK   |
| 2  | *    | 15570.000       | 47.016                 | 38.144               | -26.984         | 74.000         | 8.872       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 54             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 17:27 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 45.058                 | 38.831               | -28.942         | 74.000         | 6.227       | PK   |
| 2  | *    | 15570.000       | 47.243                 | 38.371               | -26.757         | 74.000         | 8.872       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 55             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 17:28 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 45.887                 | 39.263               | -28.113         | 74.000         | 6.624       | PK   |
| 2  | *    | 15690.000       | 46.923                 | 37.290               | -27.077         | 74.000         | 9.633       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 56             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/28 - 17:29 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 45.514                 | 38.890               | -28.486         | 74.000         | 6.624       | PK   |
| 2  | *    | 15690.000       | 47.743                 | 38.110               | -26.257         | 74.000         | 9.633       | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 69             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/31 - 10:17 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.285                 | 38.359               | -27.715         | 74.000         | 7.926       | PK   |
| 2  | *    | 17265.000       | 50.982                 | 37.524               | -23.018         | 74.000         | 13.458      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 70             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/31 - 10:18 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.221                 | 38.295               | -27.779         | 74.000         | 7.926       | PK   |
| 2  | *    | 17265.000       | 51.482                 | 38.024               | -22.518         | 74.000         | 13.458      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 71             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/31 - 10:19 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 45.070                 | 37.932               | -28.930         | 74.000         | 7.138       | PK   |
| 2  | *    | 17385.000       | 51.009                 | 36.869               | -22.991         | 74.000         | 14.140      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1832134R                             | Page No.: 72             |
| Engineer: blank                               |                          |
| Site: AC5                                     | Time: 2018/05/31 - 10:20 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 110V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.312                 | 39.174               | -27.688         | 74.000         | 7.138       | PK   |
| 2  | *    | 17385.000       | 50.977                 | 36.837               | -23.023         | 74.000         | 14.140      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 73             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/05/31 - 10:23 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 46.233                 | 39.821               | -27.767         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 47.526                 | 37.641               | -26.474         | 74.000         | 9.885       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 74             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/05/31 - 10:28 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 46.244                 | 39.832               | -27.756         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 48.614                 | 38.729               | -25.386         | 74.000         | 9.885       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 75             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/05/31 - 10:30 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 46.446                 | 40.023               | -27.554         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 47.913                 | 38.186               | -26.087         | 74.000         | 9.727       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 76             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/05/31 - 10:32 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 46.312                 | 39.889               | -27.688         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 48.208                 | 38.481               | -25.792         | 74.000         | 9.727       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 77             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/05/31 - 10:33 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 47.052                 | 40.241               | -26.948         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 48.254                 | 38.935               | -25.746         | 74.000         | 9.319       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 78             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/05/31 - 10:35 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 46.380                 | 39.569               | -27.620         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 48.255                 | 38.936               | -25.745         | 74.000         | 9.319       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 93             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 10:42 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.985                 | 38.444               | -29.015         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 50.559                 | 37.421               | -23.441         | 74.000         | 13.138      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 94             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 10:43 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.143                 | 38.602               | -28.857         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 49.921                 | 36.783               | -24.079         | 74.000         | 13.138      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 95             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 10:43 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.041                 | 37.588               | -27.959         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 50.472                 | 37.161               | -23.528         | 74.000         | 13.311      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 96             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 10:44 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.549                 | 37.096               | -28.451         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 49.496                 | 36.185               | -24.504         | 74.000         | 13.311      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 97             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 10:45 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.567                 | 38.563               | -28.433         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 52.246                 | 38.770               | -21.754         | 74.000         | 13.476      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 98             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 10:45 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.579                 | 38.575               | -28.421         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 50.650                 | 37.174               | -23.350         | 74.000         | 13.476      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 99             |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 10:46 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 46.422                 | 40.195               | -27.578         | 74.000         | 6.227       | PK   |
| 2  | *    | 15570.000       | 48.580                 | 39.708               | -25.420         | 74.000         | 8.872       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 100            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 11:29 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 43.140                 | 36.913               | -30.860         | 74.000         | 6.227       | PK   |
| 2  | *    | 15570.000       | 45.032                 | 36.160               | -28.968         | 74.000         | 8.872       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 101            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:12 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 46.030                 | 39.406               | -27.970         | 74.000         | 6.624       | PK   |
| 2  | *    | 15690.000       | 46.921                 | 37.288               | -27.079         | 74.000         | 9.633       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 102            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:13 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 45.284                 | 38.660               | -28.716         | 74.000         | 6.624       | PK   |
| 2  | *    | 15690.000       | 46.368                 | 36.735               | -27.632         | 74.000         | 9.633       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 115            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:23 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 44.777                 | 36.851               | -29.223         | 74.000         | 7.926       | PK   |
| 2  | *    | 17265.000       | 50.453                 | 36.995               | -23.547         | 74.000         | 13.458      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 116            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:24 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.708                 | 37.782               | -28.292         | 74.000         | 7.926       | PK   |
| 2  | *    | 17265.000       | 51.092                 | 37.634               | -22.908         | 74.000         | 13.458      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 117            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:24 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5775MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.889                 | 37.751               | -29.111         | 74.000         | 7.138       | PK   |
| 2  | *    | 17385.000       | 49.660                 | 35.520               | -24.340         | 74.000         | 14.140      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 118            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:24 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 5:Transmit at 5775MHz by 802.11ac40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.640                 | 37.502               | -29.360         | 74.000         | 7.138       | PK   |
| 2  | *    | 17385.000       | 49.083                 | 34.943               | -24.917         | 74.000         | 14.140      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 119            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:25 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10420.000       | 46.933                 | 39.806               | -27.067         | 74.000         | 7.127       | PK   |
| 2  |      | 15630.000       | 46.739                 | 37.204               | -27.261         | 74.000         | 9.535       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 120            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:28 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10420.000       | 46.090                 | 38.963               | -27.910         | 74.000         | 7.127       | PK   |
| 2  |      | 15630.000       | 45.283                 | 35.748               | -28.717         | 74.000         | 9.535       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 127            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:36 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.812                 | 37.853               | -29.188         | 74.000         | 6.959       | PK   |
| 2  | *    | 17325.000       | 50.267                 | 36.554               | -23.733         | 74.000         | 13.713      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 128            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:36 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.622                 | 37.663               | -29.378         | 74.000         | 6.959       | PK   |
| 2  | *    | 17325.000       | 50.254                 | 36.541               | -23.746         | 74.000         | 13.713      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 129            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:37 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 46.152                 | 39.740               | -27.848         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 47.549                 | 37.664               | -26.451         | 74.000         | 9.885       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 130            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:40 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 46.422                 | 40.010               | -27.578         | 74.000         | 6.412       | PK   |
| 2  | *    | 15540.000       | 48.023                 | 38.138               | -25.977         | 74.000         | 9.885       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 131            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:42 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 46.285                 | 39.862               | -27.715         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 47.919                 | 38.192               | -26.081         | 74.000         | 9.727       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 132            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:47 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 47.415                 | 40.992               | -26.585         | 74.000         | 6.423       | PK   |
| 2  | *    | 15660.000       | 48.158                 | 38.431               | -25.842         | 74.000         | 9.727       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 133            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 45.896                 | 39.085               | -28.104         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 46.580                 | 37.261               | -27.420         | 74.000         | 9.319       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 134            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 45.243                 | 38.432               | -28.757         | 74.000         | 6.811       | PK   |
| 2  | *    | 15720.000       | 46.791                 | 37.472               | -27.209         | 74.000         | 9.319       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 149            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:10 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.191                 | 37.650               | -29.809         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 48.694                 | 35.556               | -25.306         | 74.000         | 13.138      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 150            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:10 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.321                 | 38.780               | -28.679         | 74.000         | 6.541       | PK   |
| 2  | *    | 17235.000       | 49.980                 | 36.842               | -24.020         | 74.000         | 13.138      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 151            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:11 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.717                 | 38.264               | -27.283         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 51.194                 | 37.883               | -22.806         | 74.000         | 13.311      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 152            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:14 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.485                 | 37.032               | -28.515         | 74.000         | 8.453       | PK   |
| 2  | *    | 17355.000       | 49.415                 | 36.104               | -24.585         | 74.000         | 13.311      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 153            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:15 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.014                 | 39.010               | -27.986         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 49.757                 | 36.281               | -24.243         | 74.000         | 13.476      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 154            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:15 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.776                 | 37.772               | -29.224         | 74.000         | 7.004       | PK   |
| 2  | *    | 17475.000       | 49.609                 | 36.133               | -24.391         | 74.000         | 13.476      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 155            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:16 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 45.411                 | 39.184               | -28.589         | 74.000         | 6.227       | PK   |
| 2  | *    | 15570.000       | 46.362                 | 37.490               | -27.638         | 74.000         | 8.872       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 156            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 44.969                 | 38.742               | -29.031         | 74.000         | 6.227       | PK   |
| 2  | *    | 15570.000       | 46.126                 | 37.254               | -27.874         | 74.000         | 8.872       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 157            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 45.274                 | 38.650               | -28.726         | 74.000         | 6.624       | PK   |
| 2  | *    | 15690.000       | 46.120                 | 36.487               | -27.880         | 74.000         | 9.633       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 158            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:27 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 45.306                 | 38.682               | -28.694         | 74.000         | 6.624       | PK   |
| 2  | *    | 15690.000       | 45.749                 | 36.116               | -28.251         | 74.000         | 9.633       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 171            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:41 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.844                 | 38.918               | -27.156         | 74.000         | 7.926       | PK   |
| 2  | *    | 17265.000       | 52.532                 | 39.074               | -21.468         | 74.000         | 13.458      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 172            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:44 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax40 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.591                 | 37.665               | -28.409         | 74.000         | 7.926       | PK   |
| 2  | *    | 17265.000       | 49.733                 | 36.275               | -24.267         | 74.000         | 13.458      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 173            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:45 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 45.762                 | 38.624               | -28.238         | 74.000         | 7.138       | PK   |
| 2  | *    | 17385.000       | 50.032                 | 35.892               | -23.968         | 74.000         | 14.140      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 174            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:48 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 45.336                 | 38.198               | -28.664         | 74.000         | 7.138       | PK   |
| 2  | *    | 17385.000       | 49.928                 | 35.788               | -24.072         | 74.000         | 14.140      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 175            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:50 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10420.000       | 47.646                 | 40.519               | -26.354         | 74.000         | 7.127       | PK   |
| 2  |      | 15630.000       | 46.122                 | 36.587               | -27.878         | 74.000         | 9.535       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 176            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 14:52 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10420.000       | 46.752                 | 39.625               | -27.248         | 74.000         | 7.127       | PK   |
| 2  |      | 15630.000       | 45.889                 | 36.354               | -28.111         | 74.000         | 9.535       | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 183            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 15:04 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.534                 | 38.575               | -28.466         | 74.000         | 6.959       | PK   |
| 2  | *    | 17325.000       | 50.444                 | 36.731               | -23.556         | 74.000         | 13.713      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1832134R                              | Page No.: 184            |
| Engineer: blank                                |                          |
| Site: AC5                                      | Time: 2018/06/01 - 15:05 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 110V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.507                 | 38.548               | -28.493         | 74.000         | 6.959       | PK   |
| 2  | *    | 17325.000       | 51.305                 | 37.592               | -22.695         | 74.000         | 13.713      | PK   |