



|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1872112R                           | Page No.: 1              |
| Engineer: Tommie                            |                          |
| Site: AC5AC5                                | Time: 2018/08/28 - 17:05 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 46.819                 | 39.878               | -27.181         | 74.000         | 6.941       | PK   |
| 2  | *    | 15540.000       | 47.928                 | 32.292               | -26.072         | 74.000         | 15.637      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1872112R                           | Page No.: 2              |
| Engineer: Tommie                            |                          |
| Site: AC5                                   | Time: 2018/08/28 - 17:09 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 45.928                 | 38.987               | -28.072         | 74.000         | 6.941       | PK   |
| 2  | *    | 15540.000       | 47.929                 | 32.293               | -26.071         | 74.000         | 15.637      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1872112R                           | Page No.: 3              |
| Engineer: Tommie                            |                          |
| Site: AC5                                   | Time: 2018/08/28 - 17:09 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 44.984                 | 37.459               | -29.016         | 74.000         | 7.525       | PK   |
| 2  | *    | 15660.000       | 46.384                 | 30.557               | -27.616         | 74.000         | 15.828      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1872112R                           | Page No.: 4              |
| Engineer: Tommie                            |                          |
| Site: AC5                                   | Time: 2018/08/28 - 17:10 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 44.848                 | 37.323               | -29.152         | 74.000         | 7.525       | PK   |
| 2  | *    | 15660.000       | 46.838                 | 31.011               | -27.162         | 74.000         | 15.828      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1872112R                           | Page No.: 5              |
| Engineer: Tommie                            |                          |
| Site: AC5                                   | Time: 2018/08/28 - 17:11 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 44.299                 | 36.361               | -29.701         | 74.000         | 7.938       | PK   |
| 2  | *    | 15720.000       | 46.245                 | 30.884               | -27.755         | 74.000         | 15.361      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1872112R                           | Page No.: 6              |
| Engineer: Tommie                            |                          |
| Site: AC5                                   | Time: 2018/08/28 - 17:11 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 45.838                 | 37.900               | -28.162         | 74.000         | 7.938       | PK   |
| 2  | *    | 15720.000       | 46.837                 | 31.476               | -27.163         | 74.000         | 15.361      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1872112R                           | Page No.: 21             |
| Engineer: Tommie                            |                          |
| Site: AC5                                   | Time: 2018/08/28 - 17:26 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a |                          |




| No | Mark | Frequency<br>(MHz) | Measure Level<br>(dBuV/m) | Reading Level<br>(dBuV) | Over Limit<br>(dB) | Limit<br>(dBuV/m) | Factor<br>(dB) | Type |
|----|------|--------------------|---------------------------|-------------------------|--------------------|-------------------|----------------|------|
| 1  |      | 11490.000          | 44.983                    | 35.923                  | -29.017            | 74.000            | 9.060          | PK   |
| 2  | *    | 17235.000          | 49.383                    | 30.901                  | -24.617            | 74.000            | 18.482         | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1872112R                           | Page No.: 22             |
| Engineer: Tommie                            |                          |
| Site: AC5                                   | Time: 2018/08/28 - 17:27 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.929                 | 35.869               | -29.071         | 74.000         | 9.060       | PK   |
| 2  | *    | 17235.000       | 48.828                 | 30.346               | -25.172         | 74.000         | 18.482      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1872112R                           | Page No.: 23             |
| Engineer: Tommie                            |                          |
| Site: AC5                                   | Time: 2018/08/28 - 17:28 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.929                 | 35.470               | -29.071         | 74.000         | 9.459       | PK   |
| 2  | *    | 17355.000       | 49.028                 | 31.289               | -24.972         | 74.000         | 17.738      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1872112R                           | Page No.: 24             |
| Engineer: Tommie                            |                          |
| Site: AC5                                   | Time: 2018/08/28 - 17:28 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.294                 | 35.835               | -28.706         | 74.000         | 9.459       | PK   |
| 2  | *    | 17355.000       | 50.283                 | 32.544               | -23.717         | 74.000         | 17.738      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1872112R                           | Page No.: 25             |
| Engineer: Tommie                            |                          |
| Site: AC5                                   | Time: 2018/08/28 - 17:29 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.929                 | 34.953               | -29.071         | 74.000         | 9.976       | PK   |
| 2  | *    | 17475.000       | 50.829                 | 33.477               | -23.171         | 74.000         | 17.352      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1872112R                           | Page No.: 26             |
| Engineer: Tommie                            |                          |
| Site: AC5                                   | Time: 2018/08/28 - 17:29 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: Wireless Access Point                  | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.930                 | 34.954               | -29.070         | 74.000         | 9.976       | PK   |
| 2  | *    | 17475.000       | 51.829                 | 34.477               | -22.171         | 74.000         | 17.352      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 27             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 17:30 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 44.983                 | 38.042               | -29.017         | 74.000         | 6.941       | PK   |
| 2  | *    | 15540.000       | 46.929                 | 31.293               | -27.071         | 74.000         | 15.637      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 28             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 17:30 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 46.293                 | 39.352               | -27.707         | 74.000         | 6.941       | PK   |
| 2  | *    | 15540.000       | 47.394                 | 31.758               | -26.606         | 74.000         | 15.637      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 29             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 17:31 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 44.293                 | 36.768               | -29.707         | 74.000         | 7.525       | PK   |
| 2  | *    | 15660.000       | 46.838                 | 31.011               | -27.162         | 74.000         | 15.828      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 30             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 17:31 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10440.000       | 51.984                 | 44.459               | -22.016         | 74.000         | 7.525       | PK   |
| 2  |      | 15660.000       | 46.929                 | 31.102               | -27.071         | 74.000         | 15.828      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 31             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 17:33 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 45.929                 | 37.991               | -28.071         | 74.000         | 7.938       | PK   |
| 2  | *    | 15720.000       | 46.939                 | 31.578               | -27.061         | 74.000         | 15.361      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 32             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 17:33 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 44.394                 | 36.456               | -29.606         | 74.000         | 7.938       | PK   |
| 2  | *    | 15720.000       | 46.383                 | 31.022               | -27.617         | 74.000         | 15.361      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 47             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 18:28 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n20 |                          |




| No | Mark | Frequency<br>(MHz) | Measure Level<br>(dBuV/m) | Reading Level<br>(dBuV) | Over Limit<br>(dB) | Limit<br>(dBuV/m) | Factor<br>(dB) | Type |
|----|------|--------------------|---------------------------|-------------------------|--------------------|-------------------|----------------|------|
| 1  |      | 11490.000          | 44.829                    | 35.769                  | -29.171            | 74.000            | 9.060          | PK   |
| 2  | *    | 17235.000          | 48.348                    | 29.866                  | -25.652            | 74.000            | 18.482         | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 48             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 18:29 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.939                 | 35.879               | -29.061         | 74.000         | 9.060       | PK   |
| 2  | *    | 17235.000       | 49.833                 | 31.351               | -24.167         | 74.000         | 18.482      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 49             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 18:29 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.833                 | 36.374               | -28.167         | 74.000         | 9.459       | PK   |
| 2  | *    | 17355.000       | 49.398                 | 31.659               | -24.602         | 74.000         | 17.738      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 50             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 18:30 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.939                 | 36.480               | -28.061         | 74.000         | 9.459       | PK   |
| 2  | *    | 17355.000       | 49.843                 | 32.104               | -24.157         | 74.000         | 17.738      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 51             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 18:30 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.984                 | 35.008               | -29.016         | 74.000         | 9.976       | PK   |
| 2  | *    | 17475.000       | 50.828                 | 33.476               | -23.172         | 74.000         | 17.352      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 52             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 18:31 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.293                 | 36.317               | -27.707         | 74.000         | 9.976       | PK   |
| 2  | *    | 17475.000       | 50.388                 | 33.036               | -23.612         | 74.000         | 17.352      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 53             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 18:32 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 45.294                 | 37.605               | -28.706         | 74.000         | 7.689       | PK   |
| 2  | *    | 15570.000       | 46.984                 | 30.426               | -27.016         | 74.000         | 16.558      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 54             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 18:32 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 45.939                 | 38.250               | -28.061         | 74.000         | 7.689       | PK   |
| 2  | *    | 15570.000       | 47.293                 | 30.735               | -26.707         | 74.000         | 16.558      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 55             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 18:33 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 44.929                 | 37.808               | -29.071         | 74.000         | 7.121       | PK   |
| 2  | *    | 15690.000       | 45.289                 | 29.560               | -28.711         | 74.000         | 15.729      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 56             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 18:34 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 45.929                 | 38.808               | -28.071         | 74.000         | 7.121       | PK   |
| 2  | *    | 15690.000       | 46.983                 | 31.254               | -27.017         | 74.000         | 15.729      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 67             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 18:59 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n40 |                          |




| No | Mark | Frequency<br>(MHz) | Measure Level<br>(dBuV/m) | Reading Level<br>(dBuV) | Over Limit<br>(dB) | Limit<br>(dBuV/m) | Factor<br>(dB) | Type |
|----|------|--------------------|---------------------------|-------------------------|--------------------|-------------------|----------------|------|
| 1  |      | 11510.000          | 44.939                    | 35.571                  | -29.061            | 74.000            | 9.367          | PK   |
| 2  | *    | 17265.000          | 50.023                    | 31.794                  | -23.977            | 74.000            | 18.230         | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 68             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 19:00 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.827                 | 36.459               | -28.173         | 74.000         | 9.367       | PK   |
| 2  | *    | 17265.000       | 50.373                 | 32.144               | -23.627         | 74.000         | 18.230      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 69             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 19:01 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.939                 | 35.378               | -29.061         | 74.000         | 9.560       | PK   |
| 2  | *    | 17385.000       | 49.084                 | 32.280               | -24.916         | 74.000         | 16.803      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 1872112R                             | Page No.: 70             |
| Engineer: Tommie                              |                          |
| Site: AC5                                     | Time: 2018/08/28 - 19:01 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access Point                    | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.939                 | 35.378               | -29.061         | 74.000         | 9.560       | PK   |
| 2  | *    | 17385.000       | 49.052                 | 32.248               | -24.948         | 74.000         | 16.803      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 71             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:02 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10360.000       | 45.830                 | 38.889               | -28.170         | 74.000         | 6.941       | PK   |
| 2  |      | 15540.000       | 45.029                 | 29.393               | -28.971         | 74.000         | 15.637      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 72             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:03 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 46.938                 | 39.997               | -27.062         | 74.000         | 6.941       | PK   |
| 2  | *    | 15540.000       | 47.837                 | 32.201               | -26.163         | 74.000         | 15.637      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 73             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:03 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 45.092                 | 37.567               | -28.908         | 74.000         | 7.525       | PK   |
| 2  | *    | 15660.000       | 47.092                 | 31.265               | -26.908         | 74.000         | 15.828      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 74             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:04 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 45.838                 | 38.313               | -28.162         | 74.000         | 7.525       | PK   |
| 2  | *    | 15660.000       | 47.983                 | 32.156               | -26.017         | 74.000         | 15.828      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 75             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:05 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 46.837                 | 38.899               | -27.163         | 74.000         | 7.938       | PK   |
| 2  | *    | 15720.000       | 47.933                 | 32.572               | -26.067         | 74.000         | 15.361      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 76             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:05 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 46.029                 | 38.091               | -27.971         | 74.000         | 7.938       | PK   |
| 2  | *    | 15720.000       | 47.098                 | 31.737               | -26.902         | 74.000         | 15.361      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 91             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:15 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.940                 | 35.880               | -29.060         | 74.000         | 9.060       | PK   |
| 2  | *    | 17235.000       | 49.388                 | 30.906               | -24.612         | 74.000         | 18.482      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 92             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:15 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.499                 | 35.439               | -29.501         | 74.000         | 9.060       | PK   |
| 2  | *    | 17235.000       | 49.028                 | 30.546               | -24.972         | 74.000         | 18.482      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 93             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:16 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.838                 | 36.379               | -28.162         | 74.000         | 9.459       | PK   |
| 2  | *    | 17355.000       | 50.388                 | 32.649               | -23.612         | 74.000         | 17.738      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 94             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:16 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.299                 | 35.840               | -28.701         | 74.000         | 9.459       | PK   |
| 2  | *    | 17355.000       | 49.038                 | 31.299               | -24.962         | 74.000         | 17.738      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 95             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:17 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.300                 | 34.324               | -29.700         | 74.000         | 9.976       | PK   |
| 2  | *    | 17475.000       | 50.024                 | 32.672               | -23.976         | 74.000         | 17.352      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 96             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:18 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.400                 | 34.424               | -29.600         | 74.000         | 9.976       | PK   |
| 2  | *    | 17475.000       | 51.038                 | 33.686               | -22.962         | 74.000         | 17.352      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 97             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:18 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 44.939                 | 37.250               | -29.061         | 74.000         | 7.689       | PK   |
| 2  | *    | 15570.000       | 46.329                 | 29.771               | -27.671         | 74.000         | 16.558      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 98             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:19 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 44.240                 | 36.551               | -29.760         | 74.000         | 7.689       | PK   |
| 2  | *    | 15570.000       | 46.930                 | 30.372               | -27.070         | 74.000         | 16.558      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 99             |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:20 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 45.929                 | 38.808               | -28.071         | 74.000         | 7.121       | PK   |
| 2  | *    | 15690.000       | 46.827                 | 31.098               | -27.173         | 74.000         | 15.729      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 100            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 19:20 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 45.082                 | 37.961               | -28.918         | 74.000         | 7.121       | PK   |
| 2  | *    | 15690.000       | 45.983                 | 30.254               | -28.017         | 74.000         | 15.729      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 111            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 20:38 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.393                 | 36.025               | -28.607         | 74.000         | 9.367       | PK   |
| 2  | *    | 17265.000       | 50.082                 | 31.853               | -23.918         | 74.000         | 18.230      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 112            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 20:39 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.839                 | 36.471               | -28.161         | 74.000         | 9.367       | PK   |
| 2  | *    | 17265.000       | 50.028                 | 31.799               | -23.972         | 74.000         | 18.230      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 113            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 20:40 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.940                 | 35.379               | -29.060         | 74.000         | 9.560       | PK   |
| 2  | *    | 17385.000       | 49.083                 | 32.279               | -24.917         | 74.000         | 16.803      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 114            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 20:41 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.939                 | 35.378               | -29.061         | 74.000         | 9.560       | PK   |
| 2  | *    | 17385.000       | 49.093                 | 32.289               | -24.907         | 74.000         | 16.803      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 115            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 20:42 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10420.000       | 45.939                 | 38.186               | -28.061         | 74.000         | 7.752       | PK   |
| 2  |      | 15630.000       | 45.939                 | 29.936               | -28.061         | 74.000         | 16.003      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 116            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 20:43 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10420.000       | 46.939                 | 39.186               | -27.061         | 74.000         | 7.752       | PK   |
| 2  |      | 15630.000       | 44.838                 | 28.835               | -29.162         | 74.000         | 16.003      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 123            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 20:50 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.989                 | 35.655               | -29.011         | 74.000         | 9.334       | PK   |
| 2  | *    | 17325.000       | 50.083                 | 32.638               | -23.917         | 74.000         | 17.446      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 124            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 20:50 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.939                 | 35.378               | -29.061         | 74.000         | 9.560       | PK   |
| 2  | *    | 17325.000       | 50.299                 | 32.854               | -23.701         | 74.000         | 17.446      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 125            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 20:51 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10360.000       | 46.939                 | 39.998               | -27.061         | 74.000         | 6.941       | PK   |
| 2  |      | 15540.000       | 45.939                 | 30.303               | -28.061         | 74.000         | 15.637      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 126            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 20:52 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 45.939                 | 38.998               | -28.061         | 74.000         | 6.941       | PK   |
| 2  | *    | 15540.000       | 45.943                 | 30.307               | -28.057         | 74.000         | 15.637      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 127            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 20:52 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 45.939                 | 38.414               | -28.061         | 74.000         | 7.525       | PK   |
| 2  | *    | 15660.000       | 46.993                 | 31.166               | -27.007         | 74.000         | 15.828      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 128            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 20:53 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 45.939                 | 38.414               | -28.061         | 74.000         | 7.525       | PK   |
| 2  | *    | 15660.000       | 47.993                 | 32.166               | -26.007         | 74.000         | 15.828      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 129            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 20:53 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 46.394                 | 38.456               | -27.606         | 74.000         | 7.938       | PK   |
| 2  | *    | 15720.000       | 46.983                 | 31.622               | -27.017         | 74.000         | 15.361      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 130            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 20:54 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 45.292                 | 37.354               | -28.708         | 74.000         | 7.938       | PK   |
| 2  | *    | 15720.000       | 46.932                 | 31.571               | -27.068         | 74.000         | 15.361      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 145            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:03 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.383                 | 36.323               | -28.617         | 74.000         | 9.060       | PK   |
| 2  | *    | 17235.000       | 50.027                 | 31.545               | -23.973         | 74.000         | 18.482      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 146            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:03 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.982                 | 34.922               | -30.018         | 74.000         | 9.060       | PK   |
| 2  | *    | 17235.000       | 48.988                 | 30.506               | -25.012         | 74.000         | 18.482      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 147            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:04 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.988                 | 35.529               | -29.012         | 74.000         | 9.459       | PK   |
| 2  | *    | 17355.000       | 49.088                 | 31.349               | -24.912         | 74.000         | 17.738      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 148            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:04 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.976                 | 35.517               | -29.024         | 74.000         | 9.459       | PK   |
| 2  | *    | 17355.000       | 48.986                 | 31.247               | -25.014         | 74.000         | 17.738      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 149            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:05 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.983                 | 35.007               | -29.017         | 74.000         | 9.976       | PK   |
| 2  | *    | 17475.000       | 51.939                 | 34.587               | -22.061         | 74.000         | 17.352      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 150            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:05 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.989                 | 36.013               | -28.011         | 74.000         | 9.976       | PK   |
| 2  | *    | 17475.000       | 51.494                 | 34.142               | -22.506         | 74.000         | 17.352      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 151            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:07 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 44.887                 | 37.198               | -29.113         | 74.000         | 7.689       | PK   |
| 2  | *    | 15570.000       | 46.394                 | 29.836               | -27.606         | 74.000         | 16.558      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 152            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:09 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 44.993                 | 37.304               | -29.007         | 74.000         | 7.689       | PK   |
| 2  | *    | 15570.000       | 45.733                 | 29.175               | -28.267         | 74.000         | 16.558      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 153            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:11 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10460.000       | 46.838                 | 39.717               | -27.162         | 74.000         | 7.121       | PK   |
| 2  |      | 15690.000       | 46.299                 | 30.570               | -27.701         | 74.000         | 15.729      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 154            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:11 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 45.240                 | 38.119               | -28.760         | 74.000         | 7.121       | PK   |
| 2  | *    | 15690.000       | 46.299                 | 30.570               | -27.701         | 74.000         | 15.729      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 167            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:20 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax40 |                          |




| No | Mark | Frequency<br>(MHz) | Measure Level<br>(dBuV/m) | Reading Level<br>(dBuV) | Over Limit<br>(dB) | Limit<br>(dBuV/m) | Factor<br>(dB) | Type |
|----|------|--------------------|---------------------------|-------------------------|--------------------|-------------------|----------------|------|
| 1  |      | 11510.000          | 45.383                    | 36.015                  | -28.617            | 74.000            | 9.367          | PK   |
| 2  | *    | 17265.000          | 50.073                    | 31.844                  | -23.927            | 74.000            | 18.230         | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 168            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:21 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 44.830                 | 35.462               | -29.170         | 74.000         | 9.367       | PK   |
| 2  | *    | 17265.000       | 50.398                 | 32.169               | -23.602         | 74.000         | 18.230      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 169            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:21 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.929                 | 35.368               | -29.071         | 74.000         | 9.560       | PK   |
| 2  | *    | 17385.000       | 49.299                 | 32.495               | -24.701         | 74.000         | 16.803      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 170            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:22 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.330                 | 34.769               | -29.670         | 74.000         | 9.560       | PK   |
| 2  | *    | 17385.000       | 49.220                 | 32.416               | -24.780         | 74.000         | 16.803      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 171            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:23 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10420.000       | 45.395                 | 37.642               | -28.605         | 74.000         | 7.752       | PK   |
| 2  |      | 15630.000       | 45.293                 | 29.290               | -28.707         | 74.000         | 16.003      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 172            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:23 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 10420.000       | 46.330                 | 38.577               | -27.670         | 74.000         | 7.752       | PK   |
| 2  |      | 15630.000       | 44.293                 | 28.290               | -29.707         | 74.000         | 16.003      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 179            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:27 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.984                 | 35.650               | -29.016         | 74.000         | 9.334       | PK   |
| 2  | *    | 17325.000       | 50.246                 | 32.801               | -23.754         | 74.000         | 17.446      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Profile: 1872112R                              | Page No.: 180            |
| Engineer: Tommie                               |                          |
| Site: AC5                                      | Time: 2018/08/28 - 21:28 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access Point                     | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 44.923                 | 35.589               | -29.077         | 74.000         | 9.334       | PK   |
| 2  | *    | 17325.000       | 50.987                 | 33.542               | -23.013         | 74.000         | 17.446      | PK   |