



Profile: 1872112R	Page No.: 1
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.819	39.878	-27.181	74.000	6.941	PK
2	*	15540.000	47.928	32.292	-26.072	74.000	15.637	PK

Profile: 1872112R	Page No.: 2
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.928	38.987	-28.072	74.000	6.941	PK
2	*	15540.000	47.929	32.293	-26.071	74.000	15.637	PK

Profile: 1872112R	Page No.: 3
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.984	37.459	-29.016	74.000	7.525	PK
2	*	15660.000	46.384	30.557	-27.616	74.000	15.828	PK

Profile: 1872112R	Page No.: 4
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.848	37.323	-29.152	74.000	7.525	PK
2	*	15660.000	46.838	31.011	-27.162	74.000	15.828	PK

Profile: 1872112R	Page No.: 5
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.299	36.361	-29.701	74.000	7.938	PK
2	*	15720.000	46.245	30.884	-27.755	74.000	15.361	PK

Profile: 1872112R	Page No.: 6
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.838	37.900	-28.162	74.000	7.938	PK
2	*	15720.000	46.837	31.476	-27.163	74.000	15.361	PK

Profile: 1872112R	Page No.: 7
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.738	36.876	-29.262	74.000	7.862	PK
2	*	15780.000	46.384	30.843	-27.616	74.000	15.541	PK

Profile: 1872112R	Page No.: 8
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.828	37.966	-28.172	74.000	7.862	PK
2	*	15780.000	46.838	31.297	-27.162	74.000	15.541	PK

Profile: 1872112R	Page No.: 9
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	45.838	37.296	-28.162	74.000	8.542	PK
2		15900.000	45.233	29.241	-28.767	74.000	15.992	PK

Profile: 1872112R	Page No.: 10
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.928	37.386	-28.072	74.000	8.542	PK
2	*	15900.000	46.982	30.990	-27.018	74.000	15.992	PK

Profile: 1872112R	Page No.: 11
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.293	36.637	-29.707	74.000	7.657	PK
2	*	15960.000	47.929	31.428	-26.071	74.000	16.501	PK

Profile: 1872112R	Page No.: 12
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.929	37.273	-29.071	74.000	7.657	PK
2	*	15960.000	46.930	30.429	-27.070	74.000	16.501	PK

Profile: 1872112R	Page No.: 13
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.928	36.508	-29.072	74.000	8.419	PK
2	*	16500.000	48.737	31.691	-25.263	74.000	17.046	PK

Profile: 1872112R	Page No.: 14
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.828	36.408	-29.172	74.000	8.419	PK
2	*	16500.000	48.284	31.238	-25.716	74.000	17.046	PK

Profile: 1872112R	Page No.: 15
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.828	35.898	-29.172	74.000	8.929	PK
2	*	16740.000	50.828	34.247	-23.172	74.000	16.582	PK

Profile: 1872112R	Page No.: 16
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.893	35.963	-29.107	74.000	8.929	PK
2	*	16740.000	50.828	34.247	-23.172	74.000	16.582	PK

Profile: 1872112R	Page No.: 17
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.930	35.771	-29.070	74.000	9.160	PK
2	*	17100.000	50.833	33.021	-23.167	74.000	17.812	PK

Profile: 1872112R	Page No.: 18
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.992	35.833	-29.008	74.000	9.160	PK
2	*	17100.000	49.827	32.015	-24.173	74.000	17.812	PK

Profile: 1872112R	Page No.: 19
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.929	36.057	-29.071	74.000	8.872	PK
2	*	17160.000	48.828	31.690	-25.172	74.000	17.138	PK

Profile: 1872112R	Page No.: 20
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.928	36.056	-29.072	74.000	8.872	PK
2	*	17160.000	49.298	32.160	-24.702	74.000	17.138	PK

Profile: 1872112R	Page No.: 21
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.983	35.923	-29.017	74.000	9.060	PK
2	*	17235.000	49.383	30.901	-24.617	74.000	18.482	PK

Profile: 1872112R	Page No.: 22
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.929	35.869	-29.071	74.000	9.060	PK
2	*	17235.000	48.828	30.346	-25.172	74.000	18.482	PK

Profile: 1872112R	Page No.: 23
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.929	35.470	-29.071	74.000	9.459	PK
2	*	17355.000	49.028	31.289	-24.972	74.000	17.738	PK

Profile: 1872112R	Page No.: 24
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.294	35.835	-28.706	74.000	9.459	PK
2	*	17355.000	50.283	32.544	-23.717	74.000	17.738	PK

Profile: 1872112R	Page No.: 25
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.929	34.953	-29.071	74.000	9.976	PK
2	*	17475.000	50.829	33.477	-23.171	74.000	17.352	PK

Profile: 1872112R	Page No.: 26
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.930	34.954	-29.070	74.000	9.976	PK
2	*	17475.000	51.829	34.477	-22.171	74.000	17.352	PK

Profile: 1872112R	Page No.: 27
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.983	38.042	-29.017	74.000	6.941	PK
2	*	15540.000	46.929	31.293	-27.071	74.000	15.637	PK

Profile: 1872112R	Page No.: 28
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.293	39.352	-27.707	74.000	6.941	PK
2	*	15540.000	47.394	31.758	-26.606	74.000	15.637	PK

Profile: 1872112R	Page No.: 29
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.293	36.768	-29.707	74.000	7.525	PK
2	*	15660.000	46.838	31.011	-27.162	74.000	15.828	PK

Profile: 1872112R	Page No.: 30
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10440.000	51.984	44.459	-22.016	74.000	7.525	PK
2		15660.000	46.929	31.102	-27.071	74.000	15.828	PK

Profile: 1872112R	Page No.: 31
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.929	37.991	-28.071	74.000	7.938	PK
2	*	15720.000	46.939	31.578	-27.061	74.000	15.361	PK

Profile: 1872112R	Page No.: 32
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 17:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.394	36.456	-29.606	74.000	7.938	PK
2	*	15720.000	46.383	31.022	-27.617	74.000	15.361	PK

Profile: 1872112R	Page No.: 33
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.930	37.068	-29.070	74.000	7.862	PK
2	*	15780.000	45.232	29.691	-28.768	74.000	15.541	PK

Profile: 1872112R	Page No.: 34
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.922	37.060	-29.078	74.000	7.862	PK
2	*	15780.000	46.283	30.742	-27.717	74.000	15.541	PK

Profile: 1872112R	Page No.: 35
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.329	36.787	-28.671	74.000	8.542	PK
2	*	15900.000	46.329	30.337	-27.671	74.000	15.992	PK

Profile: 1872112R	Page No.: 36
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.923	37.381	-28.077	74.000	8.542	PK
2	*	15900.000	46.929	30.937	-27.071	74.000	15.992	PK

Profile: 1872112R	Page No.: 37
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.832	36.176	-30.168	74.000	7.657	PK
2	*	15960.000	46.824	30.323	-27.176	74.000	16.501	PK

Profile: 1872112R	Page No.: 38
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.983	37.327	-29.017	74.000	7.657	PK
2	*	15960.000	46.932	30.431	-27.068	74.000	16.501	PK

Profile: 1872112R	Page No.: 39
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.939	36.519	-29.061	74.000	8.419	PK
2	*	16500.000	48.834	31.788	-25.166	74.000	17.046	PK

Profile: 1872112R	Page No.: 40
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.399	35.979	-29.601	74.000	8.419	PK
2	*	16500.000	47.493	30.447	-26.507	74.000	17.046	PK

Profile: 1872112R	Page No.: 41
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.840	35.910	-29.160	74.000	8.929	PK
2	*	16740.000	49.028	32.447	-24.972	74.000	16.582	PK

Profile: 1872112R	Page No.: 42
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.838	35.908	-29.162	74.000	8.929	PK
2	*	16740.000	49.193	32.612	-24.807	74.000	16.582	PK

Profile: 1872112R	Page No.: 43
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.298	34.139	-30.702	74.000	9.160	PK
2	*	17100.000	49.349	31.537	-24.651	74.000	17.812	PK

Profile: 1872112R	Page No.: 44
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.984	34.825	-30.016	74.000	9.160	PK
2	*	17100.000	49.038	31.226	-24.962	74.000	17.812	PK

Profile: 1872112R	Page No.: 45
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.939	36.067	-29.061	74.000	8.872	PK
2	*	17160.000	48.939	31.801	-25.061	74.000	17.138	PK

Profile: 1872112R	Page No.: 46
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.982	36.110	-29.018	74.000	8.872	PK
2	*	17160.000	48.293	31.155	-25.707	74.000	17.138	PK

Profile: 1872112R	Page No.: 47
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.829	35.769	-29.171	74.000	9.060	PK
2	*	17235.000	48.348	29.866	-25.652	74.000	18.482	PK

Profile: 1872112R	Page No.: 48
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.939	35.879	-29.061	74.000	9.060	PK
2	*	17235.000	49.833	31.351	-24.167	74.000	18.482	PK

Profile: 1872112R	Page No.: 49
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.833	36.374	-28.167	74.000	9.459	PK
2	*	17355.000	49.398	31.659	-24.602	74.000	17.738	PK

Profile: 1872112R	Page No.: 50
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.939	36.480	-28.061	74.000	9.459	PK
2	*	17355.000	49.843	32.104	-24.157	74.000	17.738	PK

Profile: 1872112R	Page No.: 51
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.984	35.008	-29.016	74.000	9.976	PK
2	*	17475.000	50.828	33.476	-23.172	74.000	17.352	PK

Profile: 1872112R	Page No.: 52
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.293	36.317	-27.707	74.000	9.976	PK
2	*	17475.000	50.388	33.036	-23.612	74.000	17.352	PK

Profile: 1872112R	Page No.: 53
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.294	37.605	-28.706	74.000	7.689	PK
2	*	15570.000	46.984	30.426	-27.016	74.000	16.558	PK

Profile: 1872112R	Page No.: 54
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.939	38.250	-28.061	74.000	7.689	PK
2	*	15570.000	47.293	30.735	-26.707	74.000	16.558	PK

Profile: 1872112R	Page No.: 55
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.929	37.808	-29.071	74.000	7.121	PK
2	*	15690.000	45.289	29.560	-28.711	74.000	15.729	PK

Profile: 1872112R	Page No.: 56
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.929	38.808	-28.071	74.000	7.121	PK
2	*	15690.000	46.983	31.254	-27.017	74.000	15.729	PK

Profile: 1872112R	Page No.: 57
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.984	38.684	-28.016	74.000	7.300	PK
2	*	15810.000	47.982	32.884	-26.018	74.000	15.098	PK

Profile: 1872112R	Page No.: 58
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.983	38.683	-28.017	74.000	7.300	PK
2	*	15810.000	46.293	31.195	-27.707	74.000	15.098	PK

Profile: 1872112R	Page No.: 59
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.893	37.000	-29.107	74.000	7.894	PK
2	*	15930.000	46.929	30.279	-27.071	74.000	16.650	PK

Profile: 1872112R	Page No.: 60
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.983	37.090	-29.017	74.000	7.894	PK
2	*	15930.000	47.482	30.832	-26.518	74.000	16.650	PK

Profile: 1872112R	Page No.: 61
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.929	37.416	-28.071	74.000	8.513	PK
2	*	16530.000	49.023	31.794	-24.977	74.000	17.229	PK

Profile: 1872112R	Page No.: 62
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.293	35.780	-29.707	74.000	8.513	PK
2	*	16530.000	48.987	31.758	-25.013	74.000	17.229	PK

Profile: 1872112R	Page No.: 63
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.932	36.432	-29.068	74.000	8.500	PK
2	*	16650.000	48.238	31.253	-25.762	74.000	16.986	PK

Profile: 1872112R	Page No.: 64
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.389	35.889	-29.611	74.000	8.500	PK
2	*	16650.000	48.763	31.778	-25.237	74.000	16.986	PK

Profile: 1872112R	Page No.: 65
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.598	35.594	-29.402	74.000	9.003	PK
2	*	17010.000	48.952	30.645	-25.048	74.000	18.307	PK

Profile: 1872112R	Page No.: 66
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.894	36.890	-28.106	74.000	9.003	PK
2	*	17010.000	48.876	30.569	-25.124	74.000	18.307	PK

Profile: 1872112R	Page No.: 67
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 18:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.939	35.571	-29.061	74.000	9.367	PK
2	*	17265.000	50.023	31.794	-23.977	74.000	18.230	PK

Profile: 1872112R	Page No.: 68
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.827	36.459	-28.173	74.000	9.367	PK
2	*	17265.000	50.373	32.144	-23.627	74.000	18.230	PK

Profile: 1872112R	Page No.: 69
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.939	35.378	-29.061	74.000	9.560	PK
2	*	17385.000	49.084	32.280	-24.916	74.000	16.803	PK

Profile: 1872112R	Page No.: 70
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.939	35.378	-29.061	74.000	9.560	PK
2	*	17385.000	49.052	32.248	-24.948	74.000	16.803	PK

Profile: 1872112R	Page No.: 71
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	45.830	38.889	-28.170	74.000	6.941	PK
2		15540.000	45.029	29.393	-28.971	74.000	15.637	PK

Profile: 1872112R	Page No.: 72
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.938	39.997	-27.062	74.000	6.941	PK
2	*	15540.000	47.837	32.201	-26.163	74.000	15.637	PK

Profile: 1872112R	Page No.: 73
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.092	37.567	-28.908	74.000	7.525	PK
2	*	15660.000	47.092	31.265	-26.908	74.000	15.828	PK

Profile: 1872112R	Page No.: 74
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.838	38.313	-28.162	74.000	7.525	PK
2	*	15660.000	47.983	32.156	-26.017	74.000	15.828	PK

Profile: 1872112R	Page No.: 75
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	46.837	38.899	-27.163	74.000	7.938	PK
2	*	15720.000	47.933	32.572	-26.067	74.000	15.361	PK

Profile: 1872112R	Page No.: 76
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	46.029	38.091	-27.971	74.000	7.938	PK
2	*	15720.000	47.098	31.737	-26.902	74.000	15.361	PK

Profile: 1872112R	Page No.: 77
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.928	38.066	-28.072	74.000	7.862	PK
2	*	15780.000	47.092	31.551	-26.908	74.000	15.541	PK

Profile: 1872112R	Page No.: 78
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.929	39.067	-27.071	74.000	7.862	PK
2	*	15780.000	47.394	31.853	-26.606	74.000	15.541	PK

Profile: 1872112R	Page No.: 79
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	46.023	37.481	-27.977	74.000	8.542	PK
2	*	15900.000	46.439	30.447	-27.561	74.000	15.992	PK

Profile: 1872112R	Page No.: 80
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.939	37.397	-28.061	74.000	8.542	PK
2	*	15900.000	46.939	30.947	-27.061	74.000	15.992	PK

Profile: 1872112R	Page No.: 81
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.024	37.368	-28.976	74.000	7.657	PK
2	*	15960.000	47.972	31.471	-26.028	74.000	16.501	PK

Profile: 1872112R	Page No.: 82
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.893	37.237	-29.107	74.000	7.657	PK
2	*	15960.000	47.394	30.893	-26.606	74.000	16.501	PK

Profile: 1872112R	Page No.: 83
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.939	37.519	-28.061	74.000	8.419	PK
2	*	16500.000	48.838	31.792	-25.162	74.000	17.046	PK

Profile: 1872112R	Page No.: 84
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.290	35.870	-29.710	74.000	8.419	PK
2	*	16500.000	47.838	30.792	-26.162	74.000	17.046	PK

Profile: 1872112R	Page No.: 85
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.939	38.009	-27.061	74.000	8.929	PK
2	*	16740.000	50.828	34.247	-23.172	74.000	16.582	PK

Profile: 1872112R	Page No.: 86
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.939	36.009	-29.061	74.000	8.929	PK
2	*	16740.000	49.294	32.713	-24.706	74.000	16.582	PK

Profile: 1872112R	Page No.: 87
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.983	35.824	-29.017	74.000	9.160	PK
2	*	17100.000	50.383	32.571	-23.617	74.000	17.812	PK

Profile: 1872112R	Page No.: 88
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.944	35.785	-29.056	74.000	9.160	PK
2	*	17100.000	49.045	31.233	-24.955	74.000	17.812	PK

Profile: 1872112R	Page No.: 89
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.292	35.420	-29.708	74.000	8.872	PK
2	*	17160.000	48.498	31.360	-25.502	74.000	17.138	PK

Profile: 1872112R	Page No.: 90
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.394	35.522	-29.606	74.000	8.872	PK
2	*	17160.000	48.483	31.345	-25.517	74.000	17.138	PK

Profile: 1872112R	Page No.: 91
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.940	35.880	-29.060	74.000	9.060	PK
2	*	17235.000	49.388	30.906	-24.612	74.000	18.482	PK

Profile: 1872112R	Page No.: 92
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.499	35.439	-29.501	74.000	9.060	PK
2	*	17235.000	49.028	30.546	-24.972	74.000	18.482	PK

Profile: 1872112R	Page No.: 93
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.838	36.379	-28.162	74.000	9.459	PK
2	*	17355.000	50.388	32.649	-23.612	74.000	17.738	PK

Profile: 1872112R	Page No.: 94
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.299	35.840	-28.701	74.000	9.459	PK
2	*	17355.000	49.038	31.299	-24.962	74.000	17.738	PK

Profile: 1872112R	Page No.: 95
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.300	34.324	-29.700	74.000	9.976	PK
2	*	17475.000	50.024	32.672	-23.976	74.000	17.352	PK

Profile: 1872112R	Page No.: 96
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.400	34.424	-29.600	74.000	9.976	PK
2	*	17475.000	51.038	33.686	-22.962	74.000	17.352	PK

Profile: 1872112R	Page No.: 97
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.939	37.250	-29.061	74.000	7.689	PK
2	*	15570.000	46.329	29.771	-27.671	74.000	16.558	PK

Profile: 1872112R	Page No.: 98
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.240	36.551	-29.760	74.000	7.689	PK
2	*	15570.000	46.930	30.372	-27.070	74.000	16.558	PK

Profile: 1872112R	Page No.: 99
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.929	38.808	-28.071	74.000	7.121	PK
2	*	15690.000	46.827	31.098	-27.173	74.000	15.729	PK

Profile: 1872112R	Page No.: 100
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.082	37.961	-28.918	74.000	7.121	PK
2	*	15690.000	45.983	30.254	-28.017	74.000	15.729	PK

Profile: 1872112R	Page No.: 101
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.383	38.083	-28.617	74.000	7.300	PK
2	*	15810.000	47.929	32.831	-26.071	74.000	15.098	PK

Profile: 1872112R	Page No.: 102
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.939	39.639	-27.061	74.000	7.300	PK
2	*	15810.000	48.487	33.389	-25.513	74.000	15.098	PK

Profile: 1872112R	Page No.: 103
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.329	37.436	-28.671	74.000	7.894	PK
2	*	15930.000	46.238	29.588	-27.762	74.000	16.650	PK

Profile: 1872112R	Page No.: 104
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.930	37.037	-29.070	74.000	7.894	PK
2	*	15930.000	47.389	30.739	-26.611	74.000	16.650	PK

Profile: 1872112R	Page No.: 105
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.383	36.883	-28.617	74.000	8.500	PK
2	*	16650.000	48.484	31.499	-25.516	74.000	16.986	PK

Profile: 1872112R	Page No.: 106
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.398	36.898	-28.602	74.000	8.500	PK
2	*	16650.000	49.383	32.398	-24.617	74.000	16.986	PK

Profile: 1872112R	Page No.: 107
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.384	36.380	-28.616	74.000	9.003	PK
2	*	17010.000	49.484	31.177	-24.516	74.000	18.307	PK

Profile: 1872112R	Page No.: 108
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	46.383	37.379	-27.617	74.000	9.003	PK
2	*	17010.000	50.894	32.587	-23.106	74.000	18.307	PK

Profile: 1872112R	Page No.: 109
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	44.838	35.017	-29.162	74.000	9.821	PK
2	*	17130.000	48.383	31.288	-25.617	74.000	17.095	PK

Profile: 1872112R	Page No.: 110
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	45.940	36.119	-28.060	74.000	9.821	PK
2	*	17130.000	49.850	32.755	-24.150	74.000	17.095	PK

Profile: 1872112R	Page No.: 111
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.393	36.025	-28.607	74.000	9.367	PK
2	*	17265.000	50.082	31.853	-23.918	74.000	18.230	PK

Profile: 1872112R	Page No.: 112
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.839	36.471	-28.161	74.000	9.367	PK
2	*	17265.000	50.028	31.799	-23.972	74.000	18.230	PK

Profile: 1872112R	Page No.: 113
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.940	35.379	-29.060	74.000	9.560	PK
2	*	17385.000	49.083	32.279	-24.917	74.000	16.803	PK

Profile: 1872112R	Page No.: 114
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.939	35.378	-29.061	74.000	9.560	PK
2	*	17385.000	49.093	32.289	-24.907	74.000	16.803	PK

Profile: 1872112R	Page No.: 115
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	45.939	38.186	-28.061	74.000	7.752	PK
2		15630.000	45.939	29.936	-28.061	74.000	16.003	PK

Profile: 1872112R	Page No.: 116
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	46.939	39.186	-27.061	74.000	7.752	PK
2		15630.000	44.838	28.835	-29.162	74.000	16.003	PK

Profile: 1872112R	Page No.: 117
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.840	37.671	-28.160	74.000	8.169	PK
2	*	15870.000	47.983	31.864	-26.017	74.000	16.119	PK

Profile: 1872112R	Page No.: 118
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.833	37.664	-28.167	74.000	8.169	PK
2	*	15870.000	47.738	31.619	-26.262	74.000	16.119	PK

Profile: 1872112R	Page No.: 119
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.983	36.306	-29.017	74.000	8.678	PK
2	*	16590.000	49.088	32.184	-24.912	74.000	16.903	PK

Profile: 1872112R	Page No.: 120
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.833	37.156	-28.167	74.000	8.678	PK
2	*	16590.000	48.038	31.134	-25.962	74.000	16.903	PK

Profile: 1872112R	Page No.: 121
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.985	35.893	-29.015	74.000	9.092	PK
2	*	17070.000	49.087	32.328	-24.913	74.000	16.759	PK

Profile: 1872112R	Page No.: 122
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.848	35.756	-29.152	74.000	9.092	PK
2	*	17070.000	49.083	32.324	-24.917	74.000	16.759	PK

Profile: 1872112R	Page No.: 123
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.989	35.655	-29.011	74.000	9.334	PK
2	*	17325.000	50.083	32.638	-23.917	74.000	17.446	PK

Profile: 1872112R	Page No.: 124
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.939	35.378	-29.061	74.000	9.560	PK
2	*	17325.000	50.299	32.854	-23.701	74.000	17.446	PK

Profile: 1872112R	Page No.: 125
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	46.939	39.998	-27.061	74.000	6.941	PK
2		15540.000	45.939	30.303	-28.061	74.000	15.637	PK

Profile: 1872112R	Page No.: 126
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.939	38.998	-28.061	74.000	6.941	PK
2	*	15540.000	45.943	30.307	-28.057	74.000	15.637	PK

Profile: 1872112R	Page No.: 127
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.939	38.414	-28.061	74.000	7.525	PK
2	*	15660.000	46.993	31.166	-27.007	74.000	15.828	PK

Profile: 1872112R	Page No.: 128
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.939	38.414	-28.061	74.000	7.525	PK
2	*	15660.000	47.993	32.166	-26.007	74.000	15.828	PK

Profile: 1872112R	Page No.: 129
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	46.394	38.456	-27.606	74.000	7.938	PK
2	*	15720.000	46.983	31.622	-27.017	74.000	15.361	PK

Profile: 1872112R	Page No.: 130
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.292	37.354	-28.708	74.000	7.938	PK
2	*	15720.000	46.932	31.571	-27.068	74.000	15.361	PK

Profile: 1872112R	Page No.: 131
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.933	38.071	-28.067	74.000	7.862	PK
2	*	15780.000	46.929	31.388	-27.071	74.000	15.541	PK

Profile: 1872112R	Page No.: 132
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.893	38.031	-28.107	74.000	7.862	PK
2	*	15780.000	46.832	31.291	-27.168	74.000	15.541	PK

Profile: 1872112R	Page No.: 133
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.933	37.391	-28.067	74.000	8.542	PK
2	*	15900.000	46.924	30.932	-27.076	74.000	15.992	PK

Profile: 1872112R	Page No.: 134
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.933	37.391	-28.067	74.000	8.542	PK
2	*	15900.000	46.893	30.901	-27.107	74.000	15.992	PK

Profile: 1872112R	Page No.: 135
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	46.932	39.276	-27.068	74.000	7.657	PK
2	*	15960.000	47.942	31.441	-26.058	74.000	16.501	PK

Profile: 1872112R	Page No.: 136
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.939	38.283	-28.061	74.000	7.657	PK
2	*	15960.000	46.939	30.438	-27.061	74.000	16.501	PK

Profile: 1872112R	Page No.: 137
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.990	37.570	-28.010	74.000	8.419	PK
2	*	16500.000	49.038	31.992	-24.962	74.000	17.046	PK

Profile: 1872112R	Page No.: 138
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.940	37.520	-28.060	74.000	8.419	PK
2	*	16500.000	48.944	31.898	-25.056	74.000	17.046	PK

Profile: 1872112R	Page No.: 139
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 20:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.984	37.054	-28.016	74.000	8.929	PK
2	*	16740.000	50.083	33.502	-23.917	74.000	16.582	PK

Profile: 1872112R	Page No.: 140
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.894	36.964	-28.106	74.000	8.929	PK
2	*	16740.000	50.037	33.456	-23.963	74.000	16.582	PK

Profile: 1872112R	Page No.: 141
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	45.993	36.834	-28.007	74.000	9.160	PK
2	*	17100.000	50.183	32.371	-23.817	74.000	17.812	PK

Profile: 1872112R	Page No.: 142
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.944	35.785	-29.056	74.000	9.160	PK
2	*	17100.000	50.883	33.071	-23.117	74.000	17.812	PK

Profile: 1872112R	Page No.: 143
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	45.727	36.855	-28.273	74.000	8.872	PK
2	*	17160.000	50.374	33.236	-23.626	74.000	17.138	PK

Profile: 1872112R	Page No.: 144
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.487	35.615	-29.513	74.000	8.872	PK
2	*	17160.000	49.028	31.890	-24.972	74.000	17.138	PK

Profile: 1872112R	Page No.: 145
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.383	36.323	-28.617	74.000	9.060	PK
2	*	17235.000	50.027	31.545	-23.973	74.000	18.482	PK

Profile: 1872112R	Page No.: 146
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.982	34.922	-30.018	74.000	9.060	PK
2	*	17235.000	48.988	30.506	-25.012	74.000	18.482	PK

Profile: 1872112R	Page No.: 147
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.988	35.529	-29.012	74.000	9.459	PK
2	*	17355.000	49.088	31.349	-24.912	74.000	17.738	PK

Profile: 1872112R	Page No.: 148
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.976	35.517	-29.024	74.000	9.459	PK
2	*	17355.000	48.986	31.247	-25.014	74.000	17.738	PK

Profile: 1872112R	Page No.: 149
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.983	35.007	-29.017	74.000	9.976	PK
2	*	17475.000	51.939	34.587	-22.061	74.000	17.352	PK

Profile: 1872112R	Page No.: 150
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.989	36.013	-28.011	74.000	9.976	PK
2	*	17475.000	51.494	34.142	-22.506	74.000	17.352	PK

Profile: 1872112R	Page No.: 151
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.887	37.198	-29.113	74.000	7.689	PK
2	*	15570.000	46.394	29.836	-27.606	74.000	16.558	PK

Profile: 1872112R	Page No.: 152
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.993	37.304	-29.007	74.000	7.689	PK
2	*	15570.000	45.733	29.175	-28.267	74.000	16.558	PK

Profile: 1872112R	Page No.: 153
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10460.000	46.838	39.717	-27.162	74.000	7.121	PK
2		15690.000	46.299	30.570	-27.701	74.000	15.729	PK

Profile: 1872112R	Page No.: 154
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.240	38.119	-28.760	74.000	7.121	PK
2	*	15690.000	46.299	30.570	-27.701	74.000	15.729	PK

Profile: 1872112R	Page No.: 155
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.944	39.644	-27.056	74.000	7.300	PK
2	*	15810.000	47.595	32.497	-26.405	74.000	15.098	PK

Profile: 1872112R	Page No.: 156
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.239	37.939	-28.761	74.000	7.300	PK
2	*	15810.000	47.983	32.885	-26.017	74.000	15.098	PK

Profile: 1872112R	Page No.: 157
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.498	36.605	-29.502	74.000	7.894	PK
2	*	15930.000	47.939	31.289	-26.061	74.000	16.650	PK

Profile: 1872112R	Page No.: 158
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.894	37.001	-29.106	74.000	7.894	PK
2	*	15930.000	46.939	30.289	-27.061	74.000	16.650	PK

Profile: 1872112R	Page No.: 159
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.394	35.881	-29.606	74.000	8.513	PK
2	*	16530.000	47.984	30.755	-26.016	74.000	17.229	PK

Profile: 1872112R	Page No.: 160
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.935	36.422	-29.065	74.000	8.513	PK
2	*	16530.000	48.740	31.511	-25.260	74.000	17.229	PK

Profile: 1872112R	Page No.: 161
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.848	35.348	-30.152	74.000	8.500	PK
2	*	16650.000	48.382	31.397	-25.618	74.000	16.986	PK

Profile: 1872112R	Page No.: 162
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.330	36.326	-28.670	74.000	9.003	PK
2	*	17010.000	49.024	30.717	-24.976	74.000	18.307	PK

Profile: 1872112R	Page No.: 163
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.938	36.934	-28.062	74.000	9.003	PK
2	*	17010.000	49.028	30.721	-24.972	74.000	18.307	PK

Profile: 1872112R	Page No.: 164
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.329	36.325	-28.671	74.000	9.003	PK
2	*	17010.000	50.384	32.077	-23.616	74.000	18.307	PK

Profile: 1872112R	Page No.: 165
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	45.298	35.477	-28.702	74.000	9.821	PK
2	*	17130.000	49.083	31.988	-24.917	74.000	17.095	PK

Profile: 1872112R	Page No.: 166
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	44.928	35.107	-29.072	74.000	9.821	PK
2	*	17130.000	49.075	31.980	-24.925	74.000	17.095	PK

Profile: 1872112R	Page No.: 167
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.383	36.015	-28.617	74.000	9.367	PK
2	*	17265.000	50.073	31.844	-23.927	74.000	18.230	PK

Profile: 1872112R	Page No.: 168
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.830	35.462	-29.170	74.000	9.367	PK
2	*	17265.000	50.398	32.169	-23.602	74.000	18.230	PK

Profile: 1872112R	Page No.: 169
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.929	35.368	-29.071	74.000	9.560	PK
2	*	17385.000	49.299	32.495	-24.701	74.000	16.803	PK

Profile: 1872112R	Page No.: 170
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.330	34.769	-29.670	74.000	9.560	PK
2	*	17385.000	49.220	32.416	-24.780	74.000	16.803	PK

Profile: 1872112R	Page No.: 171
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	45.395	37.642	-28.605	74.000	7.752	PK
2		15630.000	45.293	29.290	-28.707	74.000	16.003	PK

Profile: 1872112R	Page No.: 172
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	46.330	38.577	-27.670	74.000	7.752	PK
2		15630.000	44.293	28.290	-29.707	74.000	16.003	PK

Profile: 1872112R	Page No.: 173
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.939	37.770	-28.061	74.000	8.169	PK
2	*	15870.000	47.098	30.979	-26.902	74.000	16.119	PK

Profile: 1872112R	Page No.: 174
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.838	37.669	-28.162	74.000	8.169	PK
2	*	15870.000	46.483	30.364	-27.517	74.000	16.119	PK

Profile: 1872112R	Page No.: 175
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.983	36.306	-29.017	74.000	8.678	PK
2	*	16590.000	48.399	31.495	-25.601	74.000	16.903	PK

Profile: 1872112R	Page No.: 176
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.298	36.621	-28.702	74.000	8.678	PK
2	*	16590.000	49.088	32.184	-24.912	74.000	16.903	PK

Profile: 1872112R	Page No.: 177
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.382	35.290	-29.618	74.000	9.092	PK
2	*	17070.000	50.299	33.540	-23.701	74.000	16.759	PK

Profile: 1872112R	Page No.: 178
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.988	35.896	-29.012	74.000	9.092	PK
2	*	17070.000	49.037	32.278	-24.963	74.000	16.759	PK

Profile: 1872112R	Page No.: 179
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.984	35.650	-29.016	74.000	9.334	PK
2	*	17325.000	50.246	32.801	-23.754	74.000	17.446	PK

Profile: 1872112R	Page No.: 180
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.923	35.589	-29.077	74.000	9.334	PK
2	*	17325.000	50.987	33.542	-23.013	74.000	17.446	PK

Profile: 1872112R	Page No.: 181
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax160	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.644	37.280	-28.356	74.000	8.363	PK
2	*	15750.000	46.743	30.938	-27.257	74.000	15.806	PK

Profile: 1872112R	Page No.: 182
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax160	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.544	37.180	-28.456	74.000	8.363	PK
2	*	15750.000	47.436	31.631	-26.564	74.000	15.806	PK

Profile: 1872112R	Page No.: 183
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax160	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	46.753	38.389	-27.247	74.000	8.363	PK
2	*	15750.000	48.468	32.663	-25.532	74.000	15.806	PK

Profile: 1872112R	Page No.: 184
Engineer: Tommie	
Site: AC5	Time: 2018/08/28 - 21:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax160	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.357	36.468	-28.643	74.000	8.889	PK
2	*	16710.000	49.204	32.049	-24.796	74.000	17.154	PK