









Mode	26																																																																																																								
	Harmonic																																																																																																								
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																								
ANT	SISO																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>43.22</td><td>68.20</td><td>-24.98</td><td>57.69</td><td>37.42</td><td>15.37</td><td>67.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	43.22	68.20	-24.98	57.69	37.42	15.37	67.26	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>43.63</td><td>68.20</td><td>-24.57</td><td>58.12</td><td>37.42</td><td>15.36</td><td>67.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	43.63	68.20	-24.57	58.12	37.42	15.36	67.27	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10420.00	43.22	68.20	-24.98	57.69	37.42	15.37	67.26	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10420.00	43.63	68.20	-24.57	58.12	37.42	15.36	67.27	0.00	---	---	PEAK																																																																																													







		27																																																																																																															
Mode		Band Edge - L																																																																																																															
		U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																															
ANT		SISO																																																																																																															
Pol.	Horizontal											Fundamental																																																																																																					
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5133.28</td><td>49.28</td><td>74.00</td><td>-24.72</td><td>42.08</td><td>34.00</td><td>10.64</td><td>37.44</td><td>0.00</td><td>100</td><td>187 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5133.28	49.28	74.00	-24.72	42.08	34.00	10.64	37.44	0.00	100	187 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>94.03</td><td>-----</td><td>-----</td><td>86.31</td><td>34.30</td><td>10.79</td><td>37.37</td><td>0.00</td><td>100</td><td>187 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	94.03	-----	-----	86.31	34.30	10.79	37.37	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5133.28	49.28	74.00	-24.72	42.08	34.00	10.64	37.44	0.00	100	187 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5290.00	94.03	-----	-----	86.31	34.30	10.79	37.37	0.00	100	187 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.56</td><td>39.77</td><td>54.00</td><td>-14.23</td><td>32.55</td><td>34.02</td><td>10.64</td><td>37.44</td><td>0.00</td><td>100</td><td>187 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5138.56	39.77	54.00	-14.23	32.55	34.02	10.64	37.44	0.00	100	187 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>85.92</td><td>-----</td><td>-----</td><td>78.20</td><td>34.30</td><td>10.79</td><td>37.37</td><td>0.00</td><td>100</td><td>187 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	85.92	-----	-----	78.20	34.30	10.79	37.37	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5138.56	39.77	54.00	-14.23	32.55	34.02	10.64	37.44	0.00	100	187 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5290.00	85.92	-----	-----	78.20	34.30	10.79	37.37	0.00	100	187 AVERAGE																																																																																																						



Mode	27																																																								
	Band Edge - R																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																								
ANT	SISO																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5378.60</td><td>51.95</td><td>74.00</td><td>-22.05</td><td>44.03</td><td>34.38</td><td>10.87</td><td>37.33</td><td>0.00</td><td>100</td><td>187 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5378.60	51.95	74.00	-22.05	44.03	34.38	10.87	37.33	0.00	100	187 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5378.60	51.95	74.00	-22.05	44.03	34.38	10.87	37.33	0.00	100	187 PEAK																																														
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.50</td><td>43.79</td><td>54.00</td><td>-10.21</td><td>35.95</td><td>34.35</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>187 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.50	43.79	54.00	-10.21	35.95	34.35	10.84	37.35	0.00	100	187 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5350.50	43.79	54.00	-10.21	35.95	34.35	10.84	37.35	0.00	100	187 AVERAGE																																														





	27																																																										
Mode	Band Edge - L																																																										
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																										
ANT	SISO																																																										
Pol.	Vertical						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5106.24</td><td>50.17</td><td>74.00</td><td>-23.83</td><td>43.09</td><td>33.92</td><td>10.61</td><td>37.45</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5106.24	50.17	74.00	-23.83	43.09	33.92	10.61	37.45	0.00	100	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 5106.24	50.17	74.00	-23.83	43.09	33.92	10.61	37.45	0.00	100	100	PEAK																																																
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5290.00</td><td>90.60</td><td>-----</td><td>-----</td><td>90.88</td><td>34.30</td><td>10.79</td><td>37.37</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5290.00	90.60	-----	-----	90.88	34.30	10.79	37.37	0.00	100	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 5290.00	90.60	-----	-----	90.88	34.30	10.79	37.37	0.00	100	100	PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5138.24</td><td>40.70</td><td>54.00</td><td>-13.30</td><td>33.49</td><td>34.01</td><td>10.64</td><td>37.44</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5138.24	40.70	54.00	-13.30	33.49	34.01	10.64	37.44	0.00	100	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 5138.24	40.70	54.00	-13.30	33.49	34.01	10.64	37.44	0.00	100	100	AVERAGE																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5290.00</td><td>90.34</td><td>-----</td><td>-----</td><td>82.64</td><td>34.29</td><td>10.78</td><td>37.37</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5290.00	90.34	-----	-----	82.64	34.29	10.78	37.37	0.00	100	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 5290.00	90.34	-----	-----	82.64	34.29	10.78	37.37	0.00	100	100	AVERAGE																																																







Mode	27																																																								
	Band Edge - R																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																								
ANT	SISO																																																								
Pol.	Vertical						Fundamental																																																		
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.00</td><td>55.96</td><td>74.00</td><td>-18.04</td><td>48.12</td><td>34.35</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5354.00	55.96	74.00	-18.04	48.12	34.35	10.84	37.35	0.00	100	100	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5354.00	55.96	74.00	-18.04	48.12	34.35	10.84	37.35	0.00	100	100	PEAK																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>39.18</td><td>34.35</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	47.02	54.00	-6.98	39.18	34.35	10.84	37.35	0.00	100	100	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5350.00	47.02	54.00	-6.98	39.18	34.35	10.84	37.35	0.00	100	100	AVERAGE																																													




Mode	27																																																																																																								
	Harmonic																																																																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																								
ANT	SISO																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>42.43</td><td>68.20</td><td>-25.77</td><td>56.69</td><td>37.48</td><td>15.43</td><td>67.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	42.43	68.20	-25.77	56.69	37.48	15.43	67.17	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>42.31</td><td>68.20</td><td>-25.89</td><td>56.57</td><td>37.48</td><td>15.43</td><td>67.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	42.31	68.20	-25.89	56.57	37.48	15.43	67.17	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10580.00	42.43	68.20	-25.77	56.69	37.48	15.43	67.17	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10580.00	42.31	68.20	-25.89	56.57	37.48	15.43	67.17	0.00	---	---	PEAK																																																																																													







Mode	28																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																													
ANT	SISO																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.84</td><td>51.47</td><td>74.00</td><td>-22.53</td><td>43.46</td><td>34.34</td><td>10.97</td><td>37.30</td><td>0.00</td><td>271 198 PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>51.13</td><td>68.20</td><td>-17.07</td><td>43.11</td><td>34.33</td><td>10.98</td><td>37.29</td><td>0.00</td><td>271 198 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	51.47	74.00	-22.53	43.46	34.34	10.97	37.30	0.00	271 198 PEAK	2	5469.52	51.13	68.20	-17.07	43.11	34.33	10.98	37.29	0.00	271 198 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>97.29</td><td>-----</td><td>-----</td><td>89.16</td><td>34.35</td><td>11.05</td><td>37.27</td><td>0.00</td><td>271 198 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.29	-----	-----	89.16	34.35	11.05	37.27	0.00	271 198 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5457.84	51.47	74.00	-22.53	43.46	34.34	10.97	37.30	0.00	271 198 PEAK																																																																																																				
2	5469.52	51.13	68.20	-17.07	43.11	34.33	10.98	37.29	0.00	271 198 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5530.00	97.29	-----	-----	89.16	34.35	11.05	37.27	0.00	271 198 PEAK																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>41.76</td><td>54.00</td><td>-12.24</td><td>33.76</td><td>34.34</td><td>10.96</td><td>37.30</td><td>0.00</td><td>271 198 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	41.76	54.00	-12.24	33.76	34.34	10.96	37.30	0.00	271 198 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>88.84</td><td>-----</td><td>-----</td><td>80.67</td><td>34.37</td><td>11.07</td><td>37.27</td><td>0.00</td><td>271 198 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	88.84	-----	-----	80.67	34.37	11.07	37.27	0.00	271 198 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5457.52	41.76	54.00	-12.24	33.76	34.34	10.96	37.30	0.00	271 198 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5530.00	88.84	-----	-----	80.67	34.37	11.07	37.27	0.00	271 198 AVERAGE																																																																																																				




Mode	28																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																								
ANT	SISO																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5757.32</td><td>49.76</td><td>68.20</td><td>-18.44</td><td>41.46</td><td>34.59</td><td>11.38</td><td>37.67</td><td>0.00</td><td>271</td><td>198</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5757.32	49.76	68.20	-18.44	41.46	34.59	11.38	37.67	0.00	271	198	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5757.32	49.76	68.20	-18.44	41.46	34.59	11.38	37.67	0.00	271	198																																														





		28																																																																																																									
Mode	Band Edge - L																																																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																										
ANT	SISO																																																																																																										
Pol.	Vertical					Fundamental																																																																																																					
Peak																																																																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	53.64	74.00	-20.36	45.63	34.34	10.97	37.30	0.00	109	95 PEAK	2	5466.16	54.00	68.20	-14.20	45.99	34.33	10.98	37.30	0.00	109	95 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>100.20</td><td>-----</td><td>-----</td><td>92.03</td><td>34.37</td><td>11.07</td><td>37.27</td><td>0.00</td><td>109</td><td>95 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.20	-----	-----	92.03	34.37	11.07	37.27	0.00	109
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5458.64	53.64	74.00	-20.36	45.63	34.34	10.97	37.30	0.00	109	95 PEAK																																																																																																
2	5466.16	54.00	68.20	-14.20	45.99	34.33	10.98	37.30	0.00	109	95 PEAK																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5530.00	100.20	-----	-----	92.03	34.37	11.07	37.27	0.00	109	95 PEAK																																																																																																
Avg																																																																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	44.86	54.00	-9.14	36.85	34.34	10.97	37.30	0.00	109	95 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>91.36</td><td>-----</td><td>-----</td><td>83.21</td><td>34.36</td><td>11.06</td><td>37.27</td><td>0.00</td><td>109</td><td>95 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.36	-----	-----	83.21	34.36	11.06	37.27	0.00	109	95 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5458.00	44.86	54.00	-9.14	36.85	34.34	10.97	37.30	0.00	109	95 AVERAGE																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5530.00	91.36	-----	-----	83.21	34.36	11.06	37.27	0.00	109	95 AVERAGE																																																																																																





Mode	28																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																									
ANT	SISO																																																									
Pol.	Vertical						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.56</td><td>49.40</td><td>68.20</td><td>-18.80</td><td>41.17</td><td>34.47</td><td>11.34</td><td>37.58</td><td>0.00</td><td>109</td><td>95</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.56	49.40	68.20	-18.80	41.17	34.47	11.34	37.58	0.00	109	95	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5733.56	49.40	68.20	-18.80	41.17	34.47	11.34	37.58	0.00	109	95	PEAK																																														



		28																																																										
Mode		Harmonic																																																										
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																										
ANT		SISO																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.15</td><td>74.00</td><td>-29.85</td><td>57.29</td><td>37.85</td><td>15.80</td><td>66.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg	1	11060.00	44.15	74.00	-29.85	57.29	37.85	15.80	66.79	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg																																																	
1	11060.00	44.15	74.00	-29.85	57.29	37.85	15.80	66.79	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>42.88</td><td>74.00</td><td>-31.12</td><td>56.02</td><td>37.85</td><td>15.80</td><td>66.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg	1	11060.00	42.88	74.00	-31.12	56.02	37.85	15.80	66.79	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg																																																	
1	11060.00	42.88	74.00	-31.12	56.02	37.85	15.80	66.79	0.00	---	---	PEAK																																																






Mode	22																																																																																																																																																																																																																																						
	LF																																																																																																																																																																																																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																																																																																																																																																						
ANT	SISO																																																																																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																
Peak																																																																																																																																																																																																																																							
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>32.67</td><td>20.82</td><td>40.00</td><td>-19.18</td><td>29.55</td><td>23.70</td><td>0.36</td><td>32.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>111.72</td><td>19.67</td><td>43.50</td><td>-23.83</td><td>34.26</td><td>17.02</td><td>1.05</td><td>32.66</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>174.05</td><td>24.58</td><td>43.50</td><td>-18.92</td><td>40.52</td><td>15.41</td><td>1.38</td><td>32.73</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>233.94</td><td>28.85</td><td>46.00</td><td>-17.15</td><td>43.45</td><td>16.65</td><td>1.60</td><td>32.85</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>493.90</td><td>28.35</td><td>46.00</td><td>-17.65</td><td>35.33</td><td>23.84</td><td>2.32</td><td>33.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>915.61</td><td>29.38</td><td>46.00</td><td>-16.62</td><td>28.90</td><td>29.46</td><td>3.15</td><td>32.13</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	32.67	20.82	40.00	-19.18	29.55	23.70	0.36	32.79	0.00	---	---	Peak	2	111.72	19.67	43.50	-23.83	34.26	17.02	1.05	32.66	0.00	---	---	Peak	3	174.05	24.58	43.50	-18.92	40.52	15.41	1.38	32.73	0.00	---	---	Peak	4	233.94	28.85	46.00	-17.15	43.45	16.65	1.60	32.85	0.00	---	---	Peak	5	493.90	28.35	46.00	-17.65	35.33	23.84	2.32	33.14	0.00	---	---	Peak	6	915.61	29.38	46.00	-16.62	28.90	29.46	3.15	32.13	0.00	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>24.45</td><td>40.00</td><td>-15.55</td><td>31.79</td><td>25.11</td><td>0.36</td><td>32.81</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>105.90</td><td>17.75</td><td>43.50</td><td>-25.75</td><td>32.75</td><td>16.61</td><td>1.05</td><td>32.66</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>178.90</td><td>21.14</td><td>43.50</td><td>-22.36</td><td>37.52</td><td>14.98</td><td>1.38</td><td>32.74</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>441.52</td><td>26.66</td><td>46.00</td><td>-19.34</td><td>34.69</td><td>22.79</td><td>2.23</td><td>33.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>673.35</td><td>25.86</td><td>46.00</td><td>-20.14</td><td>29.96</td><td>26.47</td><td>2.68</td><td>33.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>898.39</td><td>35.61</td><td>46.00</td><td>-10.39</td><td>35.87</td><td>28.97</td><td>3.12</td><td>32.35</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.00	24.45	40.00	-15.55	31.79	25.11	0.36	32.81	0.00	---	---	Peak	2	105.90	17.75	43.50	-25.75	32.75	16.61	1.05	32.66	0.00	---	---	Peak	3	178.90	21.14	43.50	-22.36	37.52	14.98	1.38	32.74	0.00	---	---	Peak	4	441.52	26.66	46.00	-19.34	34.69	22.79	2.23	33.05	0.00	---	---	Peak	5	673.35	25.86	46.00	-20.14	29.96	26.47	2.68	33.25	0.00	---	---	Peak	6	898.39	35.61	46.00	-10.39	35.87	28.97	3.12	32.35	0.00	---	---
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																												
1	32.67	20.82	40.00	-19.18	29.55	23.70	0.36	32.79	0.00	---	---	Peak																																																																																																																																																																																																																											
2	111.72	19.67	43.50	-23.83	34.26	17.02	1.05	32.66	0.00	---	---	Peak																																																																																																																																																																																																																											
3	174.05	24.58	43.50	-18.92	40.52	15.41	1.38	32.73	0.00	---	---	Peak																																																																																																																																																																																																																											
4	233.94	28.85	46.00	-17.15	43.45	16.65	1.60	32.85	0.00	---	---	Peak																																																																																																																																																																																																																											
5	493.90	28.35	46.00	-17.65	35.33	23.84	2.32	33.14	0.00	---	---	Peak																																																																																																																																																																																																																											
6	915.61	29.38	46.00	-16.62	28.90	29.46	3.15	32.13	0.00	---	---	Peak																																																																																																																																																																																																																											
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																												
1	30.00	24.45	40.00	-15.55	31.79	25.11	0.36	32.81	0.00	---	---	Peak																																																																																																																																																																																																																											
2	105.90	17.75	43.50	-25.75	32.75	16.61	1.05	32.66	0.00	---	---	Peak																																																																																																																																																																																																																											
3	178.90	21.14	43.50	-22.36	37.52	14.98	1.38	32.74	0.00	---	---	Peak																																																																																																																																																																																																																											
4	441.52	26.66	46.00	-19.34	34.69	22.79	2.23	33.05	0.00	---	---	Peak																																																																																																																																																																																																																											
5	673.35	25.86	46.00	-20.14	29.96	26.47	2.68	33.25	0.00	---	---	Peak																																																																																																																																																																																																																											
6	898.39	35.61	46.00	-10.39	35.87	28.97	3.12	32.35	0.00	---	---	Peak																																																																																																																																																																																																																											






Mode	22	
	18-40G	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz	
ANT	SISO	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	29																																																																																																												
	Band Edge																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																												
ANT	SISO																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5645.20</td><td>51.33</td><td>68.20</td><td>-16.87</td><td>42.95</td><td>34.41</td><td>11.21</td><td>37.24</td><td>0.00</td><td>278 196 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>50.68</td><td>68.50</td><td>-17.82</td><td>42.32</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>278 196 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>57.66</td><td>105.41</td><td>-47.75</td><td>49.52</td><td>34.30</td><td>11.29</td><td>37.45</td><td>0.00</td><td>278 196 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>61.59</td><td>111.81</td><td>-50.22</td><td>53.40</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>278 196 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5645.20	51.33	68.20	-16.87	42.95	34.41	11.21	37.24	0.00	278 196 PEAK	2	5650.40	50.68	68.50	-17.82	42.32	34.40	11.22	37.26	0.00	278 196 PEAK	3	5700.40	57.66	105.41	-47.75	49.52	34.30	11.29	37.45	0.00	278 196 PEAK	4	5720.40	61.59	111.81	-50.22	53.40	34.40	11.32	37.53	0.00	278 196 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5745.00</td><td>106.37</td><td>-----</td><td>-----</td><td>98.11</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>278 196 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	106.37	-----	-----	98.11	34.53	11.36	37.63	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
1	5645.20	51.33	68.20	-16.87	42.95	34.41	11.21	37.24	0.00	278 196 PEAK																																																																																																			
2	5650.40	50.68	68.50	-17.82	42.32	34.40	11.22	37.26	0.00	278 196 PEAK																																																																																																			
3	5700.40	57.66	105.41	-47.75	49.52	34.30	11.29	37.45	0.00	278 196 PEAK																																																																																																			
4	5720.40	61.59	111.81	-50.22	53.40	34.40	11.32	37.53	0.00	278 196 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
1	5745.00	106.37	-----	-----	98.11	34.53	11.36	37.63	0.00	278 196 PEAK																																																																																																			
Avg	Blank																																																																																																												
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5745.00</td><td>99.29</td><td>-----</td><td>-----</td><td>91.03</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>278 196 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	99.29	-----	-----	91.03	34.53	11.36	37.63	0.00	278 196 AVERAGE																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
1	5745.00	99.29	-----	-----	91.03	34.53	11.36	37.63	0.00	278 196 AVERAGE																																																																																																			





Mode	29																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																		
ANT	SISO																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5641.60</td><td>51.01</td><td>68.20</td><td>-17.19</td><td>42.61</td><td>34.42</td><td>11.21</td><td>37.23</td><td>0.00</td><td>175</td><td>143 PEAK</td></tr><tr><td>2 5653.60</td><td>51.24</td><td>70.88</td><td>-19.64</td><td>42.89</td><td>34.39</td><td>11.23</td><td>37.27</td><td>0.00</td><td>175</td><td>143 PEAK</td></tr><tr><td>3 5701.60</td><td>57.23</td><td>105.75</td><td>-48.52</td><td>49.09</td><td>34.31</td><td>11.29</td><td>37.46</td><td>0.00</td><td>175</td><td>143 PEAK</td></tr><tr><td>4 5721.60</td><td>61.77</td><td>114.55</td><td>-52.78</td><td>53.58</td><td>34.41</td><td>11.32</td><td>37.54</td><td>0.00</td><td>175</td><td>143 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5641.60	51.01	68.20	-17.19	42.61	34.42	11.21	37.23	0.00	175	143 PEAK	2 5653.60	51.24	70.88	-19.64	42.89	34.39	11.23	37.27	0.00	175	143 PEAK	3 5701.60	57.23	105.75	-48.52	49.09	34.31	11.29	37.46	0.00	175	143 PEAK	4 5721.60	61.77	114.55	-52.78	53.58	34.41	11.32	37.54	0.00	175	143 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>107.31</td><td>-----</td><td>-----</td><td>99.05</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>175</td><td>143 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	107.31	-----	-----	99.05	34.53	11.36	37.63	0.00	175
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5641.60	51.01	68.20	-17.19	42.61	34.42	11.21	37.23	0.00	175	143 PEAK																																																																																																																									
2 5653.60	51.24	70.88	-19.64	42.89	34.39	11.23	37.27	0.00	175	143 PEAK																																																																																																																									
3 5701.60	57.23	105.75	-48.52	49.09	34.31	11.29	37.46	0.00	175	143 PEAK																																																																																																																									
4 5721.60	61.77	114.55	-52.78	53.58	34.41	11.32	37.54	0.00	175	143 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	107.31	-----	-----	99.05	34.53	11.36	37.63	0.00	175	143 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>99.19</td><td>-----</td><td>-----</td><td>90.93</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>175</td><td>143 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	99.19	-----	-----	90.93	34.53	11.36	37.63	0.00	175	143 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	99.19	-----	-----	90.93	34.53	11.36	37.63	0.00	175	143 AVERAGE																																																																																																																									





		29																																																										
Mode		Harmonic																																																										
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																										
ANT		SISO																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>56.54</td><td>38.24</td><td>16.12</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.20	74.00	-29.80	56.54	38.24	16.12	66.70	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11490.00	44.20	74.00	-29.80	56.54	38.24	16.12	66.70	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.42</td><td>74.00</td><td>-30.58</td><td>55.76</td><td>38.24</td><td>16.12</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	43.42	74.00	-30.58	55.76	38.24	16.12	66.70	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11490.00	43.42	74.00	-30.58	55.76	38.24	16.12	66.70	0.00	---	---	PEAK																																																






Mode	30																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																								
ANT	SISO																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>56.49</td><td>38.31</td><td>16.18</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.41	74.00	-29.59	56.49	38.31	16.18	66.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.14</td><td>74.00</td><td>-29.86</td><td>56.22</td><td>38.31</td><td>16.18</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.14	74.00	-29.86	56.22	38.31	16.18	66.57	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11570.00	44.41	74.00	-29.59	56.49	38.31	16.18	66.57	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11570.00	44.14	74.00	-29.86	56.22	38.31	16.18	66.57	0.00	---	---	PEAK																																																																																													





		31																																																																																											
Mode		Band Edge																																																																																											
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																											
ANT		SISO																																																																																											
Pol.		Horizontal																																																																																											
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>55.02</td><td>112.27</td><td>-57.25</td><td>46.44</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>306</td><td>206 PEAK</td></tr><tr><td>2</td><td>5860.00</td><td>55.68</td><td>109.50</td><td>-53.82</td><td>47.07</td><td>34.86</td><td>11.50</td><td>37.75</td><td>0.00</td><td>306</td><td>206 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>47.09</td><td>68.64</td><td>-21.55</td><td>38.23</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>306</td><td>206 PEAK</td></tr><tr><td>4</td><td>5938.40</td><td>48.70</td><td>68.20</td><td>-19.50</td><td>39.76</td><td>35.02</td><td>11.56</td><td>37.64</td><td>0.00</td><td>306</td><td>206 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	55.02	112.27	-57.25	46.44	34.85	11.49	37.76	0.00	306	206 PEAK	2	5860.00	55.68	109.50	-53.82	47.07	34.86	11.50	37.75	0.00	306	206 PEAK	3	5924.40	47.09	68.64	-21.55	38.23	34.97	11.55	37.66	0.00	306	206 PEAK	4	5938.40	48.70	68.20	-19.50	39.76	35.02	11.56	37.64	0.00	306	206 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5854.40	55.02	112.27	-57.25	46.44	34.85	11.49	37.76	0.00	306	206 PEAK																																																																																		
2	5860.00	55.68	109.50	-53.82	47.07	34.86	11.50	37.75	0.00	306	206 PEAK																																																																																		
3	5924.40	47.09	68.64	-21.55	38.23	34.97	11.55	37.66	0.00	306	206 PEAK																																																																																		
4	5938.40	48.70	68.20	-19.50	39.76	35.02	11.56	37.64	0.00	306	206 PEAK																																																																																		
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.36</td><td>-----</td><td>-----</td><td>95.88</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>306</td><td>206 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.36	-----	-----	95.88	34.82	11.47	37.81	0.00	306	206 PEAK																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5825.00	104.36	-----	-----	95.88	34.82	11.47	37.81	0.00	306	206 PEAK																																																																																		
Avg	Blank																																																																																												
																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.86</td><td>-----</td><td>-----</td><td>87.38</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>306</td><td>206 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.86	-----	-----	87.38	34.82	11.47	37.81	0.00	306	206 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5825.00	95.86	-----	-----	87.38	34.82	11.47	37.81	0.00	306	206 AVERAGE																																																																																		






Mode	31																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	SISO																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>56.90</td><td>111.36</td><td>-54.46</td><td>48.32</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>117</td><td>144 PEAK</td></tr><tr><td>2 5873.20</td><td>53.54</td><td>105.80</td><td>-52.26</td><td>44.89</td><td>34.87</td><td>11.51</td><td>37.73</td><td>0.00</td><td>117</td><td>144 PEAK</td></tr><tr><td>3 5924.00</td><td>48.90</td><td>68.35</td><td>-19.45</td><td>40.04</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>117</td><td>144 PEAK</td></tr><tr><td>4 5929.60</td><td>51.88</td><td>68.20</td><td>-16.32</td><td>42.99</td><td>34.99</td><td>11.55</td><td>37.65</td><td>0.00</td><td>117</td><td>144 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	56.90	111.36	-54.46	48.32	34.85	11.49	37.76	0.00	117	144 PEAK	2 5873.20	53.54	105.80	-52.26	44.89	34.87	11.51	37.73	0.00	117	144 PEAK	3 5924.00	48.90	68.35	-19.45	40.04	34.97	11.55	37.66	0.00	117	144 PEAK	4 5929.60	51.88	68.20	-16.32	42.99	34.99	11.55	37.65	0.00	117	144 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.91</td><td>-----</td><td>-----</td><td>99.43</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>117</td><td>144 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	107.91	-----	-----	99.43	34.82	11.47	37.81	0.00	117	144 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.00	56.90	111.36	-54.46	48.32	34.85	11.49	37.76	0.00	117	144 PEAK																																																																																																																										
2 5873.20	53.54	105.80	-52.26	44.89	34.87	11.51	37.73	0.00	117	144 PEAK																																																																																																																										
3 5924.00	48.90	68.35	-19.45	40.04	34.97	11.55	37.66	0.00	117	144 PEAK																																																																																																																										
4 5929.60	51.88	68.20	-16.32	42.99	34.99	11.55	37.65	0.00	117	144 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	107.91	-----	-----	99.43	34.82	11.47	37.81	0.00	117	144 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.18</td><td>-----</td><td>-----</td><td>90.70</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>117</td><td>144 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	99.18	-----	-----	90.70	34.82	11.47	37.81	0.00	117	144 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	99.18	-----	-----	90.70	34.82	11.47	37.81	0.00	117	144 AVERAGE																																																																																																																										







Mode	31																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																								
ANT	SISO																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>56.70</td><td>38.38</td><td>16.23</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	44.88	74.00	-29.12	56.70	38.38	16.23	66.43	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>56.12</td><td>38.38</td><td>16.23</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	44.30	74.00	-29.70	56.12	38.38	16.23	66.43	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11650.00	44.88	74.00	-29.12	56.70	38.38	16.23	66.43	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11650.00	44.30	74.00	-29.70	56.12	38.38	16.23	66.43	0.00	---	---	PEAK																																																																																													





Mode	32																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																				
ANT	SISO																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5636.00</td><td>50.86</td><td>68.20</td><td>-17.34</td><td>42.45</td><td>34.43</td><td>11.20</td><td>37.22</td><td>0.00</td><td>284</td><td>197</td><td>PEAK</td></tr><tr><td>2 5651.20</td><td>49.23</td><td>69.09</td><td>-19.86</td><td>40.87</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>284</td><td>197</td><td>PEAK</td></tr><tr><td>3 5710.00</td><td>56.37</td><td>108.10</td><td>-51.73</td><td>48.20</td><td>34.35</td><td>11.31</td><td>37.49</td><td>0.00</td><td>284</td><td>197</td><td>PEAK</td></tr><tr><td>4 5721.20</td><td>56.94</td><td>113.64</td><td>-56.70</td><td>48.74</td><td>34.41</td><td>11.32</td><td>37.53</td><td>0.00</td><td>284</td><td>197</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5636.00	50.86	68.20	-17.34	42.45	34.43	11.20	37.22	0.00	284	197	PEAK	2 5651.20	49.23	69.09	-19.86	40.87	34.40	11.22	37.26	0.00	284	197	PEAK	3 5710.00	56.37	108.10	-51.73	48.20	34.35	11.31	37.49	0.00	284	197	PEAK	4 5721.20	56.94	113.64	-56.70	48.74	34.41	11.32	37.53	0.00	284	197	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>104.27</td><td>-----</td><td>-----</td><td>96.01</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>284</td><td>197</td><td>PEAK</td></tr></tbody></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	104.27	-----	-----	96.01	34.53	11.36	37.63	0.00	284	197	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5636.00	50.86	68.20	-17.34	42.45	34.43	11.20	37.22	0.00	284	197	PEAK																																																																																																																										
2 5651.20	49.23	69.09	-19.86	40.87	34.40	11.22	37.26	0.00	284	197	PEAK																																																																																																																										
3 5710.00	56.37	108.10	-51.73	48.20	34.35	11.31	37.49	0.00	284	197	PEAK																																																																																																																										
4 5721.20	56.94	113.64	-56.70	48.74	34.41	11.32	37.53	0.00	284	197	PEAK																																																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5745.00	104.27	-----	-----	96.01	34.53	11.36	37.63	0.00	284	197	PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>96.60</td><td>-----</td><td>-----</td><td>88.34</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>284</td><td>197</td><td>AVERAGE</td></tr></tbody></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	96.60	-----	-----	88.34	34.53	11.36	37.63	0.00	284	197	AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5745.00	96.60	-----	-----	88.34	34.53	11.36	37.63	0.00	284	197	AVERAGE																																																																																																																										





Mode	32																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																													
ANT	SISO																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5638.40</td><td>49.92</td><td>68.20</td><td>-18.28</td><td>41.52</td><td>34.42</td><td>11.20</td><td>37.22</td><td>0.00</td><td>127</td><td>142</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>51.17</td><td>69.39</td><td>-18.22</td><td>42.81</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>127</td><td>142</td><td>PEAK</td></tr><tr><td>3</td><td>5712.40</td><td>56.92</td><td>108.77</td><td>-51.85</td><td>48.75</td><td>34.36</td><td>11.31</td><td>37.50</td><td>0.00</td><td>127</td><td>142</td><td>PEAK</td></tr><tr><td>4</td><td>5728.00</td><td>55.49</td><td>110.90</td><td>-55.41</td><td>47.30</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>127</td><td>142</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5638.40	49.92	68.20	-18.28	41.52	34.42	11.20	37.22	0.00	127	142	PEAK	2	5651.60	51.17	69.39	-18.22	42.81	34.40	11.22	37.26	0.00	127	142	PEAK	3	5712.40	56.92	108.77	-51.85	48.75	34.36	11.31	37.50	0.00	127	142	PEAK	4	5728.00	55.49	110.90	-55.41	47.30	34.40	11.32	37.53	0.00	127	142	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.48</td><td>-----</td><td>-----</td><td>97.22</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>127</td><td>142</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.48	-----	-----	97.22	34.53	11.36	37.63	0.00	127	142
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5638.40	49.92	68.20	-18.28	41.52	34.42	11.20	37.22	0.00	127	142	PEAK																																																																																																																																		
2	5651.60	51.17	69.39	-18.22	42.81	34.40	11.22	37.26	0.00	127	142	PEAK																																																																																																																																		
3	5712.40	56.92	108.77	-51.85	48.75	34.36	11.31	37.50	0.00	127	142	PEAK																																																																																																																																		
4	5728.00	55.49	110.90	-55.41	47.30	34.40	11.32	37.53	0.00	127	142	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5745.00	105.48	-----	-----	97.22	34.53	11.36	37.63	0.00	127	142	PEAK																																																																																																																																		
Avg																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.08</td><td>-----</td><td>-----</td><td>88.82</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>127</td><td>142</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.08	-----	-----	88.82	34.53	11.36	37.63	0.00	127	142	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.08</td><td>-----</td><td>-----</td><td>88.82</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>127</td><td>142</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.08	-----	-----	88.82	34.53	11.36	37.63	0.00	127	142	AVERAGE																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5745.00	97.08	-----	-----	88.82	34.53	11.36	37.63	0.00	127	142	AVERAGE																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5745.00	97.08	-----	-----	88.82	34.53	11.36	37.63	0.00	127	142	AVERAGE																																																																																																																																		






Mode	32																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																								
ANT	SISO																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>56.64</td><td>38.24</td><td>16.12</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.30	74.00	-29.70	56.64	38.24	16.12	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>57.12</td><td>38.24</td><td>16.12</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.78	74.00	-29.22	57.12	38.24	16.12	66.70	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11490.00	44.30	74.00	-29.70	56.64	38.24	16.12	66.70	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11490.00	44.78	74.00	-29.22	57.12	38.24	16.12	66.70	0.00	---	---	PEAK																																																																																													






		33																																																										
Mode		Harmonic																																																										
		U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																										
ANT		SISO																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.87</td><td>74.00</td><td>-29.13</td><td>56.95</td><td>38.31</td><td>16.18</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.87	74.00	-29.13	56.95	38.31	16.18	66.57	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11570.00	44.87	74.00	-29.13	56.95	38.31	16.18	66.57	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>56.78</td><td>38.31</td><td>16.18</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.70	74.00	-29.30	56.78	38.31	16.18	66.57	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11570.00	44.70	74.00	-29.30	56.78	38.31	16.18	66.57	0.00	---	---	PEAK																																																





Mode	34																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																												
ANT	SISO																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>53.24</td><td>111.36</td><td>-58.12</td><td>44.66</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>293</td><td>201</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>49.45</td><td>105.80</td><td>-56.35</td><td>40.80</td><td>34.87</td><td>11.51</td><td>37.73</td><td>0.00</td><td>293</td><td>201</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.04</td><td>68.35</td><td>-21.31</td><td>38.18</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>293</td><td>201</td><td>PEAK</td></tr><tr><td>4</td><td>5926.00</td><td>49.62</td><td>68.20</td><td>-18.58</td><td>40.75</td><td>34.98</td><td>11.55</td><td>37.66</td><td>0.00</td><td>293</td><td>201</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.00	53.24	111.36	-58.12	44.66	34.85	11.49	37.76	0.00	293	201	PEAK	2	5873.20	49.45	105.80	-56.35	40.80	34.87	11.51	37.73	0.00	293	201	PEAK	3	5924.00	47.04	68.35	-21.31	38.18	34.97	11.55	37.66	0.00	293	201	PEAK	4	5926.00	49.62	68.20	-18.58	40.75	34.98	11.55	37.66	0.00	293	201	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.79</td><td>-----</td><td>-----</td><td>94.31</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>293</td><td>201</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	102.79	-----	-----	94.31	34.82	11.47	37.81	0.00	293	201	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																		
1	5854.00	53.24	111.36	-58.12	44.66	34.85	11.49	37.76	0.00	293	201	PEAK																																																																																																																	
2	5873.20	49.45	105.80	-56.35	40.80	34.87	11.51	37.73	0.00	293	201	PEAK																																																																																																																	
3	5924.00	47.04	68.35	-21.31	38.18	34.97	11.55	37.66	0.00	293	201	PEAK																																																																																																																	
4	5926.00	49.62	68.20	-18.58	40.75	34.98	11.55	37.66	0.00	293	201	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																		
1	5825.00	102.79	-----	-----	94.31	34.82	11.47	37.81	0.00	293	201	PEAK																																																																																																																	
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>93.91</td><td>-----</td><td>-----</td><td>85.43</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>293</td><td>201</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	93.91	-----	-----	85.43	34.82	11.47	37.81	0.00	293	201	AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																		
1	5825.00	93.91	-----	-----	85.43	34.82	11.47	37.81	0.00	293	201	AVERAGE																																																																																																																	






Mode	34																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																			
ANT	SISO																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>51.50</td><td>111.36</td><td>-59.86</td><td>42.92</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>100</td><td>145 PEAK</td></tr><tr><td>2 5858.40</td><td>57.69</td><td>109.95</td><td>-52.26</td><td>49.09</td><td>34.86</td><td>11.50</td><td>37.76</td><td>0.00</td><td>100</td><td>145 PEAK</td></tr><tr><td>3 5924.40</td><td>50.02</td><td>68.64</td><td>-18.62</td><td>41.16</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>145 PEAK</td></tr><tr><td>4 5930.40</td><td>50.15</td><td>68.20</td><td>-18.05</td><td>41.26</td><td>34.99</td><td>11.55</td><td>37.65</td><td>0.00</td><td>100</td><td>145 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	51.50	111.36	-59.86	42.92	34.85	11.49	37.76	0.00	100	145 PEAK	2 5858.40	57.69	109.95	-52.26	49.09	34.86	11.50	37.76	0.00	100	145 PEAK	3 5924.40	50.02	68.64	-18.62	41.16	34.97	11.55	37.66	0.00	100	145 PEAK	4 5930.40	50.15	68.20	-18.05	41.26	34.99	11.55	37.65	0.00	100	145 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.17</td><td>-----</td><td>-----</td><td>95.67</td><td>34.83</td><td>11.47</td><td>37.80</td><td>0.00</td><td>100</td><td>145 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	104.17	-----	-----	95.67	34.83	11.47	37.80	0.00	100	145 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.00	51.50	111.36	-59.86	42.92	34.85	11.49	37.76	0.00	100	145 PEAK																																																																																																																										
2 5858.40	57.69	109.95	-52.26	49.09	34.86	11.50	37.76	0.00	100	145 PEAK																																																																																																																										
3 5924.40	50.02	68.64	-18.62	41.16	34.97	11.55	37.66	0.00	100	145 PEAK																																																																																																																										
4 5930.40	50.15	68.20	-18.05	41.26	34.99	11.55	37.65	0.00	100	145 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	104.17	-----	-----	95.67	34.83	11.47	37.80	0.00	100	145 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>95.73</td><td>-----</td><td>-----</td><td>87.25</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>100</td><td>145 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	95.73	-----	-----	87.25	34.82	11.47	37.81	0.00	100	145 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	95.73	-----	-----	87.25	34.82	11.47	37.81	0.00	100	145 AVERAGE																																																																																																																										




Mode	34																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																								
ANT	SISO																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>56.26</td><td>38.38</td><td>16.23</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	44.44	74.00	-29.56	56.26	38.38	16.23	66.43	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>56.51</td><td>38.38</td><td>16.23</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	44.69	74.00	-29.31	56.51	38.38	16.23	66.43	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11650.00	44.44	74.00	-29.56	56.26	38.38	16.23	66.43	0.00	---	---	PEAK																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11650.00	44.69	74.00	-29.31	56.51	38.38	16.23	66.43	0.00	---	---	PEAK																																																																																														






Mode	35																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																														
ANT	SISO																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.90</td><td>54.32</td><td>68.20</td><td>-13.88</td><td>45.95</td><td>34.40</td><td>11.22</td><td>37.25</td><td>0.00</td><td>278</td><td>197</td><td>PEAK</td></tr><tr><td>2</td><td>5650.53</td><td>50.78</td><td>68.59</td><td>-17.81</td><td>42.42</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>278</td><td>197</td><td>PEAK</td></tr><tr><td>3</td><td>5719.66</td><td>72.80</td><td>110.81</td><td>-38.01</td><td>64.61</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>278</td><td>197</td><td>PEAK</td></tr><tr><td>4</td><td>5722.76</td><td>68.87</td><td>117.19</td><td>-48.32</td><td>60.67</td><td>34.41</td><td>11.33</td><td>37.54</td><td>0.00</td><td>278</td><td>197</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.90	54.32	68.20	-13.88	45.95	34.40	11.22	37.25	0.00	278	197	PEAK	2	5650.53	50.78	68.59	-17.81	42.42	34.40	11.22	37.26	0.00	278	197	PEAK	3	5719.66	72.80	110.81	-38.01	64.61	34.40	11.32	37.53	0.00	278	197	PEAK	4	5722.76	68.87	117.19	-48.32	60.67	34.41	11.33	37.54	0.00	278	197	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>101.73</td><td>-----</td><td>-----</td><td>93.45</td><td>34.56</td><td>11.37</td><td>37.65</td><td>0.00</td><td>278</td><td>197</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.73	-----	-----	93.45	34.56	11.37	37.65	0.00	278	197	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5647.90	54.32	68.20	-13.88	45.95	34.40	11.22	37.25	0.00	278	197	PEAK																																																																																																																																			
2	5650.53	50.78	68.59	-17.81	42.42	34.40	11.22	37.26	0.00	278	197	PEAK																																																																																																																																			
3	5719.66	72.80	110.81	-38.01	64.61	34.40	11.32	37.53	0.00	278	197	PEAK																																																																																																																																			
4	5722.76	68.87	117.19	-48.32	60.67	34.41	11.33	37.54	0.00	278	197	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5755.00	101.73	-----	-----	93.45	34.56	11.37	37.65	0.00	278	197	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>92.96</td><td>-----</td><td>-----</td><td>84.68</td><td>34.56</td><td>11.37</td><td>37.65</td><td>0.00</td><td>278</td><td>197</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	92.96	-----	-----	84.68	34.56	11.37	37.65	0.00	278	197	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5755.00	92.96	-----	-----	84.68	34.56	11.37	37.65	0.00	278	197	AVERAGE																																																																																																																																			




Mode	35																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																						
ANT	SISO																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>48.67</td><td>111.71</td><td>-63.04</td><td>40.09</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>278</td><td>197</td><td>PEAK</td></tr><tr><td>2</td><td>5872.59</td><td>48.25</td><td>105.98</td><td>-57.73</td><td>39.60</td><td>34.87</td><td>11.51</td><td>37.73</td><td>0.00</td><td>278</td><td>197</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>47.81</td><td>68.46</td><td>-20.65</td><td>38.95</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>278</td><td>197</td><td>PEAK</td></tr><tr><td>4</td><td>5926.21</td><td>49.27</td><td>68.20</td><td>-18.93</td><td>40.40</td><td>34.98</td><td>11.55</td><td>37.66</td><td>0.00</td><td>278</td><td>197</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	48.67	111.71	-63.04	40.09	34.85	11.49	37.76	0.00	278	197	PEAK	2	5872.59	48.25	105.98	-57.73	39.60	34.87	11.51	37.73	0.00	278	197	PEAK	3	5924.65	47.81	68.46	-20.65	38.95	34.97	11.55	37.66	0.00	278	197	PEAK	4	5926.21	49.27	68.20	-18.93	40.40	34.98	11.55	37.66	0.00	278	197	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.65	48.67	111.71	-63.04	40.09	34.85	11.49	37.76	0.00	278	197	PEAK																																																																											
2	5872.59	48.25	105.98	-57.73	39.60	34.87	11.51	37.73	0.00	278	197	PEAK																																																																											
3	5924.65	47.81	68.46	-20.65	38.95	34.97	11.55	37.66	0.00	278	197	PEAK																																																																											
4	5926.21	49.27	68.20	-18.93	40.40	34.98	11.55	37.66	0.00	278	197	PEAK																																																																											





Mode	35																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																													
ANT	SISO																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.85</td><td>50.35</td><td>68.20</td><td>-17.85</td><td>41.94</td><td>34.44</td><td>11.19</td><td>37.22</td><td>0.00</td><td>152</td><td>144</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>49.48</td><td>68.94</td><td>-19.46</td><td>41.12</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>152</td><td>144</td><td>PEAK</td></tr><tr><td>3</td><td>5716.87</td><td>71.02</td><td>110.02</td><td>-39.00</td><td>62.84</td><td>34.38</td><td>11.32</td><td>37.52</td><td>0.00</td><td>152</td><td>144</td><td>PEAK</td></tr><tr><td>4</td><td>5720.59</td><td>61.81</td><td>112.25</td><td>-50.44</td><td>53.62</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>152</td><td>144</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.85	50.35	68.20	-17.85	41.94	34.44	11.19	37.22	0.00	152	144	PEAK	2	5651.00	49.48	68.94	-19.46	41.12	34.40	11.22	37.26	0.00	152	144	PEAK	3	5716.87	71.02	110.02	-39.00	62.84	34.38	11.32	37.52	0.00	152	144	PEAK	4	5720.59	61.81	112.25	-50.44	53.62	34.40	11.32	37.53	0.00	152	144	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>103.03</td><td>-----</td><td>-----</td><td>94.74</td><td>34.59</td><td>11.38</td><td>37.68</td><td>0.00</td><td>152</td><td>144</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	103.03	-----	-----	94.74	34.59	11.38	37.68	0.00	152	144	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5630.85	50.35	68.20	-17.85	41.94	34.44	11.19	37.22	0.00	152	144	PEAK																																																																																																																																		
2	5651.00	49.48	68.94	-19.46	41.12	34.40	11.22	37.26	0.00	152	144	PEAK																																																																																																																																		
3	5716.87	71.02	110.02	-39.00	62.84	34.38	11.32	37.52	0.00	152	144	PEAK																																																																																																																																		
4	5720.59	61.81	112.25	-50.44	53.62	34.40	11.32	37.53	0.00	152	144	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5755.00	103.03	-----	-----	94.74	34.59	11.38	37.68	0.00	152	144	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>94.29</td><td>-----</td><td>-----</td><td>86.00</td><td>34.59</td><td>11.38</td><td>37.68</td><td>0.00</td><td>152</td><td>144</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	94.29	-----	-----	86.00	34.59	11.38	37.68	0.00	152	144	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5755.00	94.29	-----	-----	86.00	34.59	11.38	37.68	0.00	152	144	AVERAGE																																																																																																																																		






Mode	35																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																															
ANT	SISO																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>49.13</td><td>111.26</td><td>-62.13</td><td>40.55</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>152</td><td>144</td><td>PEAK</td></tr><tr><td>2</td><td>5874.73</td><td>48.79</td><td>105.38</td><td>-56.59</td><td>40.14</td><td>34.87</td><td>11.51</td><td>37.73</td><td>0.00</td><td>152</td><td>144</td><td>PEAK</td></tr><tr><td>3</td><td>5923.87</td><td>48.42</td><td>69.03</td><td>-20.61</td><td>39.56</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>152</td><td>144</td><td>PEAK</td></tr><tr><td>4</td><td>5942.98</td><td>50.80</td><td>68.20</td><td>-17.40</td><td>41.84</td><td>35.03</td><td>11.56</td><td>37.63</td><td>0.00</td><td>152</td><td>144</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	49.13	111.26	-62.13	40.55	34.85	11.49	37.76	0.00	152	144	PEAK	2	5874.73	48.79	105.38	-56.59	40.14	34.87	11.51	37.73	0.00	152	144	PEAK	3	5923.87	48.42	69.03	-20.61	39.56	34.97	11.55	37.66	0.00	152	144	PEAK	4	5942.98	50.80	68.20	-17.40	41.84	35.03	11.56	37.63	0.00	152	144	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5854.84	49.13	111.26	-62.13	40.55	34.85	11.49	37.76	0.00	152	144	PEAK																																																																																				
2	5874.73	48.79	105.38	-56.59	40.14	34.87	11.51	37.73	0.00	152	144	PEAK																																																																																				
3	5923.87	48.42	69.03	-20.61	39.56	34.97	11.55	37.66	0.00	152	144	PEAK																																																																																				
4	5942.98	50.80	68.20	-17.40	41.84	35.03	11.56	37.63	0.00	152	144	PEAK																																																																																				




		35																																																										
Mode		Harmonic																																																										
		U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																										
ANT		SISO																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
																																																												
		<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11510.00</td><td>42.32</td><td>74.00</td><td>-31.68</td><td>54.61</td><td>38.26</td><td>16.13</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11510.00	42.32	74.00	-31.68	54.61	38.26	16.13	66.68	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	11510.00	42.32	74.00	-31.68	54.61	38.26	16.13	66.68	0.00	---	---	PEAK																																																
		<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11510.00</td><td>42.41</td><td>74.00</td><td>-31.59</td><td>54.70</td><td>38.26</td><td>16.13</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11510.00	42.41	74.00	-31.59	54.70	38.26	16.13	66.68	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	11510.00	42.41	74.00	-31.59	54.70	38.26	16.13	66.68	0.00	---	---	PEAK																																																






Mode	36																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																		
ANT	SISO																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5618.00</td><td>49.47</td><td>68.20</td><td>-18.73</td><td>41.06</td><td>34.46</td><td>11.18</td><td>37.23</td><td>0.00</td><td>293</td><td>196 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>49.25</td><td>68.80</td><td>-19.55</td><td>40.89</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>293</td><td>196 PEAK</td></tr><tr><td>3</td><td>5714.00</td><td>54.78</td><td>109.22</td><td>-54.44</td><td>46.61</td><td>34.37</td><td>11.31</td><td>37.51</td><td>0.00</td><td>293</td><td>196 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>49.09</td><td>110.90</td><td>-61.81</td><td>40.90</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>293</td><td>196 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5618.00	49.47	68.20	-18.73	41.06	34.46	11.18	37.23	0.00	293	196 PEAK	2	5650.00	49.25	68.80	-19.55	40.89	34.40	11.22	37.26	0.00	293	196 PEAK	3	5714.00	54.78	109.22	-54.44	46.61	34.37	11.31	37.51	0.00	293	196 PEAK	4	5720.00	49.09	110.90	-61.81	40.90	34.40	11.32	37.53	0.00	293	196 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5795.00</td><td>100.43</td><td>-----</td><td>-----</td><td>92.05</td><td>34.74</td><td>11.43</td><td>37.79</td><td>0.00</td><td>293</td><td>196 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5795.00	100.43	-----	-----	92.05	34.74	11.43	37.79	0.00	293	196 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5618.00	49.47	68.20	-18.73	41.06	34.46	11.18	37.23	0.00	293	196 PEAK																																																																																																								
2	5650.00	49.25	68.80	-19.55	40.89	34.40	11.22	37.26	0.00	293	196 PEAK																																																																																																								
3	5714.00	54.78	109.22	-54.44	46.61	34.37	11.31	37.51	0.00	293	196 PEAK																																																																																																								
4	5720.00	49.09	110.90	-61.81	40.90	34.40	11.32	37.53	0.00	293	196 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5795.00	100.43	-----	-----	92.05	34.74	11.43	37.79	0.00	293	196 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5795.00</td><td>91.73</td><td>-----</td><td>-----</td><td>83.34</td><td>34.77</td><td>11.44</td><td>37.82</td><td>0.00</td><td>293</td><td>196 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5795.00	91.73	-----	-----	83.34	34.77	11.44	37.82	0.00	293	196 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5795.00	91.73	-----	-----	83.34	34.77	11.44	37.82	0.00	293	196 AVERAGE																																																																																																								




Mode	36																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																		
ANT	SISO																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>48.25</td><td>111.36</td><td>-63.11</td><td>39.67</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>293</td><td>196 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>49.76</td><td>105.80</td><td>-56.04</td><td>41.11</td><td>34.87</td><td>11.51</td><td>37.73</td><td>0.00</td><td>293</td><td>196 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>46.70</td><td>68.94</td><td>-22.24</td><td>37.84</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>293</td><td>196 PEAK</td></tr><tr><td>4</td><td>5958.00</td><td>49.93</td><td>68.20</td><td>-18.27</td><td>40.93</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>293</td><td>196 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	48.25	111.36	-63.11	39.67	34.85	11.49	37.76	0.00	293	196 PEAK	2	5873.20	49.76	105.80	-56.04	41.11	34.87	11.51	37.73	0.00	293	196 PEAK	3	5924.00	46.70	68.94	-22.24	37.84	34.97	11.55	37.66	0.00	293	196 PEAK	4	5958.00	49.93	68.20	-18.27	40.93	35.05	11.57	37.62	0.00	293	196 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	5854.80	48.25	111.36	-63.11	39.67	34.85	11.49	37.76	0.00	293	196 PEAK																																																																								
2	5873.20	49.76	105.80	-56.04	41.11	34.87	11.51	37.73	0.00	293	196 PEAK																																																																								
3	5924.00	46.70	68.94	-22.24	37.84	34.97	11.55	37.66	0.00	293	196 PEAK																																																																								
4	5958.00	49.93	68.20	-18.27	40.93	35.05	11.57	37.62	0.00	293	196 PEAK																																																																								



Mode	36																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																	
ANT	SISO																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5639.20</td><td>49.56</td><td>68.20</td><td>-18.64</td><td>41.16</td><td>34.42</td><td>11.20</td><td>37.22</td><td>0.00</td><td>100</td><td>147 PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>46.93</td><td>69.69</td><td>-22.76</td><td>38.58</td><td>34.40</td><td>11.22</td><td>37.27</td><td>0.00</td><td>100</td><td>147 PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>48.19</td><td>105.52</td><td>-57.33</td><td>40.06</td><td>34.30</td><td>11.29</td><td>37.46</td><td>0.00</td><td>100</td><td>147 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>47.99</td><td>110.90</td><td>-62.91</td><td>39.80</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>147 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5639.20	49.56	68.20	-18.64	41.16	34.42	11.20	37.22	0.00	100	147 PEAK	2	5652.00	46.93	69.69	-22.76	38.58	34.40	11.22	37.27	0.00	100	147 PEAK	3	5700.80	48.19	105.52	-57.33	40.06	34.30	11.29	37.46	0.00	100	147 PEAK	4	5720.00	47.99	110.90	-62.91	39.80	34.40	11.32	37.53	0.00	100	147 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>100.50</td><td>-----</td><td>-----</td><td>92.09</td><td>34.80</td><td>11.45</td><td>37.84</td><td>0.00</td><td>100</td><td>147 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5795.00	100.50	-----	-----	92.09	34.80	11.45	37.84	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5639.20	49.56	68.20	-18.64	41.16	34.42	11.20	37.22	0.00	100	147 PEAK																																																																																																							
2	5652.00	46.93	69.69	-22.76	38.58	34.40	11.22	37.27	0.00	100	147 PEAK																																																																																																							
3	5700.80	48.19	105.52	-57.33	40.06	34.30	11.29	37.46	0.00	100	147 PEAK																																																																																																							
4	5720.00	47.99	110.90	-62.91	39.80	34.40	11.32	37.53	0.00	100	147 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5795.00	100.50	-----	-----	92.09	34.80	11.45	37.84	0.00	100	147 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>92.17</td><td>-----</td><td>-----</td><td>83.76</td><td>34.80</td><td>11.45</td><td>37.84</td><td>0.00</td><td>100</td><td>147 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5795.00	92.17	-----	-----	83.76	34.80	11.45	37.84	0.00	100	147 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5795.00	92.17	-----	-----	83.76	34.80	11.45	37.84	0.00	100	147 AVERAGE																																																																																																							






Mode	36																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																		
ANT	SISO																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>50.03</td><td>112.27</td><td>-62.24</td><td>41.45</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>100</td><td>147 PEAK</td></tr><tr><td>2</td><td>5861.20</td><td>55.70</td><td>109.16</td><td>-53.46</td><td>47.09</td><td>34.86</td><td>11.50</td><td>37.75</td><td>0.00</td><td>100</td><td>147 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>49.60</td><td>68.94</td><td>-19.34</td><td>40.74</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>147 PEAK</td></tr><tr><td>4</td><td>5928.00</td><td>49.50</td><td>68.20</td><td>-18.70</td><td>40.62</td><td>34.98</td><td>11.55</td><td>37.65</td><td>0.00</td><td>100</td><td>147 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	50.03	112.27	-62.24	41.45	34.85	11.49	37.76	0.00	100	147 PEAK	2	5861.20	55.70	109.16	-53.46	47.09	34.86	11.50	37.75	0.00	100	147 PEAK	3	5924.00	49.60	68.94	-19.34	40.74	34.97	11.55	37.66	0.00	100	147 PEAK	4	5928.00	49.50	68.20	-18.70	40.62	34.98	11.55	37.65	0.00	100	147 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.40	50.03	112.27	-62.24	41.45	34.85	11.49	37.76	0.00	100	147 PEAK																																																																								
2	5861.20	55.70	109.16	-53.46	47.09	34.86	11.50	37.75	0.00	100	147 PEAK																																																																								
3	5924.00	49.60	68.94	-19.34	40.74	34.97	11.55	37.66	0.00	100	147 PEAK																																																																								
4	5928.00	49.50	68.20	-18.70	40.62	34.98	11.55	37.65	0.00	100	147 PEAK																																																																								



Mode	36																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																								
ANT	SISO																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>43.74</td><td>74.00</td><td>-30.26</td><td>55.76</td><td>38.33</td><td>16.19</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	43.74	74.00	-30.26	55.76	38.33	16.19	66.54	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>43.05</td><td>74.00</td><td>-30.95</td><td>55.07</td><td>38.33</td><td>16.19</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	43.05	74.00	-30.95	55.07	38.33	16.19	66.54	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11590.00	43.74	74.00	-30.26	55.76	38.33	16.19	66.54	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11590.00	43.05	74.00	-30.95	55.07	38.33	16.19	66.54	0.00	---	---	PEAK																																																																																													






Mode	37																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																									
ANT	SISO																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5686.80</td><td>49.41</td><td>68.20</td><td>-18.79</td><td>40.99</td><td>34.49</td><td>11.16</td><td>37.23</td><td>0.00</td><td>215</td><td>197 PEAK</td></tr><tr><td>2</td><td>5690.00</td><td>48.07</td><td>68.20</td><td>-20.13</td><td>39.71</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>215</td><td>197 PEAK</td></tr><tr><td>3</td><td>5710.00</td><td>54.19</td><td>108.10</td><td>-53.91</td><td>46.02</td><td>34.35</td><td>11.31</td><td>37.49</td><td>0.00</td><td>215</td><td>197 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>54.96</td><td>111.81</td><td>-56.85</td><td>46.77</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>215</td><td>197 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5686.80	49.41	68.20	-18.79	40.99	34.49	11.16	37.23	0.00	215	197 PEAK	2	5690.00	48.07	68.20	-20.13	39.71	34.40	11.22	37.26	0.00	215	197 PEAK	3	5710.00	54.19	108.10	-53.91	46.02	34.35	11.31	37.49	0.00	215	197 PEAK	4	5720.40	54.96	111.81	-56.85	46.77	34.40	11.32	37.53	0.00	215	197 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.55</td><td>-----</td><td>-----</td><td>88.22</td><td>34.65</td><td>11.40</td><td>37.72</td><td>0.00</td><td>215</td><td>197 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	96.55	-----	-----	88.22	34.65	11.40	37.72	0.00	215	197 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5686.80	49.41	68.20	-18.79	40.99	34.49	11.16	37.23	0.00	215	197 PEAK																																																																																																																															
2	5690.00	48.07	68.20	-20.13	39.71	34.40	11.22	37.26	0.00	215	197 PEAK																																																																																																																															
3	5710.00	54.19	108.10	-53.91	46.02	34.35	11.31	37.49	0.00	215	197 PEAK																																																																																																																															
4	5720.40	54.96	111.81	-56.85	46.77	34.40	11.32	37.53	0.00	215	197 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	96.55	-----	-----	88.22	34.65	11.40	37.72	0.00	215	197 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>87.36</td><td>-----</td><td>-----</td><td>79.02</td><td>34.68</td><td>11.41</td><td>37.75</td><td>0.00</td><td>215</td><td>197 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	87.36	-----	-----	79.02	34.68	11.41	37.75	0.00	215	197 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	87.36	-----	-----	79.02	34.68	11.41	37.75	0.00	215	197 AVERAGE																																																																																																																															




Mode	37																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																						
ANT	SISO																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>51.96</td><td>113.18</td><td>-61.22</td><td>43.38</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>215</td><td>197</td><td>PEAK</td></tr><tr><td>2</td><td>5870.80</td><td>51.99</td><td>106.47</td><td>-54.48</td><td>43.35</td><td>34.87</td><td>11.51</td><td>37.74</td><td>0.00</td><td>215</td><td>197</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>48.04</td><td>68.94</td><td>-20.90</td><td>39.18</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>215</td><td>197</td><td>PEAK</td></tr><tr><td>4</td><td>5940.00</td><td>48.12</td><td>68.20</td><td>-20.08</td><td>39.18</td><td>35.02</td><td>11.56</td><td>37.64</td><td>0.00</td><td>215</td><td>197</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	51.96	113.18	-61.22	43.38	34.85	11.49	37.76	0.00	215	197	PEAK	2	5870.80	51.99	106.47	-54.48	43.35	34.87	11.51	37.74	0.00	215	197	PEAK	3	5924.00	48.04	68.94	-20.90	39.18	34.97	11.55	37.66	0.00	215	197	PEAK	4	5940.00	48.12	68.20	-20.08	39.18	35.02	11.56	37.64	0.00	215	197	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5854.00	51.96	113.18	-61.22	43.38	34.85	11.49	37.76	0.00	215	197	PEAK																																																																											
2	5870.80	51.99	106.47	-54.48	43.35	34.87	11.51	37.74	0.00	215	197	PEAK																																																																											
3	5924.00	48.04	68.94	-20.90	39.18	34.97	11.55	37.66	0.00	215	197	PEAK																																																																											
4	5940.00	48.12	68.20	-20.08	39.18	35.02	11.56	37.64	0.00	215	197	PEAK																																																																											





Mode	37																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																			
ANT	SISO																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5620.00</td><td>50.57</td><td>68.20</td><td>-17.63</td><td>42.16</td><td>34.46</td><td>11.18</td><td>37.23</td><td>0.00</td><td>173</td><td>146 PEAK</td></tr><tr><td>2 5652.40</td><td>49.61</td><td>69.99</td><td>-20.38</td><td>41.26</td><td>34.40</td><td>11.22</td><td>37.27</td><td>0.00</td><td>173</td><td>146 PEAK</td></tr><tr><td>3 5781.60</td><td>50.10</td><td>105.75</td><td>-55.65</td><td>41.96</td><td>34.31</td><td>11.29</td><td>37.46</td><td>0.00</td><td>173</td><td>146 PEAK</td></tr><tr><td>4 5721.20</td><td>52.36</td><td>113.64</td><td>-61.28</td><td>44.16</td><td>34.41</td><td>11.32</td><td>37.53</td><td>0.00</td><td>173</td><td>146 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5620.00	50.57	68.20	-17.63	42.16	34.46	11.18	37.23	0.00	173	146 PEAK	2 5652.40	49.61	69.99	-20.38	41.26	34.40	11.22	37.27	0.00	173	146 PEAK	3 5781.60	50.10	105.75	-55.65	41.96	34.31	11.29	37.46	0.00	173	146 PEAK	4 5721.20	52.36	113.64	-61.28	44.16	34.41	11.32	37.53	0.00	173	146 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>96.80</td><td>-----</td><td>-----</td><td>88.44</td><td>34.71</td><td>11.42</td><td>37.77</td><td>0.00</td><td>173</td><td>146 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	96.80	-----	-----	88.44	34.71	11.42	37.77	0.00	173	146 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5620.00	50.57	68.20	-17.63	42.16	34.46	11.18	37.23	0.00	173	146 PEAK																																																																																																																										
2 5652.40	49.61	69.99	-20.38	41.26	34.40	11.22	37.27	0.00	173	146 PEAK																																																																																																																										
3 5781.60	50.10	105.75	-55.65	41.96	34.31	11.29	37.46	0.00	173	146 PEAK																																																																																																																										
4 5721.20	52.36	113.64	-61.28	44.16	34.41	11.32	37.53	0.00	173	146 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	96.80	-----	-----	88.44	34.71	11.42	37.77	0.00	173	146 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>88.37</td><td>-----</td><td>-----</td><td>80.03</td><td>34.68</td><td>11.41</td><td>37.75</td><td>0.00</td><td>173</td><td>146 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	88.37	-----	-----	80.03	34.68	11.41	37.75	0.00	173	146 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	88.37	-----	-----	80.03	34.68	11.41	37.75	0.00	173	146 AVERAGE																																																																																																																										





Mode	37																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																						
ANT	SISO																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>49.81</td><td>111.36</td><td>-61.55</td><td>41.23</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>173</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>52.42</td><td>106.14</td><td>-53.72</td><td>43.78</td><td>34.87</td><td>11.51</td><td>37.74</td><td>0.00</td><td>173</td><td>146</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.83</td><td>68.94</td><td>-21.11</td><td>38.97</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>173</td><td>146</td><td>PEAK</td></tr><tr><td>4</td><td>5931.60</td><td>49.42</td><td>68.20</td><td>-18.78</td><td>40.52</td><td>34.99</td><td>11.56</td><td>37.65</td><td>0.00</td><td>173</td><td>146</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	49.81	111.36	-61.55	41.23	34.85	11.49	37.76	0.00	173	146	PEAK	2	5872.00	52.42	106.14	-53.72	43.78	34.87	11.51	37.74	0.00	173	146	PEAK	3	5924.00	47.83	68.94	-21.11	38.97	34.97	11.55	37.66	0.00	173	146	PEAK	4	5931.60	49.42	68.20	-18.78	40.52	34.99	11.56	37.65	0.00	173	146	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.00	49.81	111.36	-61.55	41.23	34.85	11.49	37.76	0.00	173	146	PEAK																																																																											
2	5872.00	52.42	106.14	-53.72	43.78	34.87	11.51	37.74	0.00	173	146	PEAK																																																																											
3	5924.00	47.83	68.94	-21.11	38.97	34.97	11.55	37.66	0.00	173	146	PEAK																																																																											
4	5931.60	49.42	68.20	-18.78	40.52	34.99	11.56	37.65	0.00	173	146	PEAK																																																																											





Mode	37																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																								
ANT	SISO																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>42.51</td><td>74.00</td><td>-31.49</td><td>54.67</td><td>38.29</td><td>16.16</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	42.51	74.00	-31.49	54.67	38.29	16.16	66.61	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>41.52</td><td>74.00</td><td>-32.48</td><td>53.68</td><td>38.29</td><td>16.16</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	41.52	74.00	-32.48	53.68	38.29	16.16	66.61	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11550.00	42.51	74.00	-31.49	54.67	38.29	16.16	66.61	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11550.00	41.52	74.00	-32.48	53.68	38.29	16.16	66.61	0.00	---	---	PEAK																																																																																													







Mode	35																																																																																																																		
	LF																																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																		
ANT	SISO																																																																																																																		
Pol.	Horizontal																																																																																																																		
Peak																																																																																																																			
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.18</td><td>20.42</td><td>40.00</td><td>-19.58</td><td>28.82</td><td>24.03</td><td>0.36</td><td>32.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>112.21</td><td>19.34</td><td>43.50</td><td>-24.16</td><td>33.91</td><td>17.04</td><td>1.05</td><td>32.66</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>173.00</td><td>24.36</td><td>43.50</td><td>-19.14</td><td>40.21</td><td>15.50</td><td>1.38</td><td>32.73</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>233.94</td><td>28.94</td><td>46.00</td><td>-17.06</td><td>43.54</td><td>16.65</td><td>1.60</td><td>32.85</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>493.90</td><td>28.17</td><td>46.00</td><td>-17.83</td><td>35.15</td><td>23.84</td><td>2.32</td><td>33.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>890.15</td><td>35.91</td><td>46.00</td><td>-10.09</td><td>36.24</td><td>28.97</td><td>3.09</td><td>32.39</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	32.18	20.42	40.00	-19.58	28.82	24.03	0.36	32.79	0.00	---	---	Peak	2	112.21	19.34	43.50	-24.16	33.91	17.04	1.05	32.66	0.00	---	---	Peak	3	173.00	24.36	43.50	-19.14	40.21	15.50	1.38	32.73	0.00	---	---	Peak	4	233.94	28.94	46.00	-17.06	43.54	16.65	1.60	32.85	0.00	---	---	Peak	5	493.90	28.17	46.00	-17.83	35.15	23.84	2.32	33.14	0.00	---	---	Peak	6	890.15	35.91	46.00	-10.09	36.24	28.97	3.09	32.39	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																							
1	32.18	20.42	40.00	-19.58	28.82	24.03	0.36	32.79	0.00	---	---	Peak																																																																																																							
2	112.21	19.34	43.50	-24.16	33.91	17.04	1.05	32.66	0.00	---	---	Peak																																																																																																							
3	173.00	24.36	43.50	-19.14	40.21	15.50	1.38	32.73	0.00	---	---	Peak																																																																																																							
4	233.94	28.94	46.00	-17.06	43.54	16.65	1.60	32.85	0.00	---	---	Peak																																																																																																							
5	493.90	28.17	46.00	-17.83	35.15	23.84	2.32	33.14	0.00	---	---	Peak																																																																																																							
6	890.15	35.91	46.00	-10.09	36.24	28.97	3.09	32.39	0.00	---	---	Peak																																																																																																							
Peak																																																																																																																			
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.18</td><td>23.85</td><td>40.00</td><td>-16.15</td><td>32.25</td><td>24.03</td><td>0.36</td><td>32.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>132.34</td><td>17.97</td><td>43.50</td><td>-25.53</td><td>31.98</td><td>17.52</td><td>1.16</td><td>32.69</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>233.94</td><td>19.32</td><td>46.00</td><td>-26.68</td><td>33.92</td><td>16.65</td><td>1.60</td><td>32.85</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>444.43</td><td>26.80</td><td>46.00</td><td>-19.20</td><td>34.76</td><td>22.86</td><td>2.23</td><td>33.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>576.11</td><td>26.68</td><td>46.00</td><td>-19.32</td><td>31.27</td><td>26.17</td><td>2.51</td><td>33.27</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>858.14</td><td>28.65</td><td>46.00</td><td>-17.35</td><td>29.34</td><td>28.81</td><td>3.04</td><td>32.54</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	32.18	23.85	40.00	-16.15	32.25	24.03	0.36	32.79	0.00	---	---	Peak	2	132.34	17.97	43.50	-25.53	31.98	17.52	1.16	32.69	0.00	---	---	Peak	3	233.94	19.32	46.00	-26.68	33.92	16.65	1.60	32.85	0.00	---	---	Peak	4	444.43	26.80	46.00	-19.20	34.76	22.86	2.23	33.05	0.00	---	---	Peak	5	576.11	26.68	46.00	-19.32	31.27	26.17	2.51	33.27	0.00	---	---	Peak	6	858.14	28.65	46.00	-17.35	29.34	28.81	3.04	32.54	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																							
1	32.18	23.85	40.00	-16.15	32.25	24.03	0.36	32.79	0.00	---	---	Peak																																																																																																							
2	132.34	17.97	43.50	-25.53	31.98	17.52	1.16	32.69	0.00	---	---	Peak																																																																																																							
3	233.94	19.32	46.00	-26.68	33.92	16.65	1.60	32.85	0.00	---	---	Peak																																																																																																							
4	444.43	26.80	46.00	-19.20	34.76	22.86	2.23	33.05	0.00	---	---	Peak																																																																																																							
5	576.11	26.68	46.00	-19.32	31.27	26.17	2.51	33.27	0.00	---	---	Peak																																																																																																							
6	858.14	28.65	46.00	-17.35	29.34	28.81	3.04	32.54	0.00	---	---	Peak																																																																																																							





Mode	35	
	18-40G	
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz	
ANT	SISO	
Pol.	Horizontal	Vertical
Peak Avg		







		38																																																																																																																	
Mode		Band Edge - L																																																																																																																	
		U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																																	
ANT		SISO																																																																																																																	
Pol.	Horizontal											Fundamental																																																																																																							
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5117.44</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>41.21</td><td>33.95</td><td>10.62</td><td>37.45</td><td>0.00</td><td>140</td><td>226</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5117.44	48.33	74.00	-25.67	41.21	33.95	10.62	37.45	0.00	140	226	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>99.29</td><td>-----</td><td>-----</td><td>91.57</td><td>34.30</td><td>10.79</td><td>37.37</td><td>0.00</td><td>140</td><td>226</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	99.29	-----	-----	91.57	34.30	10.79	37.37	0.00	140	226
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5117.44	48.33	74.00	-25.67	41.21	33.95	10.62	37.45	0.00	140	226	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5310.00	99.29	-----	-----	91.57	34.30	10.79	37.37	0.00	140	226	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.60</td><td>38.87</td><td>54.00</td><td>-15.13</td><td>31.62</td><td>34.04</td><td>10.65</td><td>37.44</td><td>0.00</td><td>140</td><td>226</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.60	38.87	54.00	-15.13	31.62	34.04	10.65	37.44	0.00	140	226	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>90.88</td><td>-----</td><td>-----</td><td>83.14</td><td>34.31</td><td>10.80</td><td>37.37</td><td>0.00</td><td>140</td><td>226</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	90.88	-----	-----	83.14	34.31	10.80	37.37	0.00	140	226
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5145.60	38.87	54.00	-15.13	31.62	34.04	10.65	37.44	0.00	140	226	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5310.00	90.88	-----	-----	83.14	34.31	10.80	37.37	0.00	140	226	AVERAGE																																																																																																							





Mode	38																																																										
	Band Edge - R																																																										
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																										
ANT	SISO																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>64.71</td><td>74.00</td><td>-9.29</td><td>56.87</td><td>34.35</td><td>10.84</td><td>37.35</td><td>0.00</td><td>140</td><td>226</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	64.71	74.00	-9.29	56.87	34.35	10.84	37.35	0.00	140	226	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5350.10	64.71	74.00	-9.29	56.87	34.35	10.84	37.35	0.00	140	226	PEAK																																															
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>45.12</td><td>54.00</td><td>-8.88</td><td>37.28</td><td>34.35</td><td>10.84</td><td>37.35</td><td>0.00</td><td>140</td><td>226</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	45.12	54.00	-8.88	37.28	34.35	10.84	37.35	0.00	140	226	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5350.00	45.12	54.00	-8.88	37.28	34.35	10.84	37.35	0.00	140	226	AVERAGE																																															





		38																																																																																																	
Mode	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																		
ANT	SISO																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5137.44</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>43.61</td><td>34.01</td><td>10.64</td><td>37.44</td><td>0.00</td><td>100</td><td>336 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5137.44	50.82	74.00	-23.18	43.61	34.01	10.64	37.44	0.00	100	336 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5310.00</td><td>104.26</td><td>-----</td><td>-----</td><td>96.51</td><td>34.31</td><td>10.80</td><td>37.36</td><td>0.00</td><td>100</td><td>336 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5310.00	104.26	-----	-----	96.51	34.31	10.80	37.36	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5137.44	50.82	74.00	-23.18	43.61	34.01	10.64	37.44	0.00	100	336 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5310.00	104.26	-----	-----	96.51	34.31	10.80	37.36	0.00	100	336 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5148.16</td><td>40.54</td><td>54.00</td><td>-13.46</td><td>33.29</td><td>34.04</td><td>10.65</td><td>37.44</td><td>0.00</td><td>100</td><td>336 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5148.16	40.54	54.00	-13.46	33.29	34.04	10.65	37.44	0.00	100	336 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5310.00</td><td>95.95</td><td>-----</td><td>-----</td><td>88.21</td><td>34.31</td><td>10.80</td><td>37.37</td><td>0.00</td><td>100</td><td>336 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5310.00	95.95	-----	-----	88.21	34.31	10.80	37.37	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5148.16	40.54	54.00	-13.46	33.29	34.04	10.65	37.44	0.00	100	336 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5310.00	95.95	-----	-----	88.21	34.31	10.80	37.37	0.00	100	336 AVERAGE																																																																																									



Mode	38																																																										
	Band Edge - R																																																										
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																										
ANT	SISO																																																										
Pol.	Vertical						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.40</td><td>63.65</td><td>74.00</td><td>-10.35</td><td>55.81</td><td>34.35</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>336</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.40	63.65	74.00	-10.35	55.81	34.35	10.84	37.35	0.00	100	336	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5353.40	63.65	74.00	-10.35	55.81	34.35	10.84	37.35	0.00	100	336	PEAK																																															
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.61</td><td>54.00</td><td>-3.39</td><td>42.77</td><td>34.35</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>336</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	50.61	54.00	-3.39	42.77	34.35	10.84	37.35	0.00	100	336	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5350.00	50.61	54.00	-3.39	42.77	34.35	10.84	37.35	0.00	100	336	AVERAGE																																															




Mode	38																																																																																																								
	Harmonic																																																																																																								
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																								
ANT	SISO																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10620.00</td><td>42.78</td><td>74.00</td><td>-31.22</td><td>56.86</td><td>37.53</td><td>15.49</td><td>67.10</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10620.00	42.78	74.00	-31.22	56.86	37.53	15.49	67.10	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10620.00</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>58.64</td><td>37.53</td><td>15.49</td><td>67.10</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10620.00	44.56	74.00	-29.44	58.64	37.53	15.49	67.10	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10620.00	42.78	74.00	-31.22	56.86	37.53	15.49	67.10	0.00	---	PEAK																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10620.00	44.56	74.00	-29.44	58.64	37.53	15.49	67.10	0.00	---	PEAK																																																																																														

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.67	1.390	0.719	0.75kHz
802.11n HT20	96.76	1.297	0.771	0.82kHz
802.11n HT40	94.13	0.651	1.537	1.6kHz
802.11ac VHT80	88.19	0.325	3.080	3.3kHz

802.11a






802.11n HT20



802.11n HT 40





802.11ac VHT80

